

Как это называется?

Визуальный словарь пользовательского интерфейса.
Посмотрите на элемент, узнайте его настоящее название и
точно сформулируйте запрос для своего программиста.
Дважды нажмите на любое слово на сайте, чтобы увидеть его
определение на простом английском языке.

🔍

⌘ K

НОВОЕ Тоже не можете назвать *стиль*? Назовите эту атмосферу — атлас визуальных стилей →

Все 62

macOS 31


Веб 31

НАЗОВИТЕ ЭТОТ
ИНТЕРФЕЙС

Скремблирование текста (эффект декодирования) **НОВОЕ**

`ScrambleTextPlugin`

Случайные символы перемешиваются и складываются в реальный текст



ВЕБ

Весенняя анимация **НОВАЯ**


ВЕБ

переход `={{ тип: "пружина", жесткость, демпфи...`

Движение, основанное на физике, которое пролетает мимо цели и останавливается

КАМЕННАЯ КЛАДКА

1	2
	4
3	




Упрощение (функция синхронизации) НОВОЕ

ВЕБ

[переход-функция синхронизации](#)

Кривая скорости анимации — почему движение кажется плавным или роботизированным




Сетка для бэнто НОВАЯ

ВЕБ

[отображение: сетка + сетка-столбец: интервал 2](#)

Одна сетка, разные размеры плиток — макет упакован как коробка для бэнто




Лайтбокс НОВЫЙ

ВЕБ

[<диалоговое окно>](#)

Наложение изображения с помощью щелчка для увеличения, которое затемняет страницу за ним



Pointer (Cursor) NEW

MACOS

[NSCursor](#)





Схема каменной кладки (сетка Pinterest) НОВОЕ

ПАУТИНА

[столбцы](#)

Карточки разной высоты, упакованные в столбцы без промежутков между строками




Меню гамбургеров (навигационный ящик) НОВОЕ

ВЕБ- МЕНЮ

[aria-расширенное + aria-элементы управления](#)

Открывается трехстрочная кнопка и панель навигации, которую она сдвигает.




Marquee НОВАЯ

СЕТЬ

[анимация + @keyframes translateX](#)

Контент, который автоматически прокручивается в бесконечном цикле




Alert NEW

MACOS

[NSAlert](#)

Every shape the mouse pointer takes — and the real name of each one




Slider NEW

MACOS

`NSSlider`

The round knob you drag along a track to pick a value from a range

The small centered window with a badged icon, a bold line, and Cancel/OK buttons




Color Well NEW

MACOS

`NSColorWell`

The little swatch button that shows the current color and opens the picker




Form Field NEW

WEB

`<label for>`

Every part of a labeled input — label, placeholder, helper text, and the red error line




Truncation (Ellipsis & Line Clamp) NEW

WEB

`text-overflow: ellipsis`

Text cut short with ... — at the end of the line, after N lines, or in the middle



Drag & Drop

WEB

`ondrop`

The grips, handles, previews, and landing cues around a drag interaction




Divider vs. Separator vs. Rule

WEB

`<hr>`

The same thin line can mark a topic break, separate controls, or be decoration





spinner



progress ring




progress bar

65%

Progress Ring vs. Spinner vs. Progress Bar WEB

[<progress>](#)

A spinner means wait; a ring or bar can show how much work is complete




Mac Window

MACOS

[NSWindow](#)

The movable Mac app frame, from its title bar and toolbar to its resize edges




Split View

MACOS

[NSSplitView](#)

Resizable panes separated by a draggable divider inside a Mac window



Scroll View (Scroller)

MACOS

[NSScrollView](#)

A viewport whose AppKit scrollbar is called a scroller




Search Field

MACOS

[NSSearchField](#)

A Mac text field with built-in search, clearing, and recent-query controls



Save Panel

MACOS

[NSSavePanel](#)

The standard Mac dialog for naming a file and choosing where to save it

Tags:

Design

Q3 Report

Save

Save As...

Save All

Export...

Token Field

MACOS


[NSTokenField](#)

Combo Button


MACOS

[NSComboButton](#)

A text input that turns recognized values into removable rounded tokens



A primary action joined to a separate arrow that opens related actions



Level Indicator

`NSLevelIndicator`

A Mac gauge rendered as a capacity bar, rating stars, or relevance meter


MACOS

Column View (Browser)

`NSBrowser`

Finder-style columns that reveal each successive level of a hierarchy

MACOS



Outline View

`NSOutlineView`

An indented tree of rows that expand to reveal nested children


MACOS

The Three Dots (Overflow Menu)

`<button>`

Horizontal dots, vertical dots, three lines, and an ellipsis mean different things

WEB



Menu Bar

`NSApp.mainMenu`

The strip along the top of the Mac screen — every part, labeled

MACOS


Context Menu

`NSMenu`

The menu opened at the pointer by right-clicking or Control-clicking an item

MACOS





Disclosure Triangle

MACOS

[NSOutlineView](#)

The small rotating control that reveals or hides nested content



Dock Badge

MACOS

[NSDockTile.badgeLabel](#)

The red count or status label overlaid on an app's Dock icon




Focus Ring

MACOS

[NSView.focusRingType](#)

The accent-colored glow that identifies the control receiving keyboard input




Inspector

MACOS

[View.inspector\(isPresented:content:\)](#)

The right-hand panel for viewing and editing details of the current selection




Panel (Floating Window / HUD)

MACOS

[NSPanel](#)

An auxiliary macOS window that floats above related document windows




Popover

MACOS

[NSPopover](#)

A floating bubble whose arrow points back to the control that opened it



Pop-Up Button vs. Pull-Down Button vs. Combo Box

MACOS




Segmented Control

MACOS

[NSSegmentedControl](#)

NSPopUpButton

Three similar-looking macOS controls for choosing a value or invoking a menu action



Sheet

MACOS

`NSWindow.beginSheet(_:completionHandler:)`

A modal panel attached to one macOS window rather than the whole app




Stepper

MACOS

`NSStepper`

The compact up-and-down arrow pair used to increment or decrement a value




Traffic Lights (Window Controls)

MACOS

`NSWindow.standardWindowButton(_:)`

The red, yellow, and green controls at the top-left of a macOS window

A row of connected choices with the current segment visibly selected




Sidebar (Source List)

MACOS

`NavigationSplitView`

The translucent navigation column along the left edge of a macOS window




Toolbar (Unified Title Bar)

MACOS

`NSToolbar`

A row of window actions integrated with the modern macOS title bar




Visual Effect Material (Vibrancy)

MACOS

`NSVisualEffectView`

The adaptive translucent background used behind macOS sidebars, menus, and panels




Toast (Snackbar)

WEB

`role="status"`

A brief, non-blocking message that appears after an action




Modal Dialog vs. Drawer vs. Sheet

WEB

`<dialog>`

Three overlay patterns distinguished by placement, scope, and task depth




Popover vs. Dropdown Menu vs. Tooltip

WEB

`popover`

Three anchored overlays with different triggers, content, and dismissal rules




Scrim (Backdrop / Overlay)

WEB

`::backdrop`

The translucent layer that separates a modal surface from the page




Skeleton vs. Spinner

WEB

`aria-busy="true"`

Two loading indicators for predictable layouts and indeterminate waits




Combobox (Autocomplete / Typeahead)

WEB


`role="combobox"`

A text input paired with a filtered list of selectable suggestions



Command Palette

WEB




Accordion (Disclosure)

WEB

Command


A keyboard-first searchable launcher for actions and navigation



Tabs

`role="tablist"`

A single row of labels that switches one shared content region



Breadcrumbs

`<nav>`

A hierarchy trail from the current page back to its ancestors




Focus Ring (`:focus-visible`)

`:focus-visible`

The keyboard-aware outline that identifies the active control

`<details>`

Stacked sections whose headings expand and collapse their content



Badge vs. Chip vs. Pill vs. Tag

Badge

Compact labels distinguished by meaning, shape, and interactivity

SCROLLABLE PANE


Component notes

`position: sticky`

Sticky vs. Fixed Positioning

`position: sticky`


Two ways to keep an element visible with different containing blocks



Empty State

`<section>`

Purposeful guidance shown when a view has no content yet



Switch



Checkbox



Radio



Hover Card

WEB

[HoverCard](#)

A rich, non-modal preview revealed from a hovered or focused reference

Switch vs. Checkbox vs. Radio

WEB

```
<input type="checkbox" role="switch">
```

Controls for an on/off setting, independent choices, or one choice from a group



Single selection · center

Finder

9:41

Open NameThat
Check for Updates...
Settings...
Quit

Toggle Group (Segmented Control)

WEB

[ToggleGroup](#)

A connected row of compact options with one persistent selection

Menu Bar Extra (Status Item)

MACOS

[NSStatusItem](#)

The icon that lives on the right side of the macOS menu bar

GUIDES – THE DECISIONS BEFORE THE NAMES

AppKit vs SwiftUI

The same Mac element has two real names — which one to say in a prompt.

Swift vs Electron

Native app or web-in-a-shell — the first fork, and the vocabulary it decides.

The Translation Table

60+ elements: plain name → AppKit → SwiftUI, searchable.