

 [У GPT-5.6 Sol новая более низкая цена, а до 3 сентября действует скидка 50%. Попробуйте в VS Code!](#) 

ТЕМЫ

Extension Marketplace




Магазин расширений


Возможности, которые доступны в Visual Studio Code «из коробки», — это только начало. Расширения VS Code позволяют добавлять языки, отладчики и инструменты для поддержки вашего рабочего процесса разработки. Богатая модель расширяемости VS Code позволяет авторам подключаться непосредственно к пользовательскому интерфейсу VS Code и добавлять функциональность с помощью тех же API, которые используются в VS Code. В этой статье объясняется, как находить, устанавливать расширения VS Code и управлять ими на [рынке расширений Visual Studio Code](#).

Поиск расширений

Вы можете просматривать и устанавливать расширения прямо в VS Code. Чтобы открыть раздел расширений, нажмите на значок расширений в **панели активности** сбоку от VS Code или воспользуйтесь командой **View: Extensions** ([Ctrl+Shift+X](#)).



Здесь представлен список самых популярных расширений VS Code на [рынке расширений VS Code](#).



Каждое расширение в списке сопровождается кратким описанием, информацией об издателе, количестве загрузок и рейтингом из пяти звезд. Вы можете выбрать расширение, чтобы перейти на страницу с подробной информацией о нем.

📌 Примечание

Если доступ вашего компьютера к Интернету осуществляется через прокси-сервер, вам нужно будет настроить его. Подробнее см. в разделе [Поддержка прокси-сервера](#).

Установить расширение

Чтобы установить расширение, нажмите кнопку **Установить**. После завершения установки кнопка **Установить** сменится на шестеренку **Управление**.

⚠️ Важный

Расширения имеют те же права доступа, что и сам VS Code. Начиная с версии VS Code 1.97, при первой установке расширения от стороннего разработчика VS Code показывает диалоговое окно с предложением подтвердить, что вы доверяете разработчику расширения. Подробнее о [безопасности среды выполнения расширений](#) и о том, как защититься от вредоносных расширений.


Если вы хотите установить определенную версию расширения, щелкните по нему правой кнопкой мыши и выберите **Установить другую версию**. Затем вы сможете выбрать версию из доступного списка.

Если включена функция [Синхронизация настроек](#), вы можете делиться своими конфигурациями VS Code, например расширениями, на разных компьютерах. Чтобы установить расширение и не синхронизировать его на разных компьютерах, щелкните его правой кнопкой мыши и выберите **Установить (без синхронизации)**.


незавершенные участки.

```
39  ## Workbench
40
41  ### Preview themes before installing
42
43  You can now preview themes available on the Marketplace before installing them. From the Color Themes <
44  ('`kb(workbench.action.selectTheme)`'), select **Browse Additional Color Themes** to list the Marketplace
45  The VS Code UI will preview the Color Theme as you navigate the dropdown.
46
47  <!-- FIXME: Should text be "VS Code Marketplace"? -->
48
49  ![Preview Color Themes from the Marketplace](images/1_63/browse-themes.gif)
50
51  Press `kbstyle(Enter)` on a theme entry to install the extension.
52
53  <!-- TODO: Add screenshot of popular color theme-->
54
55  ### Configure Problems navigation order
```

В разделе «Расширения» (**Ctrl+Shift+X**) введите «todo» в поле поиска, чтобы отфильтровать предложения Marketplace по расширениям, в названии или метаданных которых есть слово «todo». В списке должно появиться расширение **TODO Highlight**.



Расширение однозначно идентифицируется по издателю и идентификаторам расширения. Если вы выберете расширение **TODO Highlight**, откроется страница сведений о расширении, где вы сможете найти идентификатор расширения, в данном случае `wayou.vscode-todo-highlight`. Знание идентификатора расширения может быть полезным, если существует несколько расширений с одинаковыми названиями.



Wayou Liu | 2,266,916 | ★★★★★ (89)

highlight TODOs, FIXMEs, and any keywords, annotations...

[Install](#) ⚙️

[Details](#) [Feature Contributions](#) [Changelog](#)

VSCODE-TODO-HIGHLIGHT

License MIT build passing VS Marketplace v1.0.5 installs 2.27M rating 4.52/5 (89)

Highlight **TODO**, **FIXME** and other annotations within your code.

Sometimes you forget to review the TODOs you've added while coding before you publish the code to production. So I've been wanting an extension for a long time that highlights them and reminds me that there are notes or things not done yet.

Hope this extension helps you as well.

NOTICE

Many report that the `List highlighted annotations` command is not working, make sure you have the file types included via `todohighlight.include`.

Categories

Other


Resources

[Marketplace](#)
[Repository](#)
[License](#)

More Info

Released on 12/22/2016, 06:16:28
Last updated 10/28/2021, 20:31:46
Identifier wayou.vscode-todo-highlight

Нажмите кнопку **Установить**, и VS Code загрузит и установит расширение из Marketplace. После завершения установки кнопка **Установить** будет заменена на кнопку **Управление** с шестеренкой.



EXTENSIONS: MARKETPLACE

todo

TODO Highlight highlight TODOs, FIXMEs, and any keywords, annotations... Wayou Liu 55ms

Todo Tree Show TODO, FIXME, etc. comment tags in a tree view Gruntfuggly 1.6M ★ 5


todo VS Code TODO File Extension izaxon 12K

Чтобы увидеть в действии расширение TODO Highlight, откройте любой файл с исходным кодом и добавьте текст 'TODO:' — текст будет выделен.


Расширение TODO Highlight содержит команды **TODO-Highlight: Список выделенных аннотаций** и **TODO-Highlight: Переключить выделение**, которые можно найти в палитре команд (`Ctrl+Shift+P`). Команда **TODO-Highlight: Переключить выделение** позволяет быстро отключить или включить выделение.

TODO-Highlight: Toggle highlight

Расширение также предоставляет настройки для изменения его поведения, которые можно найти в редакторе настроек (**Ctrl+,**). Например, вы можете отключить чувствительность к регистру в поиске текста, сняв флажок **Todohighlight: Is Case Sensitive**.



Если расширение не предоставляет нужные вам функции, вы всегда можете **удалить** его из контекстного меню кнопки **Управление**.



Это лишь один пример установки и использования расширения. В маркетплейсе VS Code представлены тысячи расширений, поддерживающих сотни языков программирования и задач. Здесь есть все: от полноценной языковой поддержки [Java](#), [Python](#), [Go](#) и [C++](#) до простых расширений, которые [создают идентификаторы GUID](#), меняют [цветовую тему](#), или добавляют в редактор [виртуальных питомцев](#).

Сведения о расширении

На странице сведений о расширении вы можете прочитать файл README и ознакомиться с информацией о расширении:

- **Вклад в разработку функций** — дополнения к VS Code, такие как настройки, команды и сочетания клавиш, грамматика языка, отладчик и т. д.
- **Журнал изменений** — журнал изменений репозитория расширения, если он доступен.
- **Зависимости** — список расширений, от которых зависит данное расширение.



Install

Details

Feature Contributions

Changelog

Go for Visual Studio Code

slack

gophers

The VS Code Go extension provides rich language support for the Go programming language.

Remote attach debugging is now available via Delve's native DAP implementation with Delve v1.7.3 or newer. It enhances remote debugging with the same debugging features that are already in use for local debugging. It is now the default with the Go Nightly build of the extension and will become the default for the stable releases in mid 2022. We recommend switching your remote attach configurations in `launch.json` to use `"debugAdapter": "dlv-dap"` now to verify that this works for you. Please file a new issue if you encounter any problems.

Categories

Programming Languages

Snippets

Linters

Debuggers

Formatters

Testing

Resources

[Marketplace](#)
[Repository](#)
[License](#)
[go.dev](#)

Если расширение входит в пакет расширений, в разделе **Пакет расширений** будет указано, какие расширения будут установлены при установке пакета. [Пакеты расширений](#) объединяют отдельные расширения, чтобы их можно было легко установить за один раз.

Extension: Azure Tools

Azure Tools

ms-vscode.vscode-node-azure-pack

Microsoft

301,555

★★★★★

Repository

License

v0.2.1

Get web site hosting, SQL and MongoDB data, Docker Containers, Serverless Functions and more, all on Azure, all ...

Disable

Uninstall

This extension is enabled globally.

Details

Extension Pack (12)

Azure App Service
 An Azure App Service manage...
 Microsoft

Azure Functions
 An Azure Functions extension f...
 Microsoft

Azure Storage
 Manage your Azure Storage acc...
 Microsoft


Azure Databases
 Create, browse, and update glo...
 Microsoft

Azure Virtual Machines
 An Azure Virtual Machines exte...
 Microsoft

Azure Resources
 An extension for viewing and m...
 Microsoft

Фильтр и команды для просмотра расширений

Вы можете отфильтровать список расширений с помощью [Фильтра расширений](#)




Доступны следующие фильтры:

- Список устаревших расширений, которые можно обновить
- Список включенных и отключенных расширений
- Список рекомендуемых расширений для вашего рабочего пространства
- Список самых популярных расширений в мире

Вы можете отсортировать список расширений по **количеству установок, рейтингу, названию, дате публикации** или **дате обновления** в порядке возрастания или убывания. Подробнее о фильтрах поиска расширений можно узнать [ниже](#).

Вы можете запустить дополнительные команды просмотра расширений с помощью кнопки ... **Просмотр и дополнительные действия**.



Поиск расширения

Вы можете очистить поле поиска в верхней части раздела «Расширения» и ввести название расширения, инструмента или языка программирования, которое ищете.


Например, если ввести 'python', появится список расширений языка Python:



Если вы знаете точный идентификатор нужного вам расширения, вы можете использовать префикс `@id:`, например `@id:vue.volcar`. Кроме того, для фильтрации или сортировки результатов можно использовать команды [filter](#) и [sort](#), о которых мы расскажем ниже.

Установите предварительную версию расширения

Издатель расширения может предоставить предварительную версию расширения. Чтобы установить предварительную версию, откройте раскрывающийся список на кнопке **Установить** и выберите **Установить предварительную версию**.




Управление расширениями

VS Code упрощает управление расширениями. Вы можете устанавливать, отключать, обновлять и удалять расширения через раздел «Расширения», **палитру команд** (команды имеют префикс

По умолчанию в представлении Расширений будут показаны расширения, которые вы установили в данный момент, и все расширения, которые рекомендуются для вас. Вы можете использовать **расширения: фокус на просмотр установленных команд**, доступных в **командной палитры** (**Ctrl+сдвиг+П**) или в "**дополнительные действия**" (**...**) в раскрывающемся меню **> Вид > установлен**, чтобы очистить весь текст в поле поиска, и отображать список всех установленных расширений, которые относятся те, которые были отключены.

Удаление расширения

Чтобы удалить расширение, нажмите кнопку **Управление** справа от его названия, а затем выберите **Удалить** в раскрывающемся меню. Это приведет к удалению расширения и запросу на перезапуск хоста расширений (**Перезапустить расширения**).




Отключить расширение

Если вы не хотите удалять расширение навсегда, вы можете временно отключить его, нажав на кнопку с шестеренкой справа от названия расширения. Вы можете отключить расширение глобально или только для текущего рабочего пространства. После отключения расширения вам будет предложено перезапустить хост расширения (**Перезапустить расширения**).

If you want to quickly disable all installed extensions, there is a **Disable All Installed Extensions** command in the **Command Palette** and **More Actions** (**...**) dropdown menu.

Similarly if you have disabled an extension (it will be in the **Disabled** section of the list and marked *Disabled*), you can re-enable it with the **Enable** or **Enable (Workspace)** commands in the dropdown menu.




There is also an **Enable All Extensions** command in the **More Actions** (...) dropdown menu.

Extension auto-update

VS Code checks for extension updates and installs them automatically. After an update, you are prompted to restart the extension host (**Restart Extensions**).

If you'd rather update your extensions manually, you can disable auto-update with the **Disable Auto Update for Extensions** command or the corresponding action in the Extensions view. You can also configure the `extensions.autoUpdate` setting. Use the **Enable Auto Update for Extensions** command to re-enable auto update.

When auto-update is enabled, VS Code updates only enabled extensions. Disabled extensions are not updated automatically and update the next time you enable them.



You can also configure auto update for individual extensions by right-clicking on an extension and toggling the **Auto Update** item.

By default, VS Code waits a short time after an update is published before it installs the update automatically. Use the `extensions.autoUpdateDelay` ^① setting to configure the delay, in hours. The default value is `2` hours. Set the value to `0` to install updates as soon as they are published. This delay only applies when auto-update is `on`. To update an extension immediately, select the **Update** button for the extension, which bypasses the delay.

If you don't want VS Code to even check for updates, you can set the `extensions.autoCheckUpdates` setting to false.

^① Note

Administrators can centrally manage the `extensions.autoUpdate` ^① and `extensions.autoUpdateDelay` ^① settings with [enterprise policies](#).

Update an extension manually

If you have extensions auto-update disabled, you can quickly look for extension updates by using the **Show Outdated Extensions** command that uses the `@updates` filter. This will display any available updates for your currently installed extensions.

Select the **Update** button for the outdated extension. The update will be installed, and you'll be prompted to restart the extension host (**Restart Extensions**). You can also update all your outdated extensions at one time with the **Update All Extensions** command.

If you also have automatic checking for updates disabled, you can use the **Check for Extension Updates** command to check which of your extensions can be updated.


Recommended extensions

- **Other Recommendations** - Recommended based on recently opened files.

See the section below to learn how to [contribute](#) recommendations for other users in your project.

Ignoring recommendations

To dismiss a recommendation, select on the extension item to open the Details page and then select the **Manage** gear button to display the context menu. Select the **Ignore Recommendation** menu item. Ignored recommendations will no longer be recommended to you.




Configuring extensions

VS Code extensions may have very different configurations and requirements. Some extensions contribute [settings](#) to VS Code, which can be modified in the Settings editor. Other extensions may have their own configuration files. Extensions may also require installation and setup of additional components like compilers, debuggers, and command-line tools. Consult the extension's README (visible in the Extensions view details page) or go to the extension page on the [VS Code Marketplace](#) (click on the extension name in the details page). Many extensions are open source and have a link to their repository on their Marketplace page.

Command line extension management

To make it easier to automate and configure VS Code, it is possible to list, install, and uninstall extensions from the [command line](#). When identifying an extension, provide the full name of the form `publisher.extension`, for example `ms-python.python`.

Example:





List the installed extensions.

```
code --show-versions
```

Show versions of installed extensions, when using `--list-extension`.

```
code --install-extension (<extension-id> | <extension-vsix-path>)
```

Installs an extension.

```
code --uninstall-extension (<extension-id>)
```

Uninstalls an extension.

```
code --enable-proposed-api (<extension-id>)
```

Enables proposed API features for extensions. Can receive one or more extensions.


You can see the extension ID on the extension details page under the Marketplace Info.

The screenshot shows the Visual Studio Marketplace page for the 'Azure CLI Tools' extension by Microsoft. The page is dark-themed. At the top, the extension name 'Azure CLI Tools' is displayed with version 'v0.5.0'. Below the name, it shows 'Microsoft' as the publisher, '978,556' downloads, and a 4.5-star rating from 15 reviews. A description states: 'Tools for developing and running commands of the Azure CLI.' There is an 'Install' button with a dropdown arrow and a settings gear icon. Below the header, there are tabs for 'Details' and 'Feature Contributions'. The 'Details' tab is active, showing a sub-header 'Azure CLI Tools' and a description: 'Scrapbooks for developing and running commands with the Azure CLI.' It also mentions 'Create .azcli files and use these features:' followed by a bulleted list of features. On the right side, there is a 'Resources' section with links to 'Marketplace', 'Repository', 'License', and 'microsoft.com'. Below that is a 'Marketplace Info' section with a table of metadata. The 'Identifier' field is highlighted with a green box, showing 'ms-vscode.azurecli'.

Marketplace Info	
Released on	10/05/2017, 03:47:38
Last updated	03/02/2020, 16:52:28
Identifier	ms-vscode.azurecli

Extensions view filters

The Extensions view search box supports filters to help you find and manage extensions. You may have seen filters such as `@installed` and `@recommended` if you used the commands **Show Installed Extensions** and **Show Recommended Extensions**. Also, there are filters available to let you sort by popularity or ratings and search by category (for example 'Linters') and tags (for example 'node'). You can see a complete listing of all filters and sort commands by typing `@` in the extensions search box and navigating through the suggestions:



Here are some of the Extensions view filters:

- `@builtin` - Show extensions that come with VS Code. Grouped by type (Programming Languages, Themes, etc.).
- `@deprecated` - Show deprecated extensions.
- `@disabled` - Show disabled installed extensions.
- `@enabled` - Show enabled installed extensions. Extensions can be individually enabled/disabled.
- `@featured` - Show featured extensions.
- `@installed` - Show installed extensions.
- `@popular` - Show popular extensions.
- `@recentlyPublished` - Show extensions that were recently published in the Marketplace.
- `@recommended` - Show recommended extensions. Grouped as Workspace specific or general use.
- `@updates` - Show outdated installed extensions. A newer version is available on the Marketplace.
- `@workspaceUnsupported` - Show extensions that are not supported for this workspace.
- `@category` - Show extensions belonging to specified category. Below are a few of supported categories. For a complete list, type `@category` and follow the options in the suggestion list:
 - `@category:themes`
 - `@category:formatters`

themes.

If no filter is provided, the Extensions view displays the currently installed and recommended extensions.

Sorting

You can sort extensions with the `@sort` filter, which can take the following values:

- `installs` - Sort by Marketplace installation count, in descending order.
- `name` - Sort alphabetically by extension name.
- `publishedDate` - Sort by extension published date.
- `rating` - Sort by Marketplace rating (1-5 stars), in descending order.
- `updateDate` - Sort by extension last update name.

EXTENSIONS: MARKETPLACE

python @sort:installs

Python 2018.3.1

9.2M
4.5

Linting, Debugging (multi-threaded, remote), Intellisense, code formatting, refacto..

Microsoft

Code Runner 0.9.3

2.9M
4.5

Run C, C++, Java, JS, PHP, Python, Perl, Ruby, Go, Lua, Groovy, PowerShell, CMD, B...

Jun Han

Install

MagicPython 1.0.12

694K
3.5

Syntax highlighter for cutting edge Python.

MagicStack Inc.

Install

Python for VSCode 0.2.3

508K
3.5

Python language extension for vscode

Thomas Haakon Townsend

Install

Categories and tags

Extensions can set **Categories** and **Tags** describing their features.

Overview
Q & A
Rating & Review

Go for Visual Studio Code

glitter join chat build failing

Read the [Release Notes](#) to know what has changed over the last few versions of this extension.

This extension adds rich language support for the Go language to VS Code, including:

- Completion Lists (using `gocode`)

Categories


Programming Languages
Snippets
Linters

Debuggers
Formatters

Tags

debuggers
go
multi-root ready
snippet

Programming Languages, SCM Providers, Snippets, Testing, Themes, Visualization]. They can be accessed through IntelliSense in the extensions search box:



Note that you must surround the category name in quotes if it is more than one word (for example, `category:"SCM Providers"`).

Tags may contain any string and are not provided by IntelliSense, so review the Marketplace to find helpful tags.

Install from a VSIX

You can manually install a VS Code extension packaged in a `.vsix` file. Using the **Install from VSIX** command in the Extensions view command dropdown, or the **Extensions: Install from VSIX** command in the **Command Palette**, point to the `.vsix` file.

You can also install using the VS Code `--install-extension` command-line switch providing the path to the `.vsix` file.

```
Bash

code --install-extension myextension.vsix
```

You may provide the `--install-extension` multiple times on the command line to install multiple extensions at once.

If you'd like to learn more about packaging and publishing extensions, see our [Publishing Extensions](#) article in the Extension API.

Workspace recommended extensions

A good set of extensions can make working with a particular workspace or programming language more productive and you'd often like to share this list with your team or colleagues. You can create a recommended list of extensions for a workspace with the **Extensions: Configure Recommended Extensions (Workspace Folder)** command.

In a single folder workspace, the command creates an `extensions.json` file located in the workspace `.vscode` folder where you can add a list of extensions identifiers (`{publisherName}.{extensionName}`).

In a [multi-root workspace](#), the command will open your `.code-workspace` file where you can list extensions under `extensions.recommendations`. You can still add extension recommendations to individual folders in a multi-root workspace by using the **Extensions: Configure Recommended Extensions (Workspace Folder)** command.

An example `extensions.json` could be:

JSON 

```
{
  "recommendations": ["dbaeumer.vscode-eslint", "esbenp.prettier-vscode"]
}
```

which recommends a linter extension and a code formatter extension.

An extension is identified using its publisher identifier and extension identifier `publisher.extension`. You can see the name on the extension's detail page. VS Code will provide you with auto-completion for installed extensions inside these files.





Tools for developing and running commands of the Azure CLI.

[Install](#) 

[Details](#) [Feature Contributions](#)

Azure CLI Tools

Scrapbooks for developing and running commands with the [Azure CLI](#).

Create `.azcli` files and use these features:


- IntelliSense for commands and their arguments.
- Snippets for commands, inserting required arguments automatically.
- Run the current command in the integrated terminal.
- Run the current command and show its output in a side-by-side editor.
- Show documentation on mouse hover.
- Display current subscription and defaults in status bar.

[Marketplace](#)
[Repository](#)
[License](#)
[microsoft.com](#)

Marketplace Info

Released on 10/05/2017, 03:47:38
 Last updated 03/02/2020, 16:52:28
 Identifier **ms-vscode.azurecli**

VS Code prompts a user to install the recommended extensions when a workspace is opened for the first time. The user can also review the list with the **Extensions: Show Recommended Extensions** command.



The screenshot shows the Visual Studio Code interface with the **EXTENSIONS** view open. The search bar contains `@recommended`. Under the **WORKSPACE RECOMMENDATIONS** section, three extensions are listed:

- ESLint** (Microsoft): Integrates ESLint JavaScript into VS Code. 32.4M, 4.5 stars. [Install](#)
- Prettier - Code formatter** (Prettier): Code formatter using prettier. 40.9M, 3.5 stars. [Install](#)
- Dev Containers** (Microsoft): Open any folder or repository inside a Docker container and t... 169ms. [Install](#)

Below this, the **OTHER RECOMMENDATIONS** section shows 8 more extensions, including Docker, Debugger for Firefox, and Microsoft Edge Tools for VS Code.

On the right side of the interface, a list of keyboard shortcuts is displayed:

- Show All Commands: `Ctrl + Shift + P`
- Go to File: `Ctrl + P`
- Find in Files: `Ctrl + Shift + F`
- Toggle Full Screen: `F11`
- Show Settings: `Ctrl + ,`

Next steps

Here are a few topics you may find interesting...

Common questions

Where are extensions installed?

Extensions are installed in a per user extensions folder. Depending on your platform, the location is in the following folder:

- **Windows** %USERPROFILE%\vscode\extensions
- **macOS** ~/.vscode/extensions
- **Linux** ~/.vscode/extensions

You can change the location by launching VS Code with the `--extensions-dir <dir>` command-line [option](#).

Alternatively, you can set the `VSCODE_EXTENSIONS` environment variable to a location where you want to install extensions. This is useful in an enterprise environment where you want to centrally manage where extensions are installed on user machines.

Whenever I try to install any extension, I get a connect ETIMEDOUT error

You may see this error if your machine is going through a proxy server to access the Internet. See the [Proxy server support](#) section in the setup topic for details.

Can I download an extension directly from the Marketplace?

Some users prefer to download an extension once from the Marketplace and then install it to multiple VS Code instances from a local share. This is useful when there are connectivity concerns or if your development team wants to use a fixed set of extensions.

To download an extension, search for it in the Extensions view, right-click on an extension from the results, and select **Download VSIX** or **Download Specific Version VSIX**.

Can I stop VS Code from providing extension recommendations?

Yes, if you would prefer to not have VS Code display extension recommendations in the Extensions view or through notifications, you can modify the following settings:

- `extensions.showRecommendationsOnlyOnDemand` - Set to true to remove the **RECOMMENDED** section.
- `extensions.ignoreRecommendations` - Set to true to silence extension recommendation notifications.

The **Show Recommended Extensions** command is always available if you want to see recommendations.

Can I trust extensions from the Marketplace?

The Visual Studio Marketplace employs several measures to protect you from malicious extensions and you can also perform various steps to determine if an extension is reliable before installing it.

Can I host extensions internally for my organization?

Yes, see the [Private Marketplace for Extensions](#).

The extension signature cannot be verified by VS Code

The Visual Studio Marketplace signs all extensions when they are published. VS Code verifies this signature when you install an extension to check the integrity and the source of the extension package.

Important

When you install an extension, you might see the following error message: `Cannot install extension because Visual Studio Code cannot verify the extension signature`. This error can be caused by a variety of reasons and should you encounter this error, exercise caution before deciding to install anyway. Disable extension signature verification with the `extensions.verifySignature` setting.

Package integrity issues

For package integrity issues, it's recommended that you contact the [Visual Studio Marketplace team](#) to report the issue. Make sure to include the extension ID. The following list provides error codes related to package integrity issues:

Text



```
PackageIntegrityCheckFailed
SignatureIsInvalid
SignatureManifestIsInvalid
SignatureIntegrityCheckFailed
EntryIsMissing
EntryIsTampered
Untrusted
CertificateRevoked
SignatureIsNotValid
SignatureArchiveHasTooManyEntries
NotSigned
```

Other issues

For other issues like an unsupported environment or unknown reasons, it's recommended that you [report an issue](#) with VS Code by providing all necessary information and including the shared log: `Ctrl+Shift+P` > `Open View... > Shared`.

My extensions don't synchronize when connected to a remote window

SSH, a development container (devcontainer), or WSL.

Can I allow or block specific extensions in my organization?

You can control which extensions can be installed in your organization by configuring the

`extensions.allowed` application setting. If the setting is not configured, all extensions are allowed. If the setting is configured, all extensions not listed are blocked from installing.

Get more details about [configuring allowed extensions](#).

Was this page helpful?

Yes

No

Still need help?

 [Ask the community](#)

 [Request features](#)

 [Report issues](#)

Help us improve

[Edit this page](#)

02/04/2026

 [RSS Feed](#)  [Ask questions](#)  [Follow @code](#)  [Request features](#)  [Report issues](#)

 [Watch videos](#)



[Support](#)

[Privacy](#)

[Terms of Use](#)

[License](#)

