

АГЕНТЫ ИИ / ИНФРАСТРУКТУРА ИИ / ОТКРЫТЫЙ ИСХОДНЫЙ КОД

Андрей Карпати, Google и Гарри Тан сходятся во мнении, что Markdown — это то, что нужно, но они решают разные проблемы

В этом квартале Карпати, Google и Гарри Тан пришли к выводу, что Markdown — это то, что нужно для хранения данных в агентах, и теперь фокус смещается с моделей на файлы.

6 июля 2026 г. в 11:13 [Джанакiram MSV](#)



Getty Images для Unsplash+

В апреле Андрей Карпати опубликовал на GitHub файл под названием «**LLM i**» — краткий текстовый документ, призванный помочь создать личную базу знаний с помощью больших языковых моделей. Идея заключается в

модель не устаёт от работы с перекрестными ссылками и может обработать пятнадцать файлов за один проход. Это были всего лишь несколько тысяч слов без привязки к продукту.

Два месяца спустя Google воплотила эту идею в опубликованном стандарте под названием **Open Knowledge Format**. OKF представляет собой набор организационных знаний, метрик, таблиц и руководств в виде обычного Markdown, который может прочитать любой агент без доступа к корпоративной учётной записи. Google предпочитает называть его `v0.1` — отправной точкой, а не готовым стандартом.

Гарри Тан, президент Y Combinator, пришел к тому же выводу, но другим путем. Его **gstack**, система Claude Code под лицензией MIT, которая за несколько недель набрала 66 000 звёзд на GitHub, состоит из 23 специализированных ролей, каждая из которых представляет собой файл в формате Markdown. Никакой среды выполнения, никакого кода — только текст, который обрабатывается десятью различными агентами кодирования.

Markdown стал основой, которую читают и на которую пишут агенты.

Три подхода, три разные потребности, одно общее решение. Карпати требовалась память агента, Google — корпоративный контекст в агентах BigQuery, а Тан хотел иметь возможность вызывать команду разработчиков из терминала. Все трое обратились к одному и тому же базовому ресурсу: папке с файлами Markdown, версиями в git.

Разработчики уже внедрили эту практику. **CLAUDE.md** и **AGENTS.md** присутствуют в миллионах репозиториях в качестве исходных файлов, которые загружает агент. OKF и gstack — это усовершенствованные формы этого соглашения: одно из них сосредоточено на том, что знает агент, а другое — на том, как он себя ведет.

Это набор правил для Git и JSON, связанных со знаниями агента. Уцелевшие форматы — это те, которые можно начать использовать без каких-либо изменений. Вы можете просто открыть файл в терминале, клонировать репозиторий, и любой инструмент, который вы уже используете, сможет его анализировать. MCP по-прежнему важен как интерфейс, к которому

The lock-in moved from the model to the files

The significant factor to observe here is the competitive advantage, not technical specifics. For two years, the belief was that owning the best model meant controlling the developer.

This perspective is now shifting. Replacing Claude with GLM or Codex, gstack continues to operate because the core intelligence evolved, but the documentation did not.

TRENDING STORIES

1. [Andrej Karpathy, Google and Garry Tan agree Markdown is the answer, but they're not solving the same problem](#)
2. [OpenClaw's new app doesn't run AI on your phone. That's the whole point.](#)
3. [The Anthropic leader who built Claude Code says he ditched prompting — now he just writes loops.](#)
4. [Claude Code vs. Cursor vs. Codex vs. Antigravity — six months in](#)
5. ["The harness is where the hard work is": Harness bets on agents that enterprises can trust in production](#)

The moat is shifting from the model to the Markdown a team owns and accumulates over time.

The moat is shifting from the model to the Markdown a team owns and accumulates over time. A company's OKF bundle, including its runbooks, metric definitions, and architecture decisions, is, by design, portable across clouds, models, and frameworks.

That kind of portability is the reason vendor-neutral formats exist and why Google's [OKF](#) deserves a closer look.

Google released on a slow Friday.

The area where I am most likely mistaken is durability. Declaring Markdown standards is easy, but making them reliable is difficult. OKF is merely a 0.1 draft with a reference implementation, not a full ecosystem. If no one develops consumers for it, it remains just a good idea that Google released on a slow Friday.

The direction remains determined by three separate bets targeting the same file format within a single quarter. Your next agent is likely to interpret its context from a Markdown folder, and the creator of that folder now possesses an advantage that the model vendor cannot easily replicate.

TNS



Janakiram MSV (Jani) is a practicing architect, research analyst, and advisor to Silicon Valley startups. He focuses on the convergence of modern infrastructure powered by cloud-native technology and machine intelligence driven by generative AI. Before becoming an entrepreneur, he spent...

[Read more from Janakiram MSV →](#)

SHARE THIS STORY



TRENDING STORIES

1. Andrej Karpathy, Google and Garry Tan agree Markdown is the answer, but they're not solving the same problem
2. OpenClaw's new app doesn't run AI on your phone. That's the whole point.
3. The Anthropic leader who built Claude Code says he ditched prompting — now he just writes loops.
- 4 Claude Code vs. Cursor vs. Codex vs. Antigravity — six months in

INSIGHTS FROM OUR SPONSORS



Beyond the DBaaS Trap: Claiming Operational Independence for PostgreSQL

26 February 2026

Why the Future of Postgres Extensions in Kubernetes is Immutable and Flexible

18 March 2025

Cloud Neutral Postgres Databases Made Simple | EDB

19 December 2024



Provide access to Red Hat documentation in environments with limited connectivity

6 July 2026

BackendTLSPolicy expands Gateway API transport security

3 July 2026

Beyond the baseline: Introducing the Digital Sovereignty Readiness Appraisal

3 July 2026



Evolving platform engineering for AI-native workloads

6 July 2026

The 4-body problem of SRE: Why autonomous operations depend on context

TNS DAILY NEWSLETTER

Receive a free roundup of the
most recent TNS articles in
your inbox each day.

SUBSCRIBE

The New Stack does not sell your information or share it with unaffiliated third parties. By continuing, you agree to our [Terms of Use](#) and [Privacy Policy](#).

ARCHITECTURE

Cloud Native Ecosystem
Containers
Databases
Edge Computing
Infrastructure as Code
Kubernetes
Microservices

ENGINEERING

AI
AI Engineering
API Management
Backend development
Data
Frontend Development
Large Language Models

Storage

WebAssembly

OPERATIONS

AI Operations
CI/CD
Cloud Services
DevOps
Kubernetes
Observability
Operations
Platform Engineering

CHANNELS

Podcasts
Ebooks
Events
Webinars
Newsletter
TNS RSS Feeds

THE NEW STACK

About / Contact
Sponsors
Advertise With Us
Contributions

 roadmap.sh

Community created roadmaps, articles, resources and journeys for developers to help you choose your path and grow in your career.

Frontend Developer Roadmap
Backend Developer Roadmap
Devops Roadmap

FOLLOW TNS



© The New Stack 2026

Disclosures
Terms of Use
Advertising Terms & Conditions
Privacy Policy
Cookie Policy

