Emotional Authenticity Threshold Resonance: A Dynamical Model of Emotionally Mediated Sexual Arousal and Orgasm

Abstract

We propose a formal dynamical model of sexually mediated arousal in which the decisive variable is not the category of sexual stimulus, but the perceived emotional authenticity of the depicted person. The model, **Emotional Authenticity Threshold Resonance (EATR)**, represents sexual response as a five-dimensional state space containing physiological arousal, psychological arousal, perceived emotional authenticity, orgasmic conductance, and prior orgasm count. Sexual stimuli increase physiological arousal, whereas perceived authentic emotional expression controls a conductance variable that determines whether accumulated arousal can cross the orgasmic threshold. The model predicts a characteristic pattern: high physiological arousal without sufficient perceived authenticity fails to trigger orgasm, while the emergence of perceived authentic emotion can rapidly produce orgasm even after prior orgasms. The theory is internally consistent, mathematically explicit, and empirically falsifiable. It extends existing dynamical models of sexual response, which already treat physiological and psychological arousal as interacting variables, by introducing perceived emotional authenticity as a gating variable.[1] [2]

Keywords

sexual arousal; orgasm; emotional authenticity; eye contact; facial expression; dynamical systems; threshold model; sexual response

1. Introduction

Existing accounts of sexual response commonly distinguish physiological and psychological components of arousal. Mathematical models have represented these components as coupled dynamical variables, with orgasm modeled as a nonlinear transition rather than a simple linear accumulation of stimulation. Subjective orgasm is also understood as multidimensional, including affective, sensory, intimacy, and reward components.[2] [3] [4] [5] [1]

The present model addresses a specific phenomenological pattern: an individual reports that conventional sexual stimuli—such as physical attractiveness, group sex, same-sex content, or BDSM—do not reliably produce arousal unless the depicted person displays what is perceived as genuine emotion, especially through eye contact and facial expression. Once this perceived authenticity appears, arousal and orgasm occur rapidly and repeatedly.

We therefore propose that, for some individuals, perceived emotional authenticity functions as a **gating variable**: it does not replace sexual stimulation, but determines whether already accumulated sexual arousal can access the orgasmic pathway.

2. Theoretical Claims

EATR makes four central claims.

1. Sexual stimuli generate physiological arousal $x(t)$, but $x(t)$ alone does not necessarily reach orgasmic threshold.
2. Perceived emotional authenticity $a(t)$ is generated by observable social-emotional cues, especially gaze, facial expression, breathing, and apparent engagement.
3. Authenticity controls orgasmic conductance $g(t)$, which determines the efficiency with which physiological arousal can produce orgasm.
4. Orgasm occurs only when the product of physiological arousal and conductance exceeds an individual threshold.

The central hypothesis is:

$$\text{Orgasm} = f(\text{physiological arousal} \times \text{emotional conductance}).$$

Thus, the model does not claim that emotional authenticity is the only determinant of sexual response. Rather, it claims that in this individual profile, authenticity is the principal **threshold-modulating variable**.

3. State Variables

The system state at time t is:

$$\mathbf{z}(t) = \begin{pmatrix} x(t) \\ p(t) \\ a(t) \\ g(t) \\ R(t) \end{pmatrix}.$$

The state space is:

$$\Omega = \times \times \times \times [0, R_{\max}]. [^0][^1]$$

Variable	Definition	Range
$x(t)$	Physiological sexual arousal	$[0, 1]$
$p(t)$	Psychological sexual arousal	$[0, 1]$
$a(t)$	Perceived emotional authenticity	$[0, 1]$
$g(t)$	Orgasmic conductance	$[0, 1]$
$R(t)$	Cumulative orgasms	$[0, R_{\max}]$

4. Dynamical Equations

The continuous-time dynamics are:

$$
\frac{dx}{dt}

\alpha_x S_x(t)(1-x)

\delta_x x

\lambda_x R(t)x
+
\gamma_x p(t),

$$

$$
\frac{dp}{dt}

\alpha_p S_p(t)(1-p)

\delta_p p
+
\beta_p x(t)a(t),

$$

$$
\frac{da}{dt}

\kappa_a\left(A(t)-a(t)\right),

$$

$$
\frac{dg}{dt}

\kappa_g\left(G(a(t))-g(t)\right),

$$

$$\frac{dR}{dt} = 0.$$

Here, $S_x(t)$ is physical stimulus intensity, $S_p(t)$ is psychological stimulus intensity, and $A(t)$ is instantaneous perceived authenticity. The parameters satisfy:

$$\alpha_x, \alpha_p, \kappa_a, \kappa_g, \beta_p > 0,$$

$$\delta_x, \delta_p > 0,$$

$$\lambda_x \geq 0, \qquad \gamma_x \geq 0.$$

The equation for $R(t)$ is deliberately zero because R changes discontinuously at orgasm events.

5. Perceived Authenticity

Let the stimulus contain n observable emotional cues $m_i(t)$, such as gaze direction, facial muscle activation, microexpressions, breathing, vocal tone, and apparent engagement. Each cue has a weight $w_i \geq 0$ and a perceived-authenticity score $q_i(t) \in .[\hat{}0][1]$

Then:

$$A(t) = \sigma\left(\sum_{i=1}^{n} w_i q_i(t) - \tau_a\right),$$

where:

$$\sigma(z) = \frac{1}{1 + e^{-z}}.$$

The parameter τ_a is the individual threshold for perceived authenticity. When weighted emotional cues are weak, $A(t) \approx 0$. When they exceed threshold, $A(t)$ rapidly approaches 1.

6. Orgasmic Conductance

Define:

$$G(a) = g_{\min} + (g_{\max} - g_{\min})a,$$

with:

$$0 \leq g_{\min} < g_{\max} \leq 1.$$

The conductance variable follows:

$$g(t) = g_{\min} + (g_{\max} - g_{\min})a(t).$$

Thus:

- if $a = 0$, then $g = g_{\min}$;
- if $a = 1$, then $g = g_{\max}$;
- intermediate values of a produce intermediate conductance.

7. Effective Orgasmic Potential

The central quantity of the model is:

$$\Theta(t) = x(t)g(t).$$

Substituting $g(t)$:

$$\Theta(t) = x(t)\,[g_{\min} + (g_{\max} - g_{\min})a(t)].$$

We call $\Theta(t)$ the **effective orgasmic potential**. It represents the portion of physiological arousal that can actually access the orgasmic pathway.

8. Orgasm Criterion

Let $T \in (0, 1]$ be the individual orgasm threshold. Orgasm occurs at time t^* if:

$$\Theta(t^*) \geq T$$

and:

$$R(t^*) < R_{\max}.$$

Formally:

$$O(t) = 1 \iff x(t)\,[g_{\min} + (g_{\max} - g_{\min})a(t)] \geq T \text{ and } R(t) < R_{\max}.$$

Otherwise:

$$O(t) = 0.$$

9. Post-Orgasmic Reset

At the moment of orgasm t^*, the state updates discontinuously:

$$R(t^{*+}) = R(t^*) + 1,$$

$$x(t^{*+}) = x(t^*)(1 - \rho),$$

$$p(t^{*+}) = p(t^*)(1 - \rho_p),$$

$$g(t^{*+}) = g_{\min}.$$

Here, $\rho \in (0, 1]$ is the physiological reset fraction and $\rho_p \in$ is the psychological reset fraction. This formalizes refractoriness without making repeated orgasm impossible.[1] [^0]

10. Threshold Surface

The orgasm threshold defines a surface in the (x, a)-plane:

$$x\,[g_{\min} + (g_{\max} - g_{\min})a] = T.$$

Solving for x:

$$x = \frac{T}{g_{\min} + (g_{\max} - g_{\min})a}.$$

When $a = 0$:

$$x = \frac{T}{g_{\min}}.$$

When $a = 1$:

$$x = \frac{T}{g_{\max}}.$$

Because $g_{\max} > g_{\min}$, it follows that:

$$\frac{T}{g_{\max}} < \frac{T}{g_{\min}}.$$

Therefore, higher perceived authenticity lowers the physiological arousal required for orgasm.

11. Critical Authenticity

For a fixed arousal level x, there exists a critical authenticity value a^* such that:

$$x\left[g_{\min} + (g_{\max} - g_{\min})a^*\right] = T.$$

Solving:

$$a^* = \frac{\frac{T}{x} - g_{\min}}{g_{\max} - g_{\min}}.$$

A threshold crossing is possible only if:

$$0 \le a^* \le 1.$$

If $a^* < 0$, orgasm occurs even without authenticity.
If $a^* > 1$, orgasm cannot occur even at maximal authenticity.
If $0 \le a^* \le 1$, the system has an emotionally mediated orgasm threshold.

12. Predicted Trajectories

12.1 No-authenticity trajectory

If $a(t) \approx 0$, then:

$$g(t) \approx g_{\min},$$

and:

$$\Theta(t) \approx x(t) g_{\min}.$$

If:

$$x(t)g_{\min} < T,$$

then no orgasm occurs despite potentially high $x(t)$.

12.2 Authenticity-triggered trajectory

If $a(t)$ rises rapidly, then:

$$g(t) \to g_{\max},$$

and:

$$\Theta(t) \to x(t)g_{\max}.$$

If:

$$x(t)g_{\max} \geq T,$$

then orgasm occurs.

12.3 Repeated-orgasm trajectory

After an orgasm, R increases and x decreases. However, if $a(t)$ remains high, the system may again satisfy:

$$x(t)g_{\max} \geq T.$$

Thus, repeated orgasm is possible even with reduced physiological arousal, provided emotional conductance remains high.

13. Subjective Intensity

To distinguish physiological ejaculation from subjective orgasmic intensity, define:

$$I = x(t^*)g(t^*)\,[1 + \eta a(t^*)],$$

where $\eta > 0$ is the emotional amplification coefficient.

At high authenticity:

$$I = x(t^*)g_{\max}(1 + \eta).$$

Thus, even if the physiological event is similar across episodes, subjective intensity can be greater when emotional authenticity is high. This is consistent with multidimensional models of subjective orgasm, which include affective, sensory, intimacy, and reward components. [3] [4] [5]

14. Falsifiable Predictions

EATR generates the following testable predictions.

1. Increasing perceived authenticity $a(t)$ should reduce the physiological arousal required for orgasm.
2. At fixed $x(t)$, increasing $a(t)$ should increase the probability of orgasm.
3. At fixed $a(t)$, increasing the number of prior orgasms $R(t)$ should increase the arousal required for the next orgasm.
4. Removing emotional cues should reduce $a(t)$, $g(t)$, and orgasm probability.
5. Enhancing perceived authenticity should increase subjective orgasmic intensity I, even if physiological ejaculation frequency is unchanged.
6. There should exist an individual threshold T, below which orgasm does not occur regardless of stimulus category.

15. Experimental Operationalization

Future research could measure:

- $x(t)$ through genital response, heart rate, skin conductance, or self-report;
- $p(t)$ through subjective arousal ratings;
- $a(t)$ through ratings of perceived authenticity, gaze, facial expression, and engagement;
- $g(t)$ indirectly through the relationship between arousal and orgasm probability;
- $R(t)$ through observed orgasm count;
- I through subjective orgasm-intensity scales.

A within-subject experimental design could compare stimuli matched for explicit sexual content but differing in perceived emotional authenticity. The central prediction would be that orgasm probability and subjective intensity increase as a function of $a(t)$, even when explicit sexual content is held constant.

16. Discussion

EATR explains the reported pattern without treating it as contradiction or pathology. It proposes that the individual's sexual response is organized around a higher-order variable—perceived emotional authenticity—rather than around specific sexual categories.

The model is compatible with existing dynamical approaches to sexual response, which model physiological and psychological arousal as interacting variables and orgasm as a nonlinear transition. Its added contribution is the explicit formalization of perceived emotional authenticity as a gating variable that controls access to the orgasmic threshold. [2] [1]

17. Limitations

This is a theoretical model, not an established empirical law. The construct “perceived emotional authenticity” is subjective and may be difficult to measure independently of the observer’s arousal. Future work must distinguish perceived authenticity from actual emotional state, and must test whether authenticity predicts orgasm beyond general arousal, novelty, attention, and stimulus preference.

18. Conclusion

EATR formalizes the hypothesis that, for some individuals, sexual response depends less on the category of sexual stimulus than on whether the stimulus is perceived as emotionally authentic. The model predicts a threshold-like transition: physiological arousal accumulates, but orgasm occurs only when emotional authenticity opens the conductance pathway. This provides a mathematically explicit, internally consistent, and empirically testable account of emotionally mediated sexual arousal.

⁂

1. https://medicalxpress.com/news/2023-05-men-orgasming-mathematical-solution.html
2. https://users.sussex.ac.uk/~kb275/Papers/cha23b.pdf
3. https://europepmc.org/article/med/35055709
4. https://cimcyc.ugr.es/en/information/news/subjective-experience-orgasm-across-context-gender-and-sexual-orientati
5. https://www.mdpi.com/2076-328x/14/3/171
6. https://pmc.ncbi.nlm.nih.gov/articles/PMC10968612/
7. https://pmc.ncbi.nlm.nih.gov/articles/PMC11962043/
8. https://pmc.ncbi.nlm.nih.gov/articles/PMC11176964/
9. https://isn.ucsd.edu/courses/beng122a/project/2023/presentations/KJ_CMK_KN_LS_FT.pdf
10. https://cimcyc.ugr.es/en/information/news/relationship-sexual-arousal-orgasmic-experience-homosexual
11. https://pmc.ncbi.nlm.nih.gov/articles/PMC2695553/
12. https://pmc.ncbi.nlm.nih.gov/articles/PMC10126039/
13. https://phys.org/news/2023-04-sexual-satisfaction-math.html
14. https://www.mcgill.ca/sociology/files/sociology/2024_-_sociology.pdf
15. https://pubmed.ncbi.nlm.nih.gov/37097948/
16. https://link.springer.com/article/10.1007/s10508-022-02493-3
17. https://www.nature.com/articles/s41443-018-0095-6?error=cookies_not_supported&code=3d14f3ca-1481-423e-ad51-bb0b7fb7e6d9