

```
from aiogram import Bot, Dispatcher, types
from aiogram.contrib.fsm_storage.memory
import MemoryStorage
import random
```

```
# Состояние игрока
```

```
class Player:
```

```
    def __init__(self, user_id):
```

```
        self.user_id = user_id
```

```
        self.level = 1
```

```
        self.xp = 0
```

```
        self.streak = 0
```

```
        self.coins = 0
```

```
players = {}
```

```
@dp.message_handler(commands=['start'])
```

```
async def start_game(message:
```

```
types.Message):
```

```
    user_id = message.from_user.id
```

```
    players[user_id] = Player(user_id)
```

```
    await message.reply(f" Добро
```

```
пожаловать! Уровень:  
{players[user_id].level}  
"
```

```
        f"Задание 1/10: Реши ребус  
+100 XP")
```

```
@dp.message_handler(lambda message:  
message.text == "✅ Решено!")  
async def task_complete(message:  
types.Message):  
    user_id = message.from_user.id  
    player = players[user_id]  
    player.xp += random.randint(80, 120)  
    player.coins += 10  
  
    # Прогресс уровня  
    if player.xp >= player.level * 100:  
        player.level += 1  
        player.streak += 1  
        await message.reply(f"🎉 УРОВЕНЬ  
{player.level}!")  
"
```

f"💰 Монеты: {player.coins}

"

f"🔥 Серия: {player.streak}")

else:

await message.reply(f"✅ +100 XP!

Всего: {player.xp}/{player.level*100}

💰 +10 монет")