



Что нового для корпоративного использования: шесть обновлений, выпущенных на этой неделе

Во время Недели фокусов одна из групп сосредоточилась на запросах от команд, использующих Kilo в больших масштабах: улучшенная отчетность об использовании и расходах, более надежная защита и более четкий контроль над использованием ИИ.



АРКАДИЙ КОНДРАШОВ
26 ИЮНЯ 2026 Г.

🔒 Прос

TL;DR. Шесть продуктов, которые мы выпустили для команд и предприятий

- **Внедрение функций на вкладке использования** — узнайте, какие функции использует ваша организация, с указанием уровня внедрения и конкретными рекомендациями.
- **Песочница для агентов** — изоляция файловой системы и сети, чтобы автоматическое утверждение не было рискованным решением. Сначала доступно в экспериментальном режиме для Linux и macOS.
- **Управление дочерними организациями** — дочерние организации в рамках предприятия с распределением средств и использованием по организациям.
- **Bitbucket и Jira** — подключайте репозитории Atlassian и используйте их облачными агентами, проверкой кода и агентами безопасности.
- **Auto Efficient** — маршрутизатор моделей с учетом сессии, который выбирает самую дешевую модель, способную справиться с вашей задачей.
- **Документация по OpenAPI для аналитики использования** — задокументированный API для получения данных об использовании в собственных инструментах.



качестве направления развитие корпоративного продукта и команд, и этот г посвящен тому, что они создали. Кроме того, это была наша первая Focus W которую мы транслировали в прямом эфире.

Спасибо, что читаете блог Kilo! Подпишитесь
бесплатно, чтобы получать новые
публикации и поддерживать мою работу.

Введите свой адрес электронно

Подписаться


Разработчики пишут все больше кода с использованием ИИ, но многие коми не уверены, что они получают взамен за потраченные токены. Необходимо контролировать использование ИИ, хранить данные там, где они должны храниться, и не привязываться к одной модели, когда почти каждую неделю появляется новая. Для многих компаний главными проблемами являются безопасность и выбор подходящей модели для каждой задачи.

Kilo — это платформа с открытым исходным кодом, а наши корпоративные продукты доступны с открытым исходным кодом, так что вы можете отслеживать, что происходит с запросом, а не полагаться на «черный ящик» Корпоративная группа устранила эти проблемы в шести выпусках.

Посмотрите, какие функции использует ваша команда

Платформа Kilo включает в себя множество функций, но корпоративные кли часто не используют те, за которые платят, — либо потому, что не знают о н, либо потому, что неправильно их настроили.

используются не в полной мере, а также указан уровень внедрения ИИ.



Внедрение функций на вкладке использования

Для конкретной организации вы получите список основных функций, которым вам нужны, например подключенная система управления версиями, а также конкретные рекомендации по каждой из них. Включить функцию можно од щелчком мыши, а список будет обновляться по мере вашего продвижения. Если вы намеренно решили не включать какую-то функцию, например единый вход, можете отклонить рекомендацию и вернуться к ней позже.


Use auto-approve within a system-level sandbox

Plenty of people run their agent on auto-approve. Auto-approve removes the need to confirm each command, but it also increases the consequences of unsafe agent behavior. Without isolation, an incorrect command could modify a database or execute proprietary code after a prompt injection to write “clean” unit tests, or following a prompt injection and sending your proprietary code somewhere it shouldn’t go.

The old approach was Gatekeeper, which asked another AI agent to decide whether a command should run. Gatekeeper can reduce risk, although its model-based decisions do not provide system-level enforcement.

The sandbox enforces restrictions at the operating-system level. File system access is limited to the directory the agent is running in, so it can’t use bash tools or scripts.

make auto-approve suitable for a broader range of tasks, subject to the sandbox's documented limitations.



If the agent attempts to write outside its worktree or make a blocked outbound connection, the sandbox denies the operation.

execute a curl on <https://kilo.ai/>. Report each result directly.



 Reasoning

 **PermissionDenied**
FileSystem.makeDirectory (/tmp): Sandbox denied write access


>_ Shell curl -s -o /dev/null -w "%{http_code}" <https://kilo.ai/>

 Reasoning

1. Write file: Failed — sandbox denied write access to **/tmp**.
2. Curl <https://kilo.ai/>: Connection failed (HTTP status **000** — the outbound request could not reach the host, likely blocked by network restrictions in this environment).




The implementation uses Bubblewrap on Linux and the native Seatbelt sandbox on macOS. We are testing both file-system and network restrictions through red-team exercises and benchmarks. It's an experimental feature shipping on Linux and macOS first, with Windows to follow.




Manage sub-organizations, budgets, and usage in one place

Many enterprise customers need to manage several teams, each with its own member and budget. One enterprise usually contains several sub-organizations with different needs and different budgets.

Customers requested this capability, and one participated in the release process. We shipped it live with one of the orgs that asked for it. You can now create child organizations (sub-teams) under an enterprise. The member overview shows which sub-teams each member belongs to, and you can navigate into a team's profile and back out.



You can distribute funds from the enterprise balance to each sub-org, topping up team that's running low. And the usage dashboard now lets you view stats across org in your enterprise or zoom in on a single one.



Connect Bitbucket and Jira

services like code review and security agents.

The screenshot shows a dark-themed user interface for integrating Bitbucket Cloud with Kilo. At the top, there is a back arrow and the text "Back to Integrations". Below this is the heading "Manage the Bitbucket Cloud workspace for Kilo". The main section is titled "Bitbucket Cloud" with a subtext "Repository access for cloud agents and pull request workflows." and a "Not connected" status indicator. A box titled "What happens when you connect:" lists three benefits: access to repositories, listening for pull request events, and enabling cloud agents to clone and work with selected repositories. Below this are two buttons: "Workspace Access Token" (selected) and "OAuth". A note states "Bitbucket Premium is required" and provides a link to "Create a workspace access token in Bitbucket". A "Required permissions" section lists: Account Read, Repository Read, Repository Write, Pull request Read, and Webhooks Read and Write. The "Workspace Access Token" section has a text input field and a note that Kilo encrypts the token. At the bottom is a large green button labeled "Connect workspace".

There are two ways to connect. The recommended one is a workspace access token which is scoped to the workspace rather than your personal account, and pairs with a separate service or bot account that only has access to selected repositories. After you connect, Kilo fetches your Bitbucket repos automatically.


From a Cloud Agent you can then chat with a repo, ask about a pull request by providing its URL, and have the agent help create PRs, pull diffs, and add comments. Like the sandbox above, each Cloud Agent session runs in its own isolated environment, so you get file system isolation per session.

Cheapest model to do the job

Model selection also affects enterprise costs. Organizations may want developers use AI without routing every task to the most expensive available model.

Auto Efficient is our newest auto router, joining Auto Frontier, Auto Balanced, and Auto Free. Auto Efficient uses session context when selecting a model. Every time you give Kilo a task, it finds the lowest-cost model that meets the relevant KiloBench performance threshold, and it can change its choice as the session progresses.

Those decisions are informed by KiloBench, our software engineering benchmark built partly on Terminal-Bench 2.0. It classifies the task using results from comparable KiloBench workloads across many models and picks the one that can do a good job at the least spend. All of the data behind it is public at kilo.ai/kilobench, so you can review the results and still switch models manually whenever you want.



To use it, top up your Kilo credits, update to the latest VS Code extension or CLI and pick Auto Efficient from the model dropdown.

Usage analytics now has an OpenAPI surface

harder to understand what's available and what each endpoint is for.

← → ↻ 🔍 ☆ 📄 🗑️ 👤 W

Kilo Code API Docs
Swagger UI generated from the allowlisted tRPC OpenAPI document. Open

Kilo Code tRPC API 1.0.0 OAS 3.1
</api/openapi.json>

Servers
/ ▼

Usage Analytics

GET	<code>/api/trpc/usageAnalytics.getSummary</code>	Return aggregate KPI metrics
GET	<code>/api/trpc/usageAnalytics.getTimeSeries</code>	Return usage analytics grouped into time buckets
GET	<code>/api/trpc/usageAnalytics.getBreakdown</code>	Return top usage values grouped by dimension
GET	<code>/api/trpc/usageAnalytics.getTable</code>	Return aggregated tabular usage rows

We added an OpenAPI/Swagger surface for the usage analytics tRPC endpoints. OpenAPI JSON is served at `/api/openapi.json` and the Swagger UI at `/api/docs`, with bearer auth metadata and endpoint descriptions that distinguish summary cards, trends, breakdown charts, and the detailed table and export endpoints. The specification exposes only procedures included in an explicit allowlist. If you're pulling usage data into your own dashboards or finance reporting, this gives you a documented set of endpoints to build against.

Planned follow-up work

Auto Efficient in production sessions.

The engineers behind the features:

- Andrew Storms
- Marius Wichtner
- Remon Oldenbeuving
- Evgeny Shurakov
- Evan Jacobson
- Igor Šćekić
- Joshua Lambert

Thinking of implementing or scaling Kilo in your organization? [Let's talk!](#)

Thanks for reading Kilo Blog! Subscribe for free
to receive new posts and support my work.



3 Likes

Discussion about this post

Comments

Restacks