

Visualization of laser scanner point cloud as 3d panorama

Using laser scanning to reconstruct the facade of the Pellerhaus Nürnberg in its historic state

Adam Kalisz
2265000

A thesis presented for the degree of
Bachelor in Media Engineering



TECHNISCHE HOCHSCHULE NÜRNBERG
GEORG SIMON OHM

Elektrotechnik Feinwerkmechanik Informationstechnik
Georg-Simon-Ohm Technische Hochschule Nürnberg

Thesis advisors:
Prof. Dr. Stefan Röttger
Prof. Dr. (USA) Ralph Lano

Germany
July 2015

Declaration

I hereby declare that I have created this work completely on my own and used no other sources or tools than the ones listed, and that I have marked any citations accordingly.

Hiermit versichere ich, dass ich die vorliegende Arbeit selbständig verfasst und keine anderen als die angegebenen Quellen und Hilfsmittel benutzt sowie Zitate kenntlich gemacht habe.

Nuremberg, July 2015
Adam Kalisz

Abstract

In this work the interested reader will learn about my research on the 3D-model reconstruction of the historic Pellerhaus in Nuremberg, Germany, as it looked before its destruction during World War II. The title of this paper is "Visualization of laser scanner point clouds as 3D panoramas".

In the first chapter I will describe the background research that provided me with the necessary fundamentals to start the project. The second chapter presents the development process of the software tools applied to achieve the goal of reconstructing historic 3D models from various data such as images and laser scans. To accomplish this, I decided to improve the open source software Blender. Details on the production of a three-dimensional mesh from laser scans via LIDAR devices can be found in Chapter Three. Chapter Four concludes the work and also presents future work. It contains the results, failures and successes of my research. Furthermore it discusses different possible ways to build upon the fundamental insights gained from this report. Due to our modern open culture with several open software, hardware and movie projects - mainly inspired by the Blender Foundation - I also want to make my research available to the public. During the time I am writing my thesis I will therefore be publishing my progress online at <http://bachelor.kalisz.co>.

Acknowledgements

This research could not have been performed without the assistance, patience, and support of many individuals.

On behalf of the historical expertise required for this research, I would like to thank the Geschichtsarchiv Langwasser, including Mrs Edith Schroth and Mr Alfred Schroth for their constant support in providing old photographs, material and making contact to various institutions like archives, museums and companies. They initiated the contact with the Altstadtfreunde Nürnberg e.V. as well. Therefore I would like to thank the Altstadtfreunde Nürnberg e.V. for a huge amount of historic pictures and professional guidance regarding the history of the Pellerhaus. I am happy to get the opportunity to be supported by chairman Mr. Karl-Heinz Enderle during my research.

Secondly, I have to thank my thesis advisor, Mr. Prof. Dr. Stefan Röttger for mentoring me during my undergraduate studies. Not only did he prove his confidence in me by encouraging me to teach computer graphics to other students by letting me show how much fun it can be creating graphics with the open source 3D graphics suite Blender and offered me several jobs in 3d animation. His insight lead to the initial proposal to examine the possibility of reconstructing the Pellerhaus facade. In addition I would like to extend my gratitude to Mr. Prof. Dr. (USA) Ralph Lano for supervision during my studies. His teaching style and enthusiasm made a strong impression on me and I have always carried positive memories of the classes I attended. Although, the classes I took have not been mandatory and rather seldom they made a lot of fun (e.g. XBox programming with Unity), he was always very helpful and friendly. I would like to thank you very much for your support and understanding over these past four years.

Finally I would like to extend my deepest gratitude to my family without whose love, support and understanding I could never have completed this bachelor's degree.

Contents

1	Introduction	11
1.1	Motivation	11
1.2	Initial project specification	11
1.3	Project schedule	12
1.4	State-of-the-art methods for 3D reconstruction	12
1.4.1	Light Detection And Ranging (LiDAR)	12
1.4.2	Ultrasonic	14
1.4.3	Photogrammetry	14
1.4.4	Google Maps (R)	14
1.4.5	Open Street Map (R)	15
1.4.6	Bavarian State Office for Survey and Geoinformation	15
1.4.7	Autonomous mapping with UAV's and SLAM	15
1.4.8	Manual methods	15
1.5	Defining the scope of this research	15
2	Background Research	17
2.1	The Pellerhaus history	17
2.2	3D Panorama	17
2.3	Types of projections	18
3	Converting: From point cloud to Blender 3D	19
3.1	Concept	19
3.1.1	Use case diagram	19
3.1.2	Activity diagram	19
3.2	Generating data and testing algorithms	20
3.2.1	BlenSor	20
3.2.2	Test-Addon for Blender	20
3.3	Prototype	20
3.3.1	Point Cloud Importer	20
3.3.2	Projecting 3D points onto a 2D plane	20
3.3.3	Saving textures	20
3.3.4	OpenGL Point Cloud Viewer	20
3.3.5	Performance Optimization	21
3.3.6	Meshing	21
3.3.7	Mesh Exporter	21

4	Production: Recreating the Pellerhaus from 1605	23
4.1	Modeling the current Pellerhaus facade	23
4.1.1	Using the converter	23
4.1.2	Using UAV references with photogrammetry	23
4.2	Modeling the original Pellerhaus facade	24
4.2.1	Using historic images as guide	24
4.2.2	Using historic stereoscopic images with photogrammetry	24
4.3	Modeling the destructed Pellerhaus	24
4.4	Animating between the states	25
4.5	Lighting and Rendering	25
4.6	Animating between the states	25
5	Conclusion and Future Work	27
5.1	Conclusion	27
5.2	Future Work	27
A	Appendix Title	29
A.1	Software used	29
A.1.1	L ^A T _E X	29
A.1.2	Blender 3D	29
A.2	Programming libraries and frameworks	29
A.2.1	Qt 5.4	29

List of Figures

1.1	LiDAR Scanner Point Cloud	13
1.2	Multiview Reconstruction from historic stereo pairs	14
2.1	3D Panorama Sphere	17
2.2	Three example projections	18

List of Tables

3.1	very basic table caption	20
3.2	Max and min temp recorded during the first two weeks in January . .	21

Chapter 1

Introduction

1.1 Motivation

The field of 3D computer graphics has always been a fascinating subject to me....
...image processing in computer vision... ...high interest in historical topics, because
member of citizens association and representative of settlement, thus learning a
lot about interesting historical facts and development of culture. For example old
railway station in district Langwasser has formerly been used for deportation of
people after start of the second world war. ...


1.2 Initial project specification

The idea for this research started with the personal concern of reconstructing a
historical site like the old railway station in Langwasser in its historic state. Due to
the fact that this railway station has never been fully finished and therefore poor
historical documentation, a 3D reconstruction wouldn't be complete. Luckily the
famous Pellerhaus was the perfect candidate for this research. After its destruction
during World War II, it was rebuilt quite differently to the original state. While the
inner courtyard is almost finished with reconstruction at the time of this writing,
the facade is still looking modern. At that point, it was clear that the main research
topic is going to examine ways to reconstruct the Pellerhaus in its historic state. A
more concrete specification was defined by considering how this is going to be done.
The current state of the building has to be captured with laser scanning technology
to get the correct measurements from the real world reference. This point cloud data
needs to be processed then. To do so, a custom software is required to be written,
which can read a file format exported from the proprietary Faro SCENE application,
create a panoramic image representation of the data, use it to generate a 3D mesh
and export this mesh to a widely supported file format. This research will mostly
rely on the open source software Blender to model and animate the historic state
of the Pellerhaus, thus it is crucial to provide a compatible output to be used as a
basis for the design process. By creating a surface from the point samples, a bug
in Blender, which is making it not capable of displaying or rendering colored point
clouds[see Ble14a, p10], this research will overcome this problem. The goal of this
research is to get a 3D model of the Pellerhaus in its historic state from 1605 by
utilizing panoramic projections as described before.

1.3 Project schedule

This project is divided into two phases. The first phase is developing the software for converting laser scanner point clouds as 3D panorama meshes. The second one is designing the historic 3D model from this initial mesh.

This is visualized in the following GANTT chart:



1.4 State-of-the-art methods for 3D reconstruction

There are several methods that allow for the generation of 3D meshes from various data. One can either use several still images or videos, sample the real world with modern sensor technology. This is described as follows:

1.4.1 Light Detection And Ranging (LiDAR)

The term Light Detection And Ranging (in short LiDAR) is commonly used with high precision applications, such as scanning and mapping. It uses a laser beam emitter and receiver. The time between sending a signal and receiving it is measured and multiplied by the speed of light. This returns the meters the light traveled from the emitter to the obstacle and back. Dividing this distance by two yields the range to the obstacle in meters.[see Sch14, p8-9]

As this only gives the meter to one specific point, it is necessary to keep measuring from different viewpoints. This can be done by rotating the scanning device horizontally and vertically simultaneously. To keep cables from winding up by using two motors, devices usually use only one motor for the horizontal and a flat mirror on an elliptical mount for the vertical rotation. That way it is possible to sample a lot of points around the device position quickly and effectively.

In this work the LiDAR scanner Faro Focus 3D is being used. It is capable of capturing 976,000 points per second with a vertical and horizontal field of view of

305 and 360 degrees, respectively¹. For allowing a better registration it can also use GPS for localization and a barometer for height measurement. The measured points can be colored with a built-in camera of around 70 Megapixels. The price for the Focus 3D totals at 61,404.37 Euro².

Besides using a stationary device, portable devices are also available. Recently a new technology has been revealed by Csiro and is called *Zebedee*. This handheld laser scanner can be used in challenging environments where a stationary device would require several scans to cover the whole area (e.g. caves, staircases) while the operator is walking. It samples over 40,000 range measurements every second and consists of a 2D laser scanner mounted on a spring system³. Especially the visual effects field has a great use for this device, since the environments can vary a lot during video shootings and a 3D mesh representation is ubiquitous today. The price for the ZEB1 handheld laser scanner is 17,000 Euro⁴.

Although measuring with laser technology can be found in household devices as an alternative for tape measuring, it is still quite complicated to reverse engineer such devices to get the raw distance reading. Fortunately a group of engineers tried to bridge the gap by starting a crowd funding campaign for a low-cost laser range finder, called the LiDAR-Lite⁵. It has a total range of 40 meters with a resolution of 1 cm. During this research this sensor is being used with a custom arduino build to examine how it can be used as a cheap alternative to the examples mentioned in the beginning. The price for one module is at 82 Euro.




Figure 1.1: LiDAR Scanner Point Cloud

¹Techsheat Faro Focus 3D: <http://www2.faro.com/site/resources/share/944>

²<http://surveyequipment.com/faro-focus-3d-x-330-laser-scanner/>

³<http://www.csiro.au/Organisation-Structure/Divisions/Computational-Informatics/Zebedee-3D-mapping.aspx>

⁴Source: Personal contact to sales team

⁵<http://pulsedlight3d.com/>

1.4.2 Ultrasonic

In contrast to LiDAR, most ultrasonic sensors are cheap, but generally are not used for higher distances at several tens of meters (though, there are products for a range higher than 100 meter⁶). The reason for this is that sound is usually affected stronger by environmental properties than light⁷. Due to this they are often used for shorter distances e.g. for near field obstacle recognition in robotics or in small desktop laser scanners⁸. Typical ultrasonic sensor modules with a maximum range of around 5 m can be purchased for 5 Euro already.

1.4.3 Photogrammetry

Photogrammetry (also referred to as multi-view reconstruction) is a technique from the Computer Vision field and presents a cost-effective alternative to laser scanning. A real 3D object can be reconstructed as a virtual 3D model by using photographs of the scene and feeding them into such software. This works by detecting image features (for example by using Harris Corner Detector or SIFT algorithms), matching those between image pairs, computing the respective camera positions and re-projecting the reconstructed 3D points to get a point cloud representation of the real photograph[**bookProgrammingComputerVisionwithPython**]. The computer vision algorithms get better each day and there is plenty of software using them.




Figure 1.2: Multiview Reconstruction from historic stereo pairs

Photogrammetry will be used in this project to try to reconstruct surfaces from historical images. Fortunately stereographic image pairs are provided through the Altstadtfreunde Nürnberg e.V. By matching the laser scanner data with the Photogrammetry output a good groundwork is expected to be done for the final surface reconstruction.

1.4.4 Google Maps (R)

The commercial application allows viewing cities from the sky with a rough representation of 3D building shapes⁹. While this service had gray boxes some years ago,

⁶VEGAPULS 69: <http://www.vega.com/downloads/AL/DE/34137-DE.pdf>

⁷<http://www.sensorsmag.com/sensors/acoustic-ultrasound/choosing-ultrasonic-sensor-proximity-or-distance-measurement-825>

⁸<https://www.youtube.com/watch?v=saWWWhEYQxTg>

⁹<https://www.youtube.com/watch?v=5iolZU8LwPU>

today the visualization is getting more accurate. It is possible to see small details with better modeled and textured buildings.

1.4.5 Open Street Map (R)

The open source alternative to the commercial service above offers the basic functions for map viewing and navigation. OpenStreetMap (OSM) offers very detailed access to its data, like boundaries, streets and building footprints. That way it is possible to extract simple building shapes¹⁰ that can be used in custom software free of charge.

To allow for a better mapping of buildings there are also proposals on an indoor version of OSM¹¹. Having this data available is a helpful thing for applications such as indoor navigation at railway and subway stations, mobile emergency exit information and robotics.

1.4.6 Bavarian State Office for Survey and Geoinformation

Geodata and city plans are also provided officially through governmental institutions. They provide various types of data, among others historical aerial photographs, digital elevation models (DEM) and also 3D building shapes. For educational purposes (like i.e. this research) they offer a university discount for the data of 25 percent. A usual dataset without any discounts containing 7580 buildings of Langwasser, district of Nuremberg in Germany, costs 1158 Euro¹².

1.4.7 Autonomous mapping with UAV's and SLAM

Drones, or unmanned aerial vehicles (UAV's), are getting more popular each day. Most of them are also equipped with a camera which allows for taking pictures or videos from viewpoints a human cannot reach easily. More expensive drones have LiDAR systems attached¹³ which allow - together with the IMU (Inertial Measuring Unit) and GPS (Global Positioning System) to localize it and map its environment. A popular term for this is Simultaneous Localization And Mapping (SLAM).

1.4.8 Manual methods

If all other methods fail, there is still the chance to get a reconstruction done roughly by taking measurements of real objects with measuring tapes or eyeballing. Loading pictures from the front, side and top view into a 3D software can already yield decent results.

1.5 Defining the scope of this research

Although this work uses a combination of several techniques (briefly presented above), the main focus is put on examination if panoramic projection of laser scan-

¹⁰<http://demo.f4map.com/#lat=49.4559869&lon=11.0762814&zoom=18>

¹¹http://wiki.openstreetmap.org/wiki/Indoor_Mapping

¹²Personal research

¹³<https://www.youtube.com/watch?v=IMSozUpFFkU>

ner point clouds will be an aid for 3D reconstruction or not. This will be evaluated by using the result in a real world use case of using the reconstructed mesh in the design process.

Chapter 2

Background Research

2.1 The Pellerhaus history

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam hendrerit interdum sagittis. Nulla facilisi. Pellentesque laoreet tincidunt semper. Pellentesque pellentesque lectus id arcu interdum cursus ut ac dui. Etiam feugiat nisl ac odio suscipit pretium venenatis eget diam. Morbi molestie ipsum sit amet sapien rutrum luctus. Proin ac dolor ut metus laoreet aliquam non id nunc. Curabitur non efficitur dolor. Donec iaculis, dui et porta iaculis, magna tellus placerat ex, sed porta sem ligula ac augue. Fusce vitae sagittis ex. Pellentesque faucibus cursus elit, et faucibus velit cursus in. Nam lobortis id neque id hendrerit. Fusce et dolor nisi.

2.2 3D Panorama




Figure 2.1: 3D Panorama Sphere

Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Donec non auctor sem, sit amet fringilla purus. Phasellus eu orci et nibh

lobortis faucibus id vel lorem. Aliquam ut diam id mi aliquam finibus eu id neque. Nam consequat efficitur mi sed maximus. Nullam egestas neque enim. Nulla nec eleifend mauris, eget sollicitudin velit. Quisque ultricies feugiat neque ut condimentum. Aliquam vehicula faucibus sapien non convallis see 2.2. Nullam consectetur sagittis sollicitudin. Nulla mollis laoreet metus et consectetur.

Etiam non volutpat diam. Nam ac consectetur felis. Ut nec mi dictum, lobortis mauris quis, dapibus ligula. Nulla porttitor diam sed mauris dapibus posuere. Fusce pellentesque odio at nisl placerat porta. Donec urna risus, iaculis vitae justo quis, tempus ullamcorper diam. Integer eu gravida est. Phasellus eu ex tincidunt urna tempus pulvinar in in metus. Mauris tempus magna ac finibus suscipit. Praesent malesuada magna nibh, at rutrum felis semper a.

One of the most basic types is the equirectangular projection see 2.2a

2.3 Types of projections




Figure 2.2: Three example projections

Aliquam at varius elit. Suspendisse viverra ex a ipsum scelerisque condimentum. Nam ac neque luctus, ullamcorper neque sit amet, tincidunt felis. Maecenas id orci rutrum, tincidunt nisl non, aliquam sapien. Aenean vestibulum erat ut nisl vehicula, quis rutrum eros fermentum. Maecenas ut arcu elit. Cras vestibulum pharetra facilisis. Quisque non elit iaculis leo dignissim faucibus. Etiam fringilla tortor nibh, sit amet volutpat diam consequat ac. Sed consectetur metus quis suscipit sollicitudin. Morbi imperdiet scelerisque nunc, in dapibus lacus. Praesent ullamcorper condimentum augue vitae finibus.

Chapter 3

Converting: From point cloud to Blender 3D

3.1 Concept

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam hendrerit interdum sagittis. Nulla facilisi. Pellentesque laoreet tincidunt semper. Pellentesque pellentesque lectus id arcu interdum cursus ut ac dui. Etiam feugiat nisl ac odio suscipit pretium venenatis eget diam. Morbi molestie ipsum sit amet sapien rutrum luctus. Proin ac dolor ut metus laoreet aliquam non id nunc. Curabitur non efficitur dolor. Donec iaculis, dui et porta iaculis, magna tellus placerat ex, sed porta sem ligula ac augue. Fusce vitae sagittis ex. Pellentesque faucibus cursus elit, et faucibus velit cursus in. Nam lobortis id neque id hendrerit. Fusce et dolor nisi.

3.1.1 Use case diagram

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam hendrerit interdum sagittis. Nulla facilisi. Pellentesque laoreet tincidunt semper. Pellentesque pellentesque lectus id arcu interdum cursus ut ac dui. Etiam feugiat nisl ac odio suscipit pretium venenatis eget diam. Morbi molestie ipsum sit amet sapien rutrum luctus. Proin ac dolor ut metus laoreet aliquam non id nunc. Curabitur non efficitur dolor. Donec iaculis, dui et porta iaculis, magna tellus placerat ex, sed porta sem ligula ac augue. Fusce vitae sagittis ex. Pellentesque faucibus cursus elit, et faucibus velit cursus in. Nam lobortis id neque id hendrerit. Fusce et dolor nisi.

3.1.2 Activity diagram

Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Donec non auctor sem, sit amet fringilla purus. Phasellus eu orci et nibh lobortis faucibus id vel lorem. Aliquam ut diam id mi aliquam finibus eu id neque. Nam consequat efficitur mi sed maximus. Nullam egestas neque enim. Nulla nec eleifend mauris, eget sollicitudin velit. Quisque ultricies feugiat neque ut condimentum. Aliquam vehicula faucibus sapien non convallis. Nullam consectetur sagittis sollicitudin. Nulla mollis laoreet metus et consectetur.

A	B	C
1	3	4
1	3	4

Table 3.1: very basic table caption

3.2 Generating data and testing algorithms

3.2.1 BlenSor

Etiam non volutpat diam. Nam ac consectetur felis. Ut nec mi dictum, lobortis mauris quis, dapibus ligula. Nulla porttitor diam sed mauris dapibus posuere. Fusce pellentesque odio at nisl placerat porta. Donec urna risus, iaculis vitae justo quis, tempus ullamcorper diam. Integer eu gravida est. Phasellus eu ex tincidunt urna tempus pulvinar in in metus. Mauris tempus magna ac finibus suscipit. Praesent malesuada magna nibh, at rutrum felis semper a.

3.2.2 Test-Addon for Blender

Etiam non volutpat diam. Nam ac consectetur felis. Ut nec mi dictum, lobortis mauris quis, dapibus ligula. Nulla porttitor diam sed mauris dapibus posuere. Fusce pellentesque odio at nisl placerat porta. Donec urna risus, iaculis vitae justo quis, tempus ullamcorper diam. Integer eu gravida est. Phasellus eu ex tincidunt urna tempus pulvinar in in metus. Mauris tempus magna ac finibus suscipit. Praesent malesuada magna nibh, at rutrum felis semper a.

3.3 Prototype

3.3.1 Point Cloud Importer

Etiam non volutpat diam. Nam ac consectetur felis. Ut nec mi dictum, lobortis mauris quis, dapibus ligula. Nulla porttitor diam sed mauris dapibus posuere. Fusce pellentesque odio at nisl placerat porta. Donec urna risus, iaculis vitae justo quis, tempus ullamcorper diam. Integer eu gravida est. Phasellus eu ex tincidunt urna tempus pulvinar in in metus. Mauris tempus magna ac finibus suscipit. Praesent malesuada magna nibh, at rutrum felis semper a.

Point Cloud data formats

3.3.2 Projecting 3D points onto a 2D plane

3.3.3 Saving textures

3.3.4 OpenGL Point Cloud Viewer

This russian video tutorial was very helpful with the basic setup with the Qt framework.

[Enz14]

Day	Max Temp	Min temp
Mon	20	13
Tue	22	14
Wed	23	12
Thu	25	13
Fri	18	7
Sat	15	13
Sun	20	13

(a) First Week

Day	Max Temp	Min Temp
Mon	17	11
Tue	16	10
Wed	14	8
Thu	12	5
Fri	15	7
Sat	16	12
Sun	15	9

(b) Second Week

Table 3.2: Max and min temp recorded during the first two weeks in January

3.3.5 Performance Optimization

3.3.6 Meshing

Interdum et malesuada fames ac ante ipsum primis in faucibus. Cras quis pharetra libero. Pellentesque consectetur, quam vel ultrices finibus, sem enim consectetur mi, in dictum tellus leo eu ante. Maecenas consequat egestas erat, in vestibulum velit pulvinar ac. Suspendisse ullamcorper augue sapien, ac suscipit nulla dictum in. Nam sit amet congue ipsum. Aenean non felis malesuada, feugiat lectus a, tincidunt quam. Fusce nec quam egestas, vulputate est in, commodo nisi. Phasellus id nunc sit amet quam iaculis ornare eu id libero. Ut tempor nisi sed est pretium auctor. Donec in nunc turpis. Integer non tristique dolor. Curabitur a elit mollis urna finibus scelerisque sit amet vel erat. Nullam nec maximus erat. Duis ante mi, posuere ut lobortis nec, posuere eu ligula.

3.3.7 Mesh Exporter

There are different formats, one had to be chosen that supported at least vertices and faces.

.obj

The .obj format is the most popular and can be one of the easiest to understand file formats to save 3D geometry with not only points, but vertices, normals, texture coordinates and much more. It was the first choice when testing mesh exporting from the converter software and examining it in Blender.

.blend

A personal goal for this research was to implement a .blend export feature to allow for a native importing of the panorama mesh into Blender. However, this goal was not reached in this project. As it turned out, exporting the binary Blender file format was quite complicated, due to it's versatile structure. An experienced Blender Developer, Jeroen Bakker, stated in 2009 "When implementing loading and saving blend-files in a custom tool the difficulty is the opposite. In a custom tool loading a blend-file is easy, and saving a blend-file is difficult." [Bak09, see]. At least implementing it with the limited time for the thesis it was not feasible.

custom format

Even the Blender community suggested to not use the .blend format directly, but rather try a custom binary format. [Ble14b, compare]

Chapter 4

Production: Recreating the Pellerhaus from 1605

4.1 Modeling the current Pellerhaus facade

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam hendrerit interdum sagittis. Nulla facilisi. Pellentesque laoreet tincidunt semper. Pellentesque pellentesque lectus id arcu interdum cursus ut ac dui. Etiam feugiat nisl ac odio suscipit pretium venenatis eget diam. Morbi molestie ipsum sit amet sapien rutrum luctus. Proin ac dolor ut metus laoreet aliquam non id nunc. Curabitur non efficitur dolor. Donec iaculis, dui et porta iaculis, magna tellus placerat ex, sed porta sem ligula ac augue. Fusce vitae sagittis ex. Pellentesque faucibus cursus elit, et faucibus velit cursus in. Nam lobortis id neque id hendrerit. Fusce et dolor nisi[Sch14].

4.1.1 Using the converter

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam hendrerit interdum sagittis. Nulla facilisi. Pellentesque laoreet tincidunt semper. Pellentesque pellentesque lectus id arcu interdum cursus ut ac dui. Etiam feugiat nisl ac odio suscipit pretium venenatis eget diam. Morbi molestie ipsum sit amet sapien rutrum luctus. Proin ac dolor ut metus laoreet aliquam non id nunc. Curabitur non efficitur dolor. Donec iaculis, dui et porta iaculis, magna tellus placerat ex, sed porta sem ligula ac augue. Fusce vitae sagittis ex. Pellentesque faucibus cursus elit, et faucibus velit cursus in. Nam lobortis id neque id hendrerit. Fusce et dolor nisi[Sch14].

4.1.2 Using UAV references with photogrammetry

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam hendrerit interdum sagittis. Nulla facilisi. Pellentesque laoreet tincidunt semper. Pellentesque pellentesque lectus id arcu interdum cursus ut ac dui. Etiam feugiat nisl ac odio suscipit pretium venenatis eget diam. Morbi molestie ipsum sit amet sapien rutrum luctus. Proin ac dolor ut metus laoreet aliquam non id nunc. Curabitur non efficitur dolor. Donec iaculis, dui et porta iaculis, magna tellus placerat ex, sed porta sem ligula ac augue. Fusce vitae sagittis ex. Pellentesque faucibus cursus elit, et faucibus velit cursus in. Nam lobortis id neque id hendrerit. Fusce et dolor nisi[Sch14].

4.2 Modeling the original Pellerhaus facade

Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Donec non auctor sem, sit amet fringilla purus. Phasellus eu orci et nibh lobortis faucibus id vel lorem. Aliquam ut diam id mi aliquam finibus eu id neque. Nam consequat efficitur mi sed maximus. Nullam egestas neque enim. Nulla nec eleifend mauris, eget sollicitudin velit. Quisque ultricies feugiat neque ut condimentum. Aliquam vehicula faucibus sapien non convallis. Nullam consectetur sagittis sollicitudin. Nulla mollis laoreet metus et consectetur[see GMS93, p10].

4.2.1 Using historic images as guide

Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Donec non auctor sem, sit amet fringilla purus. Phasellus eu orci et nibh lobortis faucibus id vel lorem. Aliquam ut diam id mi aliquam finibus eu id neque. Nam consequat efficitur mi sed maximus. Nullam egestas neque enim. Nulla nec eleifend mauris, eget sollicitudin velit. Quisque ultricies feugiat neque ut condimentum. Aliquam vehicula faucibus sapien non convallis. Nullam consectetur sagittis sollicitudin. Nulla mollis laoreet metus et consectetur[see GMS93, p10].

4.2.2 Using historic stereoscopic images with photogrammetry

Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Donec non auctor sem, sit amet fringilla purus. Phasellus eu orci et nibh lobortis faucibus id vel lorem. Aliquam ut diam id mi aliquam finibus eu id neque. Nam consequat efficitur mi sed maximus. Nullam egestas neque enim. Nulla nec eleifend mauris, eget sollicitudin velit. Quisque ultricies feugiat neque ut condimentum. Aliquam vehicula faucibus sapien non convallis. Nullam consectetur sagittis sollicitudin. Nulla mollis laoreet metus et consectetur[see GMS93, p10].

4.3 Modeling the destructed Pellerhaus

Etiam non volutpat diam. Nam ac consectetur felis. Ut nec mi dictum, lobortis mauris quis, dapibus ligula. Nulla porttitor diam sed mauris dapibus posuere. Fusce pellentesque odio at nisl placerat porta. Donec urna risus, iaculis vitae justo quis, tempus ullamcorper diam. Integer eu gravida est. Phasellus eu ex tincidunt urna tempus pulvinar in in metus. Mauris tempus magna ac finibus suscipit. Praesent malesuada magna nibh, at rutrum felis semper a[compare Vel15].

Interdum et malesuada fames ac ante ipsum primis in faucibus. Cras quis pharetra libero. Pellentesque consectetur, quam vel ultrices finibus, sem enim consectetur mi, in dictum tellus leo eu ante. Maecenas consequat egestas erat, in vestibulum velit pulvinar ac. Suspendisse ullamcorper augue sapien, ac suscipit nulla dictum in. Nam sit amet congue ipsum. Aenean non felis malesuada, feugiat lectus a, tincidunt quam. Fusce nec quam egestas, vulputate est in, commodo nisi. Phasellus id nunc sit amet quam iaculis ornare eu id libero. Ut tempor nisi sed est pretium auctor. Donec in nunc turpis. Integer non tristique dolor. Curabitur a elit mollis

urna finibus scelerisque sit amet vel erat. Nullam nec maximus erat. Duis ante mi, posuere ut lobortis nec, posuere eu ligula[e.g. Sch14, page300].

4.4 Animating between the states

Aliquam at varius elit. Suspendisse viverra ex a ipsum scelerisque condimentum. Nam ac neque luctus, ullamcorper neque sit amet, tincidunt felis. Maecenas id orci rutrum, tincidunt nisl non, aliquam sapien. Aenean vestibulum erat ut nisl vehicula, quis rutrum eros fermentum. Maecenas ut arcu elit. Cras vestibulum pharetra facilisis. Quisque non elit iaculis leo dignissim faucibus. Etiam fringilla tortor nibh, sit amet volutpat diam consequat ac. Sed consectetur metus quis suscipit sollicitudin. Morbi imperdiet scelerisque nunc, in dapibus lacus. Praesent ullamcorper condimentum augue vitae finibus.

4.5 Lighting and Rendering

Aliquam at varius elit. Suspendisse viverra ex a ipsum scelerisque condimentum. Nam ac neque luctus, ullamcorper neque sit amet, tincidunt felis. Maecenas id orci rutrum, tincidunt nisl non, aliquam sapien. Aenean vestibulum erat ut nisl vehicula, quis rutrum eros fermentum. Maecenas ut arcu elit. Cras vestibulum pharetra facilisis. Quisque non elit iaculis leo dignissim faucibus. Etiam fringilla tortor nibh, sit amet volutpat diam consequat ac. Sed consectetur metus quis suscipit sollicitudin. Morbi imperdiet scelerisque nunc, in dapibus lacus. Praesent ullamcorper condimentum augue vitae finibus.

4.6 Animating between the states

Aliquam at varius elit. Suspendisse viverra ex a ipsum scelerisque condimentum. Nam ac neque luctus, ullamcorper neque sit amet, tincidunt felis. Maecenas id orci rutrum, tincidunt nisl non, aliquam sapien. Aenean vestibulum erat ut nisl vehicula, quis rutrum eros fermentum. Maecenas ut arcu elit. Cras vestibulum pharetra facilisis. Quisque non elit iaculis leo dignissim faucibus. Etiam fringilla tortor nibh, sit amet volutpat diam consequat ac. Sed consectetur metus quis suscipit sollicitudin. Morbi imperdiet scelerisque nunc, in dapibus lacus. Praesent ullamcorper condimentum augue vitae finibus.

Chapter 5

Conclusion and Future Work

5.1 Conclusion

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam hendrerit interdum sagittis. Nulla facilisi. Pellentesque laoreet tincidunt semper. Pellentesque pellentesque lectus id arcu interdum cursus ut ac dui. Etiam feugiat nisl ac odio suscipit pretium venenatis eget diam. Morbi molestie ipsum sit amet sapien rutrum luctus. Proin ac dolor ut metus laoreet aliquam non id nunc. Curabitur non efficitur dolor. Donec iaculis, dui et porta iaculis, magna tellus placerat ex, sed porta sem ligula ac augue. Fusce vitae sagittis ex. Pellentesque faucibus cursus elit, et faucibus velit cursus in. Nam lobortis id neque id hendrerit. Fusce et dolor nisi.

5.2 Future Work

Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Donec non auctor sem, sit amet fringilla purus. Phasellus eu orci et nibh lobortis faucibus id vel lorem. Aliquam ut diam id mi aliquam finibus eu id neque. Nam consequat efficitur mi sed maximus. Nullam egestas neque enim. Nulla nec eleifend mauris, eget sollicitudin velit. Quisque ultricies feugiat neque ut condimentum. Aliquam vehicula faucibus sapien non convallis. Nullam consectetur sagittis sollicitudin. Nulla mollis laoreet metus et consectetur.

Etiam non volutpat diam. Nam ac consectetur felis. Ut nec mi dictum, lobortis mauris quis, dapibus ligula. Nulla porttitor diam sed mauris dapibus posuere. Fusce pellentesque odio at nisl placerat porta. Donec urna risus, iaculis vitae justo quis, tempus ullamcorper diam. Integer eu gravida est. Phasellus eu ex tincidunt urna tempus pulvinar in in metus. Mauris tempus magna ac finibus suscipit. Praesent malesuada magna nibh, at rutrum felis semper a.

Interdum et malesuada fames ac ante ipsum primis in faucibus. Cras quis pharetra libero. Pellentesque consectetur, quam vel ultrices finibus, sem enim consectetur mi, in dictum tellus leo eu ante. Maecenas consequat egestas erat, in vestibulum velit pulvinar ac. Suspendisse ullamcorper augue sapien, ac suscipit nulla dictum in. Nam sit amet congue ipsum. Aenean non felis malesuada, feugiat lectus a, tincidunt quam. Fusce nec quam egestas, vulputate est in, commodo nisi. Phasellus id nunc sit amet quam iaculis ornare eu id libero. Ut tempor nisi sed est pretium auctor. Donec in nunc turpis. Integer non tristique dolor. Curabitur a elit mollis

urna finibus scelerisque sit amet vel erat. Nullam nec maximus erat. Duis ante mi, posuere ut lobortis nec, posuere eu ligula.

Aliquam at varius elit. Suspendisse viverra ex a ipsum scelerisque condimentum. Nam ac neque luctus, ullamcorper neque sit amet, tincidunt felis. Maecenas id orci rutrum, tincidunt nisl non, aliquam sapien. Aenean vestibulum erat ut nisl vehicula, quis rutrum eros fermentum. Maecenas ut arcu elit. Cras vestibulum pharetra facilisis. Quisque non elit iaculis leo dignissim faucibus. Etiam fringilla tortor nibh, sit amet volutpat diam consequat ac. Sed consectetur metus quis suscipit sollicitudin. Morbi imperdiet scelerisque nunc, in dapibus lacus. Praesent ullamcorper condimentum augue vitae finibus.

Appendix A

Appendix Title

A.1 Software used

A.1.1 L^AT_EX

This paper was written in L^AT_EX. On Windows, TeXstudio in conjunction with MikTeX (both portable versions) have been used for visual creation of the document. I decided to switch from the free version Adobe InDesign CS 2.0 to L^AT_EX in favor of it being cross-platform and hoping to make it easier to publish the thesis online in the future. Since I have never worked with L^AT_EX before, various tutorials [Sha13; Vel15] on the internet have been a great help.

A.1.2 Blender 3D

To cleanup the generated mesh, retopologize it and create the 3D animations of the Pellerhaus, Blender was used.

A.2 Programming libraries and frameworks

A.2.1 Qt 5.4

Qt is an open source framework ...

Bibliography

- [Ble14a] Adam Kalisz (BlenderEi). *Point Cloud support in Blender: What's already there and what does the community need*. 2014. URL: <http://blenderartists.org/forum/showthread.php?349851-Point-Cloud-support-in-Blender-What-s-already-there-and-what-does-the-community-need> (Retrieved 01/24/2015).
- [Sch14] Rayk Schroeder. “Was kann eigentlich dieser LIDAR-Scanner? (German) [What is this LIDAR-Scanner capable of?]” In: *Digital Production* 07 / 14 (2014), pp. 8–9.
- [Enz14] Ivan Enzhaev. *Qt C++ OpenGL GLSL (parts 1 to 8)*. 2014. URL: <https://www.youtube.com/watch?v=jTHvFGjy5uA&list=PLHlHFavas54e0-05vZcZ0wNGhnpRyFmLc> (Retrieved 03/10/2015).
- [Ble14b] Adam Kalisz (BlenderEi). *[C++/Qt]: Export .blend with procedurally generated mesh?* 2014. URL: <http://www.blenderartists.org/forum/showthread.php?362865-C-Qt-Export-blend-with-procedurally-generated-mesh> (Retrieved 01/24/2015).
- [Bak09] Jeroen Bakker. *The mystery of the blendblender file-format explained*. 2009. URL: http://www.atmind.nl/blender/mystery_ot_blend.html (Retrieved 03/10/2015).
- [GMS93] Michel Gaussians, Frank Mittelbach, and Alexander Samorin. *The L^AT_EX Companion*. Heading, Massachusatz: Addison-Wesley, 1993.
- [Vel15] Claudio Vellage. *L^AT_EX Tutorial – Interactive Lessons, Code Examples – For Beginners*. 2015. URL: <http://www.latex-tutorial.com/> (Retrieved 01/23/2015).
- [Sha13] ShareLaTeX. *Youtube: How to Write a Thesis in LaTeX (parts 1 to 5)*. 2013. URL: <https://www.youtube.com/watch?v=gFAQd0ueIMc&index=1&list=PLCRFsOKSM7eNGNghvT6QdzsDYwSTZxqjC> (Retrieved 01/23/2015).