

Digital Forensics and Cyber Investigation Report

Robert Simpson

University of Maryland Global Campus

DFCS 605: Digital Forensics and Cyber Investigation Foundations

Professor Todd Heller

February 24, 2025

Project: Digital Forensic Investigation

1. Summary

M. Smyth, a junior member of the Security Operations Center (SOC), has requested examination of a thumb drive forensic image (Image_Project.E01). On January 7, 2026, it was reported that a USB flash drive (s/n# 501104420079) was found near the hotel desks used by the Sales and Marketing Teams. At the direction of the SOC Team Lead, the junior SOC analyst created a forensic image of the USB flash drive.

The company also received a Threat Intel Report describing new malware that is being used to provide remote access to infected Windows computers. Once a computer is infected, the malware contacts a server on the Internet, also known as a command and control (C2) server, to receive instructions from the malware's operator. The malware can upload and download files. If any of the artifacts related to this malware are detected on the network, the SOC Team Lead wishes to be notified immediately.

The SOC Team is requesting the forensic examination of the forensic image of the thumb drive, requesting the following be answered:

1. Determine which of the files are executable files contained within the forensic image.
2. Determine if any of the files within the forensic image match the criteria described in the recent Threat Intel Report published by the SOC Team Lead. A copy of the report is listed below in section 8.
3. Ascertain when the files were likely copied to the USB storage device based on the timestamps.
4. Identify the likely owner of the USB flash drive based on the files' metadata. The junior SOC analyst provided a list of user account names and Security Identifiers (SIDs) for employees in the Sales and Marketing Teams. A copy of the list is listed below. (in your report).
5. Identify anything noteworthy that the SOC team should be aware of and make appropriate recommendations.

2. List of Evidence

The evidence analysed in this case included the items listed in Table 1.

Table 1: Evidence

Item / File	Hashes
Image_Project.E01	MD5: 8ef137042f948e977e000a456cc121a0 SHA1:

Initials: RS

	c2bc77285fadfed457c973bb255fc724d5d2327e
4iu4ns8vb1uf02	MD5 Hash: 796F0FAF4C0C68C418CC0172D05F5672 SHA1 Hash: 388491FB279AEF2487208CB6CB683123D8E9B8E7

3. List of Forensic Tools

The tools listed in Table 2 were used to analyze evidence.

Table 2: Forensic Tools

Tool	Version Number
FTK Imager	4.7.2.11
EnCase	V8.09

4. Explanation of Work

In order to verify both the MD5 and SHA1 hashes of the “Image_Project.E01” file, it was opened in FTK Imager. Once it was opened in the software, I right-clicked the file and clicked “verify drive/image”. Both the MD5 and SHA1 hashes were a match. These are the hashes that are listed in Section 2. Additionally, the accompanying text file was checked to ensure the hashes matched that as well. This was the first task done to ensure that integrity of the image was maintained through the case. The hashes can also be seen in Figure 1.

I then clicked through the file directory tree until I got to root. I took that 23 files were listed in that directory. It should be noted that the directory uses a NTFS file system. This points to a Windows operating system. I then clicked on File in FTK Imager and exported the file hash list. Next, I ran all of the provided hashes through the CSV file hash list and only found one match. The file on the SOC report was titled “inject.exe”. However, on the image it was labelled “4iu4ns8vb1uf02”. This shows that the name was changed by the hashes match meaning the data was the same in the malicious executable. These can be seen in Figure 3. Additionally, I did find 3 files that were .ZAP files. 5buh85bns83m, 2z83nv8anfkcj, and 4iu4ns8vb1uf02 all had magic bytes that point to .ZAP files. Out of those three, 4iu4ns8vb1uf02, matched the executable on the SOC report.

I then checked the magic bytes of the file named “4iu4ns8vb1uf02”. The first four hexadecimal characters were “4D 5A”. Using Gary Kesler’s search engine, there were multiple file types that matched those first four. These were: DirectShow filter, ZoneAlarm Data file, Audition Graphic filter, and Acrobat plug in. I further narrowed it down by including more hexadecimal characters, “4D 5A 90 00 03 00 00 00-04 00 00 00 FF FF” which matched a ZoneAlarm Data file or ZAP file. This can be seen in Figure 4. This means the file name and extension do not match the reality of the file.

Next, I added the image as an evidence file in EnCase. Once the image was added as evidence, I found the file named “4iu4ns8vb1uf02” and clicked on the report tab. Scrolling down I compared the SID of the owner sections to the SIDs provided in the threat report. This matched E. Grossman using a Windows workstation with the computer name of “WIN-08-ZUNFW” and SID of “S-1-5-21-1642312103-1618128010-2256032207-1000”.

Given that this file matched a file on the threat report, I dug deeper into the metadata. I immediately noticed that the accessed and created timestamps were on 12/23/2023 but the date modified timestamp was 12/09/2023 at 6:32:42 PM. This suggests that the malicious file was copied from an original file on December 9th, 2023, at 6:32PM. Additionally, on the threat report, the listed file size is 46.4kb but the initialized size was 47.592 kb and physical size was 49.152kb. The file is only marginally larger than what was listed, but still a noted discrepancy.

The final task I did was take a post-investigation hash check to ensure no data was altered during the investigation. This was a match as can be seen in Figure 7.

5. Results

Figure 1: Initial MD5 and SHA1 hash of file "Image Project.E01"




Figure 2: Screenshot of export file hash list from FTK Imager

A	Input line	B	C	D
MD5_SHA1_FileNames				
a56ad1536b5b97a721a99173780cd3,"87f461b445015fe0b0e6a522ae33ae74e4763",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$30"
"54922c2c7a050e068b4bfe40161db2,"16132ae0f52e8680e1f9ecf44a6fed57829e2",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$TxF_DATA"
140e8384c33d51d05e99beb8db7f5d,"cab31f6aa01707ed05e9ebf02c038de4244413",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$577baybro3b"
13a41c840f1765b5a5f17387945701,"73deaa429a33f5b27e6e196a82ded3a619cebc7",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$bmr3bZone.Identifier"
1062b6b6bae6f6e72cd1cae1bbe92,"05aec0bacd346edc88fd127e474d68c56239a15",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$q9fh3b4b3ig"
1d3bbf6e01e45dcdbdeb156789ba55a,"ecc38c43dbde0c9eaa9ec42cc993af09dfa6748",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$buh85bns83m"
"96f0fa4c0c68c418cc0172d05f5672,"388491fb279ae2487208cb6cb683123d8e9b8e7",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$4u4ns8vb1uf02"
147553c999b3472303898394c84c1c7,"3ac62eebc4da3c5477997f0033fa021b753589",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$3bmr3bZone.Identifier"
1cedef8791b42cda0074dc8eb3f8be,"0e6f518c048ea63092e57a148e7be196816da6cc",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$2z83m8anfkcvcj"
1c2d1d1bd906df0d9bfc9ed7eeaf5,"29156412475306729d9166fbbbed7c0ab4ec081a",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$jd84hahv496a"
"eaa91d6646768f74ea3c8b74cdaa5b,"d16e77a99eac3b68893c80cd3d800eebc9af4f92",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$Extend\$RmMetadata\$Txf\$TxF_DATA"
1b945d3cd086c0c0882b7c32c86dac00,"795643e2d73f0b6865dfc79512687c1b04e68d5",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$ap8g67cwde21"
"eaa91d6646768f74ea3c8b74cdaa5b,"d16e77a99eac3b68893c80cd3d800eebc9af4f92",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$ap8g67cwde21Zone.Identifier"
"15dc703cd6578bc8b3ea4f0a229b,"098a4e264164c44aeb12a26e2272797d242cd",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$System"
10e7c90c225227e35dc0c04ac7ed,"71142fba3c087c1f6885c6eb6d197111e18e25b",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$System"
141d8c98f00b204e9000998ec8427e,"da39a3ee5e6b4b0d3255bfe95601890af80709",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$Extend\$Deleted\$30"
15f642a782a656a3c95fc42778b5e9,"2b240cd30da8f0aa4626cb77153680a4187e43",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$Extend\$RmMetadata\$Txf\$TxF_DATA"
12d1236c286a3cd0704224fe4105eca49,"7d76d48d647ac5411d714a4bb83b7e3e5b8d5",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$Extend\$RmMetadata\$TxfLog\$TxfLogContainer000"
13637ca13257b683d9c4b84d59b7,"48c07cb1d45d3704043b455b6a6d54bbb5c",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$Extend\$RmMetadata\$TxfLog\$TxfLogContainer000"
15c07eefc3865020b81e3519ccaaad7,"46d5f269979237a5c3d9869a7b9b6acfc5242",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$Extend\$RmMetadata\$TxfLog\$TxfLog.blf"
181b169237b41cbdad04d85687e6318,"9439a0e1b1d80bb665dc28a6a2a726262437a9",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$Extend\$RmMetadata\$TxfLog\$Tops\$T"
16d81b360a5672d80c27430f9155e2c,"3b7143f90f4b15b6cd85dd9e95ebc7e84eb5a3",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$Extend\$RmMetadata\$Repair\$Contig"
141d8c98f00b204e9000998ec8427e,"da39a3ee5e6b4b0d3255bfe95601890af80709",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$Extend\$RmMetadata\$Repair\$Contig"
1b961967d9545695c396db3787f6a49,"2497adc0b5e5a4d8a655c8fd2c145951ea039237",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$Extend\$Repair"
11d03672d152c111d0f9399e272922,"abb5dcb13235e0d0f5add93887379562af7e44a9",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$Extend\$Objbld"
11d03672d152c111d0f9399e272922,"abb5dcb13235e0d0f5add93887379562af7e44a9",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$Extend\$Objbld"
1c7f68ab7517044afca41f6ebc8a18a33,"ee231ee08082665317ecbd819703425ca3d3d3c",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$Extend\$Quota"
14f99a44e45e77374cc7c362b1b922,"5161a19e27b9ca96d042154576bf1b1121a6",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$UpCase"
15f6b54ebdb65b0b3f680223a93b,"77baf075bca336e6a2b0d56a2171aca2a4a511",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$UpCase\$Info"
15c6d40ee0b4039a942149ee9ea72,"4a6181d2b637f333168a1f689b3689e47e8d3",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$Secure"
115794f4ba759856fc115616cc02925,"3d819432c928ae07800961a561155e6349306",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$Secure\$SDS"
1c7e28473d4a4e730ebc1cc95dba6,"4b872894316cd104e9eb8673d3226c368064",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$Secure\$SDH"
13ca409bee1c2a60dd9a781d14096,"305acbb738e0fb0f0d08aa17b76cc4e437d00d",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$Secure\$SIL"
141d8c98f00b204e9000998ec8427e,"da39a3ee5e6b4b0d3255bfe95601890af80709",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$BadClus"
141d8c98f00b204e9000998ec8427e,"da39a3ee5e6b4b0d3255bfe95601890af80709",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$BadClus\$Bad"
159436e38b4b675da97bd2483630de,"f6a6ec47ba78ca94119678d9d09b5d2b064bb74",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$Boot"
1a1d72db0c1f6866c2b6d9fdeb7a8d,"a43dd5ea207afb0e4e63b0676ef775e15deb",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$Bmap"
1d817ac90698de35eacc3d9d31043,"b49d748300701235231f6b6fc3d92a6309e70",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$AttrDef"
141d8c98f00b204e9000998ec8427e,"da39a3ee5e6b4b0d3255bfe95601890af80709",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$Volume"
1c343373e44118115845f6c6a6174a,"605488367cd12de9340d544ad16e309dfbe987",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$LogFile"
1a578ae281906722beaa5b1e6a4c64,"654e069742232baeaa5e87a4d084cc79972029",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$SMFTMin"
10772532a9151fbc020b15c7f68ca21d,"b3323678a0f61910a2fd248847d3ded954788f",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$SMFT"
176f2b4c63702bd73c35e7cce5d84ac7,"3acaa155b55f6c695169a8062914fc1118511",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$w29kb74bay75"
"eaa91d6646768f74ea3c8b74cdaa5b,"d16e77a99eac3b68893c80cd3d800eebc9af4f92",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$w29kb74bay75Zone.Identifier"

Figure 3: Result of file hash list from image and the same hash provided in threat report

796f0fa4c0c68c418cc0172d05f5672,"388491fb279ae2487208cb6cb683123d8e9b8e7",	"Image_Project.E01\Partition	1	[243MB]SECRET	[NTFS]\root\{"\$4u4ns8vb1uf02"
Name: inject.exe				
File size: 46.4 KB				
File #3				
MD5 Hash: 796F0FAF4C0C68C418CC0172D05F5672				
SHA1 Hash: 388491FB279AEF2487208CB6CB683123D8E9B8E7				

Figure 4: Results of Magic Byte search

Name

4u4ns8vb1uf02

0000|4D 5A 90 00 03 00 00 00 00 00 FF FF 00 00 MZ.....yy

Header (Hex) ▾

4D 5A

ASCII File Description	Header (HEX)	File Extension	File Class	Header Offset
DirectShow filter	4D 5A 90 00 03 00 00 00	AX	Miscellaneous	0
ZoneAlarm data file	4D 5A 90 00 03 00 00 00 04 00 00 00 FF FF	ZAP	Miscellaneous	0
Audition graphic filter	4D 5A 90 00 03 00 00 00	FLT	Miscellaneous	0
Acrobat plug-in	4D 5A 90 00 03 00 00 00	API	Word processing suite	0

© 2025 SEARCH Group, Incorporated

Figure 5: Results showing the SID of the malicious file belonging to E. Grossman

File Extents 1

Permissions *

Physical Location 5,978,624

Physical Sector 11,677

Evidence File USB Flash Drive, S/N:

File Identifier 44

GUID 88abc2f954c64a84aa984553d6c81e7c

Attributes *

Sequence ID 1

Logical sequence number 181B84

☐	27	2z83nv8anfkcj-\$EA
☐	28	2z83nv8anfkcj
☐	29	3bmirqbnur984
☐	30	4iu4ns8vb1uf02
☐	31	4iu4ns8vb1uf02-\$EA_INFORMATION
☐	32	4iu4ns8vb1uf02-\$EA

Fields
Report
Text
Hex
Doc
Transcript
Picture
Console
File Extents
Permissions

100%


Name	Id	Property	Permissions
Everyone	S-1-1-0	Allow	[FC] [M] [R&X] [R] [W] [Sync]
	S-1-5-21-1642312103-1618128010-2256032207-1000	Owner	
Domain Users	S-1-5-21-1642312103-1618128010-2256032207-513	Group	

E. Grossman
WIN-08-ZUNFW
S-1-5-21-1642312103-1618128010-2256032207-1000

Figure 6: Metadata of “Injext.exe” as seen on EnCase with new name “4iu4ns8vb1uf02”

100%	
Name	4iu4ns8vb1uf02
Logical Size	47,592
Category	Executable
Signature Analysis	Alias
File Type	DOS Executable
Last Accessed	12/23/23 04:24:58 PM
File Created	12/23/23 04:24:58 PM
Last Written	12/09/23 06:32:42 PM
MD5	796f0faf4c0c68c418cc0172d05f5672
SHA1	388491fb279aef2487208cb6cb683123d8e9b8e7
Item Path	USB Flash Drive, S/N: \C\4iu4ns8vb1uf02
True Path	Final_Project\USB Flash Drive, S/N: \C\4iu4ns8vb1uf02
Description	File, Archive
Entry Modified	12/27/23 12:02:13 PM
File Acquired	12/27/23 12:15:10 PM
Initialized Size	47,592
Physical Size	49,152
Starting Extent	0C-C1447
File Extents	1
Permissions	•
Physical Location	5,978,624
Physical Sector	11,677
Evidence File	USB Flash Drive, S/N:
File Identifier	44
GUID	88abc2f954c64a84aa984553d6c81e7c
Attributes	•
Comment	•

Figure 7: Post-investigation hash check



6. Recommendations

The USB drive itself should be maintained as evidence along with the backup. It may seem obvious, but the physical device must remain secured. If the company has security cameras, the footage should be backed up and listed as evidence. Windows event logs on all the Windows computers should be kept as they may have data transfer information or when a device was plugged in and removed. Additionally, event logs for the two Macintosh computers and one Linux should be kept. If the office utilizes access badges to enter room or sections of the building, those logs should be kept as well. Lastly, any managed switches or systems that would have witnessed network traffic internally should be selected as evidence.

First, the affected systems should be removed from the network to prevent any outside tampering. The systems should be secured in order of volatility so as not to lose volatile information such as CPU caches and RAM. Timestamps should be taken across all logs to ensure that the adequate amount of information is captured. It is essential that both enough and not too much information is collected so as not to make sorting more difficult.

The IT help desk team can further secure computers in the sales and marketing team by first running the command "ipconfig" on Windows workstations and "ifconfig" or "ip -a" on Linux/Unix systems. This is ideal to ensure the IPv4 addresses for all workstations are

logged. Next, on Windows workstations, running “query user” can be useful to get the username and logon timestamp. Next, “query session” will be needed to get a full picture of all sessions that can be set to listening, active, connected, or disconnected. Next, to grab the currently running processes they can run “tasklist” or “query process” on Windows workstations and “ps” on Linux/Unix workstations. This is critical to understand what the running processes are and the associated PID. Running “net config workstation” on Windows workstations is beneficial to gathering domain and user data. Additionally, “net share” will be needed to see what possible network shares the computer is connected to.

7. Chain of Custody Form

A chain of custody form should be included with the report. The chain of custody form should document each person who handled the evidence from the time the evidence collected to the time it was analysed to the time the evidence was returned to the evidence custodian. You may use your instructor's name as the name of the evidence custodian.

Chain of Custody Form

Description of Evidence	USB Flash Drive
Manufacturer	HP
Model	HP Digital Drive USB Device
Serial Number	501104420079
Markings	None given
Notes	Flash drive was found near hoteling cubicles

Date / Time	Released by	Received by	Reason for Transfer
January 7, 2026 5:00:00 PM	M. Smythe	Todd Heller	Initial logging of evidence

Initials: RS

January 9, 2026, 9:00:00AM	Todd Heller	Robert Simpson	Begin investigation of image
February 19, 2026 01:00:00PM	Robert Simpson	Todd Heller	Investigation of image ended

8. Threat Intel Report from SOC

Summary	The company received a report describing new malware that is being used to provide remote access to infected Windows computers. Once a computer is infected, the malware contacts a server on the Internet, also known as a command and control (C2) server, to receive instructions from the malware's operator. The malware can upload and download files. If any of the artifacts related to this malware are detected on the network, the SOC Team Lead should be notified immediately.		
Date of Report	One week ago		
Artifacts	The following artifacts were identified with this malware campaign.		
	File #1	Name: crack.ps1 File size: 5.6 KB MD5 Hash: 6A5CA6786D11272D84682B4F048783A8 SHA1 Hash: 6CAD48688F04A1FCC30BBBA091EF8307714F86CB	

Initials: RS

	File #2	Name: jjjhhkk.exe File size: 282 KB MD5 Hash: FB8FDF5EE9A10FC41CE5641A7FFB7011 SHA1 Hash: 3DD4ABDC0BD8C2871989F3B0FF79382C5AFD3A4C
	File #3	Name: inject.exe File size: 46.4 KB MD5 Hash: 796F0FAF4C0C68C418CC0172D05F5672 SHA1 Hash: 388491FB279AEF2487208CB6CB683123D8E9B8E7
	File #4	Name: win64.dll File size: 3.5 KB MD5 Hash: AB59E75F662D5C1C754E36B2FD02113E SHA1 Hash: D72C7A85738AB1408F2B4CC15A4EE1FFFB40451F
	C2 Server #1	IP Address: 1[.]168[.]23[.]5 Domain Name: www[.]scary-overseas-site[.]com (Note: square brackets are placed around periods to avoid tools such as email and word processors from making active hyperlinks that a reader might accidentally click.)
	C2 Server #2	IP Address: 209[.]188 [.]49[.]12 Domain Name: www[.]hijacked-website[.]com (Note: square brackets are placed around periods to avoid tools such as email and word processors from making active hyperlinks that a reader might accidentally click.)
Questions	For questions regarding this Threat Intel Report (TIR), contact the SOC Team Lead over the company approved, secure channel.	

For Internal Use Only

The following was provided by the IT team. It contains a list of the users on the sales and marketing teams. The list also includes the name of the computer assigned to each user along with the account number for the user, also known as the Security Identifier (SID).

Initials: RS

Marketing and Sales Teams

Employee Name	Computer Name	SID
G. Robbins	WIN-04-RKEIUJ	S-1-5-21-1642312103-1618128010-3568057518-1000
B. Piache	WIN-05-RHBAJ	S-1-5-21-1642312103-1618128010-2267850207-1000
S. Solomon	WIN-07-WBUJC	S-1-5-21-1642312103-1618128010-2898048274-1000
E. Grossman	WIN-08-ZUNFW	S-1-5-21-1642312103-1618128010-2256032207-1000
W. Turner	WIN-09-BNSDN	S-1-5-21-1642312103-1618128010-4481891382-1000
R. Mutharasan	WIN-10-YWNCN	S-1-5-21-1642312103-1618128010-2681385103-1000
D. Garfinkel	WIN-13-VMSIJ	S-1-5-21-1642312103-1618128010-2268138130-1000

Marketing Team

Employee Name	Computer Name	SID
T. Flamish	WIN-06-QIUVN	S-1-5-21-1642312103-1618128010-2258138402-1000
J. Crishmen	WIN-14-CNEUA	S-1-5-21-1642312103-1618128010-2353028352-1000
P. Ooyebiyu	MAC-03-ZPPOD	N/A
V. Hashkins	MAC-04-ASJKW	N/A
M. Kirby	LIN-02-GHRAI	N/A

