1 Intravenous BETA-BLOCKER: Not applicable

2 Oral BETA-BLOCKER: 50 mg metoprolol

3 Sublingual Nitroglycerine: One spray

4 Regular medication: Not applicable

Technical Quality & technical issues: Good quality study

Calcium score (AGATSTON):0

Volume:0

CORONARY ARTERIES:

Dominance: Codominant.

The coronary arteries have a normal anatomical configuration with no

features to suggest coronary artery disease

CARDIAC FINDINGS:

Cardiac Chambers: No abnormality detected..

Ejection Fraction: 68%...

Cardiac Valves: No abnormality detected..

Pericardium: No abnormality detected...

Aortic root: No abnormality detected..

Pulmonary Trunk: No abnormality detected.

Pulmonary arteries: No abnormality detected..

Left atrium: No abnormality detected..

LIMITED CHEST CT FINDINGS:

Lung parenchyma: The visualized lung fields are within normal limits.

Pleural spaces: Clear.

Chest wall: Within normal limits.

COMMENT & IMPRESSION:

The coronary artery CT scan is within normal limits with no features of coronary artery disease with normal anatomical configuration.

Thank you for referring this patient.

Electronically Signed by: DR JAMES BOND/DR WONDER WOMAN

Spectrum Medical Imaging provides electronic delivery of reports and images directly to your practice management software. Online access to your patients'' films through our PACS system is also available. For enquiries, please phone 9600 9552.

General Report #177001: Authorised by Root (Root) at 30/04/2011 09:04

Date Serviced: 31/12/9999 00:00

Requests:

11/OCC/0084113

(Series 0;

Requested by: Dr OCCAM; Work Site: OCC)

Services: CT Coronary Angiogram (NR)

Exam Date: 28/04/2011

Report Date:

Report Collection: 6. Pick-Up

Referring Doctor:

CT CORONARY ANGIOGRAM

INDICATION:

The patient has recurrent chest pain on exertion with hypertension and positive family history of cardiac disease

TECHNICAL PARAMETERS:

A CTA Coronary Angiogram was performed using a 64 slice cardiac CT scanner.

The images have been evaluated and re-constructed and manipulated on a 3D work station.

Heart rate: 60 Dose(DLP): 495

1 Intravenous BETA-BLOCKER: Not applicable

2 Oral BETA-BLOCKER: Not applicable