
CONCLUSION

4. Laravel 프로젝트 생성 및 연동




- 1. VS Code에서 프로젝트를 만들고 싶은 폴더로 이동
- 2. Ctrl + ~ (터미널 열기)
- 3. composer create-project laravel/laravel myApp 입력

- PS C:\WebpApply> composer createproject laravel/laravel myApp
- Creating a "laravel/laravel" project at "./myApp"
- Installing laravel/laravel (v12.0.7)
- Failed to download laravel/laravel from dist: The zip extension and unzip/7z commands are both missing, skipping.
- The php.ini used by your command-line PHP is: C:\php\php-8.3.21-Win32-vs16x64\php.ini
- Now trying to download from source
- In GitDownloader.php line 82:
- git was not found in your PATH, skipping source download



- PHP zip 확장과 unzip 또는 7z 명령어가 없음
- git 명령어가 PATH에 없음


오류해결:ZIP



php.ini 검색 후 메모장 실행

오류해결:ZIP






오류해결:ZIP



extension = fileinfo의 주석을 제거


*Laravel이 의존하는 fileinfo 확장(extension)이 현재 PHP에서 비활성화되면 오류가 발생하기 때문

오류해결:GIT PATH 추가



깃 다운로드


오류해결: GIT PATH 추가



C:\Program Files\Git에 설치가 되어있는지 확인

오류해결: GIT PATH 추가





- 1. 환경변수 클릭
- 2. 시스템 변수 path 편집

오류해결:GIT PATH 추가

C:#Program Files#Common Files#Oracle#Java#javapath	새로 만들기(N
%SystemRoot%\system32	1 LE 101
%SystemRoot%	편집(E)
%SystemRoot%#System32#Wbem	111111111111111111111111111111111111111
%SYSTEMROOT%#System32#WindowsPowerShell#v1.0#	찾아보기(B)
%SYSTEMROOT%#System32#OpenSSH#	-
C:\Program Files (x86)\NVIDIA Corporation\PhysX\Common	삭제(D)
%JAVA_HOME%₩bin	
C:#Program Files#NVIDIA Corporation#NVIDIA app#NvDLISR	
C:\u00e4php	위로 이동(U)
C:\Program Files\Git\cmd	
	아래로 이동(O
	텍스트 편집(T)
	취소

만약 깃 위치가 추가되어 있지 않다면

C:\Program Files\Git 추가하기


```
PS C:\WebpApply> composer create-project laravel/laravel myApp
Creating a "laravel/laravel" project at " /myApp"
 - Installing larayel/larayel (v12.0.7): Extracting archive
> Aphp -r "file exists('.env') || copy('.env.example', '.env');"
Updating dependencies
 - Locking brick/math (0.12.3)
 - Locking carbonphp/carbon-doctrine-types (3.2.0)
 - Locking dflydev/dot-access-data (v3.0.3)
 - Locking doctrine/inflector (2.0.10)
 - Locking doctrine/lexer (3.0.1)
  - Locking dragonmantank/cron-expression (v3.4.0)
 - Locking egulias/email-validator (4.0.4)
 - Locking fakerphp/faker (v1.24.1)
  - Locking filp/whoops (2.18.0)
  - Locking fruitcake/php-cors (v1.3.0)
  - Locking graham-campbell/result-type (v1.1.3)
  - Locking guzzlehttp/guzzle (7.9.3)
  - Locking guzzlehttp/promises (2.2.0)
  - Locking guzzlehttp/psr7 (2.7.1)
  - Locking guzzlehttp/uri-template (v1.0.4)
  - Locking hamcrest/hamcrest-php (v2.1.1)
  - Locking larayel/framework (v12.13.0)
  - Locking laravel/pail (v1.2.2)
  - Locking laravel/pint (v1.22.1)
  - Locking laravel/prompts (v0.3.5)
  - Locking larayel/sail (v1.42.0)
  - Locking laravel/serializable-closure (v2.0.4)
  - Locking larayel/tinker (v2.10.1)
  - Locking league/commonmark (2.7.0)
 - Locking league/config (v1.2.0)
  - Locking league/flysystem (3.29.1)
  - Locking league/flysystem-local (3.29.0)
  - Locking league/mime-type-detection (1.16.0)
 - Locking league/uri (7.5.1)
  - Locking league/uri-interfaces (7.5.0)
  - Locking mockery/mockery (1.6.12)
 - Locking monolog/monolog (3.9.0)
 - Locking myclabs/deep-copy (1.13.1)
  - Locking nesbot/carbon (3.9.1)
```


```
66 package suggestions were added by new dependencies, use 'composer suggest' to see details.
> Illuminate\Foundation\ComposerScripts::postAutoloadDump
> @php artisan package:discover --ansi
  INFO Discovering packages.
 laravel/pail DONE
 nesbot/carbon DONE
 nunomaduro/collision DONE
 nunomaduro/termvind .... DONE
80 packages you are using are looking for funding.
Use the 'composer fund' command to find out more!
> Aphp artisan vendor:publish --tag=laravel-assets --ansi --force
 INFO No publishable resources for tag [laravel-assets].
> Aphp artisan key:generate --ansi
 INFO Application key set successfully.
 phphp -r "file exists('database/database.sqlite') || touch('database/database.sglite');"
> @php artisan migrate --graceful --ansi
  WARN could not find driver (Connection: salite, SOL: select exists (select 1 from "main", salite m
aster where name = 'migrations' and type = 'table') as "exists").
```


PS C:\WebpApply>

composer create-project laravel/laravel myApp 입력


*myApp은 프로젝트 폴더명








- 1. C:\Apache24\conf\httpd.conf
- 2. Ctrl + F → Virtual hosts 검색
- 3. 해당 단어 아랫줄 주석 제거



- 1. C:\Apache24\conf\httpd.conf
- 2. Ctrl + F → Virtual hosts 검색
- 3. 해당 단어 아랫줄 주석 제거



- 1. C:\Apache24\conf\extra\httpd-vhosts.conf
- 2. 파일 가장 아랫줄에 코드 추가

```
*httpd-vhosts.conf - Windows 메모장
 파일(F) 편집(E) 서식(O) 보기(V) 도움말(H)
          ErrorLog "logs/dummy-host2.example.com-error.log"
         CustomLog "logs/dummy-host2.example.com-access.log" common


VirtualHost>
<VirtualHost *:32323>
          ServerName webProgramingProject.local
          # React 빌드된 정적 파일 위치
          DocumentRoot "C:\Users\j2256\Documents\GitHub\WebProgramingTeamProject\front-end\build"
          <Directory "C:\Users\j2256\Documents\GitHub\WebProgramingTeamProject\frac{Wfront-end\build">
                    AllowOverride All
                   Require all granted
          </Directory>
         # Laravel API 경로 매핑
         Alias /api "C:\Users\j2256\Documents\GitHub\WebProgramingTeamProject\back-end\public"
          <Directory "C:\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\
                    AllowOverride All
                   Require all granted
          </Directory>
```

- 1. C:\Apache24\conf\extra\httpd-vhosts.conf
- 2. 파일 가장 아랫줄에 코드 추가
- 3. DocumentRoot와 <Directory>는 본인의 Laravel 프로젝트의 /public 디렉토리 경로로 수정 필요

Ln 56, Col 15

100% Windows (CRLF)

UTF-



- 1. C:\Windows\System32\drivers\etc\hosts
- *메모장을 관리자 권한으로 열기
- 2. (127.0.0.1 myapp.local) 추가

주의사항

*:80 → Apache 포트를 변경했다면 해당 포트로 수정

ServerName은 도메인 주소. 보통 myapp.local 같이 .local 붙이는 것이 좋음

DocumentRoot와 <Directory>는 본인의 Laravel 프로젝트의 /public 디렉토리 경로로 수정 필요