

### A Dependency Manager for PHP

Latest: 2.8.8 (changelog)

**Getting Started** 

Download

Documentation

Browse Packages

Issues

GitHub

Authors: Nils Adermann, Jordi Boggiano and many community contributions Sponsored by:



Logo by: Max Grigorian

Home Getting Started Download Documentation Browse Packages

Download Composer Latest: v2.8.8

#### Windows Installer

The installer - which requires that you have PHP already installed - will download Composer for you and set up your PATH environment variable so you can simply call composer from any directory.

Download and rur Composer-Setup.exe - it will install the latest composer version whenever it is executed.

#### Command-line installation

To quickly install Composer in the current directory, run the following script in your terminal. To automate the installation, use the guide on installing Composer programmatically.

php -r "copy('https://getcomposer.org/installer', 'composer-setup:php');"

php -r "if (hash\_file('sha384', 'composer-setup.php') === 'dac685fdc30fdd8ec7863868800061b4150413ff2e3b6f88543c638f7cd84f6
php composer-setup.php

php =r "unlink("composer=setup:php");"

This installer script will simply check some sho. ini settings, warn you if they are set incorrectly, and then download the latest concoser. phar in the current directory. The 4 lines above will, in order:

- Download the installer to the current directory
- · Verify the installer SHA-384, which you can also cross-check here
- · Run the installer
- · Remove the installer

Most likely, you want to put the concoser .shar into a directory on your PATH, so you can simply call concoser from any directory (Global install), using for example:

sudo mv composer.phar /usr/local/bin/composer

- 1. 검색창에 Composer 검색
- 2. Download 클릭
- 3. windows installer 하단의 Composer-Setup.exe 클릭







