

# GERMAN UNIVERSITY IN CAIRO

## Laplace Summary


Math301

Fall 2020

### Contents

<b>1</b>	<b>Basic Definition of Laplace Transform</b>	<b>1</b>
<b>2</b>	<b>Laplace Transform Properties</b>	<b>2</b>
2.1	Linearity of Laplace Transform . . . . .	2
2.2	S- Shifting property . . . . .	2
2.3	Laplace Transform of derivatives . . . . .	2
2.4	Laplace Transform of Integrals . . . . .	2
2.5	Derivative of Laplace Transform . . . . .	3
2.6	Integral of Laplace Transform . . . . .	3
2.7	Heaviside function (Unit step Function) . . . . .	3

### 1 Basic Definition of Laplace Transform



- Converts integral equation & DE's into algebraic equations.
- CONVERSION FROM **TIME-DOMAIN** TO **FREQUENCY-DOMAIN**
- Applications of Laplace Transform: in ODE,PDE, integral equations, etc ...

$$F(S) = \mathcal{L}f(t) = \int_0^{\infty} f(t).e^{-st}dt; \text{ for } t \geq 0 \quad (1)$$

## Improper Integral

$$\int_0^{\infty} f(t)e^{-st}dt = \lim_{b \rightarrow \infty} \int_0^b f(t).e^{-st}dt \quad (2)$$

### Note

- Laplace Transform is applicable to continuous and discontinuous functions.
- The Laplace Transform is used if  $f(t)$  is given without any integral, if given with interval use BASIC DEFINITION

## 2 Laplace Transform Properties

### 2.1 Lineraty of Laplace Transform

- $\mathcal{L}[f(t) \pm g(t)] = \mathcal{L}f(t) \pm \mathcal{L}g(t)$
- $\mathcal{L}[cf(t)] = c\mathcal{L}(f(t)) = cF(S)$

### 2.2 S- Shifiting property

$$\mathcal{L}(e^{at}f(t)) = F(S - a) \quad (3)$$

### 2.3 Laplace Transform of dervatives

- $\mathcal{L}[f'(t)] = S\mathcal{L}(f) - F(0)$
- $\mathcal{L}[f''(t)] = S^2\mathcal{L}[f] - Sf(0) - f'(0)$
- for  $n \geq 1; \mathcal{L}[f^{(n)}] = S^{(n)}\mathcal{L}[f] - S^{(n-1)}f(0) - S^{(n-2)}f'(0) - \dots f^{(n-1)}(0)$

### 2.4 Laplace Transform of Integrals

$$\mathcal{L}[\int_0^t f(\tau)d\tau] = \frac{F(S)}{S} \quad (4)$$

## 2.5 Dervative of Laplace Transform


- $\mathcal{L}[tf(t)] = -F'(S)$
- $\mathcal{L}[t^2f(t)] = F''(S)$
- $\mathcal{L}[t^n f(t)] = (-1)^n \frac{d^n}{dS^n} F(S)$

## 2.6 Integral of Laplace Transform


$$\mathcal{L}\left[\frac{f(t)}{t}\right] = \int_S^\infty F(U)dU \quad (5)$$

## 2.7 Heaviside function (Unit step Function)

$$H(t-a) = \begin{cases} 0, & t < a \\ 1, & t > a \end{cases}$$



$$H(t) = \begin{cases} 0, & t < 0 \\ 1, & t > 0 \end{cases}$$



$$H(t-b) = \begin{cases} 0, & t < b \\ 1, & t > b \end{cases}$$

