

# Contents

<b>1</b>	<b>Homogeneous Linear ODEs of Second order</b>	<b>1</b>
1.1	What is an ODE ordinary differential equation ? . . . . .	1
1.2	What is the order of a linear ODE ? . . . . .	1
1.3	Linear ODEs of Second Order . . . . .	1
1.4	Linear ? . . . . .	1
1.5	Homogenous Linear ODEs of Second Order . . . . .	1
1.6	What is the solution of an ODE of Second order ? . . . . .	2
1.7	IVPs initial value problems . . . . .	2
1.8	How to solve IVPs? . . . . .	2
1.9	Existence and Uniqueness Theorem for the Initial Value Problems . . . . .	2
1.10	Superposition Principle . . . . .	2
1.11	Linearly independent solutions . . . . .	3
1.12	Show that $y_1, y_2$ for a basis of the ODE . . . . .	3
1.13	Reduction of Order Method of solving ODE . . . . .	3
<b>2</b>	<b>Homogeneous Linear ODEs with Constant Coefficients</b>	<b>5</b>
<b>3</b>	<b>Nonhomogeneous Linear ODEs with constant coefficients</b>	<b>5</b>
3.1	Where did this information come from ?! . . . . .	6
3.2	Solving NH Linear ODEs . . . . .	6
3.3	Method of undetermined coeffecients . . . . .	6
3.4	Lecture Examples . . . . .	8
3.5	Method of variation of parameters . . . . .	8
3.6	Where did this information come from ? . . . . .	9
3.7	Vibrating Springs . . . . .	10

4	Worksheet Notes	11
4.1	Worksheet 8 . . . . .	11

# Lectures 15,16,17

## Math301

### Fall 2020

## 1 Homogeneous Linear ODEs of Second order

### 1.1 What is an ODE ordinary differential equation ?

it's a mathematical model that relates some independent variable  $X$  with a dependent variable  $Y$  and it's derivatives.

**Note 1.** the independent variable  $x$  can either be in the equation or not.

### 1.2 What is the order of a linear ODE ?

it's the **highest order derivative** in the equation.

### 1.3 Linear ODEs of Second Order

as we said before they are Linear ODEs with the highest order derivative is 2 and takes the following form:

$$F(x, y, y', y'') = 0 \tag{1}$$

### 1.4 Linear ?

A second order ODE can be called linear if the function  $F$  in equation (1) is **Linear** in  $y, y'$  and  $y''$ . So it can be put in the **Standard form**.

$$y'' + p(x)y' + q(x)y = r(x) \tag{2}$$

the following ODE is **NOT Linear**.

$$y''y + (y')^2 = 0 \tag{3}$$

## 1.5 Homogenous Linear ODEs of Second Order

same as we said before but  $r(x) = 0$  in the equation (2).

$$y'' + p(x)y' + q(x)y = 0 \quad (4)$$

## 1.6 What is the solution of an ODE of Second order ?

the solution is a function  $y = h(x)$  defined on  $[a, b]$  ( $I$ ) with some constraints:

- $h(x)$  is defined and twice differentiable on the interval  $I$ .
- Substituting with  $h(x)$  and it's derivatives satisfies the equation.

$$F(x, h(x), h'(x), h''(x)) = 0 \quad (5)$$

## 1.7 IVPs initial value problems

they are ODEs which have initial values.

## 1.8 How to solve IVPs?

nothing new! you just solve the ODE and afterwards you substitute with the values given as initial values so that you remove any constant  $c$  in the solution  $h(x)$  with it's original value.

$$\begin{aligned} y'' + p(x)y' + q(x)y &= r(x) \\ y'(x_0) &= k_1 \\ y(x_0) &= k_2 \end{aligned} \quad (6)$$

The solution of an **IVP** is called a **particular solution**.

## 1.9 Existence and Uniqueness Theorem for the Initial Value Problems

If the coefficients  $p(x)$ ,  $q(x)$  and  $r(x)$  in ODE (2) are continuous on an interval  $I$  and if  $x_0 \in I$ , the initial value problem (IVP) has a unique solution.

## 1.10 Superposition Principle

**Rule 1.** if  $y_1(x), y_2(x)$  are solutions of the linear homogenous ODE (4) then: any **linear combination** of  $y_1(x)$  and  $y_2(x)$  is also a solution of the ODE.

so the general solution of an ODE which has two solutions is:

$$y_G = c_1 y_1(x) + c_2 y_2(x) \quad (7)$$

## 1.11 Linearly independent solutions

two solutions are said to be linearly independent if  $y_1$  and  $y_2$  are not proportional on  $I$ , which means

$$y_1(x) \neq k y_2(x) \text{ where } k \text{ is a constant} \quad (8)$$

**Rule 2.** if neither  $y_1$  nor  $y_2$  is equal to 0 then they're linearly independent if :  $\frac{y_1(x)}{y_2(x)} \neq \text{const.}$

**Exercise 1.** Show that  $y_1 = e^x$  and  $y_2 = x e^x$  are two linearly independent solutions over  $\mathbb{R}$  of the ODE:

$$y'' - 2y' + y = 0. \quad (9)$$

**Solution 1.**

$$\begin{aligned} y_1''(x) - 2y_1'(x) + y_1(x) &= e^x - 2e^x + e^x = 0 \\ y_2''(x) - 2y_2'(x) + y_2(x) &= x e^x + e^x + e^x - 2(x e^x + e^x) + x e^x = 0 \end{aligned} \quad (10)$$

and since  $\frac{y_1}{y_2} = \frac{1}{x} \neq \text{const.}$  Hence the two solutions are linearly independent solutions over  $\mathbb{R}$ .

**Rule 3.** if the coefficients  $p(x)$  and  $q(x)$  of the homogeneous equation

$$y'' + p(x)y' + q(x)y = 0 \quad (11)$$

are **continuous** over the an interval  $I$  then every solution has the following form

$$y = c_1 y_1(x) + c_2 y_2(x) \quad (12)$$

where  $y_1(x)$  and  $y_2(x)$  are any linearly independent solutions the ODE.

**Note 2.** if two linearly independent solutions of (H) have been found, then any other particular solution can be found from the general solution. Thus, solving the ODE boils down to finding two linearly independent solutions.

## 1.12 Show that $y_1, y_2$ for a basis of the ODE

1. you differentiate and substitute in the ODE to prove it
2. show that the solutions are linearly independent

### 1.13 Reduction of Order Method of solving ODE

this method means simply finding the general solution of a linear second order ODE using merely one solution.

1. try to find the first solution of the ODE if not given (like assuming the solution is a power function and our goal is to find the power)
2. using the superposition principle we assume that the other solution is  $y_2 = u(x)y_1$  so our goal is to find  $u(x)$
3. differentiate  $y_2$  twice and substitute.
4. the reduction of order comes when you substitute and simplify you will remove  $u''(x)$  and put  $w'(x)$  instead.
5. after finding  $w$  a simple integration would get us  $u$

**Exercise 2.**

$$(x^2 - x)y'' - xy' + y = 0 \quad (13)$$

- Show that the ODE (13) has a solution  $y_1$  that is a power function.
- find a solution  $y_2$  using reduction of order method.
- deduce the general solution

**Solution 2.** First let  $y_1 = x^p$

$$\begin{aligned} y_1' &= px^{p-1} \\ y_1'' &= p(p-1)x^{p-2} \\ (x^2 - x)(p(p-1)x^{p-2}) - x * px^{p-1} + x^p &= 0 \\ (p-1)[(p-1)x^p - px^{p-1}] &= 0 \\ p &= 1 \\ y_1 &= x \\ y_2 &= xu(x) \end{aligned} \quad (14)$$

$y_2' = u + xu'$  and  $y_2'' = 2u' + xu''$ .  $y_2$  is a solution of (13) if it satisfies the equation. Substitution

$$x^2(x-1)u'' + x(x-2)u' = 0$$

and simplification imply that  $\underbrace{\quad}_{(\text{let } v=u')} x^2(x-1)v' + x(x-2)v = 0$

$$\begin{aligned}
& x^2(x-1)v' + x(x-2)v = 0 \\
\Rightarrow \frac{v'}{v} &= -\frac{x-2}{x(x-1)} \\
\Rightarrow \ln|v| &= -\int \frac{x-2}{x(x-1)} dx \quad (\text{Decompose in partial fractions}) \\
\Rightarrow \ln|v| &= \int \left( \frac{1}{x-1} - \frac{2}{x} \right) dx \\
\Rightarrow \ln|v| &= \ln|x-1| - 2\ln|x| \quad (\text{We may drop the integration constant since any } y_2 \text{ would do}) \\
\Rightarrow \ln|v| &= \ln \left| \frac{x-1}{x^2} \right|
\end{aligned}$$

Thus,  $v = \frac{1}{x} - \frac{1}{x^2} \Rightarrow u' = \frac{1}{x} - \frac{1}{x^2} \Rightarrow u = \ln|x| + \frac{1}{x}$ . Therefore,  $y_2 = xu = x \ln|x| + 1$ .

(iii) Since  $y_2/y_1 = u(x) \neq \text{const}$ , we conclude that  $y_1$  and  $y_2$  are linearly independent. Thus, the general solution of (E) is

$$\begin{aligned}
y &= C_1 y_1 + C_2 y_2 \\
&= C_1 x + C_2 (x \ln|x| + 1)
\end{aligned}$$

## 2 Homogeneous Linear ODEs with Constant Coefficients

constant coefficients means that  $p(x)$  and  $q(x)$  are constant in (4) :  
and to solve this kind of ODE we use the following table :

Roots of the <b>characteristic (or auxiliary)</b> equation	General Solution
$\lambda_1, \lambda_2$ are <b>Real and Distinct</b>	$y = C_1 e^{\lambda_1 x} + C_2 e^{\lambda_2 x}$
$\lambda_1, \lambda_2$ are <b>Equal</b> . $\lambda_1 = \lambda_2 = \lambda$	$y = (C_1 + C_2 x) e^{\lambda x}$
$\lambda_1, \lambda_2$ are <b>Complex</b> : $\alpha \pm \beta i$	$y = e^{\alpha x} (C_1 \cos(\beta x) + C_2 \sin(\beta x))$

The previous table can be easily deduced if you suppose that the solution of (H) is  $y = e^{\lambda x}$  so we notice that  $y' = \lambda e^{\lambda x}$  and  $y'' = \lambda^2 e^{\lambda x}$  so we see that the auxiliary equation can be extracted from the ODE as follows :

$$y'' + ay' + by = 0 \qquad \lambda^2 + a\lambda + b = 0$$

We can solve this system using the old known **polynomial** solution or using any other method like **Cramer's**.

$$\omega = \sqrt{a^2 - 4 * b} \qquad \lambda = \frac{-a \pm \omega}{2}$$

## 3 Nonhomogeneous Linear ODEs with constant coefficients

in order to solve this kind of linear ODEs we use the help of the following rule:

**Rule 4.** the general solution of a nonhomogeneous ODE is the sum of the general solution of its complementary equation and any particular solution:  $y_H = y_G - y_p$  **Hence**  $y_G = y_H + y_p$ .

### 3.1 Where did this information come from ?!

Let's look at the following nonhomogeneous equation:

$$y'' + p(x)y' + q(x)y = r(x) \quad (\text{NH})$$

If  $y_G$  is the general solution of (NH) and  $y_p$  is just any particular solution, then their difference  $y_H = y_G - y_p$  is the general solution of the homogeneous equation

$$y'' + p(x)y' + q(x)y = 0 \quad (\text{H})$$

where a and b are the same as in (NH). The ODE (H) is called the complementary equation of (NH). In fact,

$$\begin{aligned} y_H'' + ay_H' + by_H &= (y_G - y_p)'' + a(y_G - y_p)' + b(y_G - y_p) \\ &= (y_G'' + ay_G' + by_G) - (y_p'' + ay_p' + by_p) \\ &= r(x) - r(x) = 0. \end{aligned}$$

### 3.2 Solving NH Linear ODEs

Since we have a recipe for the general solution of the complementary equation (H), solving (NH) boils down to finding any particular solution  $y_p$ .

We can do this using one of the following methods :

- Method of undetermined coefficients
- Method of variation of parameters

### 3.3 Method of undetermined coefficients

from its name: we have some coefficients that are undetermined/unknown yet and we want to find them. Look at the following table

Term in $r(x)$	Choice for $y_p(x)$
$ke^{\gamma x}$	$Ce^{\gamma x}$
$kx^n$ ( $n = 0, 1, \dots$ )	$K_n x^n + K_{n-1} x^{n-1} + \dots + K_1 x + K_0$
$k \cos \omega x$	$\left\{ K \cos \omega x + M \sin \omega x \right.$
$k \sin \omega x$	
$ke^{\alpha x} \cos \omega x$	$\left. \right\} e^{\alpha x} (K \cos \omega x + M \sin \omega x)$
$ke^{\alpha x} \sin \omega x$	

So the method is simply as follows:

1. find  $y_H$  using the complementary equation.
2. use the suggested  $y_p(x)$  from the table
3. check linear independence
  - (a) if the suggested  $y_p$  is linearly independent with each term of  $y_H$  you do nothing
  - (b) if not multiply  $y_p$  by  $x$  and check again
    - i. if LI do nothing
    - ii. else multiply by  $x$
  - A. ...
4. substitute in (NH) with  $y_p$  to find the coefficients.
5. deduce  $y_G$

**Rule 5. Modification rule:** is simply the 3rd step in the previous list, or you can follow this text:

If  $r(x)$  is one of the terms in the adjacent table but is actually a solution of the complementary equation  $y'' + ay' + by = 0$ , then

1. multiply the suggested  $y_p$  by  $x$  in case  $r(x)$  corresponds to a simple root of the complementary equation (H).
2. multiply the suggested  $y_p$  by  $x^2$  in case  $r(x)$  corresponds to a double root of the complementary equation (H).

**Rule 6. Sum rule** If  $r(x)$  corresponds to the sum of two of the listed functions in the previous table then you can either

1. attempt  $y_p$  as the sum of the two suggested solutions .
2. attempt each  $y_p$  alone and then  $y_p = y_{p1} + y_{p2}$

**Rule 7. Product rule**

1. If  $r(x) = P(x)e^{mx}$  then attempt  $y_p = Q(x)e^{mx}$  where  $P$  and  $Q$  are degree polynomials
2. If  $r(x) = P(x)e^{mx}\cos(kx)$  or  $r(x) = P(x)e^{mx}\sin(kx)$  attempt  $y_p = Q(x)e^{mx}\cos(kx) + R(x)e^{mx}\sin(kx)$



### 3.4 Lecture Examples

#### Example

Write a trial solution for the method of undetermined coefficients.

- ①  $y'' - 3y' + 2y = e^x$
- ②  $y'' - 2y' + y = e^x$
- ③  $y'' - 3y' + 2y = e^{5x} + \sin x$
- ④  $y'' - y' - 2y = xe^x \cos x$
- ⑤  $y'' - 3y' + 2y = e^x + \sin x$

#### Solution

- ① The complementary equation of the given ODE is  $y'' - 3y' + 2y = 0$  whose characteristic equation is  $\lambda^2 - 3\lambda + 2 = 0$  the roots of which are  $\lambda_1 = 1$  and  $\lambda_2 = 2$ . Thus,  $r(x)$  corresponds to the simple root  $\lambda_1 = 1$  of the characteristic equation,  $r(x) = e^{\lambda_1 x}$ . Therefore, by the modification rule  $y_p = Cxe^x$ .
- ② The complementary equation of the given ODE is  $y'' - 2y' + y = 0$  whose characteristic equation is  $\lambda^2 - 2\lambda + 1 = 0$  the only root of which is  $\lambda = 1$ . Thus,  $r(x)$  corresponds to a double root of the characteristic equation,  $r(x) = e^{\lambda x}$ . Therefore, by the modification rule  $y_p = Cx^2 e^x$ .

- ③ We apply the sum rule for finding a particular solution.  $r_1 = e^{5x}$  contributes  $y_{p1} = Ce^{5x}$  to the particular solution.  $r_2 = \sin x$  contributes  $y_{p2} = A \sin x + B \cos x$  to the particular solution. Therefore,  $y_p = Ce^{5x} + A \sin x + B \cos x$ .

- ④ By the product rule,

$$y_p = (Ax + B)e^x \cos x + (Cx + D)e^x \sin x.$$

- ⑤ We apply the sum rule for finding a particular solution. Notice that  $r_1 = e^x$  is a solution of the complementary ODE  $y'' - 3y' + 2y = 0$  and it corresponds to the simple root  $\lambda = 1$ . Thus, it contributes  $y_{p1} = Cxe^x$  to the particular solution.  $r_2 = \sin x$  contributes  $y_{p2} = A \sin x + B \cos x$  to the particular solution. Therefore,  $y_p = Cxe^x + A \sin x + B \cos x$ .

#### Example

Solve  $y'' - 4y = xe^x + \cos 2x$  (E)

#### Solution

The complementary equation is  $y'' - 4y = 0$  whose characteristic equation is  $\lambda^2 - 4 = 0$  the roots of which are  $\lambda = \pm 2$ . Therefore, the solution of the complementary equation is  $y_H = C_1 e^{-2x} + C_2 e^{2x}$ . We seek a particular solution of (E) of the form

$$y_p = y_{p1} + y_{p2}$$

where,  $y_{p1} = (Ax + B)e^x$  and  $y_{p2} = C \cos 2x + D \sin 2x$ . Substituting  $y_{p1}$  into  $y'' - 4y = xe^x$  and collecting like terms, one obtains

$$y_{p1}'' - 4y_{p1} = xe^x \Leftrightarrow (-3Ax + 2A - 3B)e^x = xe^x$$

Thus,  $-3A = 1$  and  $2A - 3B = 0$  which implies  $y_{p1} = (-\frac{x}{3} - \frac{2}{9})e^x$ . Substituting  $y_{p2}$  into  $y'' - 4y = \cos 2x$  and collecting like terms, one obtains

$$y_{p2}'' - 4y_{p2} = \cos 2x \Leftrightarrow -8C \cos 2x - 8D \sin 2x = \cos 2x$$

Thus,  $-8C = 1$  and  $-8D = 0$  which implies that  $y_{p2} = -\frac{1}{8} \cos 2x$ . Therefore, a particular solution of (E) is  $y_p = (-\frac{x}{3} - \frac{2}{9})e^x - \frac{1}{8} \cos 2x$  and the general solution of (E) is

$$y = y_H + y_p = C_1 e^{-2x} + C_2 e^{2x} - (\frac{x}{3} + \frac{2}{9})e^x - \frac{1}{8} \cos 2x.$$

### 3.5 Method of variation of parameters

this is the general method used to solve NH ODEs.  
in very simple terms

1. find  $y_1, y_2$  from  $y_H$
2. find  $u_1, u_2$  as follows :

$$u_1 = - \int \frac{r(x)y_2}{W} dx \quad u_2 = \int \frac{r(x)y_1}{W} dx \quad W = \begin{vmatrix} y_1 & y_2 \\ y_1' & y_2' \end{vmatrix} \quad \text{W is called the Wronskian}$$

### 3.6 Where did this information come from ?

after finding  $y_1$  and  $y_2$  we suppose that  $y_p = u_1(x)y_1 + u_2(x)y_2$

Notice that  $y_p' = (u_1'y_1 + u_2'y_2) + (u_1y_1' + u_2y_2')$

**Require**  $u_1$  and  $u_2$  to satisfy:  $u_1'y_1 + u_2'y_2 = 0$ . This requirement will simplify  $y_p'$  and the corresponding expression of  $y_p''$  to the following:

$$y_p' = u_1y_1' + u_2y_2' \quad \text{and} \quad y_p'' = u_1'y_1' + u_1y_1'' + u_2'y_2' + u_2y_2''$$

Substituting  $y_p$ ,  $y_p'$ , and  $y_p''$  into (NH) and using the assumption

$$y_1'' + ay_1' + by_1 = 0 \quad \text{and} \quad y_2'' + ay_2' + by_2 = 0,$$

the following equation is obtained:  $u_1'y_1' + u_2'y_2' = r(x)$ .

Thus,  $u_1$  and  $u_2$  must be obtained as to satisfy the following

$$\text{system of equations} \begin{cases} u_1'y_1 + u_2'y_2 = 0 \\ u_1'y_1' + u_2'y_2' = r(x) \end{cases} \quad (\text{S})$$

Let  $W = \begin{vmatrix} y_1 & y_2 \\ y_1' & y_2' \end{vmatrix} = y_1y_2' - y_2y_1'$  (called the Wronskian of  $y_1$

and  $y_2$ ). The system (S) may be solved for  $u_1'$  and  $u_2'$  using Cramer's rule to give

$$u_1' = \frac{\begin{vmatrix} 0 & y_2 \\ r(x) & y_2' \end{vmatrix}}{W} = -\frac{r(x)y_2}{W} \implies u_1 = - \int \frac{r(x)y_2}{W} dx$$

$$u_2' = \frac{\begin{vmatrix} y_1 & 0 \\ y_1' & r(x) \end{vmatrix}}{W} = \frac{r(x)y_1}{W} \implies u_2 = \int \frac{r(x)y_1}{W} dx.$$


**Therefore, the method of variation of parameters gives the particular solution**

$$y_p = u_1y_1 + u_2y_2 = -y_1 \int \frac{r(x)y_2}{W} dx + y_2 \int \frac{r(x)y_1}{W} dx.$$

### 3.7 Vibrating Springs

#### Statement of the Problem

We disturb the equilibrium position of a mass-spring system, initially in equilibrium.



Knowing that the spring will vibrate along only one axis (shown as the  $x$ -axis), we wish to determine the behaviour of the system at any later time.

#### Mathematical Model

Let  $x(t)$  denote the displacement at instant  $t$  of the mass  $m$  from its equilibrium position. At any instant  $t$ , the forces acting on the  $m$  are

- the restoring force of the spring, given by **Hooke's law** :
- the damping force (friction with a surface or damping caused by oscillation in a fluid):

$$F_d = -c \frac{dx}{dt} \quad (\text{verified experimentally})$$

#### Remark

The weight is ignored since it has been balanced out by an initial restoring force  $F_0$  before the system's equilibrium was disturbed.  $x(t)$  is the displacement from that equilibrium position.

To set up the model, we apply Newton's second law:

$$m \frac{d^2 x}{dt^2} = -kx - c \frac{dx}{dt}$$

$$\Leftrightarrow m \frac{d^2 x}{dt^2} + c \frac{dx}{dt} + kx = 0$$


Therefore, the behaviour of the system is determined by solving a homogeneous linear ODE of order 2 and constant coefficients.

#### Remark

If there were an additional external **driving force**  $r(t)$  acting on  $m$ , the model would become

$$m \frac{d^2 x}{dt^2} + c \frac{dx}{dt} + kx = r(t)$$

which is a nonhomogeneous linear ODE of order 2.



When no external driving force is present, the model for the system behaviour is the ODE

$$m \frac{d^2 x}{dt^2} + c \frac{dx}{dt} + kx = 0.$$

Lets analyse the behaviour of the system.

The characteristic equation is


$$m\lambda^2 + c\lambda + k = 0$$

whose roots are  $\lambda_1 = \frac{-c + \sqrt{c^2 - 4mk}}{2m}$  and  $\lambda_2 = \frac{-c - \sqrt{c^2 - 4mk}}{2m}$ .

- If  $c^2 - 4mk > 0$ ,

$$x(t) = C_1 e^{\lambda_1 t} + C_2 e^{\lambda_2 t},$$


where  $C_1$  and  $C_2$  are determined by the initial perturbation of the system (that is,  $x(0)$  and  $x'(0)$ ). Notice that both  $\lambda_1$  and  $\lambda_2$  are negative and, thus,  $\lim_{t \rightarrow \infty} x(t) = 0$  (0 denotes the equilibrium position). Therefore, on the long run, the system returns to its equilibrium position before being perturbed. This is the **overdamping** case. The following graph depicts a typical solution  $x(t)$  (notice that no oscillation occurs)



- If  $c^2 - 4mk = 0$ ,  $\lambda_1 = \lambda_2 = -c/(2m)$  and

$$x(t) = (C_1 + C_2 t) e^{-ct/(2m)}.$$

Again  $\lim_{t \rightarrow \infty} x(t) = 0$  and on the long run the system returns to its equilibrium position before being perturbed. This is the **critical damping** case. A typical solution  $x(t)$  is shown (notice that no oscillation occurs)




- If  $c^2 - 4mk < 0$ ,

$$\lambda_1 = -\frac{c}{2m} + \omega i \quad \text{and} \quad \lambda_2 = -\frac{c}{2m} - \omega i,$$

with  $\omega = \frac{\sqrt{4mk - c^2}}{2m}$ . The solution is

$$x(t) = e^{-(c/2m)t} (C_1 \cos \omega t + C_2 \sin \omega t),$$

This is the **underdamping** case. The following graph depicts typical solution  $x(t)$  where the system oscillates back to equilibrium position



A commonly occurring type of external force is a periodic force function

$$r(t) = r_0 \cos \omega_0 t.$$

In the absence of damping, the model for system behaviour is

$$m \frac{d^2 x}{dt^2} + kx = r_0 \cos \omega_0 t.$$

The ODE can be solved (using the method of undetermined coefficients) to give


$$x(t) = C_1 \cos \omega t + C_2 \sin \omega t + \frac{r_0}{m(\omega^2 - \omega_0^2)} \cos \omega_0 t$$

where  $\omega = \sqrt{k/m}$ .

#### Remark

If  $\omega_0 \rightarrow \omega$ , then the applied frequency (of driving forced) reinforces the natural frequency (of the oscillating spring) and, on the long run, the result is vibrations of large amplitude. This is the phenomenon of **resonance**.

The graph depicts a typical  $x(t)$ , in the absence of damping and for values of  $\omega_0$  very close to  $\omega$



## 4 Worksheet Notes

### 4.1 Worksheet 8