

SECR2043 OPERATING SYSTEMS

Name : GUI KAHSIN
Student ID : A23CS0080
Section : 02

Marks

This lab assessment is designed to test your understanding and skills on some basic concepts and tools related to operating system. Please follow the instructions carefully and submit your answers in this word document and rename the file as **os-lab-assessment01-studentname-matricno.docx**.

ACTIVITY 1 : BASIC LINUX COMMANDS

In this activity, you will practice some basic Linux commands that are useful for operating system tasks. For each question, write down the command you used and the output you got in your answer file. If the command does not produce any output, write "**No output**" instead.

1.	Display your current working directory.	
	Command	Output
	<code>pwd</code>	<code>kahsin@secr2043:~\$ pwd</code> <code>/home/kahsin</code>
2.	List all the files and directories in your home directory, including hidden ones.	
	Command	Output
	<code>ls -a ~</code>	<code>kahsin@secr2043:~\$ ls -a ~</code> <code>. .. .bash_logout .bashrc .profile example.txt share</code>
3.	Create a new directory named "os_lab" in your home directory.	
	Command	Output
	<code>mkdir os_lab</code>	No output
4.	Change your current working directory to "os_lab".	
	Command	Output
	<code>cd os_lab</code>	No output
5.	Create a new file named "hello.txt" in "os_lab" and write "Hello, world!" in it.	
	Command	Output
	<code>- touch hello.txt</code> <code>- echo "Hello, world" > hello.txt</code>	No output


6.	Display the content of "hello.txt".	
	Command	Output
	<code>cat hello.txt</code>	<pre>kahsin@secr2043:~/os_lab\$ cat hello.txt Hello, world!</pre>
7.	Copy "hello.txt" to another file named "hello_copy.txt" in the same directory.	
	Command	Output
	<code>cp hello.txt hello_copy.txt</code>	No output
8.	Rename "hello_copy.txt" to "hello_bak.txt".	
	Command	Output
	<code>mv hello_copy.txt hello_bak.txt</code>	No output
9.	Delete "hello.txt".	
	Command	Output
	<code>rm hello.txt</code>	No output
10.	Display your home directory with additional information, together with subdirectories contents.	
	Command	Output
	<code>ls -alhR ~</code>	<pre>kahsin@secr2043:~/os_lab\$ ls -alhR ~ /home/kahsin: total 32K drwxr-x--- 5 kahsin kahsin 4.0K Apr 17 17:56 . drwxr-xr-x 6 root root 4.0K Apr 17 16:47 .. -rw-r--r-- 1 kahsin kahsin 220 Apr 17 16:47 .bash_logout -rw-r--r-- 1 kahsin kahsin 3.7K Apr 17 16:47 .bashrc -rw-r--r-- 1 kahsin kahsin 807 Apr 17 16:47 .profile -rw-r--r-- 1 kahsin kahsin 0 Apr 17 17:20 example.txt drwxr-xr-x 2 kahsin kahsin 4.0K Apr 17 18:07 os_lab drwxr-xr-x 2 kahsin kahsin 4.0K Apr 17 17:20 share drwxr-xr-x 2 kahsin kahsin 4.0K Apr 17 17:56 workspace /home/kahsin/os_lab: total 12K drwxr-xr-x 2 kahsin kahsin 4.0K Apr 17 18:07 . drwxr-x--- 5 kahsin kahsin 4.0K Apr 17 17:56 .. -rw-r--r-- 1 kahsin kahsin 14 Apr 17 18:04 hello_bak.txt /home/kahsin/share: total 8.0K drwxr-xr-x 2 kahsin kahsin 4.0K Apr 17 17:20 . drwxr-x--- 5 kahsin kahsin 4.0K Apr 17 17:56 .. -rw-r--r-- 1 kahsin kahsin 0 Apr 17 17:20 textfile01.txt /home/kahsin/workspace: total 8.0K drwxr-xr-x 2 kahsin kahsin 4.0K Apr 17 17:56 . drwxr-x--- 5 kahsin kahsin 4.0K Apr 17 17:56 ..</pre>
Total Mark:		

ACTIVITY 2 : Text File Manipulation

In this activity, you will practice some commands to create and manipulate text files using echo, cat and touch.




For each question, write down the command and the output (if any) in the answer sheet.


1.	Create an empty file named "hello.txt" in the current working directory.	
	Command	Output
	<code>touch hello.txt</code>	No output
2.	Write the text "Hello World" to "hello.txt" using echo.	
	Command	Output
	<code>echo "Hello, world" > hello.txt</code>	No output
3.	Append the text "This is a test" to "hello.txt" using echo.	
	Command	Output
	<code>echo "This is a test" > hello.txt</code>	No output
4.	Display the contents of "hello.txt" using cat.	
	Command	Output
	<code>cat hello.txt</code>	<pre>kahsin@secr2043:~/os_lab\$ cat hello.txt Hello World This is a test</pre>
5.	Create another file named "bye.txt" with the text "Goodbye World" using echo.	
	Command	Output
	<code>echo "Goodbye World" > bye.txt</code>	No output
6.	Concatenate the contents of "hello.txt" and "bye.txt" and display them using cat.	
	Command	Output
	<code>cat hello.txt bye.txt</code>	<pre>kahsin@secr2043:~/os_lab\$ cat hello.txt bye.txt Hello World This is a test Goodbye World</pre>

7.	Concatenate the contents of "hello.txt" and "bye.txt" and write them to a new file named "greeting.txt" using cat.	
	Command	Output
	<code>cat hello.txt bye.txt > greeting.txt</code>	No output
8.	Display the contents of "greeting.txt" using cat.	
	Command	Output
	<code>cat greeting.txt</code>	<pre> kahsin@secr2043:~/os_lab\$ cat greeting.txt Hello World This is a test Goodbye World </pre>
9.	Edit the file "greeting.txt" using Nano and change the word "World" to your name in both lines.	
	Command	Output
	<code>nano greeting.txt</code> 	No output
10.	Display the modified contents of "greeting.txt" using cat.	
	Command	Output
	<code>cat greeting.txt</code>	<pre> kahsin@secr2043:~/os_lab\$ cat greeting.txt Hello kahsin This is a test Goodbye kahsin </pre>
Total Mark:		

ACTIVITY 3 : WRITE, COMPILE AND RUN C PROGRAM

In this activity, you will practice how to write, compile and run a simple C program using gcc. For each question, write down the command and the output (if any) in the answer sheet.

1.	Write a C program that prints "Hello World" to the standard output using Nano and save it as "hello.c".	
	Command	Output
	<code>nano hello.c</code> 	No output
2.	Compile the program "hello.c" using gcc and generate an executable file named "hello".	
	Command	Output
	<code>gcc hello.c -o hello</code>	No output
3.	Run the executable file "hello" and display its output.	
	Command	Output
	<code>./hello</code>	
4.	Write a C program that takes two integers as command line arguments and prints their sum to the standard output using Nano and save it as "sum.c".	
	Command	Output
	<code>nano sum.c</code> 	No output

5.	Compile the program "sum.c" using gcc and generate an executable file named "sum".	
	Command	Output
	<code>gcc sum.c -o sum</code>	No output
6.	Run the executable file "sum" with 10 and 20 as arguments and display its output.	
	Command	Output
	<code>./sum 10 20</code>	<pre>kahsin@secr2043:~/os_lab\$./sum 10 20 Sum: 30</pre>
7.	Run the executable file "sum" with -5 and 15 as arguments and display its output.	
	Command	Output
	<code>./sum -5 15</code>	<pre>kahsin@secr2043:~/os_lab\$./sum -5 15 Sum: 10</pre>
8.	Write a C program that reads a line of text from the standard input and prints it to the standard output using Nano and save it as "echo.c".	
	Command	Output
	<code>nano echo.c</code> 	No output
9.	Compile the program "echo.c" using gcc and generate an executable file named "echo".	
	Command	Output
	<code>gcc echo.c -o echo</code>	No output
10.	Run the executable file "echo", type "Hello World" as input and display its output.	
	Command	Output
	<code>./echo</code> Hello World	<pre>kahsin@secr2043:~/os_lab\$./echo Enter a line of text: Hello World You entered: Hello World</pre>

	Total Mark:	
--	--------------------	--