

Digital Buddy (DIGIBUDD)

A PROJECT REPORT

Submitted By

Astha Chauhan

(University Roll No- 2000290140034)

Chirag Tyagi

(University Roll No- 2000290140038)

Divyanshu

(University Roll No- 2000290140044)

Gunjit Dalal

(University Roll No- 2000290140048)

**Submitted in partial fulfilment of the
Requirements for the Degree of**

MASTER OF COMPUTER APPLICATIONS

**Under the Supervision of
Dr. Arun Kr. Tripathi
Professor**



Submitted to

**DEPARTMENT OF COMPUTER APPLICATIONS
KIET Group of Institutions, Ghaziabad
Uttar Pradesh-201206**

(JAN 2022)

CERTIFICATE

Certified that **Astha Chauhan (Enrollment No-200029014005719), Chirag Tyagi (Enrollment No-200029014005723), Gunjit Dalal (Enrollment No-200029014005733), Divyanshu (Enrollment No-200029014005729)** have carried out the project work having “**Title of Report DIGIBUDD**” for Master of Computer Applications from Dr. A.P.J. Abdul Kalam Technical University (AKTU) (formerly UPTU), Technical University, Lucknow under my supervision. The project report embodies original work, and studies are carried out by the student himself /herself and the contents of the project report do not form the basis for the award of any other degree to the candidate or to anybody else from this or any other University/Institution.

Date: 13/01/2022

Astha Chauhan (University Roll No- 2000290140034)

Chirag Tyagi (University Roll No- 2000290140038)

Divyanshu (University Roll No- 2000290140044)

Gunjit Dalal (University Roll No- 2000290140048)

This is to certify that the above statement made by the candidate is correct to the best of my knowledge.

Date:

13/01/2022

Dr. Arun Kr. Tripathi

Professor

Department of Computer Applications

KIET Group of Institutions, Ghaziabad

Signature of Internal Examiner

Signature of Internal Examiner

Dr. Ajay Shrivastava

Head, Department of Computer Applications

KIET Group of Institutions, Ghaziabad

ABSTRACT

The aim of DIGIBUDD is to become a digital buddy that helps you to explore more of your feelings also helping you out with anxiety, depression which can cause distress in your day to day life. Our motive to make DIGIBUDD was to help you and act as an virtual friend which can guide you or provide you a safe space to let out your feelings, dealing with anxiety, depression.

This safe space will act as your guide to explore your feelings which can cause distress. Also DIGIBUDD understands the importance of being listened to, in confidence, anonymously, and without prejudice.

ACKNOWLEDGEMENTS

Success in life is never attained single handedly. My deepest gratitude goes to my project supervisor, **Dr. Arun Kr. Tripathi** for his guidance, help and encouragement throughout my research work. Their enlightening ideas, comments, and suggestions.

Words are not enough to express my gratitude to Dr. Ajay Kumar Shrivastava, Professor and Head, Department of Computer Applications, for his insightful comments and administrative help at various occasions.

Finally, my sincere thanks go to my family members and all those who have directly and indirectly provided me moral support and other kind of help. Without their support, completion of this work would not have been possible in time. They keep my life filled with enjoyment and happiness.

Astha Chauhan

Chirag Tyagi

Divyanshu

Gunjit Dalal

TABLE OF CONTENTS

Certificate

Abstract

Acknowledgements

Table of Contents

List of Abbreviations

List of Figures

1. Introduction
 - 1.1 Project Description
 - 1.2 Project Scope
 - 1.3 Project Definition
 - 1.4 Hardware & Software used
2. Feasibility Study
 - 2.1 Technical Feasibility
 - 2.2 Operational Feasibility
 - 2.3 Economical Feasibility
 - 2.4 Behavioural Feasibility
3. Database Design
 - 3.1 Use Case Diagram
 - 3.2 Sequence Diagram
 - 3.3 Activity Diagram
 - 3.4 Class Diagram
 - 3.5 State Chart Diagram
 - 3.6 Component Diagram
 - 3.7 Communication Diagram
4. System Features
 - 4.1 Functional Requirements
 - 4.2 External Interface Requirements
 - 4.3 Other Non- Functional Requirements
5. Technology Used
 - 5.1 Frontend
 - 5.1.1 HTML
 - 5.1.2 CSS
 - 5.1.3 JAVASCRIPT(JS)
 - 5.1.4 BOOTSTRAP

5.2 Backend

5.2.1 PHP | MYSQL

6. Testing

7. Form Design

7.1 Input/Output(Screenshots)

8. Bibliography

8.1 Website References

LIST OF FIGURES

Figure No.	Name of Figure	Page No.
3.1	Use Case Diagram	13
3.2	Sequence Diagram	15
3.3	Activity Diagram	18
3.4	Class Diagram	20
3.5	State Chart Diagram	23
3.6	Component Diagram	26
3.7	Communication Diagram	27
7.1	Homepage	37
7.2	ChatBot	38
7.3	SignUp Page	40
7.4	Login Page	41
7.5	Blog Page	42
7.6	Recommendations Page	43
7.7	About Page	44

1. Introduction

DIGIBUDD is a one stop solution for your mental wellness. What is Mental Health ? Mental health includes our emotional, psychological, and social well-being. It affects how we think, feel, and act. It also helps determine how we handle stress, relate to others, and make choices. Mental health is important at every stage of life, from childhood and adolescence through adulthood.

DIGIBUDD is made to help the users by giving them real life practical solutions so that they can be aware of the symptoms of stress, anxiety, depression. DIGIBUDD do this by having a recommendations page in which users get recommendations of e-books, articles, videos, practice yoga, practicing mindfulness, puzzles, meditation.

1.1 Project description

1.2 Project Scope

Our motive to make DIGIBUDD is to help users who are going through depression, anxiety and act as a virtual friend which can guide them or provide them a safe space to let out their feelings, dealing with anxiety, depression. This safe space will act as a guide to explore the feelings which can cause distress.

Also, DIGIBUDD understands the importance of being listened to, in confidence, anonymously, and without prejudice. We hope users to find their buddy in DIGIBUDD.

1.3 Project Definition

Definitions:

- **Developers:** Project developers can go through this document and understand the requirements presented
- **Users:** Users, mainly people who are experiencing or going through with depression or anxiety, can refer this document to get a better idea of the functioning of the DIGIBUDD and determine whether the requirements listed here have been satisfactorily implemented.

- **Testers:** Testers are required to go through the requirements very carefully to design test cases and test the end product to ensure that the requirements presented by the client have been implemented and the software is working efficiently.

1.4 Hardware and software use in project

Hardware Specification

Processor	MT6762 (Helio P22) Processor or above
Storage	Between 50MB and 100 MB
Ram	Minimum 40 MB
Screen resolution	Automatic adjustable as per the device

Software Specification

Operating System	Windows and above , IOS 5 and above
IDE	Visual Studio Code
Database	PHP MYSQL
Frontend	HTML, CSS, JS, BOOTSTRAP

2. Feasibility Study

A feasibility analysis is used to determine the viability of an idea, such as ensuring a project is legally and technically feasible as well as economically justifiable. It tells us whether a project is worth the investment—in some cases, a project may not be doable. There can be many reasons for this, including requiring too many resources, which not only prevents those resources from performing other tasks but also may cost more than an organization would earn back by taking on a project that isn't profitable.

A well-designed study should offer a historical background of the business or project, such as a description of the product or service, accounting statements, details of operations and management, marketing research and policies, financial data, legal requirements, and tax obligations. Generally, such studies precede technical development and project implementation.

2.1 Technical feasibility

This assessment focuses on the technical resources available to the organization. It helps organizations determine whether the technical resources meet capacity and whether the technical team is capable of converting the ideas into working systems. Technical feasibility also involves the evaluation of the hardware, software, and other technical requirements of the proposed system. As an exaggerated example, an organization wouldn't want to try to put Star Trek's transporters in their building—currently, this project is not technically feasible.

2.2 Operational Feasibility

This assessment involves undertaking a study to analyse and determine whether—and how well—the organization's needs can be met by completing the project. Operational feasibility studies also examine how a project plan satisfies the requirements identified in the requirements analysis phase of system development.

2.3 Economical Feasibility

In Economic Feasibility study cost and benefit of the project is analyzed. Means under this feasibility study a detail analysis is carried out what will be cost of the project for development which includes all required cost for final development like hardware and software resource required, design and development cost and operational cost and so on. After that it is analyzed whether project will be beneficial in terms of finance for organization or not.

2.4 Behavioral Feasibility

It evaluates and estimates the user attitude or behaviour towards the development of new system. It helps in determining if the system requires special effort to educate, retrain, transfer, and changes in employee's job status on new ways of conducting business.

3. Database Design

It is a collection of processes that facilitate the designing, development, implementation and maintenance of enterprise data management systems. Properly designed database are easy to maintain, improves data consistency and are cost effective in terms of disk storage space. The database designer decides how the data elements correlate and what data must be stored.

The main objectives of database design is to produce logical and physical designs models of the proposed database system.

- The logical model concentrates on the data requirements and the data to be stored independent of physical considerations. It does not concern itself with how the data will be stored or where it will be stored physically.
- The physical data design model involves translating the logical DB design of the database onto physical media using hardware resources and software systems such as database management systems (DBMS).

3.1 Use Case Diagram

A use case diagram is a graphical depiction of a user's possible interactions with a system. A use case diagram shows various use cases and different types of users the system has and will often be accompanied by other types of diagrams as well. The use cases are represented by either circles or ellipses. The actors are often shown as stick figures.

The purpose of use case diagram is to capture the dynamic aspect of a system. However, this definition is too generic to describe the purpose, as other four diagrams (activity, sequence, collaboration, and State chart) also have the same purpose. We will look into some specific purpose, which will distinguish it from other four diagrams.

Use case diagrams are used to gather the requirements of a system including internal and external influences. These requirements are mostly design requirements. Hence, when a system is analyzed to gather its functionalities, use cases are prepared and actors are identified.

When the initial task is complete, use case diagrams are modelled to present the outside view.

In brief, the purposes of use case diagrams can be said to be as follows –

- i. Used to gather the requirements of a system.

- ii. Used to get an outside view of a system.
- iii. Identify the external and internal factors influencing the system.
- iv. Show the interaction among the requirements and actors.

How to draw a Use Case diagram?

It is essential to analyze the whole system before starting with drawing a use case diagram, and then the system's functionalities are found. And once every single functionality is identified, they are then transformed into the use cases to be used in the use case diagram. After that, we will enlist the actors that will interact with the system. The actors are the person or a thing that invokes the functionality of a system. It may be a system or a private entity, such that it requires an entity to be pertinent to the functionalities of the system to which it is going to interact. Once both the actors and use cases are enlisted, the relation between the actor and use case/ system is inspected. It identifies the no of times an actor communicates with the system. Basically, an actor can interact multiple times with a use case or system at a particular instance of time. Following are some rules that must be followed while drawing a use case diagram:

- i. A pertinent and meaningful name should be assigned to the actor or a use case of a system.
- ii. The communication of an actor with a use case must be defined in an understandable way.
- iii. Specified notations to be used as and when required.
- iv. The most significant interactions should be represented among the multiple no of interactions between the use case and actors.




Fig 3.1.1: Use Case Diagram

3.2 Sequence Diagram

A sequence diagram or system sequence diagram (SSD) shows object interactions arranged in time sequence in the field of [software engineering](#). It depicts the objects involved in the scenario and the sequence of messages exchanged between the objects needed to carry out the functionality of scenario. Sequence diagrams are typically associated with use case realizations in the [logical view](#) of the system under development. Sequence diagrams are sometimes called event diagrams or event scenarios.

For a particular scenario of a [use case](#), the diagrams show the events that external actors generate, their order, and possible inter-system events. All [systems](#) are treated as a [black box](#); the diagram places emphasis on events that cross the system boundary from actors to systems. A system sequence diagram should be done for the main success scenario of the [use case](#), and frequent or complex alternative scenarios.

- i. To model high-level interaction among active objects within a system.
- ii. To model interaction among objects inside a collaboration realizing a use case.
- iii. It either models generic interactions or some certain instances of interaction.

Sequence Diagram Notations –

- i. **Actors** – An actor in a UML diagram represents a type of role where it interacts with the system and its objects. It is important to note here that an actor is always outside the scope of the system we aim to model using the UML diagram
- ii. **Lifelines** – A lifeline is a named element which depicts an individual participant in a sequence diagram. So basically each instance in a sequence diagram is represented by a lifeline. Lifeline elements are located at the top in a sequence diagram.
- iii. **Messages** – Communication between objects is depicted using messages. The messages appear in a sequential order on the lifeline. We represent messages using arrows. Lifelines and messages form the core of a sequence diagram.
- iv. **Guards** – To model conditions we use guards in UML. They are used when we need to restrict the flow of messages on the pretext of a condition being met. Guards play an important role in letting software developers know the constraints attached to a system or a particular process.

Uses of sequence diagrams –

- i. Used to model and visualise the logic behind a sophisticated function, operation or procedure.
- ii. They are also used to show details of UML use case diagrams.

- iii. Used to understand the detailed functionality of current or future systems.
- iv. Visualize how messages and tasks move between objects or components in a system.




Fig 3.2.1: Sequence Diagram for login




Fig 3.2.2: Sequence Diagram for DIGIBUDD

3.3 Activity Diagram

The activity diagram is used to demonstrate the flow of control within the system rather than the implementation. It models the concurrent and sequential activities.

The activity diagram helps in envisioning the workflow from one activity to another. It put emphasis on the condition of flow and the order in which it occurs. The flow can be sequential, branched, or concurrent, and to deal with such kinds of flows, the activity diagram has come up with a fork, join, etc.

It is also termed as an object-oriented flowchart. It encompasses activities composed of a set of actions or operations that are applied to model the behavioral diagram

Why use Activity Diagram?

An event is created as an activity diagram encompassing a group of nodes associated with edges. To model the behavior of activities, they can be attached to any modeling element. It can model use cases, classes, interfaces, components, and collaborations.

It mainly models processes and workflows. It envisions the dynamic behavior of the system as well as constructs a runnable system that incorporates forward and reverse engineering. It does not include the message part, which means message flow is not represented in an activity diagram.

It is the same as that of a flowchart but not exactly a flowchart itself. It is used to depict the flow between several activities.

How to draw an Activity Diagram?


An activity diagram is a flowchart of activities, as it represents the workflow among various activities. They are identical to the flowcharts, but they themselves are not exactly the flowchart. In other words, it can be said that an activity diagram is an enhancement of the flowchart, which encompasses several unique skills.

Since it incorporates swim lanes, branching, parallel flows, join nodes, control nodes, and forks, it supports exception handling. A system must be explored as a whole before drawing an activity diagram to provide a clearer view of the user. All of the activities are explored after they are properly analyzed for finding out the constraints applied to the activities. Each and every activity, condition, and association must be recognized.

After gathering all the essential information, an abstract or a prototype is built, which is then transformed into the actual diagram.

Following are the rules that are to be followed for drawing an activity diagram:

- i. A meaningful name should be given to each and every activity.
- ii. Identify all of the constraints.
- iii. Acknowledge the activity associations



Fig

3.3.1: Activity Diagram

3.4 Class Diagram

The class diagram depicts a static view of an application. It represents the types of objects residing in the system and the relationships between them. A class consists of its objects, and also it may inherit from other classes. A class diagram is used to visualize, describe, document various different aspects of the system, and also construct executable software code.

It shows the attributes, classes, functions, and relationships to give an overview of the software system. It constitutes class names, attributes, and functions in a separate compartment that helps in software development. Since it is a collection of classes, interfaces, associations, collaborations, and constraints, it is termed as a structural diagram.

Purpose of Class Diagrams

The main purpose of class diagrams is to build a static view of an application. It is the only diagram that is widely used for construction, and it can be mapped with object-oriented languages. It is one of the most popular UML diagrams. Following are the purpose of class diagrams given below:

- i. It analyses and designs a static view of an application.
- ii. It describes the major responsibilities of a system.
- iii. It is a base for component and deployment diagrams.
- iv. It incorporates forward and reverse engineering

How to draw a Class Diagram?

The class diagram is used most widely to construct software applications. It not only represents a static view of the system but also all the major aspects of an application. A collection of class diagrams as a whole represents a system.

Some key points that are needed to keep in mind while drawing a class diagram are given below:

1. To describe a complete aspect of the system, it is suggested to give a meaningful name to the class diagram.
2. The objects and their relationships should be acknowledged in advance.
3. The attributes and methods (responsibilities) of each class must be known.
4. A minimum number of desired properties should be specified as a greater number of the unwanted property will lead to a complex diagram.
5. Notes can be used as and when required by the developer to describe the aspects of a diagram.
6. The diagrams should be redrawn and reworked as many times to make it correct before producing its final version.




Fig 3.4.1: Class Diagram

3.5 State Chart Diagram

The name of the diagram itself clarifies the purpose of the diagram and other details. It describes different states of a component in a system. The states are specific to a component/object of a system.

A State Chart diagram describes a state machine. State machine can be defined as a machine which defines different states of an object and these states are controlled by external or internal events.

Activity diagram explained in the next chapter, is a special kind of a State Chart diagram. As State Chart diagram defines the states, it is used to model the lifetime of an object.

Purpose of State Chart Diagrams

State Chart diagram is one of the five UML diagrams used to model the dynamic nature of a system. They define different states of an object during its lifetime and these states are changed by events. State Chart diagrams are useful to model the reactive systems. Reactive systems can be defined as a system that responds to external or internal events.

State Chart diagram describes the flow of control from one state to another state. States are defined as a condition in which an object exists and it changes when some event is triggered. The most important purpose of State Chart diagram is to model lifetime of an object from creation to termination.

State Chart diagrams are also used for forward and reverse engineering of a system. However, the main purpose is to model the reactive system.

Following are the main purposes of using State Chart diagrams –

- To model the dynamic aspect of a system.
- To model the life time of a reactive system.
- To describe different states of an object during its life time.
- Define a state machine to model the states of an object.

How to draw a State Chart Diagram?

State Chart diagram is used to describe the states of different objects in its life cycle. Emphasis is placed on the state changes upon some internal or external events. These states of objects are important to analyse and implement them accurately.

State Chart diagrams are very important for describing the states. States can be identified as the condition of objects when a particular event occurs.

Before drawing a State Chart diagram, we should clarify the following points –

- Identify the important objects to be analysed.
- Identify the states.
- Identify the events.

Following is an example of a State Chart diagram where the state of Order object is analyzed

The first state is an idle state from where the process starts. The next states are arrived for events like send request, confirm request, and dispatch order. These events are responsible for the state changes of order object.

During the life cycle of an object (here order object) it goes through the following states and there may be some abnormal exits. This abnormal exit may occur due to some problem in the system. When the entire life cycle is complete, it is considered as a complete transaction as shown in the following figure. The initial and final state of an object is also shown in the following figure.




Fig 3.5.1: State Chart Diagram

3.6. Component Diagram:

Component diagrams are different in terms of nature and behavior. Component diagrams are used to model the physical aspects of a system. Now the question is, what are these physical aspects? Physical aspects are the elements such as executables, libraries, files, documents, etc. which reside in a node.

Component diagrams are used to visualize the organization and relationships among components in a system. These diagrams are also used to make executable systems

Purpose of Component Diagrams

Component diagram is a special kind of diagram in UML. The purpose is also different from all other diagrams discussed so far. It does not describe the functionality of the system but it describes the components used to make those functionalities.

Thus, from that point of view, component diagrams are used to visualize the physical components in a system. These components are libraries, packages, files, etc.

Component diagrams can also be described as a static implementation view of a system. Static implementation represents the organization of the components at a particular moment.

A single component diagram cannot represent the entire system but a collection of diagrams is used to represent the whole.

The purpose of the component diagram can be summarized as –

- Visualize the components of a system.
- Construct executables by using forward and reverse engineering.
- Describe the organization and relationships of the components.

How to draw Component Diagram?

Component diagrams are used to describe the physical artifacts of a system. This artifact includes files, executables, libraries, etc

The purpose of this diagram is different. Component diagrams are used during the implementation phase of an application. However, it is prepared well in advance to visualize the implementation details.

Initially, the system is designed using different UML diagrams and then when the artifacts are ready, component diagrams are used to get an idea of the implementation.

This diagram is very important as without it the application cannot be implemented efficiently. A well-prepared component diagram is also important for other aspects such as application performance, maintenance, etc.

Before drawing a component diagram, the following artifacts are to be identified clearly –

- Files used in the system.
- Libraries and other artifacts relevant to the application.
- Relationships among the artifacts.

After identifying the artifacts, the following points need to be kept in mind.

- Use a meaningful name to identify the component for which the diagram is to be drawn.
- Prepare a mental layout before producing the using tools.
- Use notes for clarifying important points.

Following is a component diagram for order management system. Here, the artifacts are files. The diagram shows the files in the application and their relationships. In actual, the component diagram also contains dlls, libraries, folders, etc.

In the following diagram, four files are identified and their relationships are produced. Component diagram cannot be matched directly with other UML diagrams discussed so far as it is drawn for completely different purpose.

The following component diagram has been drawn considering all the points mentioned above.




Fig 3.6.1: Component Diagram

3.7 Communication Diagram:

Component diagrams are different in terms of nature and behavior. Component diagrams are used to model the physical aspects of a system. Now the question is, what are these physical aspects? Physical aspects are the elements such as executables, libraries, files, documents, etc. which reside in a node.

Component diagrams are used to visualize the organization and relationships among components in a system. These diagrams are also used to make executable systems.

Purpose of Communication Diagrams

- Model message passing between objects or roles that deliver the functionalities of use cases and operations
- Model mechanisms within the architectural design of the system
- Capture interactions that show the passed messages between objects and roles within the collaboration scenario

- Model alternative scenarios within use cases or operations that involve the collaboration of different objects and interactions
- Support the identification of objects (hence classes), and their attributes (parameters of message) and operations (messages) that participate in use cases




Fig 3.7.1: Communication Diagram

4. System Features

4.1 Functional Requirements

4.1.1 Login/Signup Page

Users will need to login by entering username and password. In case user forgot the password there will be an option of “Forgot password” where the user will be given an option to send a temporary password on their registered id, through which they can login and further change their password.

4.1.1.1 Description and Priority

- Provides the user with a page to login or register for the DIGIBUDD
- Priority = 10
- Stimulus: User clicks on Login Link.
- Response: Login Page is displayed
- Stimulus: User Enters Username and Password
- Response: Username and Password are validated from MySQL Database.
- Stimulus: User Clicks on Login Button
- Response: Home Page is displayed if Username and Password is correct else Error Message is displayed and the user is asked to enter username and password again.
- Stimulus: User clicks on register Link.
- Response: Register(signup) page is displayed
- Stimulus: User enters his/her details and clicks on register button
- Response: User’s data gets saved; account is created and home page is displayed

4.1.1.2 Functional Requirements

- REQ-1: The user should be able to view and click on login link
- REQ-2: The user should be able to enter and validate the username and Password.
- REQ-3: There should be only one account per email else an error pop-up should appear.

4.2 Assessment Page

After visiting the landing page, users will be suggested to take up an assessment which will be prepared with the help of psychologists in order to determine the mental status of the users.

There will be multiple situation-based questions which will put the user on the decision-making place and based on the responses, mental health of the user would be determined.

4.2.1 Description and Priority

- Provides the user with a questionnaire in order to determine the mental status of the users.
- Priority=10

4.2.2 Stimulus/Response Sequences

- Stimulus: User clicks on Assessment Page. Response: Assessment Page is displayed Stimulus: User clicks on take Assessment
- Response: Assessment page and its description is displayed.
- Stimulus: User clicks on start assessment
- Response: User gets Multiple Choice Question's (MCQ) so that the digital assistant assesses the user's mental state which is then displayed.

4.2.3 Functional Requirements

- REQ-1: The user should be able to view and click Assessment Page link.
- REQ-2: The user should attempt all the MCQ's.

4.3 Recommendations Page

After visiting the assessment page, users will be suggested some recommendations or suggestions based on the responses given by user in the assessment, user will be recommended customized books, activities, yoga, exercises, videos, movies etc.

4.3.1 Description and Priority

- Recommends some photos, videos, blogs, etc. to the users based on their calculated mental health.
- Priority = 5

4.3.2 Stimulus/Response Sequences

- Stimulus: User clicks on Recommendations Page
- Response: Recommendations Page is displayed.
- Stimulus: User clicks on Recommendations
- Response: Recommendation's page and its description is displayed.
- Stimulus: User clicks on Recommendations or Suggestions
- Response: Users will be suggested some books, activities, yoga, exercises, videos, movies etc.

4.3.3 Functional Requirements

- REQ-1: The user should be able to view and click Recommendations Page link.

4.4 View User Profile

4.4.1 Description and Priority

- Provides the user with a page to view his/her profile Priority = 9

4.4.2 Stimulus/Response Sequences

- Stimulus: User clicks on Profile Menu -> My Profile
- Response: User profile is displayed with user details.

4.4.3 Functional Requirements

- REQ-1: The user should be able to click and view his/her profile.

4.5 Logout Page

4.5.1 Description and Priority

- Provides the user with a logout option. Priority = 10

4.5.2 Stimulus/Response Sequences

- Stimulus: User clicks on Logout tab/button
- Response: User is logged out and home page is displayed.

4.5.3 Functional Requirements

- REQ-1: The user should be able to logout from the system.

4.6 External Interface Requirements

4.7 User Interfaces

4.7.1 Landing Page

There will be a landing page which will be the homepage of the DIGIBUDD website where the user will get welcomed and will get an overview about DIGIBUDD.

4.7.2 Assessment Page

After visiting the landing page, users will be suggested to take up an assessment which will be prepared with the help of psychologists in order to determine the mental status of the users. There will be multiple situation-based questions which will put the user on the decision-making place and based on the responses, mental health of the user would be determined. The responses will be Multiple Choice Question's (MCQ) but there will be an option of adding any particular answer for a given question, if the options are not suitable for the user.

4.7.3 Registration Page

There will be a registration page, where users will enter their details as asked by the form and if the responses are valid they will be registered or else an error message will be displayed.

4.7.4 Login Page

Users will need to login by entering username and password. In case user forgot the password there will be an option of "Forgot password" where the user will be given an option to send a temporary password on their registered id, through which they can login and further change their password.

4.7.5 User Profile Page

Users will be redirected to the user profile page after successfully completing 2 steps i.e.

1. SignUp
2. Login

In this page users will be provided with the facility to discuss their problems with the chatbot, go through the recommendations page, as well as they can read or write blogs after successfully logging in,

4.7.6 Recommendations Page

Based on the responses given by user in the assessment, user will be recommended customized books, activities, yoga, exercises, videos, movies etc.

4.7.7 ChatBot

This will be dedicated to the users where they will be able to talk and ask the bot i.e. their digital buddy about some common questions related to initial stages of depression.

4.7.7 Blog Page

There will be a blog page where users will be able to share their inspirational stories, for example how they battled with their tough times instead of giving up. There will be a feature of adding photos and videos to the blogs too. On this page users could also listen to the calming sounds of their choice out of the available ones while reading, thus improving their concentration. There will also be a suggestions tab on the page where users would find similar blogs to read.

4.7.8 About Us Page

This page would comprise the information about DIGIBUDD and about the makers, their interests etc.

4.8 Hardware Interfaces

- Laptop, Personal Computer, Mobile phones, Tablet.

4.9 Software Interfaces

DIGIBUDD is a multi-user environment, it uses HTML/CSS and JavaScript for the web pages and My SQL as the backend application tool.

4.10 Communication Interfaces

Students can communicate with the admin via email provided on the website and hence uses simple mail transfer protocol (SMTP).

4.11 Other Non-functional Requirements:

4.11.1 Performance Requirements

- PE-1: Responses to activities should not take very long time onto the screen (approx.3-6s, depending upon user's internet speed).
- PE-2: The system should display confirmation message to the user very quickly after the user submits information to the system (depending upon user's internet speed).

- PE-3: DIGIBUDD should work fine even with a number of users using concurrently using it.

4.11.2 Safety Requirements

- SR-1: Consistency: Checking the fact that all clients must be attached to one server, so there is an appropriate control of the information.
- SR-2: Users' data should be kept confidential and secured.

4.12 Software Quality Attributes

- SQA-1: DIGIBUDD should be available to the users all the time.
- SQA-2: The code should be neat and it should contain all the necessary comments for the ease of maintenance and better understanding.

5 Technologies Used

5.1 FRONT-END

5.1.1 HTML:

HTML is a *markup language* that defines the structure of your content. HTML consists of a series of [elements](#), which you use to enclose, or wrap, different parts of the content to make it appear a certain way, or act a certain way. The enclosing [tags](#) can make a word or image hyperlink to somewhere else, can italicize words, can make the font bigger or smaller, and so on.

5.1.2 CSS:

Cascading Style Sheets (CSS) is a [stylesheet](#) language used to describe the presentation of a document written in [HTML](#) or [XML](#) (including XML dialects such as [SVG](#), [MathML](#) or [XHTML](#)). CSS describes how elements should be rendered on screen, on paper, in speech, or on other media.

5.1.3 JAVASCRIPT(JS):

JavaScript is a scripting or programming language that allows you to implement complex features on web pages — every time a web page does more than just sit there and display static information for you to look at — displaying timely content updates, interactive maps, animated 2D/3D graphics, scrolling video jukeboxes, etc. — you can bet that JavaScript is probably involved.

5.1.4. BOOTSTRAP

- Bootstrap is the most popular HTML, CSS and JavaScript framework for developing a responsive and mobile friendly website.
- It is absolutely free to download and use.
- It is a front-end framework used for easier and faster web development.
- It includes HTML and CSS based design templates for typography, forms, buttons, tables, navigation, modals, image carousels and many others.
- It can also use JavaScript plug-ins.
- It facilitates you to create responsive designs.

5.2 BACK-END

5.2.1 PHP | MYSQL:

What is MySQL?

- MySQL is a database system used on the web
- MySQL is a database system that runs on a server
- MySQL is ideal for both small and large applications
- MySQL is very fast, reliable, and easy to use
- MySQL uses standard SQL
- MySQL compiles on a number of platforms
- MySQL is free to download and use
- MySQL is developed, distributed, and supported by Oracle Corporation
- MySQL is named after co-founder Monty Widenius's daughter: My

The data in a MySQL database are stored in tables. A table is a collection of related data, and it consists of columns and rows.

Databases are useful for storing information categorically. A company may have a database with the following tables:

- Employees
- Products
- Customers
- Orders

PHP + MySQL Database System

- PHP combined with MySQL are cross-platform (you can develop in Windows and serve on a Unix platform)

6 Testing

[illegible]

Figure 6.1

7 FORM DESIGN


Input/Output (Screenshots)

7.1 Homepage

Home pages are located in the root directory of the website. Many home pages act as a virtual directory for a site — they provide top-level menus where visitors can go deeper into various areas of the site. For instance, a typical website has a homepage with menu items like “about,” “contact,” “products,” “services,” “press” or “news.”

In addition, the home page often serves to orient visitors by providing titles, headlines and images and visuals that show what the website is about, and in some cases, who owns it and maintains it. One of the best examples is the average business website, which has the business name in a prominent place, and often features the logo, while also showing pictures related to that business, for instance, who works there, what the business produces, or what it does in a community.

A home page is part of the natural way that the Internet has emerged to oriented Web users and help them navigate all of the many sites on the global network.



About


DigiBudd will be your customized digital buddy that helps you to explore more of your feelings also helping you out with anxiety, depression which can cause distress in your day to day life. Our motive to make DigiBudd was to help you and act as a virtual friend which can guide you or provide you a safe space to let out your feelings, dealing with anxiety, depression...



This safe space will act as your guide to explore your feelings which can cause distress. Also DigiBudd understands the importance of being listened to, in confidence, anonymously, and without prejudice. We hope you find your buddy in DigiBudd



7.2 ChatBot

A chatbot is an artificial intelligence (AI) software that can simulate a conversation (or a chat) with a user in natural language through messaging applications, websites, mobile apps or through the telephone. Why are chatbots important? A chatbot is often described as one of the most advanced and promising expressions of interaction between humans and machines. However, from a technological point of view, a chatbot only represents the natural evolution of a Question Answering system leveraging Natural Language Processing (NLP). Formulating responses to questions in natural language is one of the most typical Examples of Natural Language Processing applied in various enterprises' end-use applications.





Watson Assistant

ok thankyoy for your help

Did you mean:

thankyou

depression_cure

None of the above

thankyou

My pleasure buddy!



?


Type something...



Built with IBM Watson® ⓘ

7.4 Signup Page

A signup page (also known as a registration page) enables users and organizations to independently register and gain access to your system. It is common to have multiple signup pages depending on the types of people and organizations you want to register. In this article you will learn about the different types of signup pages, how to configure them and related functionality. **Global Administrator** access is required to create and modify signup page.



Home About Us

Say Hello

Name :
Name

Email :
Email

Submit

7.5 Login Page



A login page is a web page or an entry page to a website that requires user identification and authentication, regularly performed by entering a username and password combination. Logins may provide access to an entire site or part of a website. Logging in not only provides site access for the user, but also allows the website to track user actions and behavior. Logging off a webpage or site may be manual by the user or they can occur automatically when certain conditions (such as closing the page, turning off the computer, a long time delay, etc.) occur.

Some websites use cookies to track users during their logged in sessions. Generally, these cookies will turn off when the user logs out. Those cookies that are automatically deactivated and deleted from the user's computer are called session-only cookies. Protective measures that delete and invalidate associations between a user's handle and the session help assure users that logins can happen from any location, including public computers..




7.6 Blog Page

A blog (a shortened version of “weblog”) is an **online journal or informational website** displaying information in reverse chronological order, with the latest posts appearing first, at the top. It is a platform where a writer or a group of writers share their views on an individual subject.



7.7 Recommendations Page

A recommendation system helps users find compelling content in a large corpora. For example, the Google Play Store provides millions of apps, while YouTube provides billions of videos. More apps and videos are added every day. How can users find new compelling new content? Yes, one can use search to access content. However, a recommendation engine can display items that users might not have thought to search for on their own.



7.8 About Us

Your About Us page is one of the most important pages on your website.


An About Us page is your chance to tell the world:

- Who you are.
- What matters to you.
- What you do.
- How you do it.

It's often one of the first stops when someone visits your website or blog.

An About Us page may be a deciding factor before you convince someone to convert, whether that comes in the form of:

- Making a purchase.
- Downloading an awesome piece of content.
- Signing up for your newsletter.
- Requesting information or a demo.



You are signed in as ...

(4) WhatsApp

Join conversation

Mini-project-session

localhost / 127.0.0.1 /


DigiBudd

History

localhost/DigiBudd/index.html


AppsGmailCompetitive Progra...YouTubeMapsNewsJobsPython Chatbot Pro...Want to install TEN...Basic HTML and HT...CSS Layout — Sma...Mixtures Problem ...Reading list

Meet us




Astha Chauhan

I, Astha a web developer, programmer and a Machine Learning enthusiast currently pursuing Masters in Computer Applications from KIET Group of Institutions, Ghaziabad. Interested in using my knowledge and skills to help others as well as myself by finding solutions to real life problems and I believe that "Helping a person will not necessarily change the world, but it will change the world for that person "




Chirag Tyagi

I, Chirag a web developer and a programmer currently pursuing Masters in Computer Applications from KIET Group of Institutions, Ghaziabad. Interested in using my skills and knowledge to help others as well as myself by finding solutions to real life problems and I believe that "Always help someone. You might be the only one who does" .




Divyanshu Sharma

I, Divyanshu a web developer and a programmer pursuing Masters in Computer Applications from KIET Group of Institutions, Ghaziabad. Interested in using my knowledge and skills to help others as well as myself by finding solutions to real life problems and I believe that "Small steps can lead to big changes"



Gunjit Dalal

I, Gunjit a developer and a programmer currently pursuing Masters in Computer Applications from KIET Group of Institutions, Ghaziabad. Interested in using my skills and knowledge to help others as well as myself by finding solutions to real life problems and I believe that "Helping others is the way we help ourselves" .




ENG
IN

14:23
15-01-2022

7.9 User Profile Page

A **user profile** is a collection of settings and information associated with a user. It contains critical information that is used to identify an individual, such as their name, age, portrait photograph and individual characteristics such as knowledge or expertise. User profiles are most commonly present on social media websites such as Facebook, Instagram, and LinkedIn; and serve as voluntary digital identity of an individual, highlighting their key features and traits. In personal computing and operating systems, user profiles serve to categorise files, settings, and documents by individual user environments, known as ‘accounts’, allowing the operating system to be more friendly and catered to the user. Physical user profiles serve as identity documents such as passports, driving licenses and legal documents that are used to identify an individual under the legal system.





Gunjit

120 Friends - 20 Mutuals

Friends

Message

.....



Divyanshu

Public

What's on your mind user ??



Chirag

Jan 15 2021, 13:04 pm

"Try to understand the blackness, lethargy, hopelessness, and loneliness they're going through. Be there for them when they come through the other side. It's hard to be a friend to someone who's depressed, but it is one of the kindest, noblest, and best things you will ever do."



20

8. Bibliography

- IEEE Software Requirement Specification standard format

8.1 Website References

- https://www.academia.edu/10313728/srs_document_for_hotel_management_system
- <https://www.javatpoint.com/uml-sequence-diagram>
- <https://www.visual-paradigm.com/guide/uml-unified-modeling-language/what-is-communication-diagram/#:~:text=A%20communication%20diagram%20is%20an,the%20objects%20send%20each%20other.>
- https://www.tutorialspoint.com/uml/uml_component_diagram.htm#:~:text=Component%20diagram%20is%20a%20special%20kind%20of%20diagram%20in%20UML.&text=Thus%20from%20that%20point%20of,implementation%20view%20of%20a%20system.
- <https://www.geeksforgeeks.org/unified-modeling-language-uml-sequence-diagrams/>
- https://www.tutorialspoint.com/uml/uml_statechart_diagram.htm
- <https://www.javatpoint.com/uml-use-case-diagram>
- https://www.tutorialspoint.com/uml/uml_class_diagram.htm#:~:text=Class%20diagram%20is%20a%20static%20diagram.&text=The%20class%20diagrams%20are%20widely,associations%2C%20collaborations%2C%20and%20constraints.
- https://www.tutorialspoint.com/uml/uml_activity_diagram.htm
- <https://www.visual-paradigm.com/guide/uml-unified-modeling-language/what-is-deployment-diagram/>