

Rajalakshmi Engineering College

Name: GURU PRASAD V

Email: 240701160@rajalakshmi.edu.in

Roll no: 240701160

Phone: 7305453338

Branch: REC

Department: CSE - Section 7

Batch: 2028

Degree: B.E - CSE

Scan to verify results



2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 8_Q1

Attempt : 1

Total Mark : 10

Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Write a program to validate the email address and display suitable exceptions if there is any mistake.

Create 3 custom exception classes as below

DotException AtTheRateException DomainException

A typical email address should have a "." character, and a "@" character, and also the domain name should be valid. Valid domain names for practice be 'in', 'com', 'net', or 'biz'.

Display Invalid Dot usage, Invalid @ usage, or Invalid Domain message based on email id.

Get the email address from the user, validate the email by checking the

above-mentioned criteria, and print the validity status of the input email address.

Input Format

The first line of input contains the email to be validated.

Output Format

The output prints a Valid email address or an Invalid email address along with the suitable exception

If email ends with . or contains not exactly one . after @, it throws:

DotException: Invalid Dot usage

Invalid email address

If @ appears not exactly once, it throws:

AtTheRateException: Invalid @ usage

Invalid email address

If the part after the last dot is not among accepted domains:

DomainException: Invalid Domain

Invalid email address

If all conditions satisfied then print:

Valid email address

Refer to the sample input and output for format specifications.

Sample Test Case

Input: sample@gmail.com

Output: Valid email address

Answer

```
import java.util.Scanner;
class DotException extends Exception{
    public DotException(String s){
        super(s);
    }
}
class AtTheRateException extends Exception{
    public AtTheRateException(String s){
        super(s);
    }
}
class DomainException extends Exception{
    public DomainException(String s){
        super(s);
    }
}
class Main{
    public static int a=0,b=0,c=0;
    public static void dot(String s) throws DotException{
        String[] p=s.split("@");
        String s1=p[1];
        int v=0;
        for(int i=0;i<s1.length();i++){
            if(s1.charAt(i)=='.'){
                v++;
            }
        }
        if(v!=1 || s.endsWith(".")){
            throw new DotException("Dot usage\nInvalid email address");
        }
        a=1;
    }
}
```

```

public static void rate(String s) throws AtTheRateException{
    int c=0;
    for(int i=0;i<s.length();i++){
        if(s.charAt(i)=='@'){
            c++;
        }
    }
    if(c!=1){
        throw new AtTheRateException("@ usage\nInvalid email address");
    }
    b=1;
}

public static void domain(String s) throws DomainException{
    if(!s.endsWith("in") && !s.endsWith("com") && !s.endsWith("net") && !
s.endsWith("biz")){
        throw new DomainException("Domain\nInvalid email address");
    }
    c=1;
}

public static void main(String args[]){
    Scanner sc=new Scanner(System.in);
    String s=sc.nextLine();
    try{
        rate(s);
        dot(s);
        domain(s);
        if(a==1 && b==1 && c==1){
            System.out.print("Valid email address");
        }
    }
    catch(DotException e){
        System.out.print("DotException: Invalid "+e.getMessage());
    }
    catch(AtTheRateException e){
        System.out.print("AtTheRateException: Invalid "+e.getMessage());
    }
    catch(DomainException e){
        System.out.print("DomainException: Invalid "+e.getMessage());
    }
}
}

```

Status : Correct

Marks : 10/10