Task Documentation: Responsive Portfolio Website

Student Name: Gokul V

Submission Date: October 5, 2026

1) Task Overview & Description:

The goal of this task is to design, structure, and deploy a modern, responsive personal developer portfolio website. The project showcases technical skills, background, and featured projects (*ID-Trace* and *ZeroNet*).

Key Features:

Responsive Navigation & Layout: Built using Tailwind CSS and Bootstrap 5 grid systems.

Dark Tech Theme: Designed with modern UI elements, custom badge styling, smooth scrolling, and hover effects.

Projects Section: Dynamic display for featured applications with GitHub repository links.

Interactive Contact Form: JavaScript-handled form submission with custom feedback messaging (alert-free).

GitHub Pages Hosting: Deployed publicly on GitHub Pages for real-time live preview.

2) Project Structure:

portfolio-website/

├── index.html # Main HTML structure and content

└── styles.css # Custom CSS rules and font imports

3) Code Implementation:

File 1: index.html (Snippet)

```
<!DOCTYPE html>
<html lang="en" class="scroll-smooth">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Gokul V - Android & Full-Stack Developer | Portfolio</title>
    <!-- Tailwind CSS CDN -->
    <script src="https://cdn.tailwindcss.com"></script>
    <!-- Bootstrap 5 CSS CDN -->
```

```
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <!-- FontAwesome for icons -->
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css">
  <!-- Custom External CSS -->
  <link rel="stylesheet" href="styles.css">
  <script>
    tailwind.config = {
      darkMode: 'class',
      theme: {
        extend: {
          colors: {
            primary: '#6366f1',
            secondary: '#06b6d4',
            darkBg: '#0b0f19'
          }
        }
      }
    }
  </script>
</head>
<body class="bg-[#0b0f19] text-slate-100 antialiased selection:bg-indigo-500 selection:text-white">
  <nav class="navbar navbar-expand-lg fixed-top bg-[#0b0f19]/90 backdrop-blur-md shadow-lg border-b border-slate-800 transition-all duration-300 navbar-dark">
    <div class="container py-2">
      <a class="navbar-brand fw-bold text-xl text-indigo-400 flex items-center gap-2" href="#home">
        <span class="bg-indigo-600/20 text-indigo-400 border border-indigo-500/30 p-2 rounded-xl shadow-md"><i class="fa-solid fa-code"></i></span>
        Gokul V
      </a>
      <button class="navbar-toggler border-0 focus:shadow-none" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
```

```
        </button>
        <div class="collapse navbar-collapse justify-content-end" id="navbarNav">
          <ul class="navbar-nav align-items-lg-center gap-lg-3 font-medium">
            <li class="nav-item"><a class="nav-link hover:text-indigo-400 transition-colors" href="#home">Home</a></li>
            <li class="nav-item"><a class="nav-link hover:text-indigo-400 transition-colors" href="#about">About</a></li>
            <li class="nav-item"><a class="nav-link hover:text-indigo-400 transition-colors" href="#skills">Skills</a></li>
            <li class="nav-item"><a class="nav-link hover:text-indigo-400 transition-colors" href="#projects">Projects</a></li>
            <li class="nav-item"><a class="nav-link hover:text-indigo-400 transition-colors" href="#contact">Contact</a></li>
            <li class="nav-item mt-2 mt-lg-0">
              <a href="#contact" class="btn text-white bg-indigo-600 hover:bg-indigo-500 px-4 py-2 rounded-xl shadow-md transition">Get in Touch</a>
            </li>
          </ul>
        </div>
      </div>
    </nav>
    <section id="home" class="min-h-screen d-flex align-items-center pt-24 pb-12 bg-gradient-to-br from-indigo-950/40 via-[#0b0f19] to-slate-950">
      <div class="container">
        <div class="row align-items-center gy-5">
          <div class="col-lg-7 text-center text-lg-start">
            <span class="inline-flex items-center gap-2 px-3 py-1 rounded-full bg-indigo-950 border border-indigo-800 text-indigo-400 text-sm font-semibold mb-4 shadow-sm">
              <i class="fa-solid fa-sparkles"></i> Android & Full-Stack Developer
            </span>
            <h1 class="display-4 fw-bold tracking-tight text-white mb-4">
              Hi, I'm <span class="text-transparent bg-clip-text bg-gradient-to-r from-indigo-400 to-cyan-400">Gokul V</span>
            </h1>
```

```
<p class="lead text-slate-400 mb-5 max-w-xl mx-auto mx-lg-0">
    Passionate developer crafting high-performance Android applications, secure supply-chain verification tools, and offline-first mobile ecosystems.
</p>
<div class="d-flex flex-wrap gap-3 justify-content-center justify-content-lg-start">
    <a href="#projects" class="btn btn-lg bg-indigo-600 text-white px-5 py-3 rounded-xl shadow-lg hover:bg-indigo-500 transition-all font-semibold">
        Explore Projects <i class="fa-solid fa-arrow-right ms-2"></i>
    </a>
    <a href="#about" class="btn btn-lg btn-outline-light px-5 py-3 rounded-xl border-slate-700 hover:bg-slate-800 transition-all font-semibold">
        About Me
    </a>
</div>
<div class="d-flex align-items-center justify-content-center justify-content-lg-start gap-4 mt-5 text-slate-400">
    <span class="text-sm fw-semibold text-uppercase tracking-wider text-slate-500">Connect:</span>
    <a href="https://github.com" target="_blank" class="h-10 w-10 d-flex align-items-center justify-content-center rounded-full bg-slate-900 shadow-sm border border-slate-800 text-slate-300 hover:text-indigo-400 hover:border-indigo-500 transition"><i class="fa-brands fa-github"></i></a>
    <a href="https://linkedin.com" target="_blank" class="h-10 w-10 d-flex align-items-center justify-content-center rounded-full bg-slate-900 shadow-sm border border-slate-800 text-slate-300 hover:text-indigo-400 hover:border-indigo-500 transition"><i class="fa-brands fa-linkedin-in"></i></a>
    <a href="https://twitter.com" target="_blank" class="h-10 w-10 d-flex align-items-center justify-content-center rounded-full bg-slate-900 shadow-sm border border-slate-800 text-slate-300 hover:text-indigo-400 hover:border-indigo-500 transition"><i class="fa-brands fa-twitter"></i></a>
</div>
</div>
<div class="col-lg-5 text-center">
    <div class="relative max-w-sm mx-auto">
        <div class="absolute -inset-2 bg-gradient-to-r from-indigo-500 to-cyan-500 rounded-3xl blur-xl opacity-20 animate-pulse"></div>
        <div class="relative bg-slate-900 p-4 rounded-3xl shadow-2xl border border-slate-800">
```

```
                    <img src="https://placehold.co/400x450/1e293b/ffffff?text=Gokul+V" alt="Gokul V Portrait"
class="img-fluid rounded-2xl w-100 object-cover"
onerror="this.src='https://placehold.co/400x450/1e293b/94a3b8?text=Gokul+V'">
                    <div class="mt-4 text-start p-3 bg-slate-950 rounded-2xl border border-slate-800">
                      <div class="d-flex align-items-center gap-2 mb-1">
                        <span class="h-3 w-3 rounded-full bg-emerald-400 inline-block animate-ping"></span>
                        <span class="text-xs fw-bold text-slate-300 uppercase">Available for
Opportunities</span>
                      </div>
                      <p class="text-xs text-slate-400 m-0">Specialized in Android Development & Secure
Systems.</p>
                    </div>
                  </div>
                </div>
              </div>
            </div>
          </section>
          <section id="about" class="py-24 bg-slate-900/50 border-t border-slate-800">
            <div class="container">
              <div class="text-center max-w-2xl mx-auto mb-16">
                <span class="text-indigo-400 text-sm fw-bold uppercase tracking-wider bg-indigo-950 border border-
indigo-800 px-3 py-1 rounded-full">Background</span>
                <h2 class="display-5 fw-bold text-white mt-3 mb-3">About Me</h2>
                <p class="text-slate-400">Get to know more about my journey, experience, and what drives my
passion for software engineering.</p>
              </div>
              <div class="row align-items-center gy-5">
                <div class="col-lg-6">
                  <div class="bg-slate-900 p-4 p-md-5 rounded-3xl border border-slate-800 shadow-xl">
                    <h3 class="h4 fw-bold text-white mb-3">Who I Am</h3>
                    <p class="text-slate-300 mb-4 leading-relaxed">
```

```
                Hello! I'm <strong class="text-indigo-400">Gokul V</strong>, a dedicated software developer with a strong focus on mobile app engineering and secure backend integration. I enjoy solving complex real-world challenges through elegant software design and efficient code architectures.
            </p>
            <p class="text-slate-400 mb-4 leading-relaxed">
                My core expertise lies in building feature-rich Android apps using Java/Kotlin, integrating real-time databases like Firebase, and exploring peer-to-peer communication technologies such as Wi-Fi Aware.
            </p>
            <div class="d-flex flex-wrap gap-4 text-sm font-semibold text-slate-300">
                <div><i class="fa-solid fa-graduation-cap text-indigo-400 me-2"></i> Computer Science Engineer</div>
                <div><i class="fa-solid fa-location-dot text-indigo-400 me-2"></i> India</div>
            </div>
        </div>
    </div>
    <div class="col-lg-6">
        <div class="row g-4">
            <div class="col-6">
                <div class="p-4 rounded-3xl bg-slate-900 border border-slate-800 text-center h-100">
                    <div class="text-indigo-400 text-3xl font-extrabold mb-2">10+</div>
                    <div class="text-slate-400 text-sm fw-medium">Projects Completed</div>
                </div>
            </div>
            <div class="col-6">
                <div class="p-4 rounded-3xl bg-slate-900 border border-slate-800 text-center h-100">
                    <div class="text-cyan-400 text-3xl font-extrabold mb-2">100%</div>
                    <div class="text-slate-400 text-sm fw-medium">Commitment</div>
                </div>
            </div>
            <div class="col-12">
                <div class="p-4 rounded-3xl bg-slate-900 border border-slate-800">
                    <h4 class="h6 fw-bold text-white mb-3"><i class="fa-solid fa-bullseye text-indigo-400 me-2"></i> Core Objectives</h4>
```

```
                    <ul class="text-slate-400 text-sm space-y-2 m-0 ps-3">
                        <li>Building highly secure, tamper-proof supply chain systems.</li>
                        <li>Developing seamless offline-first P2P data sharing utilities.</li>
                        <li>Continuously learning emerging cloud and mobile technologies.</li>
                    </ul>
                </div>
            </div>
        </div>
    </div>
</section>
<section id="skills" class="py-24 bg-[#0b0f19] border-t border-slate-800">
    <div class="container">
        <div class="text-center max-w-2xl mx-auto mb-16">
            <span class="text-indigo-400 text-sm fw-bold uppercase tracking-wider bg-indigo-950 border border-indigo-800 px-3 py-1 rounded-full">Expertise</span>
            <h2 class="display-5 fw-bold text-white mt-3 mb-3">Technical Proficiency</h2>
            <p class="text-slate-400">A robust technology stack spanning Android mobile development, Firebase cloud services, networking protocols, and modern frontend design.</p>
        </div>
        <div class="row g-4">
            <!-- Skill Category 1 -->
            <div class="col-md-6 col-lg-4">
                <div class="h-100 p-4 rounded-3xl bg-slate-900 border border-slate-800 card-hover shadow-sm">
                    <div class="h-12 w-12 rounded-2xl bg-indigo-950 border border-indigo-800 text-indigo-400 d-flex align-items-center justify-content-center text-xl mb-4">
                        <i class="fa-solid fa-mobile-screen"></i>
                    </div>
                    <h3 class="h5 fw-bold text-white mb-3">Android & Mobile</h3>
                    <p class="text-slate-400 text-sm mb-4">Building native Android applications with robust lifecycle management and intuitive UI layouts.</p>
                    <div class="d-flex flex-wrap gap-2">
```

```
                    <span class="badge bg-slate-950 text-slate-300 border border-slate-800 px-3 py-2 rounded-xl fw-medium">Java / Kotlin</span>
                    <span class="badge bg-slate-950 text-slate-300 border border-slate-800 px-3 py-2 rounded-xl fw-medium">Android SDK</span>
                    <span class="badge bg-slate-950 text-slate-300 border border-slate-800 px-3 py-2 rounded-xl fw-medium">Wi-Fi Aware / NAN</span>
                    <span class="badge bg-slate-950 text-slate-300 border border-slate-800 px-3 py-2 rounded-xl fw-medium">Material UI</span>
                </div>
            </div>
        </div>
        <!-- Skill Category 2 -->
        <div class="col-md-6 col-lg-4">
            <div class="h-100 p-4 rounded-3xl bg-slate-900 border border-slate-800 card-hover shadow-sm">
                <div class="h-12 w-12 rounded-2xl bg-cyan-950 border border-cyan-800 text-cyan-400 d-flex align-items-center justify-content-center text-xl mb-4">
                    <i class="fa-solid fa-cloud-arrow-up"></i>
                </div>
                <h3 class="h5 fw-bold text-white mb-3">Cloud & Databases</h3>
                <p class="text-slate-400 text-sm mb-4">Integrating cloud backends, real-time data sync, and secure authentication pipelines.</p>
                <div class="d-flex flex-wrap gap-2">
                    <span class="badge bg-slate-950 text-slate-300 border border-slate-800 px-3 py-2 rounded-xl fw-medium">Firebase Realtime DB</span>
                    <span class="badge bg-slate-950 text-slate-300 border border-slate-800 px-3 py-2 rounded-xl fw-medium">Firebase Auth</span>
                    <span class="badge bg-slate-950 text-slate-300 border border-slate-800 px-3 py-2 rounded-xl fw-medium">Cloud Firestore</span>
                    <span class="badge bg-slate-950 text-slate-300 border border-slate-800 px-3 py-2 rounded-xl fw-medium">REST APIs</span>
                </div>
            </div>
        </div>
        <!-- Skill Category 3 -->
        <div class="col-md-6 col-lg-4 mx-auto">
```

```
            <div class="h-100 p-4 rounded-3xl bg-slate-900 border border-slate-800 card-hover shadow-sm">
                <div class="h-12 w-12 rounded-2xl bg-indigo-950 border border-indigo-800 text-indigo-400 d-flex align-items-center justify-content-center text-xl mb-4">
                    <i class="fa-solid fa-code"></i>
                </div>
                <h3 class="h5 fw-bold text-white mb-3">Web & Tools</h3>
                <p class="text-slate-400 text-sm mb-4">Creating responsive web interfaces and managing version control effectively.</p>
                <div class="d-flex flex-wrap gap-2">
                    <span class="badge bg-slate-950 text-slate-300 border border-slate-800 px-3 py-2 rounded-xl fw-medium">HTML5 / CSS3</span>
                    <span class="badge bg-slate-950 text-slate-300 border border-slate-800 px-3 py-2 rounded-xl fw-medium">Tailwind CSS / Bootstrap</span>
                    <span class="badge bg-slate-950 text-slate-300 border border-slate-800 px-3 py-2 rounded-xl fw-medium">Git & GitHub</span>
                    <span class="badge bg-slate-950 text-slate-300 border border-slate-800 px-3 py-2 rounded-xl fw-medium">Android Studio</span>
                </div>
            </div>
        </div>
    </div>
</section>
<section id="projects" class="py-24 bg-slate-900/50 border-t border-slate-800">
    <div class="container">
        <div class="text-center max-w-2xl mx-auto mb-16">
            <span class="text-indigo-400 text-sm fw-bold uppercase tracking-wider bg-indigo-950 border border-indigo-800 px-3 py-1 rounded-full">Portfolio</span>
            <h2 class="display-5 fw-bold text-white mt-3 mb-3">Featured Projects</h2>
            <p class="text-slate-400">Highlighted mobile applications showcasing secure product authenticity verification and offline peer-to-peer sharing.</p>
        </div>
        <div class="row g-5">
            <!-- Project 1: ID-Trace -->
```

```
<div class="col-lg-6">
  <div class="h-100 bg-slate-900 rounded-3xl overflow-hidden shadow-xl border border-slate-800 card-hover d-flex flex-column">
    <div class="position-relative overflow-hidden bg-slate-950" style="height: 240px;">
      <img src="https://placehold.co/600x350/0f172a/38bdf8?text=ID-Trace:+Fraud+Detection" alt="ID-Trace Project Preview" class="w-100 h-100 object-cover opacity-85 hover:scale-105 transition duration-500" onerror="this.src='https://placehold.co/600x350/1e293b/ffffff?text=ID-Trace'">
      <span class="position-absolute top-3 end-3 bg-indigo-600 text-white text-xs fw-bold px-3 py-1 rounded-full shadow-md">Android & Firebase</span>
    </div>
    <div class="p-4 p-md-5 d-flex flex-column flex-grow-1">
      <h3 class="h4 fw-bold text-white mb-2">ID-Trace: Fraud Detection</h3>
      <p class="text-slate-300 mb-4 flex-grow-1">
        A Firebase-integrated Android application engineered for verifying product authenticity in complex supply chains. Protects consumers and brands against counterfeit goods through secure cryptographic tracking and real-time database validation.
      </p>
      <div class="mb-4 d-flex flex-wrap gap-2">
        <span class="badge bg-indigo-950 text-indigo-300 border border-indigo-800 px-3 py-1 rounded-lg">Android SDK</span>
        <span class="badge bg-indigo-950 text-indigo-300 border border-indigo-800 px-3 py-1 rounded-lg">Firebase Realtime DB</span>
        <span class="badge bg-indigo-950 text-indigo-300 border border-indigo-800 px-3 py-1 rounded-lg">Firebase Auth</span>
        <span class="badge bg-indigo-950 text-indigo-300 border border-indigo-800 px-3 py-1 rounded-lg">Java / Kotlin</span>
      </div>
      <div class="d-flex align-items-center gap-3 pt-3 border-t border-slate-800">
        <a href="https://github.com" target="_blank" class="btn btn-dark text-white rounded-xl px-4 py-2 text-sm fw-semibold d-inline-flex align-items-center gap-2 border border-slate-700">
          <i class="fa-brands fa-github"></i> Source Code
        </a>
        <a href="#contact" class="btn btn-outline-light rounded-xl px-4 py-2 text-sm fw-semibold hover:bg-slate-800 d-inline-flex align-items-center gap-2 border-slate-700">
          <i class="fa-solid fa-eye"></i> Learn More
```

```
                    </a>
                </div>
            </div>
        </div>
    </div>
    <!-- Project 2: ZeroNet -->
    <div class="col-lg-6">
        <div class="h-100 bg-slate-900 rounded-3xl overflow-hidden shadow-xl border border-slate-800 card-hover d-flex flex-column">
            <div class="position-relative overflow-hidden bg-slate-950" style="height: 240px;">
                <img src="https://placehold.co/600x350/0f172a/06b6d4?text=ZeroNet:+Offline+Sharing" alt="ZeroNet Project Preview" class="w-100 h-100 object-cover opacity-85 hover:scale-105 transition duration-500" onerror="this.src='https://placehold.co/600x350/06b6d4/ffffff?text=ZeroNet'">
                <span class="position-absolute top-3 end-3 bg-cyan-600 text-white text-xs fw-bold px-3 py-1 rounded-full shadow-md">Android P2P</span>
            </div>
            <div class="p-4 p-md-5 d-flex flex-column flex-grow-1">
                <h3 class="h4 fw-bold text-white mb-2">ZeroNet: Offline File Sharing</h3>
                <p class="text-slate-300 mb-4 flex-grow-1">
                    An Android application enabling high-speed offline file sharing and peer-to-peer communication via Wi-Fi Aware (Neighbor Awareness Networking - NAN). Operates entirely without internet connectivity or cellular routers.
                </p>
                <div class="mb-4 d-flex flex-wrap gap-2">
                    <span class="badge bg-cyan-950 text-cyan-300 border border-cyan-800 px-3 py-1 rounded-lg">Android Wi-Fi Aware</span>
                    <span class="badge bg-cyan-950 text-cyan-300 border border-cyan-800 px-3 py-1 rounded-lg">NAN Protocol</span>
                    <span class="badge bg-cyan-950 text-cyan-300 border border-cyan-800 px-3 py-1 rounded-lg">P2P Sockets</span>
                    <span class="badge bg-cyan-950 text-cyan-300 border border-cyan-800 px-3 py-1 rounded-lg">Kotlin</span>
                </div>
                <div class="d-flex align-items-center gap-3 pt-3 border-t border-slate-800">
```

```
                    <a href="https://github.com" target="_blank" class="btn btn-dark text-white rounded-xl px-4 py-2 text-sm fw-semibold d-inline-flex align-items-center gap-2 border border-slate-700">
                        <i class="fa-brands fa-github"></i> Source Code
                    </a>
                    <a href="#contact" class="btn btn-outline-light rounded-xl px-4 py-2 text-sm fw-semibold hover:bg-slate-800 d-inline-flex align-items-center gap-2 border-slate-700">
                        <i class="fa-solid fa-eye"></i> Learn More
                    </a>
                </div>
            </div>
        </div>
    </div>
</section>
<section id="contact" class="py-24 bg-[#0b0f19] border-t border-slate-800">
    <div class="container">
        <div class="text-center max-w-2xl mx-auto mb-16">
            <span class="text-indigo-400 text-sm fw-bold uppercase tracking-wider bg-indigo-950 border border-indigo-800 px-3 py-1 rounded-full">Contact</span>
            <h2 class="display-5 fw-bold text-white mt-3 mb-3">Let's Build Something Great</h2>
            <p class="text-slate-400">Have a question about ID-Trace, ZeroNet, or want to discuss project collaborations? Drop me a message below.</p>
        </div>
        <div class="row justify-content-center">
            <div class="col-lg-8">
                <div class="bg-slate-900 border border-slate-800 p-4 p-md-5 rounded-3xl shadow-xl">
                    <!-- Custom feedback box -->
                    <div id="formFeedback" class="hidden mb-4 p-4 rounded-2xl bg-emerald-950 border border-emerald-800 text-emerald-300 text-sm fw-medium flex items-center gap-3">
                        <i class="fa-solid fa-circle-check text-emerald-400 text-lg"></i>
                        <span id="feedbackText">Thank you! Your message has been sent successfully.</span>
                    </div>
```

```
<form id="contactForm" onsubmit="handleFormSubmit(event)">
  <div class="row g-4">
    <div class="col-md-6">
      <label for="name" class="form-label fw-semibold text-slate-300 text-sm">Your Name</label>
      <input type="text" class="form-control bg-slate-950 text-white rounded-xl py-3 border-slate-800 focus:border-indigo-500 focus:ring-2 focus:ring-indigo-950" id="name" placeholder="John Doe" required>
    </div>
    <div class="col-md-6">
      <label for="email" class="form-label fw-semibold text-slate-300 text-sm">Your Email</label>
      <input type="email" class="form-control bg-slate-950 text-white rounded-xl py-3 border-slate-800 focus:border-indigo-500 focus:ring-2 focus:ring-indigo-950" id="email" placeholder="john@example.com" required>
    </div>
    <div class="col-12">
      <label for="subject" class="form-label fw-semibold text-slate-300 text-sm">Subject</label>
      <input type="text" class="form-control bg-slate-950 text-white rounded-xl py-3 border-slate-800 focus:border-indigo-500 focus:ring-2 focus:ring-indigo-950" id="subject" placeholder="Project Collaboration / Inquiry" required>
    </div>
    <div class="col-12">
      <label for="message" class="form-label fw-semibold text-slate-300 text-sm">Message</label>
      <textarea class="form-control bg-slate-950 text-white rounded-xl py-3 border-slate-800 focus:border-indigo-500 focus:ring-2 focus:ring-indigo-950" id="message" rows="5" placeholder="Tell me about your project or inquiry..." required></textarea>
    </div>
    <div class="col-12 text-center mt-4">
      <button type="submit" class="btn btn-lg bg-indigo-600 hover:bg-indigo-500 text-white w-100 py-3 rounded-xl shadow-lg transition fw-semibold">
        Send Message <i class="fa-solid fa-paper-plane ms-2"></i>
      </button>
    </div>
```

```
                    </div>
                </form>
            </div>
        </div>
    </div>
</section>
<footer class="bg-slate-950 text-white py-12 border-t border-slate-800">
    <div class="container text-center">
        <a class="navbar-brand fw-bold text-xl text-white d-inline-flex items-center gap-2 mb-4" href="#home">
            <span class="bg-indigo-600/20 text-indigo-400 border border-indigo-500/30 p-2 rounded-xl shadow-md"><i class="fa-solid fa-code"></i></span>
            Gokul V
        </a>
        <p class="text-slate-400 text-sm max-w-md mx-auto mb-6">
            Android & Full-Stack Developer. Building reliable mobile platforms and secure decentralized tools.
        </p>
        <div class="d-flex justify-content-center gap-3 mb-6 text-slate-400">
            <a href="https://github.com" target="_blank" class="h-10 w-10 d-flex align-items-center justify-content-center rounded-full bg-slate-900 hover:bg-indigo-600 hover:text-white border border-slate-800 transition"><i class="fa-brands fa-github"></i></a>
            <a href="https://linkedin.com" target="_blank" class="h-10 w-10 d-flex align-items-center justify-content-center rounded-full bg-slate-900 hover:bg-indigo-600 hover:text-white border border-slate-800 transition"><i class="fa-brands fa-linkedin-in"></i></a>
            <a href="https://twitter.com" target="_blank" class="h-10 w-10 d-flex align-items-center justify-content-center rounded-full bg-slate-900 hover:bg-indigo-600 hover:text-white border border-slate-800 transition"><i class="fa-brands fa-twitter"></i></a>
        </div>
        <p class="text-slate-500 text-xs m-0">&copy; 2026 Gokul V. All rights reserved. Built with HTML, Tailwind CSS & Bootstrap.</p>
    </div>
</footer>
<!-- Bootstrap JS Bundle -->
```

```
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>
    <script>
        function handleFormSubmit(event) {
            event.preventDefault();
            const name = document.getElementById('name').value;
            const feedbackBox = document.getElementById('formFeedback');
            const feedbackText = document.getElementById('feedbackText');
            feedbackText.textContent = `Thank you, ${name}! Your message has been sent successfully. I will get back to you soon.`;
            feedbackBox.classList.remove('hidden');
            document.getElementById('contactForm').reset();
            setTimeout(() => {
                feedbackBox.classList.add('hidden');
            }, 6000);
        }
    </script>
</body>
</html>
```

File 2: styles.css

```
@import url('https://fonts.googleapis.com/css2?family=Inter:wght@300;400;500;600;700;800&display=swap');
body {
    font-family: 'Inter', sans-serif;
    background-color: #0b0f19;
    color: #e2e8f0;
}
.card-hover {
    transition: transform 0.3s ease, box-shadow 0.3s ease;
}
.card-hover:hover {
    transform: translateY(-6px);
```

```
  box-shadow: 0 20px 25px -5px rgb(0 0% 0% / 0.3), 0 8px 10px -6px rgb(0 0% 0% / 0.3);
}
```

4) Git & Deployment Commands Used:

The project was uploaded and deployed to GitHub Pages using the following commands:

```
# 1. Initialize Git repository
git init
# 2. Add files to staging
git add .
# 3. Commit changes
git commit -m "Initial commit - Portfolio deployment"
# 4. Set main branch
git branch -M main
# 5. Link local repo to remote GitHub repository
git remote add origin https://github.com/ GV-07/Responsive-Portfolio-Website/.git
# 6. Push code to GitHub
git push -u origin main
```

5) Deployment Steps (GitHub Pages):

Repository Configuration: Created a public repository on GitHub.

File Upload: Pushed index.html and styles.css to the main branch root directory.

Pages Settings:

Navigated to Settings > Pages.

Selected Deploy from a branch.

Set Branch to main / / (root).

Site Verification: Confirmed successful deployment via the live GitHub Pages domain.


6) Project Links:

GitHub Repository Link: https://github.com/GV-07/Responsive-Portfolio-Website


Hosted Live Website Link: https://gv-07.github.io/Responsive-Portfolio-Website/

7) Visual Screenshots:


GitHub Repository Code Upload:




GitHub Pages Live Deployment Settings:



Live Portfolio Preview:





Gokul V

EXPERTISE

Technical Proficiency

A robust technology stack spanning Android mobile development, Firebase cloud services, networking protocols, and modern frontend design.

Android & Mobile

Building native Android applications with robust lifecycle management and intuitive UI layouts.

- Java / Kotlin
- Android SDK
- Wi-Fi Aware / NAN
- Material UI

Cloud & Databases

Integrating cloud backends, real-time data sync, and secure authentication pipelines.

- Firebase Realtime DB
- Firebase Auth
- Cloud Firestore
- REST APIs

Web & Tools

Creating responsive web interfaces and managing version control effectively.

- HTML5 / CSS3
- Tailwind CSS / Bootstrap
- Git & GitHub
- Android Studio

Gokul V

PORTFOLIO

Featured Projects

Highlighted mobile applications showcasing secure product authenticity verification and offline peer-to-peer sharing.

Android & Firebase

ID-Trace: Fraud Detection

ID-Trace: Fraud Detection

A Firebase-integrated Android application engineered for verifying product authenticity in complex supply chains. Protects consumers and brands against counterfeit goods through secure cryptographic tracking and real-time database validation.

- Android SDK
- Firebase Realtime DB
- Firebase Auth
- Java / Kotlin

Source Code | Learn More

Android P2P


ZeroNet: Offline Sharing

ZeroNet: Offline File Sharing

An Android application enabling high-speed offline file sharing and peer-to-peer communication via Wi-Fi Aware (Neighbor Awareness Networking - NAN). Operates entirely without internet connectivity or cellular routers.

- Android Wi-Fi Aware
- NAN Protocol
- P2P Sockets
- Kotlin

Source Code | Learn More


Gokul V
CONTACT
Let's Build Something Great
Have a question about ID-Trace, ZeroNet, or want to discuss project collaborations? Drop me a message below.
Your Name
Your Email
Subject
Message
Send Message
Gokul V
Android & Full-Stack Developer. Building reliable mobile platforms and secure decentralized tools.