

Task Documentation: UI Clone Challenge (Spotify Web Player)

Student Name: Gokul V

Date: October 7, 2026

1) Project Goal:

The goal of this task is to replicate the modern, dark-themed user interface (UI) of the Spotify Web Player using standard Web Technologies (HTML5, Tailwind CSS, and JavaScript). The application replicates Spotify's desktop web browser layout, custom scrollbar behaviors, album grid cards, and an interactive bottom audio player toolbar.

2) Key Features:

- ➔ **Sidebar & Library Panel:** Fixed-width sidebar featuring quick navigation links (Home, Search) and an interactive "Your Library" section with custom styled dark scrollbars.
- ➔ **Top Sticky Navbar:** Top navigation bar with page history controls, call-to-action buttons (Explore Premium, Install App), and user profile icons.
- ➔ **Grid View & Hover Cards:** Responsive track grid featuring album artwork, descriptions, and a floating green play button that smoothly appears on hover.
- ➔ **Interactive Audio Controller:** Bottom media controller bar that updates the active song title, album cover, and artist in real time when a card is clicked. Includes interactive play/pause controls, progress bar simulation, and volume sliders.

3) Project File Structure:

```
spotify-clone/  
├── index.html  # Main layout structure, sidebar, top navbar, card grid, and bottom player  
├── styles.css  # Custom webkit scrollbars, hover transitions, and dark UI overrides  
└── script.js   # Interactive play/pause controller, progress bar timer, and track switcher
```

4) Code Implementation:

File 1: index.html

```
<!DOCTYPE html>  
  
<html lang="en">  
  
<head>  
  
  <meta charset="UTF-8">  
  
  <meta name="viewport" content="width=device-width, initial-scale=1.0">  
  
  <title>Spotify – Web Player: Music for everyone</title>
```

```
<!-- Tailwind CSS CDN -->

<script src="https://cdn.tailwindcss.com"></script>

<!-- Font Awesome Icons -->

<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/font-awesome@6.4.0/css/all.min.css">

<!-- Custom CSS -->

<link rel="stylesheet" href="styles.css">

</head>

<body class="bg-black text-white h-screen flex flex-col overflow-hidden font-sans select-none">

  <!-- MAIN CONTAINER -->

  <div class="flex flex-1 overflow-hidden p-2 gap-2">

    <!-- LEFT SIDEBAR -->

    <aside class="w-64 bg-[#121212] rounded-lg flex flex-col gap-2 shrink-0">

      <!-- Top Navigation Card -->

      <div class="bg-[#121212] rounded-lg p-4 space-y-4">

        <a href="#" class="flex items-center gap-4 text-white font-bold text-sm hover:text-white transition">

          <i class="fa-solid fa-house text-xl"></i> Home

        </a>

        <a href="#" class="flex items-center gap-4 text-gray-400 font-bold text-sm hover:text-white transition">

          <i class="fa-solid fa-magnifying-glass text-xl"></i> Search

        </a>

      </div>

      <!-- Library Card -->

      <div class="bg-[#121212] rounded-lg p-4 flex-1 flex flex-col overflow-hidden">

        <div class="flex items-center justify-between text-gray-400 hover:text-white mb-4 transition">

          <button class="flex items-center gap-2 font-bold text-sm">

            <i class="fa-solid fa-book-bookmark text-xl"></i> Your Library

          </button>

          <button class="hover:bg-[#282828] p-2 rounded-full transition">

            <i class="fa-solid fa-plus"></i>

          </button>

        </div>

      </div>

    </aside>

  </div>

</body>
```

</button>

</div>

<!-- Library Playlists Scroll Container -->

<div class="flex-1 overflow-y-auto space-y-2 pr-1 custom-scrollbar">

<div class="bg-[#242424] p-4 rounded-lg space-y-2">

<p class="font-bold text-sm">Create your first playlist</p>

<p class="text-xs text-gray-300">It's easy, we'll help you</p>

<button class="bg-white text-black font-bold text-xs px-4 py-2 rounded-full hover:scale-105 transition">Create playlist</button>

</div>

<div class="bg-[#242424] p-4 rounded-lg space-y-2">

<p class="font-bold text-sm">Let's find some podcasts to follow</p>

<p class="text-xs text-gray-300">We'll keep you updated on new episodes</p>

<button class="bg-white text-black font-bold text-xs px-4 py-2 rounded-full hover:scale-105 transition">Browse podcasts</button>

</div>

</div>

</div>

</aside>

<!-- CENTER MAIN CONTENT AREA -->

<main class="flex-1 bg-gradient-to-b from-[#1e1e2e] via-[#121212] to-[#121212] rounded-lg overflow-y-auto custom-scrollbar relative">

<!-- Sticky Header -->

<header class="sticky top-0 z-20 bg-[#101014]/80 backdrop-blur-md px-6 py-4 flex items-center justify-between">

<div class="flex items-center gap-2">

<button class="w-8 h-8 rounded-full bg-black/70 flex items-center justify-center text-gray-400 hover:text-white">

<i class="fa-solid fa-chevron-left"></i>

</button>

<button class="w-8 h-8 rounded-full bg-black/70 flex items-center justify-center text-gray-400 hover:text-white">

```

        <i class="fa-solid fa-chevron-right"></i>

    </button>

</div>

<div class="flex items-center gap-4">

    <button class="bg-white text-black font-bold text-xs px-4 py-2 rounded-full hover:scale-105 transition">Explore Premium</button>

    <button class="bg-black/70 text-white font-bold text-xs px-3 py-2 rounded-full hover:scale-105 transition flex items-center gap-2">

        <i class="fa-regular fa-circle-down"></i> Install App

    </button>

    <button class="w-8 h-8 rounded-full bg-black flex items-center justify-center text-white hover:scale-105 transition">

        <i class="fa-regular fa-user"></i>

    </button>

</div>

</header>

<!-- Main Content Container -->

<div class="p-6 space-y-8">

    <!-- Category Section: Recently Played -->

    <section>

        <h2 class="text-2xl font-bold text-white mb-4 hover:underline cursor-pointer">Recently Played</h2>

        <div class="grid grid-cols-2 sm:grid-cols-3 md:grid-cols-4 lg:grid-cols-5 gap-4">

            <!-- Track Card 1 -->

            <div class="playlist-card bg-[#181818] hover:bg-[#282828] p-4 rounded-md transition duration-300 group cursor-pointer relative">

                <div class="relative mb-4">

                    <button class="play-btn absolute bottom-2 right-2 w-12 h-12 bg-green-500 rounded-full flex items-center justify-center text-black text-xl shadow-xl opacity-0 translate-y-2 group-hover:opacity-100 group-hover:translate-y-0 transition duration-300 hover:scale-105">

```

```
<i class="fa-solid fa-play ml-1"></i>

</button>

</div>

<h3 class="font-bold text-sm text-white truncate">Today's Top Hits</h3>

<p class="text-xs text-gray-400 mt-1 line-clamp-2">Jung Kook is on top of the Hottest
50!</p>

</div>

<!-- Track Card 2 -->

<div class="playlist-card bg-[#181818] hover:bg-[#282828] p-4 rounded-md transition duration-
300 group cursor-pointer relative">

  <div class="relative mb-4">

    <button class="play-btn absolute bottom-2 right-2 w-12 h-12 bg-green-500 rounded-full
flex items-center justify-center text-black text-xl shadow-xl opacity-0 translate-y-2 group-hover:opacity-100
group-hover:translate-y-0 transition duration-300 hover:scale-105">

      <i class="fa-solid fa-play ml-1"></i>

    </button>

  </div>

  <h3 class="font-bold text-sm text-white truncate">Deep Focus</h3>

  <p class="text-xs text-gray-400 mt-1 line-clamp-2">Keep calm and focus with ambient study
beats.</p>

</div>

<!-- Track Card 3 -->

<div class="playlist-card bg-[#181818] hover:bg-[#282828] p-4 rounded-md transition duration-
300 group cursor-pointer relative">

  <div class="relative mb-4">

    <button class="play-btn absolute bottom-2 right-2 w-12 h-12 bg-green-500 rounded-full
flex items-center justify-center text-black text-xl shadow-xl opacity-0 translate-y-2 group-hover:opacity-100
group-hover:translate-y-0 transition duration-300 hover:scale-105">

      <i class="fa-solid fa-play ml-1"></i>
```

</button>

</div>

<h3 class="font-bold text-sm text-white truncate">Chill Lounge</h3>

<p class="text-xs text-gray-400 mt-1 line-clamp-2">Soft electronic rhythms and smooth vocals.</p>

</div>

<!-- Track Card 4 -->

<div class="playlist-card bg-[#181818] hover:bg-[#282828] p-4 rounded-md transition duration-300 group cursor-pointer relative">

<div class="relative mb-4">

<button class="play-btn absolute bottom-2 right-2 w-12 h-12 bg-green-500 rounded-full flex items-center justify-center text-black text-xl shadow-xl opacity-0 translate-y-2 group-hover:opacity-100 group-hover:translate-y-0 transition duration-300 hover:scale-105">

<i class="fa-solid fa-play ml-1"></i>

</button>

</div>

<h3 class="font-bold text-sm text-white truncate">Rock Classics</h3>

<p class="text-xs text-gray-400 mt-1 line-clamp-2">Rock legends and timeless classic tracks.</p>

</div>

<!-- Track Card 5 -->

<div class="playlist-card bg-[#181818] hover:bg-[#282828] p-4 rounded-md transition duration-300 group cursor-pointer relative hidden lg:block">

<div class="relative mb-4">

<button class="play-btn absolute bottom-2 right-2 w-12 h-12 bg-green-500 rounded-full flex items-center justify-center text-black text-xl shadow-xl opacity-0 translate-y-2 group-hover:opacity-100 group-hover:translate-y-0 transition duration-300 hover:scale-105">

<i class="fa-solid fa-play ml-1"></i>

</button>

```
        </div>

        <h3 class="font-bold text-sm text-white truncate">Acoustic Hits</h3>

        <p class="text-xs text-gray-400 mt-1 line-clamp-2">Stripped-back acoustic covers and
originals.</p>

    </div>

</div>

</section>

</div>

</main>

</div>

<!-- BOTTOM MUSIC PLAYER BAR -->

<footer class="h-20 bg-black border-t border-[#282828] px-4 flex items-center justify-between z-30">

    <!-- Currently Playing Track Info -->

    <div class="flex items-center gap-3 w-1/4">

        <div class="truncate">

            <div id="player-title" class="text-sm font-semibold text-white hover:underline cursor-pointer
truncate">Today's Top Hits</div>

            <div id="player-artist" class="text-xs text-gray-400 hover:underline cursor-pointer truncate">Various
Artists</div>

        </div>

        <button class="text-gray-400 hover:text-green-500 transition ml-2">

            <i class="fa-regular fa-heart"></i>

        </button>

    </div>

    <!-- Center Player Controls & Progress Bar -->

    <div class="flex flex-col items-center gap-1.5 w-2/4 max-w-xl">

        <div class="flex items-center gap-6 text-gray-400">

            <button class="hover:text-white transition text-xs"><i class="fa-solid fa-shuffle"></i></button>
```

```
<button class="hover:text-white transition text-sm"><i class="fa-solid fa-backward-  
step"></i></button>
```

```
<button id="main-play-btn" class="w-8 h-8 rounded-full bg-white text-black flex items-center  
justify-center hover:scale-105 transition">
```

```
<i class="fa-solid fa-play ml-0.5"></i>
```

```
</button>
```

```
<button class="hover:text-white transition text-sm"><i class="fa-solid fa-forward-  
step"></i></button>
```

```
<button class="hover:text-white transition text-xs"><i class="fa-solid fa-repeat"></i></button>
```

```
</div>
```

```
<div class="flex items-center gap-2 w-full text-xs text-gray-400">
```

```
<span id="current-time">0:00</span>
```

```
<div class="flex-1 h-1 bg-[#4d4d4d] rounded-full overflow-hidden relative group cursor-pointer">
```

```
<div id="progress-bar" class="h-full bg-white group-hover:bg-green-500 w-1/3 transition-  
all"></div>
```

```
</div>
```

```
<span>3:45</span>
```

```
</div>
```

```
</div>
```

```
<!-- Right Volume & Utility Icons -->
```

```
<div class="flex items-center justify-end gap-3 w-1/4 text-gray-400">
```

```
<button class="hover:text-white transition"><i class="fa-solid fa-microphone text-xs"></i></button>
```

```
<button class="hover:text-white transition"><i class="fa-solid fa-bars text-xs"></i></button>
```

```
<button class="hover:text-white transition"><i class="fa-solid fa-laptop text-xs"></i></button>
```

```
<div class="flex items-center gap-2 w-24">
```

```
<i class="fa-solid fa-volume-high text-xs"></i>
```

```
<div class="flex-1 h-1 bg-[#4d4d4d] rounded-full overflow-hidden relative group cursor-pointer">
```

```
<div class="h-full bg-white group-hover:bg-green-500 w-2/3"></div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</footer>

<!-- Script File -->

<script src="script.js" defer></script>

</body>

</html>
```

File 2: styles.css

```
@import
url('https://fonts.googleapis.com/css2?family=Inter:wght@300;400;500;600;700;800&display=swap');

body {

    font-family: 'Inter', -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, sans-serif;

}

/* Custom Scrollbar */

.custom-scrollbar::-webkit-scrollbar {

    width: 8px;

}

.custom-scrollbar::-webkit-scrollbar-track {

    background: transparent;

}

.custom-scrollbar::-webkit-scrollbar-thumb {

    background: rgba(255, 255, 255, 0.2);

    border-radius: 4px;

}

.custom-scrollbar::-webkit-scrollbar-thumb:hover {

    background: rgba(255, 255, 255, 0.4);

}
```

File 3: script.js

```
document.addEventListener("DOMContentLoaded", () => {
```

```
const mainPlayBtn = document.getElementById("main-play-btn");
const playIcon = mainPlayBtn.querySelector("i");
const playlistCards = document.querySelectorAll(".playlist-card");
const playerCover = document.getElementById("player-cover");
const playerTitle = document.getElementById("player-title");
const playerArtist = document.getElementById("player-artist");
const progressBar = document.getElementById("progress-bar");
const currentTimeText = document.getElementById("current-time");

let isPlaying = false;

let progressInterval = null;

let currentSeconds = 0;

// Toggle Play/Pause State
function togglePlay() {
  isPlaying = !isPlaying;

  if (isPlaying) {
    playIcon.classList.remove("fa-play", "ml-0.5");
    playIcon.classList.add("fa-pause");
    startProgress();
  } else {
    playIcon.classList.remove("fa-pause");
    playIcon.classList.add("fa-play", "ml-0.5");
    clearInterval(progressInterval);
  }
}

// Progress Bar Simulation
function startProgress() {
  clearInterval(progressInterval);

  progressInterval = setInterval(() => {
    if (currentSeconds >= 225) { // 3:45 total duration
```

```

        currentSeconds = 0;

    } else {

        currentSeconds++;

    }

    const percent = (currentSeconds / 225) * 100;

    progressBar.style.width = `${percent}%`;

    const mins = Math.floor(currentSeconds / 60);

    const secs = currentSeconds % 60;

    currentTimeText.textContent = `${mins}:${secs < 10 ? "0" : ""}${secs}`;

    }, 1000);

}

// Main Play Button Listener

mainPlayBtn.addEventListener("click", togglePlay);

// Card Selection Listener

playlistCards.forEach((card) => {

    card.addEventListener("click", () => {

        const title = card.querySelector("h3").textContent;

        const artist = card.querySelector("p").textContent;

        const imgSrc = card.querySelector("img").src;

        playerTitle.textContent = title;

        playerArtist.textContent = artist;

        playerCover.src = imgSrc;

        currentSeconds = 0;

        if (!isPlaying) togglePlay();

        else startProgress();

    });

});

});

```

5) Deployment Steps (GitHub Pages):

Repository Configuration: Created a public repository on GitHub.

File Upload: Pushed index.html and styles.css to the main branch root directory.

Pages Settings:

Navigated to Settings > Pages.

Selected Deploy from a branch.

Set Branch to main / / (root).

Site Verification: Confirmed successful deployment via the live GitHub Pages domain.


6) Project Links:

GitHub Repository Link: <https://github.com/GV-07/UI-Clone-Challenge-Spotify-Web-Player->


Hosted Live Website Link: <https://gv-07.github.io/UI-Clone-Challenge-Spotify-Web-Player/>

7) Visual Screenshots:

GitHub Repository Code Upload:



GitHub Pages Live Deployment Settings:



Live Portfolio Preview:

