


## Prompt Engineering




### What is Prompt Engineering?

Prompt Engineering is the practice of designing and refining input prompts to effectively interact with Large Language Models (LLMs). It ensures that the model understands the intent and provides the most relevant and accurate response.

### Why Learn Prompt Engineering?

- **Optimized Responses:** Crafting better prompts helps in obtaining precise and useful answers from AI models.
- **Improves AI Performance:** Helps models perform tasks more effectively without needing fine-tuning.
- **Bridges Communication Gaps:** Enhances interaction between humans and AI models.
- **Essential Skill for AI Applications:** Useful for automation, content generation, and problem-solving.



### Where is Prompt Engineering Used?

- **Chatbots & Virtual Assistants:** Improving customer support automation.
- **Content Generation:** Writing blogs, summaries, and creative content.
- **Programming Assistance:** AI-powered coding tools like GitHub Copilot.
- **Data Analysis:** Extracting insights from structured and unstructured data.
- **Education & Research:** Assisting in academic and scientific applications.

## STEPS INVOLVED IN PROMPT ENGINEERING



**STEP 01**  
Defining the Task



**STEP 02**  
Identifying the  
Inputs



**STEP 03**  
Creating Detailed  
Prompts



**STEP 04**  
Refining the  
Prompts

### When to Use Prompt Engineering?

- When interacting with AI models for **precise and structured responses**.

- When optimizing LLM outputs **without modifying model architecture**.
- When developing **custom AI applications** for various domains.
- When automating workflows **using AI-based assistants**.

## **Step 1**

### **Defining Your Objective in Prompt Engineering**

#### **Establishing the Project's Purpose**

Identify how the **AI** should function (e.g., content creation, summarization, or answering queries) while ensuring it aligns with the model's capabilities.

#### **Envisioning the Desired Output**

Clearly define what the **AI** should generate. If conversational responses are needed, prompts must guide the model accordingly.

#### **Setting Feasible Objectives**

Ensure goals match the **AI** model's strengths and limitations, adapting prompts for optimal results.

#### **Establishing Measurable Metrics**

Track prompt effectiveness using relevance, accuracy, or engagement as performance indicators.


#### **Documenting Objectives**

Maintain records to clarify goals, refine prompts, and align stakeholder expectations.

## **Step 2**

### **Crafting Effective Instructions or Queries**

## Prompt Engineering Process



- Once you have identified your objective, the next step in the Prompt Engineering process is to craft effective instructions or queries to guide the technology.

### Recognizing the Language Model's Capacity and Limitations


- Crafting effective instructions or queries begins with understanding the underlying language model thoroughly.
- Comprehending its strengths and limitations will play a crucial role in how you frame your prompts, ensuring they guide the AI to produce the desired output optimally.

### Creating Clear and Specific Queries

- For efficient prompt engineering, queries need to be clear and as specific as possible. Vagueness may lead to inaccurate or irrelevant responses from the model.
- The better the clarity of your instructions, the more precise and useful the generated text will likely be.

### Iteratively Refining Your Prompts

## Iteratively Refining Your Prompts



### Refining AI Prompts for Better Responses

After crafting a prompt, it's important to refine it by testing, analyzing the output, and making necessary tweaks for improvement.

#### Use Precise Vocabulary and Syntax

Choosing the right words and structure helps the AI interpret prompts accurately. Clear and specific language leads to more relevant and high-quality responses.

### Step 3

## Providing Context and Examples in the Context of Prompt Engineering

### ChatGPT Prompt Formula

- Context
- Task
- Instruction
- Clarify
- Refine

Ignore the previous prompts in this conversation. You are an experienced content writer with high levels of expertise and authority within the tech industry. Your task is to write content that will be published online on websites, social media, email newsletters, and in advertisements. Your writing style is informative, friendly and engaging while incorporating humor and real-life examples. I will provide you with a topic or series of topics and you will come up with an engaging article outline for this topic. Do you understand?

Rewrite using more natural, expressive language and include some examples to accompany this information

ChatGPT for Gmail

### Enhancing AI Prompts with Context & Examples

Providing context improves AI responses by guiding its understanding. Whether drafting a story or asking a question, adding background details helps refine the output.

### Crafting Detailed Prompts


Well-structured prompts with clear expectations yield better results. If you need a brief answer, specify the length in your command.

### Using Examples

Including examples in your prompt helps AI generate more relevant and accurate responses.



## Incorporating Examples within Prompts



### Using Examples to Guide AI

Including examples in prompts clarifies expectations and improves response accuracy, especially for complex queries.

### Testing & Refining Prompts

Testing contextual prompts helps ensure AI interprets them correctly. If needed, refine the wording or examples based on the AI's responses to improve results.

### Step 4

### Iterating and Fine-Tuning in the Context of Prompt Engineering

## How to Write AI Prompts

### 1. Context

### 2. Task

### 3. Instructions

### 4. Clarify & Refine

"You are a yoga instructor writing for a wellness magazine. Write an article about meditation. The goal is to educate readers about the benefits of meditation for stress relief and sleep quality. End the article by listing some practical tips for beginners who want to start. Keep the tone approachable and friendly. Aim for a minimum of 800 words. Do you understand?"

## Fine-Tuning AI Prompts

**Monitor AI Responses** – Analyze outputs to ensure alignment with expectations and identify areas for improvement.

**Gradual Adjustments** – Refine vocabulary, syntax, or context to enhance results.

**Systematic Iteration** – Test, evaluate, and modify prompts to optimize AI performance.


**Explore Alternatives** – Try different wording or structures for better insights.

**Ensure Consistency** – Check that the prompt consistently generates reliable responses.

## Step 5

## Evaluating and Measuring Success in the Context of Prompt Engineering






## How Prompt Engineering Works

- LLM Model Setting**
  - Understanding the configurations and settings required to optimize LLM performance.
- Prompt Elements**
  - Includes context, instructions, examples, and output format.
- Prompt Engineering Techniques (SHOT)**


# POWER OF PROMPT ENGINEERING



- **Zero-shot Prompting:** Asking the model a question without prior examples.
- **One-shot Prompting:** Providing one example before the question.
- **Few-shot Prompting:** Giving multiple examples to improve response quality.

## 4. Chain of Thoughts (CoT) Prompting

# Chain-of-Thought Prompting (CoT)




[www.cobusgreyling.com](http://www.cobusgreyling.com)

- Breaking complex tasks into step-by-step reasoning chains.

## 5. Self-Consistency in Prompt Engineering

WHAT ARE SOME EXAMPLES OF SELF-CONSISTENCY PROMPTING?



 Digital Adoption


- Encouraging diverse answers and choosing the most common response for reliability.

## 6. Out-of-Date Learning in Prompt Engineering

- Handling outdated knowledge by integrating external data sources.

## 7. Role Playing in Prompt Engineering

## Role Prompting




Learn Prompting

- Assigning roles to AI to improve task-specific responses (e.g., "Act as a teacher").

### 8. RAG in Prompt Engineering (Multimodal RAG & Graph RAG)

#### Retrieval Augmented Generation (RAG) LLM Prompt Cycle

- User initiates a session with an initial prompt
- system perform search on vector database based on semantic similarity and outputs context
- The context is added to original user prompt
- Expanded prompt goes into the LLM's Context Window
- The LLM uses the prompt to generate output
- The output is automatically added to the context window along with additional prompts



- **Retrieval-Augmented Generation (RAG):** Combining retrieval and generation to enhance responses.
- **Multimodal RAG:** Using multiple data sources (text, images, audio) for better responses.
- **Graph RAG:** Structuring knowledge retrieval using graph-based relationships.

### 9. ReAct in Prompt Engineering

- **Reasoning + Acting (ReAct):** Combining reasoning and task execution in LLMs.

## 10. DSP (Dynamic Structured Prompting)

- Adapting prompts dynamically based on user interactions and context.

### Advantages of Prompt Engineering

- ✓ **Enhances AI capabilities** without modifying the underlying model.
- ✓ **Reduces computational cost** by improving model efficiency.
- ✓ **Improves accuracy** and minimizes biased or incorrect responses.
- ✓ **Customizes AI behavior** for specific tasks.
- ✓ **Reduces reliance on extensive training data** by optimizing input prompts.

### Disadvantages of Prompt Engineering

- ✗ **Trial-and-error process:** Requires testing multiple prompts for the best result.
- ✗ **Model dependency:** Output quality depends on the AI model used.
- ✗ **Context limitations:** AI models may forget context over long interactions.

| Challenges of prompt engineering and possible solutions                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                     |                                                                                                                                                                               |                                                                                       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| This slide demonstrates the limitations of prompt engineering in artificial intelligence models. The purpose of this slide is to discuss the solution to various drawbacks, such as implicit biases in large language models, issues in precise control achievement, etc. |                                                                                                                                                                                                                                                                                     |                                                                                                                                                                               |                                                                                       |
| Limitation                                                                                                                                                                                                                                                                | Description                                                                                                                                                                                                                                                                         | Solution                                                                                                                                                                      |  |
| Implicit biases in large language models                                                                                                                                                                                                                                  | <ul style="list-style-type: none"> <li>○ Large volumes of text data, which frequently reflect real-world biases and preconceptions, are used to train language models</li> <li>○ Biases could unintentionally affect how AI systems produce replies</li> </ul>                      | <ul style="list-style-type: none"> <li>○ Require comprehensive strategy that combines prompt engineering with advancements in model training and data filtering</li> </ul>    |                                                                                       |
| Issues in precise control achievement                                                                                                                                                                                                                                     | <ul style="list-style-type: none"> <li>○ Difficult to exert exact control over AI-generated outputs because most of these AI Models are relatively general</li> <li>○ May nevertheless provide unexpected or undesired results despite properly crafted cues</li> </ul>             | <ul style="list-style-type: none"> <li>○ Need continual rapid improvement work and investigation into more effective methods of behavior management for AI systems</li> </ul> |                                                                                       |
| Problems with scalability and generalizability                                                                                                                                                                                                                            | <ul style="list-style-type: none"> <li>○ Time- and resource-consuming iterative process that frequently involves trial and error</li> <li>○ Might provide scalability problems, especially when used with complex AI systems or programs that demand plenty of reminders</li> </ul> | <ul style="list-style-type: none"> <li>○ Find a balance between producing specific prompts for each use case and designing generic tactics</li> </ul>                         |                                                                                       |
| Add text here                                                                                                                                                                                                                                                             | <ul style="list-style-type: none"> <li>○ Add text here</li> </ul>                                                                                                                                                                                                                   | <ul style="list-style-type: none"> <li>○ Add text here</li> </ul>                                                                                                             |                                                                                       |

### Conclusion

Prompt Engineering is a vital skill for effectively interacting with AI models. By mastering different prompting techniques, you can enhance AI performance across multiple applications, from customer support to content generation and data analysis.



```
import openai

# Define API Key (Replace with your actual key)
openai.api_key = "your-api-key"

# Function to generate AI response based on refined prompt
def generate_response(prompt):
    response = openai.ChatCompletion.create(
        model="gpt-4",
        messages=[{"role": "system", "content": "You are an expert AI assistant."},
                  {"role": "user", "content": prompt}],
        temperature=0.7,
        max_tokens=200
    )
    return response["choices"][0]["message"]["content"]

# Example of a refined prompt
prompt = """
You are a financial analyst. Explain the importance of risk management in investment
with real-world examples in a structured format (Introduction, Key Points, Conclusion).
```

```
"""

# Example of a refined prompt
prompt = """
You are a financial analyst. Explain the importance of risk management in investment
with real-world examples in a structured format (Introduction, Key Points, Conclusion).
"""

# Get AI response
ai_response = generate_response(prompt)

# Print the response
print("AI Response:\n", ai_response)
```

#####-----kaggle link about Prompt Engineering-->

1. <https://www.kaggle.com/whitepaper-prompt-engineering>
2. <https://www.kaggle.com/code/youssef19/prompt-engineering-best-practices>
3. <https://www.kaggle.com/code/marawanxamdouh/mastering-prompt-engineering-with-generative-ai>
4. <https://www.kaggle.com/code/ankitsingh1299/building-llms-generative-ai-prompt-engineering>
5. <https://www.kaggle.com/discussions/general/398734>



##-----Interview Question / Answer on PE-->

## 15 Basic Interview Questions & Answers on Prompt Engineering

### 1. Q:What is prompt engineering?

**A:** Prompt engineering is the art and science of crafting effective inputs (prompts) for AI models, especially large language models (LLMs), to elicit desired outputs. It involves designing and refining prompts to guide the model towards generating accurate, relevant, and creative responses.

### 2. Q:Why is prompt engineering important?

**A:** LLMs are powerful but require careful prompting. Well-engineered prompts are crucial for getting the best results, avoiding irrelevant or nonsensical outputs, and maximizing the model's potential.

### 3. Q:What are the basic components of a prompt?

**A:** A prompt typically includes: \* **Instruction:** What you want the model to do (e.g., "Write a poem about nature"). \* **Context:** Background information to guide the model (e.g., "Imagine you are a child"). \* **Input Data:** Specific information the model should use (e.g., "The colors of autumn leaves"). \* **Output Indicator:** The desired format or type of output (e.g., "A short haiku").

**4. Q:What are some common prompt engineering techniques?****A:** Some basic techniques include: \* **Clear Instructions:** Being specific and unambiguous. \* **Providing Examples (Few-Shot Learning):** Showing the model the desired input-output pattern. \* **Specifying Format:** Requesting a particular type of output (e.g., list, table, code). \* **Using Keywords:** Including relevant terms to focus the model.

### 5. Q:What is zero-shot learning?

**A:** Zero-shot learning is when the model is given a task without any specific examples. It relies on the model's pre-existing knowledge.

### 6. Q:What is few-shot learning?

**A:** Few-shot learning involves providing the model with a few examples of the desired input-output behavior to guide its response.

### 7. Q:What is chain-of-thought prompting?

**A:** This technique encourages the model to explain its reasoning process step-by-step before giving the final answer. It can improve accuracy on complex tasks.

### 8. Q: How do you evaluate the effectiveness of a prompt?

**A:** The effectiveness is judged by how well the model's output matches the desired outcome. This can be done through manual review, automated metrics, or user feedback.

### 9. Q:What are some common mistakes to avoid in prompt engineering?

**A:** Common mistakes include: \* **Vague Instructions:** Not being specific enough. \* **Conflicting Information:** Providing contradictory cues. \* **Ignoring Context:** Not giving enough background. \* **Overly Complex Prompts:** Making the prompt too difficult to understand.

### 10. Q: How can you make prompts more creative?

**A:** To encourage creativity, you can: \* **Use metaphors or analogies.** \* **Pose open-ended questions.** \* **Introduce constraints or challenges.** \* **Experiment with different prompt structures.**

### 11. Q:What is the role of temperature in prompt engineering?

**A:** "Temperature" controls the randomness of the model's output. Lower temperatures make the output more deterministic and focused, while higher temperatures make it more diverse and creative.

**12. Q: What is the difference between a good prompt and a bad prompt?**

**A:** A good prompt is clear, specific, and leads to the desired output. A bad prompt is vague, confusing, or results in irrelevant or nonsensical responses.

**13. Q: What is the importance of iteration in prompt engineering?**

**A:** Prompt engineering is iterative. You often need to refine and adjust prompts based on the model's responses to get the best results.

**14. Q: How can prompt engineering be used to improve the performance of LLMs on specific tasks?**

**A:** By carefully designing prompts that provide the necessary context, instructions, and examples, you can guide LLMs to perform better on tasks like translation, summarization, question answering, and code generation.

**15. Q: What are some resources for learning more about prompt engineering?**

**A:** There are many online resources, including blog posts, tutorials, research papers, and community forums dedicated to prompt engineering. Experimentation with LLMs is also a great way to learn.

## ##--MEDIUM LEVEL QUESTION----->

### Advanced Clustering Concepts and Algorithms

**1. Q: Explain the concept of "stability" in clustering and discuss methods for assessing it.**

**A:** Stability refers to the robustness of clustering results to small changes in the data or algorithm parameters. Methods for assessment include:

- **Perturbing the data:** Adding noise or subsampling and seeing how much the clusters change.
- **Varying initialization:** Running the algorithm multiple times with different starting points.
- **Consensus clustering:** Combining multiple clusterings to find a more stable partition.
- 

**2. Q: Discuss the challenges of clustering high-dimensional data and strategies for addressing them.**

**A:** High dimensionality leads to sparsity, irrelevant features, and increased computational cost. Strategies include:

- **Dimensionality reduction:** PCA, t-SNE, feature selection.
- **Subspace clustering:** Finding clusters in different subsets of features.
- **Feature selection/weighting:** Emphasizing relevant features during clustering.
- 

**3. Q: Explain the concept of "co-association matrix" and how it's used in clustering.**

**A:** A co-association matrix records how often pairs of data points are clustered together across multiple runs or different clusterings. It can be used for:

- **Consensus clustering:** Combining multiple clusterings.
- **Visualizing cluster structure:** High values indicate strong relationships.
- **Estimating cluster number:** Analyzing the matrix's properties.
- 

**4. Q: Describe different approaches for handling imbalanced datasets in clustering.**

**A:** Imbalance can bias clustering algorithms. Approaches include:

- **Oversampling/undersampling:** Adjusting the representation of different groups.
- **Cost-sensitive clustering:** Weighting the importance of different groups.
- **Density-based methods:** Less sensitive to cluster size.
- 

**5. Q: Explain the concept of "semi-supervised clustering" and its applications.**

**A:** Semi-supervised clustering uses some labeled data to guide the clustering of unlabeled data. Applications include:

- **Improving clustering accuracy:** Using labels to refine cluster boundaries.
- **Active learning:** Selecting the most informative data points to label.
- 

### Evaluating and Comparing Clustering Results

**6. Q: Discuss the limitations of internal validation measures like the silhouette score and Davies-Bouldin index.**

**A:** These measures don't always correlate well with subjective cluster quality and can be biased towards certain cluster shapes or sizes. They can also be susceptible to noise.

**7. Q: How can you use external validation measures when evaluating clustering results?**

**A:** External measures compare clustering results to known ground truth labels (if available). Examples include:

- **Normalized Mutual Information (NMI):** Measures the similarity between cluster assignments and true labels.
- **Adjusted Rand Index (ARI):** Measures the agreement between cluster assignments and true labels, correcting for chance.
- 

**8. Q: Explain the concept of "cluster tendency" and methods for assessing it.**

**A:** Cluster tendency measures whether the data has a meaningful cluster structure or if it's randomly distributed. Methods include:

- **Hopkins statistic:** Measures the probability that the data is uniformly distributed.
- **Visual inspection:** Examining scatter plots or other visualizations.

○

**9. Q: How do you compare clustering results obtained from different algorithms or parameter settings?**

**A:** You can use both internal and external validation measures, as well as visual inspection. It's crucial to consider the strengths and weaknesses of each measure and choose the most appropriate ones for the specific task.

**10. Q: Discuss the challenges of evaluating clustering results when dealing with overlapping clusters.**

**A:** Overlapping clusters make evaluation more difficult since traditional measures assume that data points belong to only one cluster. Fuzzy clustering evaluation measures or adaptations of existing measures can be used.

**Advanced Clustering Algorithms and Techniques**

**11. Q: Explain the concept of "fuzzy clustering" and algorithms like Fuzzy C-Means (FCM).**

**A:** Fuzzy clustering allows data points to belong to multiple clusters with different degrees of membership. FCM is a popular algorithm that uses fuzzy memberships and iteratively updates cluster centers and membership values.

**12. Q: Describe the principles behind density-based clustering algorithms like HDBSCAN.**

**A:** HDBSCAN extends DBSCAN by allowing for varying density levels and identifying hierarchical clusters. It can find clusters of varying shapes and sizes and is less sensitive to parameter settings than DBSCAN.

**13. Q: Explain the concept of "graph-based clustering" and its applications.**

**A:** Graph-based clustering represents data points as nodes in a graph and uses edge weights to represent similarity. Algorithms like spectral clustering and community detection algorithms can be used to find clusters in the graph.

**14. Q: Discuss the use of deep learning for clustering, including autoencoders and deep clustering methods.**

**A:** Deep learning can learn complex representations of data that can improve clustering performance. Autoencoders can be used for dimensionality reduction or feature extraction before clustering. Deep clustering methods jointly learn representations and cluster assignments using neural networks.

**15. Q: Explain the concept of "online clustering" and algorithms for handling streaming data.**

**A:** Online clustering algorithms process data points sequentially as they arrive, without requiring access to the entire dataset. They are used for clustering streaming data where the data distribution might change over time. Examples include CluStream and DenStream.