



Co1 At1


SIMATS ENGINEERING
SIMATS Online Programming Lab
C++ PROGRAMMING
Assessment_01_co1
View Only
Back
QUESTIONS
Q1
Q2
Q3
Q4
4/4 answered
Fix the accumulation logic so that every extracted digit contributes to the total.
5 marks
Calculate the sum of all digits of a positive integer.
#include <iostream>
using namespace std;
int main() {
int n, sum = 0;
cin >> n;
while (n > 0) {
sum += n % 10;
n /= 10;
}
cout << sum;
return 0;
}
Debugging Task: Find and fix the bugs in the code shown above. Write your corrected code in the editor below.
Your Fixed Code
Test Input
5832
Output
18
Test Cases
Test Case 1
5.00 / 5 marks
Submitted
© 2026 SIMATS Online Lab. All rights reserved.


Assessment_01_co1
View Only
Back
QUESTIONS
Q1
Fix the accumulation logic so that every extracted digit contributes to the total.
5 marks
Q2
Fix the digit-construction expression to append the extracted digit instead of the original number.
5 marks
Q3
Correct the digit-power calculation to use the cube of each digit.
5 marks
Q4
Initialize the factorial accumulator to the correct multiplicative identity
5 marks
4/4 answered
Q2 Fix the digit-construction expression to append the extracted digit instead of the original number.
5 marks
Reverse the digits of a positive integer.
#include <iostream>
using namespace std;
int main() {
int n, reverse = 0;
cin >> n;
while (n > 0) {
int digit = n % 10;
reverse = reverse * 10 + n;
n /= 10;
}
cout << reverse;
return 0;
}
Debugging Task: Find and fix the bugs in the code shown above. Write your corrected code in the editor below.
Your Fixed Code
#include <iostream>
using namespace std;
int main() {
int n, reverse = 0;
cin >> n;
while (n > 0) {
int digit = n % 10;
reverse = reverse * 10 + digit;
n /= 10;
}
cout << reverse;
return 0;
}
Test Input
456
Output
654
Test Cases
Test Case 1


SIMATS ENGINEERING
SIMATS Online Programming Lab
C++ PROGRAMMING
Assessment_01_co1
View Only
Back
QUESTIONS
4/4 answered
Correct the digit-power calculation to use the cube of each digit.
5 marks
Check whether a three-digit number equals the sum of the cubes of its digits.
#include <iostream>
using namespace std;
int main() {
int n, temp, sum = 0;
cin >> n;
temp = n;
while (temp > 0) {
int digit = temp % 10;
sum += digit * digit * digit;
temp /= 10;
}
if (sum == n)
cout << "Armstrong";
else
cout << "Not Armstrong";
return 0;
}
Debugging Task: Find and fix the bugs in the code shown above. Write your corrected code in the editor below.
Your Fixed Code
Test Input
153
Output
Armstrong
Test Cases
Test Case 1
5.00 / 5 marks
Submitted
© 2026 SIMATS Online Lab. All rights reserved.


SIMATS ENGINEERING
SIMATS Online Programming Lab
C++ PROGRAMMING
GOVINDARAJU VISHNU MADHAV
Assessment_01_co1
View Only
Back
QUESTIONS
Q1
Fix the accumulation logic so that every extracted digit contributes to the total.
5 marks
Q2
Fix the digit-construction expression to append the extracted digit instead of the original number.
5 marks
Q3
Correct the digit-power calculation to use the cube of each digit.
5 marks
Q4
Initialize the factorial accumulator to the correct multiplicative identity
5 marks
4/4 answered
Q4 Initialize the factorial accumulator to the correct multiplicative identity
5 marks
Calculate the factorial of a positive integer.
#include <iostream>
using namespace std;
int main() {
int n, fact = 0;
cin >> n;
for (int i = 1; i <= n; i++)
fact *= i;
cout << fact;
return 0;
}
Debugging Task: Find and fix the bugs in the code shown above. Write your corrected code in the editor below.
Your Fixed Code
#include <iostream>
using namespace std;
int main() {
int n,fact = 1;
cin>>n;
for (int i=1;i<=n;i++)
fact *=i;
cout<<fact;
return 0;
}
Test Input
5
Output
120
Test Cases
Test Case 1
5.00 / 5 marks
Submitted