KEY_Practice21_ImprovingPlots_2

July 14, 2019

1 Improving Plots II


As always, let's begin by importing our necessary packages and reading in/previewing our data. In this practice we will continue to explore the titanic dataset.

```
[2]: # import packages
    import seaborn as sns
    import matplotlib.pyplot as plt
    %matplotlib inline
[3]: # read in titanic data
    titanic = sns.load_dataset("titanic")
    # preview data
    titanic.head()
[3]:
                                                         fare embarked
                                                                         class
       survived pclass
                                        sibsp
                                               parch
                            sex
                                   age
    0
              0
                      3
                           male
                                 22.0
                                            1
                                                       7.2500
                                                                        Third
                                                      71.2833
                                                                      C First
    1
              1
                      1 female
                                 38.0
                                            1
                                                   0
    2
              1
                      3
                                            0
                                                       7.9250
                                                                      S
                         female 26.0
                                                   0
                                                                        Third
    3
              1
                      1
                         female
                                 35.0
                                            1
                                                      53.1000
                                                                      S First
                      3
                           male 35.0
                                                       8.0500
                                                                      S Third
         who
              adult_male deck
                               embark_town alive
                                                  alone
                    True NaN
    0
         man
                               Southampton
                                                   False
    1
      woman
                   False
                          C
                                 Cherbourg
                                                   False
                                              yes
    2
                   False NaN
      woman
                               Southampton
                                                    True
                                              yes
                           С
    3
      woman
                   False
                               Southampton
                                              yes
                                                   False
    4
         man
                    True
                         {\tt NaN}
                               Southampton
                                               no
                                                    True
```

1.1 Bar Charts

Generate a barplot of survived (y-axis) across sex (x-axis), stratified by class. Choose your favorite color palette.


[5]: <matplotlib.axes._subplots.AxesSubplot at 0x1a1d845c18>



What do you notice about the y-axis in this plot? How can we interpret this? survived is interpreted as numeric by seaborn, so it computes the average for each bar. This can be interpreted as *survival rate* for each group.


Let's make the same plot, but this time stratified by deck. What kind of color palette is appropriate here?

[12]: <matplotlib.axes._subplots.AxesSubplot at 0x1a1df80278>



Hm, the legend is covering up some of the plot - can you find the line from Lesson 21 that we used to move the legend outsise the plot borders?

[11]: <matplotlib.legend.Legend at 0x1a1de226d8>




How does our interpretation of the results change here? Because we have stratifed by more groups, there are fewer data points that fall into each bar. Beacuse of this, the survival rates and *inflated* compared to what we saw in the earlier plot, especially for the male groups. This is something you must consider when deciding how to present your data in plots.

1.2 Count Plots

Generate a count plot to visualize the distribution the deck variable across all passengers in our data set. Choose a sequential color palette.

```
[13]: # count plot of deck
sns.countplot(x="deck", palette = "Purples", data=titanic)
```


[13]: <matplotlib.axes._subplots.AxesSubplot at 0x1a1e092630>



Now stratify your plot using the class variable. What kind of color palette is appropriate now?

```
[23]: # count plot of deck stratified by class
sns.countplot(x="deck", hue = "class", palette = "Set2", data=titanic)
```

[23]: <matplotlib.axes._subplots.AxesSubplot at 0x1a1eeeaef0>




Cool! Now we can see that deck E is the only deck that housed all three classes of passengers.

1.3 Boxplots +

Generate a boxplot of fares across sexes.

```
[15]: # boxplot of fare across sex
sns.catplot(x = "sex", y="fare", kind="box", data=titanic)
```


[15]: <seaborn.axisgrid.FacetGrid at 0x1a1e189e80>



Based on this plot it looks like there are some outliers that are really smushing the bulk of our data towards the bottom of the plot, making it difficult to interpret. Let's try to remove these outliers by subsetting our titanic pandas DataFrame. Create a new DataFrame titanic_subset that contains only the rows where fare < 200 and generate the same plot for titanic_subset.

```
[18]: # subset where fare < 200
titanic_subset = titanic.query("fare < 200")
# boxplot of fare across sex for subset
sns.catplot(x = "sex", y="fare", kind="box", data=titanic_subset)</pre>
```

[18]: <seaborn.axisgrid.FacetGrid at 0x1a1e561390>




That looks much better, though there are still several high-fare outliers. We will just keep this in mind as we interpret our further analyses.

Let's generate the same boxplot, but this time stratified by survived.

```
[24]: # boxplot of fare across sex stratified by survived for subset sns.catplot(x = "sex", y="fare", hue = "survived", kind="box", □ →data=titanic_subset)
```

[24]: <seaborn.axisgrid.FacetGrid at 0x1a1eee16d8>




Now, let's try to look at the distribution more granularly using our boxplot variations we learned.

Generate the same plot as a boxen plot:

```
[20]: # boxen plot of fare across sex stratified by survived for subset sns.catplot(x = "sex", y="fare", hue = "survived", kind="boxen", ⊔ →data=titanic_subset)
```


[20]: <seaborn.axisgrid.FacetGrid at 0x1a1e561ac8>



Now generate the same plot as a violin plot. Use the split = True parameter setting to make your comparisons between the survived groups easier.

```
[25]: # violin plot of fare across sex stratified by survived for subset sns.catplot(x = "sex", y="fare", hue = "survived", kind="violin", split = True, ⊔ →data=titanic_subset)
```

[25]: <seaborn.axisgrid.FacetGrid at 0x1a1f0d1fd0>



Which plot do you think is most informative in this case: boxplot, boxen plot or split violin plot?

Based on that plot, what is your interpretation about the relationship between fare, gender and survival on the Titanic?