G. Xiu

Overview

Existing Models

Fractal Cities

Zipf's law Radical Decay

Taylor's law

Models

Results

### G. Ait

# The Growth Models for Science of Cities

Gezhi Xiu

Complexity Research Group, Peking University

November 21, 2019

# Contents

**Growth Models** 

G. Xiu

Overview

Existing Models

Zipf's law

Taylor's law

Spatial Yule Models

Formation Philosophy Results

### Overview

- Zipf's law and its formation
  - Zipf's law without fine-tuning: static mesoscopic
  - Stationary distribution of dynamical processes for the sizes of groups of individuals

mesoscopic: cities

microscopic: individuals

Gibrat's law and Taylor's law

### Zipf's law Radical Decay

Taylor's law

Models

Formation Philosoph Results

- M. Batty and P. Longley, Fractal Cities: A Geometry of Form and Function (Academic, San Diego/London, 1994).
- ➤ Cellular automata have been used to model spatial structure of urban land use over time: Environ. Plan. A 25, 1175 (1993).
- ► The correlated percolation model

# The group size distribution.

- the number of employees in firms
- the distribution of family names
- the distribution of city sizes

$$P(n) \sim n^{-1-\gamma} \tag{1}$$

$$\gamma \simeq 1 \tag{2}$$

$$\gamma \simeq 1$$
 (2)

Taylor's law

Models
Formation Philosophy

Formation Philosophy Results

Some up-to-date models are really fascinating.

- Models with latent variables can lead to Zipf's law without fine-tuning by mixing together narrow distributions with very different means.(PRL 113, 068102 (2014))
  - static systems (no time dependence)
- The stationary distribution of dynamical processes for the sizes of groups of individuals
  - mesoscopic models at the scale of the groups (e.g., cities) Am. J. Phys. 58, 267 (1990). Variance that is not Gaussian but exponential Gaussian leads to Zipf's law.
  - microscopic models at the scale of the individuals (e.g., dwellers)

Overview

xisting Models

Zipf's law

Radical Decay Taylor's law

Spatial Yule Models

Formation Philosophy Results

without the need to fine-tune their parameters to specific values

- random multiplicative process, Am. J. Phys. 58, 267 (1990). space independent
- Gibrat's law / proportionate random growth, Phys. Rev. E 57, 4811 (1998).
- the interplay between intermittency and diffusion, Phys. Rev. E 58, 295 (1998).
- however they are coarse-grained descriptions of population dynamics and lack an explicit link to the underlying microscopic processes

➤ Stochastic processes describing the events experienced by an individual, namely births, deaths, and migrations, that ultimately determine the change in the size of a population.

- Yule's and Simon's models: rich-get-richer, Phil. Trans.
   R. Soc. Lond. B 213, 21 (1925), Biometrika 42, 425 (1955).
- Cluster growth and aggregation, Phys. Rev. E 58, 7054 (1998).
- Reaction diffusion models: explore the role of intermittency in creating spatial inhomogeneities in agreement with Zipf's law, Phys. Rev. Lett. 79, 523
- Preferential migration to large aggregates, Phys. Rev. Lett. 88, 068301 (2002).
- Spatial explicit preferential attachment: the probability that a city grows is essentially assumed to be proportional to the size of the city.
- network growth with redirection, Phys. Rev. X 4, 011008 (2014).
- lacktriangle Only for fine-tuned parameters to get  $\gamma=1$ .

Overview

Existing Models
Fractal Cities
Zipf's law

Radical Decay

aylor's law

Formation Philosophy

Overview

xisting Models

Radical Decay

Taylor's law

Spatial Yule Models

Formation Philosophy Results

➤ The correlated percolation model: an urban built environment is shaped by spatial correlations where the occupation probabilities of two sites are more similar the closer they are.



Existing Model

Zipf's law

## Taylor's law

Models Yule

Formation Philosophy




Figure: The variance of population in year t+1 conditioned to the population in year t (y axis) vs the average population in year t+1 conditioned to the population in year t (x axis) for cities (circles) and counties (triangles) in the United States during the period 1970–2010.

# My Current Work: Spatial Yule Model

Growth Models

G. Xiu

Overview

Existing Models

Zipf's law Radical Decay

Taylor's law

Spatial Yule Models

Results

How can we address more aspects of urban studies within a simpler model?

# of newly emerged cities

Regression result

G. Xiu



Existing Mode


Zipf's law

Radical Decay Faylor's law

## Spatial Yule Models

Formation Philosophy






Times of 2.500 population adding

Regression

Figure: We take 2,500 as the study unit and get a) The emerging speed of cities in the United States, and b) the counts that 2,500 population are added to an existing city. Both slopes are around 0.04, p < 0.0001.

# Population based spreading



### Growth Models

G. Xiu


#### Overviev

Existing Mode Fractal Cities Zipf's law

### Spatial Yule Models

Results

# Population based spreading



### Growth Models

G. Xiu

Overviev

Existing Models
Fractal Cities

(ipf's law Radical Decay Faylor's law

Spatial Yule Models

Results

Models Yule

Formation Philosophy Results

- Scaling of inner- intra-city (area, population, infrastructure)
  - Gradient descent to the sum of two-dimensional normal distributions for a optimal locating problem lead to some scaling behavior.
- Interacting cities lead to Zipf's law and fractality of urban boundary.
- Asymptotic behaviors (standard cause of scaling) is far from reality.

G. Xiu

Overview

Fractal Cities
Zipf's law
Radical Decay
Faylor's law

patial Yule

Formation Philosophy Results

The background is on a  $L \times L$  grid space. The growing mechanism states as follows:

- 1. Growth rate per capita  $\beta_2$ , and the growth rate for # of cities  $\beta_1$ .
  - ignoring the correspondence to real-life time scale, the actual effective parameter the relative  $\beta := \beta_2/\beta_1$ .
- 2. The distance a ball lands a meta-population nearby as a constant, r, towards a random direction  $\theta$ .
- 3. The *productive* balls are limited, with no more than  $N^*$ .

possessiveness
 homogeneity
 cut-off

comparing to logistic?

Zipf's law

Taylor's law

Formation Philosophy

Results

► The settings provide a border line between free growth (Scaling laws) and constrained growth (vicissitude phenomena).

Results

- Clark's law of urban population density
- Zipf's law of city population sizes
- vicissitude
- fractality



existing Model Fractal Cities Zipf's law

adical Decay

Wodels
Formation Philosophy

Results




Figure: The population density as a function of distance from urban center.


#### Overview

existing Model Fractal Cities

lipf's law Radical Decay Faylor's law

opatial Yule Models

Formation Philosoph Results



 $P(n) \sim n^{-2}$ 

G. Xiu

Overview

xisting Models

Fractal Cities

Lipf's law

Radical Decay

Favlor's law

Spatial Yule Models

Formation Philosoph Results





Figure: Population versus area

$$\rho_{\text{threshold}} = k\beta_1/(2\beta_2) + N^*/2 \tag{3}$$

Citywise



#### Overview

cisting Models
ractal Cities

ipf's law ladical Decay laylor's law

Spatial Yule Models

Formation Philosophy Results

# Fractality




Figure: Fractality is driven by the probabilistic competition for edging space.

Growth Models

G. Xiu

Overview

xisting Model

ractal Cities ipf's law adical Decay

Spatial Yule Models

Formation Philosophy Results

# Topics about what is a city?

Growth Models

G. Xiu

Overview

xisting Models
ractal Cities
Lipf's law
Radical Decay

odels

Results

Owuor Otieno, Mark . (2017, October 23). What is the Difference Between a City and a Town? Retrieved from https://www.worldatlas.com/articles/what-is-the-difference-between-a-city-and-a-town.html