# VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE INTERNET TEHNOLOGIJE

# Projektni zadatak

Tema: Razvoj blog sajta web aplikacije

Predmet: Praktikum iz PHP-a

Student: Jana Matović 139/2019

# Sadržaj

Τ.	Opis aplikacije	4
	1.1. Opis funkcionalnosti	4
2.	Struktura aplikacije	5
3.	Struktura baze	7
4.	Stranice	8
	4.1. home.php	8
	4.2. show.php	9
	4.3. add.php	. 12
	4.4. edit.php	. 12
	4.5. profile.php	. 13
	4.6. admin.php	. 13
	4.7. about.php	. 14
	4.8. login.php	. 14
	4.9. register.php	. 14
5.	Kod	. 16
	5.1. assets.css	. 16
	5.2. main.js	. 17
	5.3. admin.js	. 21
	5.4. dogs.js	
		. 22
	5.4. dogs.js	. 22 . 36
	5.4. dogs.js	. 22 . 36 . 37
	5.4. dogs.js	. 22 . 36 . 37 . 38
	5.4. dogs.js	. 22 . 36 . 37 . 38
	5.4. dogs.js	. 22 . 36 . 37 . 38 . 38
	5.4. dogs.js  5.5. favorites.js  5.6. users.js  5.7. env  5.8. config.php.  5.9. connection.php	. 22 . 36 . 37 . 38 . 38 . 39
	5.4. dogs.js  5.5. favorites.js  5.6. users.js  5.7. env  5.8. config.php.  5.9. connection.php  5.10. models/comments/delete.php	. 22 . 36 . 37 . 38 . 38 . 39 . 40
	5.4. dogs.js 5.5. favorites.js 5.6. users.js 5.7. env 5.8. config.php. 5.9. connection.php 5.10. models/comments/delete.php 5.11. models/comments/insert.php.	

5.14. models/dogs/filter.php	45
5.15. models/dogs/get.php	47
5.16. models/dogs/getAll.php	47
5.17. models/dogs/insert.php	48
5.18. models/dogs/show.php	50
5.19. models/dogs/update.php	52
5.20. models/favorites/delete.php	54
5.21. models/favorites/insert.php	55
5.22. models/users/admin.php	56
5.23. models/users/insert.php	59
5.24. models/users/login.php	62
5.25. models/users/profile.php	64
5.26. views/fixed/footer.php	65
5.27. views/fixed/head.php	66
5.28. views/dogs/add.php	68
5.29. views/dogs/edit.php	69
5.30. views/dogs/show.php	70
5.31. views/about.php	70
5.32. views/admin.php	72
5.33. views/home.php	73
5.34. views/login.php	74
5.35. views/logout.php	75
5.36. views/profile.php	75
5.37. views/register.php	77
5 38 views/index nhn	78


### 1. Opis aplikacije


Aplikacija je pisana u programskom jeziku PHP. Na front delu je korišćen HTML, CSS, Bootstrap, Javascript(jQuery), za bazu je korišćena MySQL baza podataka. Unutar aplikacije korisnici se mogu registrovati i prijaviti na sajt korišćenjem svoje email adrese ili korisničkog imena i izabrane šifre. Aplikacija predstavlja mini blog gde korisnici mogu komentarisati i lajkovati pse (post-ove) koje je administrator okačio. Pored običnih korisnika postoje administratori koji imaju pristup svemu i mogu sve da menjaju, takođe imaju posebnu stranicu kojoj je ograničen pristup i na kojoj se ispisuje statistika pristupa stranicama aplikacije.

#### 1.1. Opis funkcionalnosti


- Dodavanje, izmena, prikaz, brisanje pasa (postova)
- Dodavanje, izmena, prikaz, brisanje komentara
- Registracija i logovanje korisnika
- Filtriranje i pretraga pasa
- Profil stranica
- Admin statistika sajta

## 2. Struktura aplikacije






# 3. Struktura baze



#### 4. Stranice


#### 4.1. home.php

Stranaca za prikaz svih pasa (postova). Odrađena je paginacija i filtriranje (sortiranje i pretraga).





#### 4.2. show.php

Stranica za detaljan prikaz podataka o izabranom psu. Ispis komentara i moguće dodavanje novih, dodavanje psa u omiljene, editovanje i brisanje psa, komentara, lajkova.




<b>●</b> Comments	+ Add New Comment
Comment *	
Enter comment	
	Submit
<b>å</b> jana	Created at: 2022-05-30 15:37:10
Nice	
Nice	
Edit	
åjana2	Created at: 2022-05-29 21:28:37
Komentar 2	
åjana <a></a>	Created at: 2022-05-29 15:43:58
å jana2	






## 4.3. add.php

Stranica za dodavanje novog psa.




### 4.4. edit.php

Stranica za ažuriranje podataka o postojećem psu.




### 4.5. profile.php

Stranica na kojoj se nalaze podaci ulogovanog korisnika, lista njegovih komentara i omiljenih pasa.




## 4.6. admin.php

Stranica na kojoj se nalazi statistika pristupa stranicama, broj ulogovanih korisnika u poslednja 24h.




# 4.7. about.php

Stranica o meni.




# 4.8. login.php

Stranica za logovanje korisnika na sajt.



## 4.9. register.php

Stranica za registrovanje korisnika na sajt.



#### 5. Kod

#### 5.1. assets.css

```
footer {
color: white;
padding-top: 15px;
padding-bottom: 15px;
margin-top: 10px;
footer p {
margin: 0;
line-height: 25px;
.dog-logo {
width: 30px;
.error-msg {
color: red;
font-weight: bold;
.dog-card a.dog-name {
text-decoration: none;
color: black;
.dog-card-show {
width: 98%;
margin: 0 auto;
margin-top: -15px;
.card-please-login {
width: 90%;
margin: 0 auto;
margin-top: 25px;
border-left: 5px solid gray;
margin-bottom: 10px;
```

```
}
.add-to-favorites:hover {
cursor: pointer;
.add-to-favorites:hover i {
color: red;
.mojaslika {
transition: transform .3s;
.mojaslika:hover {
transform: scale(1.2);
cursor: pointer;
.image-container {
margin: 0 auto;
margin-top: 15px;
overflow: hidden;
5.2. main.js
let registerForm = document.getElementById('register-form');
let loginForm = document.getElementById('login-form');
if(registerForm){
registerForm.addEventListener('submit', (e) => {
e.preventDefault();
let username = (document.querySelector(`input[name="username"]`)).value;
let email = (document.querySelector(`input[name="email"]`)).value;
let password = (document.querySelector(`input[name="password"]`)).value;
let confirmPassword = (document.querySelector(`input[name="password2"]`)).value;
let birthday = (document.querySelector(`input[name="birthday"]`)).value;
$.ajax({
url: './models/users/insert.php',
type: 'POST',
data: {
username,
email,
```

```
password,
confirmPassword,
birthday,
register: true,
dataType: "json",
success: (response) => {
alert("Registration successful");
window.location.href = './index.php';
error: (response) => {
console.log(response)
console.log(response.responseText)
let errorsDiv = document.getElementById('register-errors');
let responseTextParsed = JSON.parse(response.responseText);
let errors = responseTextParsed['errors'];
let errorKeys = Object.keys(responseTextParsed["errors"]);
errorsDiv.innerHTML = "";
errorKeys.forEach(err => {
errorsDiv.innerHTML += errors[err];
if(loginForm){
loginForm.addEventListener('submit', (e) => {
e.preventDefault();
let usernameOrEmail = (document.querySelector(`input[name="usernameOrEmail"]`)).value;
let password = (document.querySelector(`input[name="password"]`)).value;
$.ajax({
url: './models/users/login.php',
type: 'POST',
data: {
usernameOrEmail,
password,
ogin: true,
dataType: "json",
success: (response) => {
alert("Login successful");
window.location.href = './index.php';
error: (response) => {
```

```
console.log(response)
console.log(response.responseText)
let errorsDiv = document.getElementById('login-errors');
let responseTextParsed = JSON.parse(response.responseText);
let errors = responseTextParsed['errors'];
let errorKeys = Object.keys(responseTextParsed["errors"]);
errorsDiv.innerHTML = "";
errorKeys.forEach(err => {
errorsDiv.innerHTML += errors[err];
let searchInput = document.querySelector('.search-input');
if(searchInput){
searchInput.addEventListener('keyup', (e) => {
$.ajax({
url: './models/dogs/filter.php',
type: 'POST',
data: {
searchValue: searchInput.value,
sortValue: sortInput.value,
pagination: 1,
submit: true,
dataType: "json",
success: (response) => {
createPagination(response.totalPages);
console.log(response.dogs)
let dogs = response.dogs;
let dogsDiv = document.getElementById('dogs');
dogsDiv.innerHTML = "";
dogs.forEach(dog => {
dogsDiv.innerHTML += `<div class="col-md-4 mb-3">
<div class="card dog-card">
<a href="index.php?page=dogs&id=${dog.id}"><img class="img-thumbnail" width="100%"</p>
src="${dog.img}" class="card-img-top"></a>
<div class="card-body">
<a class="dog-name" href="index.php?page=dogs&id=${dog.id}">
```

```
<h5 class="card-title">${dog.name}</h5>
 </a>
<h6 class="card-subtitle mb-2 text-muted">${dog.breed}</h6>
 ${dog.description.substring(0, 250)}....
 a href="index.php?page=dogs&id=${dog.id}" class="btn btn-sm btn-secondary">Read more</a>
 /div>
 :/div>
 /div>`;
error: (response) => {
console.log(response)
console.log(response.responseText)
let sortInput = document.querySelector('.sort-input');
if(sortInput){
sortInput.addEventListener('change', (e) => {
$.ajax({
url: './models/dogs/filter.php',
type: 'POST',
data: {
sortValue: sortInput.value,
searchValue: searchInput.value,
pagination: 1,
submit: true,
dataType: "json",
success: (response) => {
createPagination(response.totalPages);
console.log(response.dogs)
let dogs = response.dogs;
let dogsDiv = document.getElementById('dogs');
dogsDiv.innerHTML = "";
dogs.forEach(dog => \{
dogsDiv.innerHTML += `<div class="col-md-4 mb-3">
<div class="card dog-card">
<a href="index.php?page=dogs&id=${dog.id}"><img class="img-thumbnail" width="100%"</pre>
src="${dog.img}" class="card-img-top"></a>
<div class="card-body">
```

```
<a class="dog-name" href="index.php?page=dogs&id=${dog.id}">
<h5 class="card-title">${dog.name}</h5>
</a>
<h6 class="card-subtitle mb-2 text-muted">${dog.breed}</h6>
 ${dog.description.substring(0, 250)}....
<a href="index.php?page=dogs&id=${dog.id}" class="btn btn-sm btn-secondary">Read more</a>
 /div>
 /div>
 /div>`
error: (response) => {
console.log(response)
console.log(response.responseText)
5.3. admin.js
let pagesStat = document.querySelector('.pages-stat');
let activeUsers = document.querySelector('.active-users');
$.ajax({
url: './models/users/admin.php',
type: 'GET',
success: (response) => {
let pages = Object.keys(response.pages);
pages.forEach(page => {
pagesStat.innerHTML += ` 
${page}
${response.pages[page].total} (${Math.round(response.pages[page].total / response.total * 100 * 100) /
100}%)
${response.pages[page].last24} (${Math.round(response.pages[page].last24 / response.total24 * 100 *
100) / 100}%)
`
activeUsers.innerHTML = `Number of users in last 24h: ${response.users.length}`
error: (response) => {
console.log(response)
```

```
console.log(response.responseText)
let errorsDiv = document.getElementById('add-new-dog-errors');
let responseTextParsed = JSON.parse(response.responseText);
let errors = responseTextParsed['errors'];
let errorKeys = Object.keys(responseTextParsed["errors"]);
errorsDiv.innerHTML = "";
errorKeys.forEach(err => {
errorsDiv.innerHTML += errors[err];
5.4. dogs.js
// EDIT DOGS
let editDiv = document.querySelector('.edit-dog');
if (editDiv) {
const urlParams = new URLSearchParams(window.location.search);
const id = urlParams.get('id');
$.ajax({
url: './models/dogs/get.php?id=' + id,
type: 'GET',
success: (response) => {
editDiv.innerHTML = `<h1 class="mb-1">Edit "${response.dog.name}" &#128021;</h1>
Fields marked with <strong class="text-danger">*</strong> are required.
<div id="edit-dog-errors" class="mb-3"></div>
<form id="edit-dog-form">
<div class="mb-4">
<label class="form-label">Breed <strong class="text-danger">*</strong></label>
<input name="breed" type="text" class="form-control" placeholder="Enter breed"</p>
value="${response.dog.breed}">
 /div>
<div class="mb-4">
<label class="form-label">Name <strong class="text-danger">*</strong></label>
 <input name="name" type="text" class="form-control" placeholder="Enter name"</p>
value="${response.dog.name}">
 </div>
 <div class="mb-4">
<label class="form-label">Description <strong class="text-danger">*</strong></label>
```

```
<textarea class="form-control" name="description" placeholder="Enter description" id="floatingTextarea2"</p>
style="height: 100px">${response.dog.description}</textarea>
<input type="hidden" name="dogID" value="${response.dog.id}">
 <div class="mb-4">
<label class="form-label">Upload Image</label> <br>
 cinput type="file" name="file">
 /div>
 <button type="submit" class="btn btn-secondary w-100">Submit</button>
 /form>`:
let editDogForm = document.getElementById('edit-dog-form');
editDogForm.addEventListener('submit', (e) => {
e.preventDefault();
console.log("A");
let formData = new FormData();
formData.append('dogID', (document.querySelector(`input[name="dogID"]`)).value);
formData.append('breed', (document.querySelector(`input[name="breed"]`)).value);
formData.append('name', (document.querySelector(`input[name="name"]`)).value);
formData.append('breedDescription', (document.querySelector(`textarea[name="description"]`)).value);
formData.append('breedImage', (document.querySelector(`input[name="file"]`)).files[0]);
formData.append('submit', true);
$.ajax({
url: './models/dogs/update.php',
type: 'POST',
data: formData,
processData: false,
contentType: false,
dataType: "json",
success: (response) => {
alert("Dog Updated Successfully");
window.location.href = './index.php';
error: (response) => {
console.log(response)
console.log(response.responseText)
let errorsDiv = document.getElementById('edit-dog-errors');
let responseTextParsed = JSON.parse(response.responseText);
let errors = responseTextParsed['errors'];
let errorKeys = Object.keys(responseTextParsed["errors"]);
```

```
errorsDiv.innerHTML = "";
errorKeys.forEach(err => {
errorsDiv.innerHTML += errors[err];
error: (response) => {
console.log(response)
console.log(response.responseText)
let errorsDiv = document.getElementById('add-new-dog-errors');
let responseTextParsed = JSON.parse(response.responseText);
let errors = responseTextParsed['errors'];
let errorKeys = Object.keys(responseTextParsed["errors"]);
errorsDiv.innerHTML = "";
errorKeys.forEach(err => {
errorsDiv.innerHTML += errors[err];
 ADD DOGS
let submitNewDogForm = document.getElementById('submit-new-dog-form');
if (submitNewDogForm) {
submitNewDogForm.addEventListener('submit', (e) => {
e.preventDefault();
let formData = new FormData();
formData.append('breed', (document.querySelector(`input[name="breed"]`)).value);
formData.append('name', (document.querySelector(`input[name="name"]`)).value);
formData.append('breedDescription', (document.querySelector(`textarea[name="description"]`)).value);
formData.append('breedImage', (document.querySelector(`input[name="file"]`)).files[0]);
formData.append('submit', true);
$.ajax({
```

```
url: './models/dogs/insert.php',
type: 'POST',
data: formData,
processData: false,
contentType: false,
dataType: "json",
success: (response) => {
alert("Dog Added Successfully");
window.location.href = './index.php';
error: (response) => {
console.log(response)
console.log(response.responseText)
let errorsDiv = document.getElementById('add-new-dog-errors');
let responseTextParsed = JSON.parse(response.responseText);
let errors = responseTextParsed['errors'];
let errorKeys = Object.keys(responseTextParsed["errors"]);
errorsDiv.innerHTML = "";
errorKeys.forEach(err => {
errorsDiv.innerHTML += errors[err];
 DELETE DOGS
function generateDeleteDogEvent(){
let deleteDogBtn = document.querySelector('.delete-dog');
if (deleteDogBtn) {
deleteDogBtn.addEventListener('click', (e) => {
let dogID = deleteDogBtn.getAttribute('data-dog-id');
$.ajax({
url: './models/dogs/delete.php',
type: 'POST',
data: {
dogID,
submit: true,
```

```
dataType: "json",
success: (response) => {
alert("Dog Deleted Successfully");
window.location.href = './index.php';
error: (response) => {
console.log(response)
console.log(response.responseText)
 SHOW ALL DOGS HOME
let dogsDivG = document.getElementById('dogs');
if (dogsDivG) {
$.ajax({
url: './models/dogs/getAll.php?pagination=1',
type: 'GET',
success: (response) => {
createPagination(response.totalPages);
response.dogs.forEach(dog => {
dogsDivG.innerHTML += `
<div class="col-md-4 mb-3">
<div class="card dog-card">
<a href="index.php?page=dogs&id=${dog.id}"><img class="img-thumbnail" width="100%"</pre>
src="${dog.img}" class="card-img-top"></a>
<div class="card-body">
<a class="dog-name" href="index.php?page=dogs&id=${dog.id}">
<h5 class="card-title">${dog.name}</h5>
</a>
<h6 class="card-subtitle mb-2 text-muted">${dog.breed}</h6>
${dog.description.substring(0, 250)}....
<a href="index.php?page=dogs&id=${dog.id}" class="btn btn-sm btn-secondary">Read more</a>
 :/div>
 :/div>
```

```
error: (response) => {
console.log(response)
console.log(response.responseText)
function createPagination(totalPages) {
let pagination = document.querySelector('.pagination');
let html = ``;
for(let i = 0; i < totalPages; i++){
 html += \cite{tml} += \cite
pagination.innerHTML = html;
let lis = document.querySelectorAll('.page-link');
lis.forEach(li => {
li.addEventListener('click', (e) => {
$.ajax({
url: './models/dogs/filter.php',
type: 'POST',
data: {
sortValue: sortInput.value,
searchValue: searchInput.value,
pagination: li.getAttribute('data-page'),
 submit: true,
dataType: "json",
success: (response) => {
console.log(response.dogs)
let dogs = response.dogs;
let dogsDiv = document.getElementById('dogs');
dogsDiv.innerHTML = "";
dogs.forEach(dog => {
dogsDiv.innerHTML += `<div class="col-md-4 mb-3">
 <div class="card dog-card">
 <a href="index.php?page=dogs&id=${dog.id}"><img class="img-thumbnail" width="100%"</pre>
src="${dog.img}" class="card-img-top"></a>
  <div class="card-body">
 <a class="dog-name" href="index.php?page=dogs&id=${dog.id}">
 <h5 class="card-title">${dog.name}</h5>
```

```
<h6 class="card-subtitle mb-2 text-muted">${ dog.breed}</h6>
${dog.description.substring(0, 250)}....
 a href="index.php?page=dogs&id=${dog.id}" class="btn btn-sm btn-secondary">Read more</a>
 /div>
</div>
 /div>`
error: (response) => {
console.log(response)
console.log(response.responseText)
 SHOW DOGS
let data = document.querySelector('.data');
if (data) {
const urlParams = new URLSearchParams(window.location.search);
const id = urlParams.get('id');
$.ajax({
url: './models/dogs/show.php?id=' + id,
type: 'GET',
success: (response) => {
generateHTML(response, data);
generateDeleteDogEvent();
generateDeleteEventListeners();
generateEditEventListeners();
generateFavoritesEvent();
let submitNewCommentForm = document.getElementById('submit-new-comment-form');
submitNewCommentForm.addEventListener('submit', (e) => {
e.preventDefault();
let comment = (document.querySelector(`textarea[name="comment"]`)).value;
let dog_id = (document.querySelector(`input[name="dog_id"]`)).value;
```

```
$.ajax({
url: './models/comments/insert.php',
type: 'POST',
data: {
comment,
dog_id,
submit: true,
dataType: "json",
success: (response) => {
console.log(response)
alert("Comment Added Successfully");
let allCommentsDIV = document.querySelector('.all-comments');
let newComment = document.createElement('div');
newComment.classList.add('comment');
newComment.classList.add('mb-2');
newComment.setAttribute('data-div-comment-id', response.comment.id);
newComment.innerHTML = `<div class="d-flex justify-content-between mb-2">
<div>
<i class="fa fa-user" aria-hidden="true"></i> ${response.comment.username} &nbsp;
button class="btn btn-sm btn-outline-warning" type="button" data-bs-toggle="collapse" data-bs-
target="#collapseExample_${response.comment.id}" aria-expanded="false" aria-
controls="collapseExample_${response.comment.id}">
<i class="fa fa-pencil-square-o" aria-hidden="true"></i>
 </button>
 button data-comment-id="${response.comment.id}" class="btn btn-sm btn-outline-danger delete-
comment"><i class="fa fa-trash" aria-hidden="true"></i></button>
 /div>
 <div>Created at: ${response.comment.created_at} </div>
 p data-comment-id="${response.comment.id}" class="card-text">${response.comment.body}
 <div class="collapse" id="collapseExample_${response.comment.id}">
textarea data-comment-id="${response.comment.id}" class="form-control" placeholder="Leave a comment>
here" style="height: 100px">${response.comment.body}</textarea>
<button data-comment-id="${response.comment.id}" class="btn btn-warning mt-3 edit-</p>
comment">Edit</button>
</div>
allCommentsDIV.prepend(newComment);
let spanNumberOfComments = document.querySelector('.number-of-comments');
let numberOfComments = spanNumberOfComments.innerHTML;
```

```
spanNumberOfComments.innerHTML = ++numberOfComments;
generateDeleteEventListeners();
generateEditEventListeners();
(document.querySelector(`textarea[name="comment"]`)).value = "";
error: (response) => {
console.log(response)
console.log(response.responseText)
let errorsDiv = document.getElementById('comment-errors');
let responseTextParsed = JSON.parse(response.responseText);
let errors = responseTextParsed['errors'];
let errorKeys = Object.keys(responseTextParsed["errors"]);
errorsDiv.innerHTML = "";
errorKeys.forEach(err => {
errorsDiv.innerHTML += errors[err];
error: (response) => {
console.log(response)
console.log(response.responseText)
let errorsDiv = document.getElementById('add-new-dog-errors');
let responseTextParsed = JSON.parse(response.responseText);
let errors = responseTextParsed['errors'];
let errorKeys = Object.keys(responseTextParsed["errors"]);
errorsDiv.innerHTML = "";
errorKeys.forEach(err => {
errorsDiv.innerHTML += errors[err];
function generateHTML(response, data) {
let html = `<img src="${response.dog.img}" class="card-img-top">
<div class="card dog-card-show">
<div class="card-body">
<div class="text-center">
```

```
<i class="fa fa-user" aria-hidden="true"></i>
Admin  
<i class="fa fa-calendar" aria-hidden="true"></i>
Created at: ${response.dog.created_at}h  
<i class="fa fa-comments" aria-hidden="true"></i>
 span class="number-of-comments"> ${response.comments.length}</span> comments &nbsp;
<i class="fa fa-heart" aria-hidden="true"></i>
 span class="number-of-favorites"> ${response.favorites.length}</span> favorites
 /div>
${response.admin?`<div class="text-center mt-2">
<a class="btn btn-sm btn-warning" href="index.php?page=dogs-edit&id=${response.dog.id}">Edit</a>
<button data-dog-id="${response.dog.id}" class="btn btn-sm btn-danger delete-dog">Delete</button>
</div>`:``}
<hr>
<h4 class="card-title">${response.dog.name}</h4>
<h6 class="card-subtitle mb-2 text-muted">${response.dog.breed}</h6>
${response.dog.description}
<div data-favorite="${response.favorite}" data-dog-id="${response.dog.id}" class="text-center add-to-</pre>
favorites">
${response.favorite?
<i class="fa fa-heart" aria-hidden="true"></i> Remove from favorites <i class="fa fa-heart" aria-
hidden="true"></i>`:`${response.user?`<i class="fa fa-heart" aria-hidden="true"></i> Add to favorites <i
class="fa fa-heart" aria-hidden="true"></i>
 : `<!-- Button trigger modal -->
<button style="border: none; background-color: transparent;" type="button" data-bs-toggle="modal" data-bs-</p>
target="#exampleModal">
<i class="fa fa-heart" aria-hidden="true"></i> Add to favorites <i class="fa fa-heart" aria-hidden="true"></i>
</button>
<!-- Modal -->
div class="modal fade" id="exampleModal" tabindex="-1" aria-labelledby="exampleModalLabel" aria-
hidden="true">
<div class="modal-dialog">
<div class="modal-content">
<div class="modal-header">
<h5 class="modal-title" id="exampleModalLabel">Info</h5>
<button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>
</div>
<div class="modal-body">
You need to be <a href="index.php?page=login">logged</a> in to like dogs :)
 </div>
 </div>
 </div>
```

```
/div>`}`
 /div>
 /div>
 </div>
<div id="comments" class="mt-5">
<div class="card">
<div class="card-header d-flex justify-content-between">
<div class="mt-1">
<i class="fa fa-comment" aria-hidden="true"></i> Comments
 /div>
<div>
<button class="btn btn-sm btn-secondary" type="button" data-bs-toggle="collapse" data-bs-</p>
target="#collapseExample" aria-expanded="false" aria-controls="collapseExample">
<i class="fa fa-plus" aria-hidden="true"></i>
Add New Comment
</button>
</div>
 /div>
<div class="collapse" id="collapseExample">
${response.user?`<div class="card card-body">
<div id="comment-errors" class="mb-3"></div>
 <form id="submit-new-comment-form">
 <input type="hidden" name="dog_id" value="${response.dog.id}">
<div class="mb-4">
<label class="form-label">Comment <strong class="text-danger">*</strong></label>
textarea class="form-control" name="comment" placeholder="Enter comment" id="floatingTextarea2"
style="height: 100px"></textarea>
 </div>
 button type="submit" class="btn btn-secondary w-100">Submit</button>
 </div>`:`<div class="card card-body card-please-login">
 p class="mb-0">Please <a href="index.php?page=login">login</a> to leave a comment.
 /div>`}
 /div>
 div class="card-body all-comments">`
response.comments.forEach(comment => {
html += `<div data-div-comment-id="${comment.id}" class="comment mb-2">
<div class="d-flex justify-content-between mb-2">
 <div>
<i class="fa fa-user" aria-hidden="true"></i> ${comment.username} &nbsp;
```

```
${(response.user && response.user.id == comment.UID) || response.admin? `<button class="btn btn-sm btn-
outline-warning" type="button" data-bs-toggle="collapse" data-bs-target="#collapseExample_${comment.id}"
aria-expanded="false" aria-controls="collapseExample_${comment.id}">
<i class="fa fa-pencil-square-o" aria-hidden="true"></i>
</button>
<button data-comment-id="${comment.id}" class="btn btn-sm btn-outline-danger delete-comment"><i</p>
class="fa fa-trash" aria-hidden="true"></i></button>`:``}
 <div>Created at: ${comment.created_at}</div>
 cp data-comment-id="${comment.id}" class="card-text">${comment.body}
 <div class="collapse" id="collapseExample_${comment.id}">
<textarea data-comment-id="${comment.id}" class="form-control" placeholder="Leave a comment here"
style="height: 100px">${comment.body}</textarea>
 <button data-comment-id="${comment.id}" class="btn btn-warning mt-3 edit-comment">Edit</button>
</div>
<hr>
 /div>`;
html +=
</div>
 </div>
data.innerHTML = html;
function generateDeleteEventListeners() {
let deleteCommentBtns = document.querySelectorAll('.delete-comment');
deleteCommentBtns.forEach(deleteCommentBtn => {
deleteCommentBtn.removeEventListener('click', handleCommentDeleteClick);
deleteCommentBtn.addEventListener('click', handleCommentDeleteClick);
function handleCommentDeleteClick() {
let commentID = this.getAttribute('data-comment-id');
$.ajax({
url: './models/comments/delete.php',
type: 'POST',
```

```
data: {
commentID,
submit: true,
dataType: "json",
success: (response) => {
alert("Comment Deleted Successfully");
let element = document.querySelector(`[data-div-comment-id="${commentID}"]`);
element.remove();
let spanNumberOfComments = document.querySelector('.number-of-comments');
let numberOfComments = spanNumberOfComments.innerHTML;
spanNumberOfComments.innerHTML = --numberOfComments;
error: (response) => {
console.log(response)
console.log(response.responseText)
function generateEditEventListeners() {
let editCommentBtns = document.querySelectorAll('.edit-comment');
editCommentBtns.forEach(editCommentBtn => {
editCommentBtn.removeEventListener('click', handleCommentEditClick);
editCommentBtn.addEventListener('click', handleCommentEditClick);
function handleCommentEditClick() {
let commentID = this.getAttribute('data-comment-id');
let comment = (document.querySelector(`textarea[data-comment-id="${commentID}"|`)).value;
$.ajax({
url: './models/comments/update.php',
type: 'POST',
data: {
commentID.
comment,
submit: true,
dataType: "json",
success: (response) => {
console.log(response)
alert("Comment Edited Successfully");
```

```
(document.querySelector(`p[data-comment-id="${commentID}"]`)).innerHTML = comment;
},
error: (response) => {
    console.log(response)
    console.log(response.responseText)
}
});
}
```

#### 5.5. favorites.js

```
function generateFavoritesEvent() {
let addToFavorites = document.querySelector('.add-to-favorites');
if (addToFavorites) {
addToFavorites.addEventListener('click', (e) => {
let favorite = addToFavorites.getAttribute('data-favorite');
console.log(favorite);
$.ajax({
url: favorite == "false" ? './models/favorites/insert.php' : './models/favorites/delete.php',
type: 'POST',
data: {
dogID: addToFavorites.getAttribute('data-dog-id'),
submit: true,
dataType: "json",
success: (response) => {
console.log(response)
if (favorite == "false") {
alert("Dog Added To Favorites Successfully");
addToFavorites.innerHTML = `<i class="fa fa-heart" aria-hidden="true"></i> Remove from favorites <i
class="fa fa-heart" aria-hidden="true"></i>`;
addToFavorites.setAttribute('data-favorite', 'true');
let spanNumberOfFavorites = document.querySelector('.number-of-favorites');
let numberOfFavorites = spanNumberOfFavorites.innerHTML;
spanNumberOfFavorites.innerHTML = ++numberOfFavorites;
```

```
return;
alert("Dog Removed From Favorites Successfully");
addToFavorites.innerHTML = `<i class="fa fa-heart" aria-hidden="true"></i> Add to favorites <i class="fa fa-heart" aria-hidden="true"></i>
heart" aria-hidden="true"></i>`;
addToFavorites.setAttribute('data-favorite', "false");
let spanNumberOfFavorites = document.querySelector('.number-of-favorites');
let numberOfFavorites = spanNumberOfFavorites.innerHTML;
spanNumberOfFavorites.innerHTML = --numberOfFavorites;
error: (response) => {
console.log(response)
console.log(response.responseText)
5.6. users.js
let profileHeader = document.querySelector('.profile-header');
let commentsNumber = document.querySelector('.comments-number');
let commentsList = document.querySelector('.comments-list');
let favoritesNumber = document.querySelector('.favorites-number');
let favoritesList = document.querySelector('.favorites-list');
let userJoined = document.querySelector('.user-joined');
```

```
$.ajax({
url: './models/users/profile.php',
type: 'GET',
success: (response) => {
profileHeader.innerHTML = `<i class="fa fa-user" aria-hidden="true"></i>
${response.user.username} | ${response.user.email}`

commentsNumber.innerHTML = response.comments.length;
response.comments.forEach(comment => {
commentsList.innerHTML += `${comment.body}
});
```

```
favoritesNumber.innerHTML = response.favorites.length;
response.favorites.forEach(favorite => {
favoritesList.innerHTML += `<a class="text-decoration-none"
href="index.php?page=dogs&id=${favorite.dog_id}">${favorite.name} (${favorite.breed})</a>
});
userJoined.innerHTML = \lambda on: \{\text{response.user.created_at}\h\;
error: (response) => {
console.log(response)
console.log(response.responseText)
let errorsDiv = document.getElementById('add-new-dog-errors');
let responseTextParsed = JSON.parse(response.responseText);
let errors = responseTextParsed['errors'];
let errorKeys = Object.keys(responseTextParsed["errors"]);
errorsDiv.innerHTML = "";
errorKeys.forEach(err => {
errorsDiv.innerHTML += errors[err];
5.7. .env
DBNAME=id19018055_dogster
SERVER=localhost
USERNAME=id19018055_root
PASSWORD=qSLARRs?zl>%61r}
5.8. config.php
<?php
error_reporting(E_ALL);
ini_set('display_errors', 1);
// Osnovna podesavanja
define("BASE_URL", "https://jana-dogster.000webhostapp.com/");
define("ABSOLUTE_PATH", $_SERVER["DOCUMENT_ROOT"]);
```

```
Ostala podesavanja
define("ENV_FAJL", ABSOLUTE_PATH . "/config/.env");
define("LOG_FAJL", ABSOLUTE_PATH . "/data/log.txt");
define("ADRESAR", ABSOLUTE_PATH . "/data/adresar.txt");
define("SEPARTOR", "&");
 / Podesavanja za bazu
define("SERVER", env("SERVER"));
define("DATABASE", env("DBNAME"));
define("USERNAME", env("USERNAME"));
define("PASSWORD", env("PASSWORD"));
function env($naziv)
 / $podaci = explode("\n",file_get_contents(BASE_URL."/config/.env"));
sopen = fopen(ENV_FAJL, "r");
$podaci = file(ENV_FAJL);
$vrednost = "";
foreach ($podaci as $key => $value) {
$konfig = explode("=", $value);
if ($konfig[0] == $naziv) {
$vrednost = trim($konfig[1]); // trim() zbog \n
return $vrednost;
5.9. connection.php
<?php
ob_start();
session_start();
require_once "config.php";
zabeleziPristupStranici($_GET['page'] ?? "index");
$conn = new PDO("mysql:host=" . SERVER . ";dbname=" . DATABASE . ";charset=utf8", USERNAME,
PASSWORD);
$conn->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
$conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
```

```
} catch (PDOException $ex) {
echo $ex->getMessage();
function executeQuery($query)
global $conn;
return $conn->query($query)->fetchAll();
function zabeleziPristupStranici($page = "index")
$open = fopen(LOG_FAJL, "a");
delta = date('Y-m-d H:i:s');
if ($open) {
fwrite($open,
"page=$page\ttime=$date\t{$_SERVER['PHP_SELF']}\t{$_SERVER['REMOTE_ADDR']}\n");
fclose($open);
5.10. models/comments/delete.php
<?php
header('Content-Type: application/json');
require_once '../../config/connection.php';
if (isset($_POST['submit'])) {
$commentID = $_POST['commentID'];
data = array(
'commentID" => $commentID,
if (deleteComment($data, $conn)) {
http_response_code(200);
echo json_encode([
"message" => "Comment deleted.",
exit;
```

```
}
http_response_code(400);
echo json_encode(["errors" => $errors]);
} catch (PDOException $ex) {
echo json_encode(['errors' => ['db_error' => 'DB Error: ' . $ex->getMessage()]]);
http_response_code(500);
} else {
http_response_code(400); // 400 - Bad request
function deleteComment($data, $conn)
try {
$query = $conn->prepare("DELETE FROM comments WHERE id = :id LIMIT 1");
$result = $query->execute(array(':id' => $data['commentID']));
return $result;
} catch (PDOException $e) {
throw $e;
5.11. models/comments/insert.php
<?php
header('Content-Type: application/json');
require_once '../../config/connection.php';
if (isset($_POST['submit'])) {
$comment = $_POST['comment'];
$dog_id = $_POST['dog_id'];
$errors = array();
if (empty($comment)) {
$errors['comment'] = '<div class="mb-0 error-msg">Please enter comment.</div>';
if (count(\$errors) == 0) {
```

```
data = array(
"comment" => $comment,
'user_id' => $_SESSION['user']['id'],
'dog_id' => $dog_id
if (addComment($data, $conn)) {
http_response_code(201);
echo json_encode([
"message" => "Comment added.",
'comment' => selectLastComment($_SESSION['user']['id'], $conn)
http_response_code(400);
echo json_encode(["errors" => $errors]);
} catch (PDOException $ex) {
echo json_encode(['errors' => ['db_error' => 'DB Error: ' . $ex->getMessage()]]);
http_response_code(500);
} else {
http_response_code(400); // 400 - Bad request
function addComment($data, $conn)
$query = $conn->prepare("INSERT INTO comments (user_id, dog_id, body) VALUES (?, ?, ?)");
return $query->execute([
$data['user_id'],
$data['dog_id'],
$data['comment'],
} catch (PDOException $e) {
throw $e;
function selectLastComment($userID, $conn)
```

```
$query = $conn->prepare("SELECT c.*, u.username, u.id AS UID
FROM comments c
JOIN users u
ON u.id = c.user_id
WHERE u.id = :id
ORDER BY c.id DESC
LIMIT 1");
$query->execute(array(
':id' => $userID,
return $query->fetch(PDO::FETCH_ASSOC);
} catch (PDOException $e) {
throw $e;
5.12. models/comments/update.php
<?php
header('Content-Type: application/json');
require_once '../../config/connection.php';
if (isset($_POST['submit'])) {
$comment = $_POST['comment'];
$commentID = $_POST['commentID'];
$errors = array();
if (empty($comment)) {
$errors['comment'] = '<div class="mb-0 error-msg">Please enter comment.</div>';
if (count(\$errors) == 0) {
data = array(
"comment" => $comment,
'commentID" => $commentID,
if (updateComment($data, $conn)) {
```

http\_response\_code(201);

```
echo json_encode([
"message" => "Comment updated.",
http_response_code(400);
echo json_encode(["errors" => $errors]);
} catch (PDOException $ex) {
echo json_encode(['errors' => ['db_error' => 'DB Error: ' . $ex->getMessage()]]);
http_response_code(500);
} else {
http_response_code(400); // 400 - Bad request
function updateComment($data, $conn)
$query = $conn->prepare("UPDATE comments SET body = ? WHERE id = ?");
$result = $query->execute([
$data['comment'],
$data['commentID'],
return $result;
} catch (PDOException $e) {
throw $e;
5.13. models/dogs/delete.php
<?php
header('Content-Type: application/json');
require_once '../../config/connection.php';
if (isset($_POST['submit'])) {
\sigma = POST['dogID'];
```

```
data = array(
"dogID" => $dogID,
if (deleteDog($data, $conn)) {
http_response_code(200);
echo json_encode([
"message" => "Dog deleted.",
http_response_code(400);
echo json_encode(["errors" => $errors]);
} catch (PDOException $ex) {
echo json_encode(['errors' => ['db_error' => 'DB Error: ' . $ex->getMessage()]]);
http_response_code(500);
} else {
http_response_code(400); // 400 - Bad request
function deleteDog($data, $conn)
$query = $conn->prepare("DELETE FROM dogs WHERE id = :id LIMIT 1");
$result = $query->execute(array(':id' => $data['dogID']));
return $result;
} catch (PDOException $e) {
throw $e;
5.14. models/dogs/filter.php
```

## <?php

header('Content-Type: application/json');
require\_once '../../config/connection.php';

```
if (isset($_POST['submit'])) {
try {
$sortValue = $_POST['sortValue'];
$searchValue = $_POST['searchValue'];
perPage = 6;
$page = $_POST['pagination'];
$offset = $page * $perPage - $perPage;
switch ($sortValue) {
case 1:
$query = $conn->prepare("SELECT * FROM dogs WHERE name LIKE? OR breed LIKE? LIMIT $perPage
OFFSET $offset");
$query->execute(array(
 %$searchValue%".
 %$searchValue%"
$dogs = $query->fetchAll(PDO::FETCH_ASSOC);
break;
case 2:
$query = $conn->prepare("SELECT d.*, COUNT(c.dog_id) AS BROJ_KOM FROM dogs d LEFT JOIN
comments c ON c.dog_id = d.id WHERE name LIKE ? OR breed LIKE ? GROUP BY d.id, c.dog_id ORDER
BY BROJ_KOM DESC LIMIT $perPage OFFSET $offset");
$query->execute(array(
 %$searchValue%".
 %$searchValue%'
$dogs = $query->fetchAll(PDO::FETCH_ASSOC);
break;
case 3:
$query = $conn->prepare("SELECT d.*, COUNT(f.dog_id) AS BROJ_FAV FROM dogs d LEFT JOIN
favorites f ON f.dog_id = d.id WHERE name LIKE? OR breed LIKE? GROUP BY d.id, f.dog_id ORDER
BY BROJ_FAV DESC LIMIT $perPage OFFSET $offset");
$query->execute(array(
 %$searchValue%".
 %$searchValue%"
$dogs = $query->fetchAll(PDO::FETCH_ASSOC);
break;
if ($searchValue === "") {
```

```
$query = $conn->prepare("SELECT * FROM `dogs`");
$query->execute();
$totalPages = ceil(sizeof($query->fetchAll(PDO::FETCH_ASSOC)) / $perPage);
$totalPages = ceil(sizeof($dogs) / $perPage);
http_response_code(201);
echo json_encode(["dogs" => $dogs, 'totalPages' => $totalPages]);
exit:
} catch (PDOException $ex) {
echo json_encode(['errors' => ['db_error' => 'DB Error: ' . $ex->getMessage()]]);
http_response_code(500);
} else {
http_response_code(400); // 400 - Bad request
5.15. models/dogs/get.php
<?php
header('Content-Type: application/json');
require_once '../../config/connection.php';
$id = $_GET['id'];
$query = $conn->prepare("SELECT * FROM dogs WHERE id = ?");
$query->execute(array(
$dog = $query->fetch(PDO::FETCH_ASSOC);
http_response_code(201);
echo json_encode(["dog" => $dog]);
exit;
} catch (PDOException $ex) {
echo json_encode(['errors' => ['db_error' => 'DB Error: ' . $ex->getMessage()]]);
http_response_code(500);
```

# }

### 5.16. models/dogs/getAll.php

```
<?php
```

```
header('Content-Type: application/json');
require_once '../../config/connection.php';
perPage = 6;
$page = $_GET['pagination'];
$offset = $page * $perPage - $perPage;
$query = $conn->prepare("SELECT * FROM `dogs`");
$query->execute();
$totalPages = ceil(sizeof($query->fetchAll(PDO::FETCH_ASSOC)) / $perPage);
$query = $conn->prepare("SELECT * FROM `dogs` LIMIT $perPage OFFSET $offset");
$query->execute();
$dogs = $query->fetchAll(PDO::FETCH_ASSOC);
http_response_code(201);
echo json_encode(["dogs" => $dogs, 'totalPages' => $totalPages]);
} catch (PDOException $ex) {
echo json_encode(['errors' => ['db_error' => 'DB Error: ' . $ex->getMessage()]]);
http_response_code(500);
5.17. models/dogs/insert.php
<?php
header('Content-Type: application/json');
require_once '../../config/connection.php';
if (isset($_POST['submit'])) {
$breed = $_POST['breed'];
$name = $_POST['name'];
```

```
$breedDescription = $_POST['breedDescription'];
$errors = array();
if (empty($breed)) {
$errors['breed'] = '<div class="mb-0 error-msg">Please enter breed.</div>';
if (empty($name)) {
$errors['name'] = '<div class="mb-0 error-msg">Please enter name.</div>';
if (empty($breedDescription)) {
$errors['breedDescription'] = '<div class="mb-0 error-msg">Please enter breed name.</div>';
if (empty($_FILES['breedImage'])) {
$errors['breedImage'] = '<div class="mb-0 error-msg">Please upload image.</div>';
if (!empty($_FILES['breedImage']['name'])) { // Da li je poslao neke fajlove
$file = $_FILES['breedImage'];
$file_name = $file['name'];
$file_tmp = $file['tmp_name'];
$file_size = $file['size'];
$file_error = $file['error'];
$file_ext = explode('.', $file_name);
$file_ext = strtolower(end($file_ext));
$file_name_new = $file_name;
if (!file_exists($_SERVER['DOCUMENT_ROOT'] . '/assets/images/dogs')) {
mkdir($_SERVER['DOCUMENT_ROOT'] . '/assets/images/dogs');
$file_destination = $_SERVER['DOCUMENT_ROOT'] . '/assets/images/dogs/' . $file_name_new;
move_uploaded_file($file_tmp, $file_destination);
$file_destination = 'assets/images/dogs/' . $file_name_new;
if (count(\$errors) == 0) {
data = array(
"breed" => $breed,
```

```
"name" => $name,
"breedDescription" => $breedDescription,
 'breedImage" => $file_destination,
if (addDog($data, $conn)) {
http_response_code(201);
echo json_encode(["message" => "Dog added."]);
http_response_code(400);
echo json_encode(["errors" => $errors]);
} catch (PDOException $ex) {
echo json_encode(['errors' => ['db_error' => 'DB Error: ' . $ex->getMessage()]]);
http_response_code(500);
} else {
http_response_code(400); // 400 - Bad request
function addDog($data, $conn)
$query = $conn->prepare("INSERT INTO dogs (breed, name, description, img) VALUES (?, ?, ?, ?)");
return $query->execute([
$data['breed'],
$data['name'],
$data['breedDescription'],
$data['breedImage'],
} catch (PDOException $e) {
throw $e;
```

## 5.18. models/dogs/show.php

```
header('Content-Type: application/json');
require_once '../../config/connection.php';
$id = $ GET['id'];
$query = $conn->prepare("SELECT * FROM dogs WHERE id = :id");
$query->execute(array(
':id' => $id,
$dog = $query->fetch(PDO::FETCH_ASSOC);
$query = $conn->prepare("SELECT c.*, u.username, u.id AS UID FROM comments c JOIN users u ON u.id
= c.user_id WHERE dog_id = :id ORDER BY c.id DESC");
$query->execute(array(
':id' => $id,
$comments = $query->fetchAll(PDO::FETCH_ASSOC);
$query = $conn->prepare("SELECT * FROM favorites WHERE dog_id = :dog_id");
$query->execute(array(
':dog_id' => \$id,
$favorites = $query->fetchAll(PDO::FETCH_ASSOC);
$query = $conn->prepare("SELECT * FROM favorites WHERE user_id = :user_id AND dog_id = :dog_id");
$query->execute(array(
':user_id' => $_SESSION['user']['id'] ?? -1,
':dog_id' => \$id,
$favorite = $query->fetch(PDO::FETCH_ASSOC);
$favorite = $favorite ? true : false;
http response code(200);
echo json_encode([
dog' => dog,
'comments' => $comments,
'favorites' => $favorites,
'favorite' => $favorite,
'admin' => isset($_SESSION['user']) && $_SESSION['user']['is_admin'],
```

```
'user' => isset($_SESSION['user'])
} catch (PDOException $ex) {
echo json_encode(['errors' => ['db_error' => 'DB Error: ' . $ex->getMessage()]]);
http_response_code(500);
5.19. models/dogs/update.php
<?php
header('Content-Type: application/json');
require_once '../../config/connection.php';
if (isset($_POST['submit'])) {
$breed = $_POST['breed'];
dogID = POST['dogID'];
$name = $_POST['name'];
$breedDescription = $_POST['breedDescription'];
$noIMG = false;
$errors = array();
if (empty($breed)) {
$errors['breed'] = '<div class="mb-0 error-msg">Please enter breed.</div>';
if (empty($name)) {
$errors['name'] = '<div class="mb-0 error-msg">Please enter name.</div>';
if (empty($breedDescription)) {
$errors['breedDescription'] = '<div class="mb-0 error-msg">Please enter breed name.</div>';
if (empty($_FILES['breedImage'])) {
noIMG = true;
```

if (!empty(\$\_FILES['breedImage']['name'])) { // Da li je poslao neke fajlove

```
$file = $_FILES['breedImage'];
$file_name = $file['name'];
$file_tmp = $file['tmp_name'];
$file_size = $file['size'];
$file_error = $file['error'];
$file_ext = explode('.', $file_name);
$file_ext = strtolower(end($file_ext));
$file_name_new = $file_name;
if (!file_exists($_SERVER['DOCUMENT_ROOT'] . '/assets/images/dogs')) {
mkdir($_SERVER['DOCUMENT_ROOT'] . '/assets/images/dogs');
$file_destination = $_SERVER['DOCUMENT_ROOT'] . '/assets/images/dogs/' . $file_name_new;
move_uploaded_file($file_tmp, $file_destination);
$file_destination = 'assets/images/dogs/' . $file_name_new;
if (count(\$errors) == 0) {
data = array(
"breed" => $breed,
'name'' => $name,
'breedDescription' => $breedDescription,
"breedImage" => $file_destination ?? false,
 dogID'' => \$dogID,
if (updateDog($data, $conn)) {
http_response_code(200);
echo json_encode(["message" => "Dog updated."]);
http_response_code(400);
echo json_encode(["errors" => $errors]);
} catch (PDOException $ex) {
echo json_encode(['errors' => ['db_error' => 'DB Error: ' . $ex->getMessage()]]);
http_response_code(500);
} else {
```

```
http_response_code(400); // 400 - Bad request
function updateDog($data, $conn)
if ($data['breedImage'] !== false) {
$query = $conn->prepare("UPDATE dogs SET name = ?, breed = ?, description = ?, img = ? WHERE id = ?");
$result = $query->execute([
$data['name'],
$data['breed'],
$data['breedDescription'],
$data['breedImage'],
$data['dogID'],
return $result;
$query = $conn->prepare("UPDATE dogs SET name = ?, breed = ?, description = ? WHERE id = ?");
$result = $query->execute([
$data['name'],
$data['breed'],
$data['breedDescription'],
$data['dogID'],
return $result;
} catch (PDOException $e) {
throw $e;
5.20. models/favorites/delete.php
<?php
header('Content-Type: application/json');
require_once '../../config/connection.php';
if (isset($_POST['submit'])) {
dogID = POST['dogID'];
```

```
data = array(
"dog_id" => $dogID,
"user_id" => $_SESSION['user']['id'],
if (deleteFromFavorites($data, $conn)) {
http_response_code(200);
echo json_encode([
"message" => "Favorite deleted.",
http_response_code(400);
echo json_encode(["errors" => $errors]);
} catch (PDOException $ex) {
echo json_encode(['errors' => ['db_error' => 'DB Error: ' . $ex->getMessage()]]);
http_response_code(500);
} else {
http_response_code(400); // 400 - Bad request
function deleteFromFavorites($data, $conn)
$query = $conn->prepare("DELETE FROM favorites WHERE user_id = :user_id AND dog_id = :dog_id");
$result = $query->execute(array(
':user_id' => $data['user_id'],
':dog_id' => $data['dog_id']
return $result;
} catch (PDOException $e) {
throw $e;
```

### 5.21. models/favorites/insert.php

```
header('Content-Type: application/json');
require_once '../../config/connection.php';
if (isset($_POST['submit'])) {
\sigma = POST['dogID'];
data = array(
"dog_id" => \$dogID,
"user_id" => $_SESSION['user']['id'],
if (addDogToFavorites($data, $conn)) {
http_response_code(201);
echo json_encode(["message" => "Dog added to favorites."]);
exit;
http_response_code(400);
echo json_encode(["errors" => $errors]);
} catch (PDOException $ex) {
echo json_encode(['errors' => ['db_error' => 'DB Error: ' . $ex->getMessage()]]);
http_response_code(500);
} else {
http_response_code(400); // 400 - Bad request
function addDogToFavorites($data, $conn)
$query = $conn->prepare("INSERT INTO favorites (user_id, dog_id) VALUES (?, ?)");
return $query->execute([
$data['user_id'],
$data['dog_id'],
} catch (PDOException $e) {
throw $e;
```

# 5.22. models/users/admin.php

```
header('Content-Type: application/json');
require_once '../../config/connection.php';
$pages = [
'index' => [
'total' => 0,
'last24' => 0
'admin' => [
'total' => 0,
'last24' => 0
'about' => [
'total' => 0,
|ast24| => 0
'dogs-edit' => [
'total' => 0,
'last24' => 0
'dogs' => [
'total' => 0,
'last24' => 0
'add-new-dog' => [
'total' => 0,
'last24' => 0
'login' => [
'total' => 0,
'last24' => 0
'register' => [
'total' => 0,
'last24' => 0
'profile' => [
'total' => 0,
'1ast24' => 0
```

```
'admin' => [
'total' => 0,
' last 24' => 0
'logout' => [
'total' => 0,
'last24' => 0
'home' => [
'total' => 0,
'last24' => 0
$file = fopen(BASE_URL . "data/log.txt", "r");
if ($file) {
while (($line = fgets($file)) !== false) {
$lineExploded = explode("\t", $line);
$page = explode('=', $lineExploded[0])[1];
$pages[$page]['total']++;
$date = explode('=', $lineExploded[1])[1];
$secondsDiff = strtotime(date("Y-m-d H:i:s")) - strtotime($date);
if ($secondsDiff < 86400) {
$pages[$page]['last24']++;
fclose($file);
\text{$total} = 0;
total24 = 0;
foreach ($pages as $page) {
$total += $page['total'];
$total24 += $page['last24'];
$query = $conn->prepare("SELECT * FROM users WHERE last_login >= now() - INTERVAL 1 DAY");
$query->execute();
$users = $query->fetchAlL(PDO::FETCH_ASSOC);
echo json_encode([
```

```
'pages' => $pages,
'total' => $total,
'total24' => $total24,
'users' => $users
```

### 5.23. models/users/insert.php

```
header('Content-Type: application/json');
require_once '../../config/connection.php';
if (isset($_POST['register'])) {
$email = $_POST['email'];
$password = $_POST['password'];
$confirmPassword = $_POST['confirmPassword'];
$username = $_POST['username'];
$birthday = $_POST['birthday'];
$errors = array();
if (empty($email)) {
$errors['email'] = '<div class="mb-0 error-msg">Please enter email.</div>';
if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
$errors['email'] = '<div class="mb-0 error-msg">Wrong email format.</div>';
if (empty($birthday)) {
birthday = null;
if (empty($password)) {
$errors['password'] = '<div class="mb-0 error-msg">Please enter password šifru.</div>'
if ($password != $confirmPassword) {
$errors['password_confirm'] = '<div class="mb-0 error-msg">Passwords do not match.</div>';
} else {
if (empty($confirmPassword)) {
$errors['confirmPassword'] = '<div class="mb-0 error-msg">Please confirm password.</div>';
```

```
if (empty($username)) {
$errors['username'] = '<div class="mb-0 error-msg">Please enter username.</div>';
if (!ctype_alnum($username)) {
$errors['username'] = '<div class="mb-0 error-msg">Only letters and numbers allowed.</div>'
if (count(\$errors) == 0) {
data = array(
"email" => $email,
 'password" => $password,
'username" => $username,
 birthday" => $birthday,
if (takenEmail($email, $conn)) {
$errors['taken_email'] = '<div class="alert alert-danger alert-dismissible show" role="alert">
<strong>Error!</strong> Email is taken.
<button type="button" class="btn-close" data-bs-dismiss="alert" aria-label="Close"></button>
 /div>':
} elseif (takenUsername($username, $conn)) {
$errors['taken_username'] = '<div class="alert alert-danger alert-dismissible show" role="alert">
<strong>Error!</strong> Username is taken.
button type="button" class="btn-close" data-bs-dismiss="alert" aria-label="Close"></button>
 :/div>
} elseif (registerUser($data, $conn)) {
http_response_code(201);
echo json_encode(["message" => "User registered."]);
http_response_code(400);
echo json_encode(["errors" => $errors]);
} catch (PDOException $ex) {
echo json_encode(['errors' => ['db_error' => 'DB Error: ' . $ex->getMessage()]]);
http_response_code(500);
} else {
```

```
http_response_code(400); // 400 - Bad request
function takenEmail($email, $conn)
$query = $conn->prepare("SELECT * FROM users WHERE email = :email");
$query->execute(array(
':email' => $email,
$user = $query->fetch(PDO::FETCH_ASSOC);
if ($user) {
return true;
return false;
} catch (PDOException $e) {
throw $e;
function takenUsername($username, $conn)
$query = $conn->prepare("SELECT * FROM users WHERE username = :username");
$query->execute(array(
':username' => $username,
$user = $query->fetch(PDO::FETCH_ASSOC);
if ($user) {
return true;
return false;
} catch (PDOException $e) {
throw $e;
function registerUser($data, $conn)
```

```
$data['password'] = password_hash($data['password'], PASSWORD_BCRYPT); // Hashovanje sifre sa md5
$query = $conn->prepare("INSERT INTO users (email, password, username, birthday) VALUES (?, ?, ?, ?)");
$result = $query->execute([
$data['email'],
$data['password'],
$data['username'],
$data['birthday'] ?? null,
$data['id'] = $conn->lastInsertId();
$data['is_admin'] = false;
// $data = $this->fixData($data);
if ($result) { // Ukoliko je query uspesan pravimo sesiju i vracamo true
$_SESSION['user'] = $data;
return true;
return false;
} catch (PDOException $e) {
throw $e;
5.24. models/users/login.php
<?php
header('Content-Type: application/json');
require_once '../../config/connection.php';
if (isset($_POST['login'])) {
$usernameOrEmail = $_POST['usernameOrEmail'];
$password = $_POST['password'];
$errors = array();
if (empty($usernameOrEmail)) {
$errors['usernameOrEmail'] = '<div class="mb-0 error-msg">Please enter username/email.</div>';
```

```
}
if (empty($password)) {
$errors['password'] = '<div class="mb-0 error-msg">Please enter password šifru.</div>';
if (count(\$errors) == 0) 
data = array(
"usernameOrEmail" => $usernameOrEmail,
 'password" => $password,
if (loginUser($data, $conn)) {
http_response_code(200);
echo json_encode(["message" => "User logged in."]);
exit;
} else {
$errors['wrong_combination'] = '<div class="mb-0 error-msg">Wrong combination.</div>';
http_response_code(400);
echo json_encode(["errors" => $errors]);
} catch (PDOException $ex) {
echo json_encode(['errors' => ['db_error' => 'DB Error: ' . $ex->getMessage()]]);
http_response_code(500);
} else {
http_response_code(400); // 400 - Bad request
function loginUser($data, $conn)
$query = $conn->prepare("SELECT * FROM users WHERE email = :email OR username = :username");
$query->execute(array(
':email' => $data['usernameOrEmail'],
':username' => $data['usernameOrEmail'],
$user = $query->fetch(PDO::FETCH_ASSOC);
if ($user && password_verify($data['password'], $user['password'])) {
$_SESSION['user'] = $user;
```

```
$query = $conn->prepare("UPDATE users SET last_login = ? WHERE id = ?");
$query->execute([
date("Y-m-d H:i:s"),
$user['id']
return true;
return false;
} catch (PDOException $e) {
throw $e;
5.25. models/users/profile.php
<?php
header('Content-Type: application/json');
require_once '../../config/connection.php';
$user = $_SESSION['user'];
$query = $conn->prepare("SELECT * FROM comments WHERE user_id = :id ORDER BY id DESC");
$query->execute(array(
':id' => $user['id'],
$comments = $query->fetchAll(PDO::FETCH_ASSOC);
$query = $conn->prepare("SELECT d.name as name, d.breed as breed, d.id as dog_id FROM favorites f JOIN
dogs d ON d.id = f.dog_id WHERE user_id = :user_id");
$query->execute(array(
':user_id' => $user['id'],
$favorites = $query->fetchAll(PDO::FETCH_ASSOC);
echo json_encode([
'user' => $user,
'comments' => $comments,
```

```
'favorites' => $favorites,
]);
5.26. views/fixed/footer.php
</div>
<footer class="footer bg-dark color-primary">
 Copyright © <script>
document.write(new Date().getFullYear())
</script><br>
Created by Jana Matović 
 :/p>
</footer>
<script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.10.2/dist/umd/popper.min.js" integrity="sha384-</p>
7+zCNj/IqJ95wo16oMtfsKbZ9ccEh31eOz1HGyDuCQ6wgnyJNSYdrPa03rtR1zdB"
crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.min.js" integrity="sha384-</p>
QJHtvGhmr9XOIpI6YVutG+2QOK9T+ZnN4kzFN1RtK3zEFEIsxhlmWl5/YESvpZ13"
crossorigin="anonymous"></script>
<!-- ZA VEZBU -->
<script src="assets/js/main.js"></script>
</body>
</html>
5.27. views/fixed/head.php
<?php
$query = $conn->prepare("SELECT * FROM `navigations`");
$query->execute();
$navigations = $query->fetchAll(PDO::FETCH_ASSOC);
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8"/>
```

```
meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1" />
 <title> Dogster </title>
 meta content='width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=0, shrink-to-fit=no'
name='viewport' />
<link rel="stylesheet" type="text/css"</pre>
href="https://fonts.googleapis.com/css?family=Roboto:300,400,500,700|Roboto+Slab:400,700|Material+Icons
 dink rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-awesome/latest/css/font-
awesome.min.css">
<!-- <li>k href="assets/css/material-dashboard.css?v=2.1.1" rel="stylesheet" /> -->
 <!-- <li>!-- !stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/materialize/1.0.0/css/materialize.min.css"> -->
clink href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">
<link rel="stylesheet" href="assets/css/styles.css">
 script src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.6.0/jquery.js" integrity="sha512-
n/4gHW3atM3QqRcbCn6ewmpxcLAHGaDjpEBu4xZd47N0W2oQ+6q7oc3PXstrJYXcbNU1OHdQ1T7pAP+
gi5Yu8g==" crossorigin="anonymous" referrerpolicy="no-referrer"></script>
 </head>
<body class="">
<nav class="navbar navbar-expand-lg navbar-dark bg-dark">
<div class="container">
<a class="navbar-brand" href="index.php">Dogster < img class="dog-logo" src="assets/images/dog.png"</p>
alt=""></a>
<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-</p>
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">
 span class="navbar-toggler-icon"></span>
 /button>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
 cul class="navbar-nav me-auto mb-2 mb-lg-0">
 ?php foreach ($navigations as $navigation) : ?>
 ?php if ($navigation['page_name'] == "Home" || $navigation['page_name'] == "About me") { ?>
class="nav-item">
<a class="nav-link active" aria-current="page" href="<?php echo $navigation['page_link']; ?>"><?php echo</p>
$navigation['page_name']; ?></a>
 :/li>
 ?php } ?>
 ?php if (isset($_SESSION['user']) && $_SESSION['user']['is_admin'] == 1 && $navigation['page_name'] ==
 Add New Dog") { ?>
class="nav-item">
```

```
a class="nav-link active" aria-current="page" href="<?php echo $navigation['page_link']; ?>"><?php echo
$navigation['page_name']; ?></a>
?php } ?>
 ?php endforeach; ?>
:/ul>
(?php if (!isset($_SESSION['user'])) { ?>
 ?php foreach ($navigations as $navigation) : ?>
 c?php if ($navigation['page_name'] == "Login" || $navigation['page_name'] == "Register") { ?>
cli class="nav-item">
<a class="nav-link active" aria-current="page" href="<?php echo $navigation['page_link']; ?>"><?php echo</p>
$navigation['page_name']; ?></a>
:/li>
<?php } ?>
 ?php endforeach; ?>
 ??php } ?>
 ?php if (isset($_SESSION['user'])) { ?>
<a class="nav-link dropdown-toggle" href="#" id="navbarDropdown" role="button" data-bs-</p>
toggle="dropdown" aria-expanded="false">
 ?php echo $_SESSION['user']['username']; ?>
cul class="dropdown-menu" aria-labelledby="navbarDropdown">
 ?php foreach ($navigations as $navigation) : ?>
 c?php if ($navigation['page_name'] == "Profile" || $navigation['page_name'] == "Logout") { ?>
class="nav-item">
<a class="dropdown-item" aria-current="page" href="<?php echo $navigation['page_link']; ?>"><?php echo</p>
$navigation['page_name']; ?></a>
:/li>
 ??php } ?>
 ?php if (isset($_SESSION['user']) && $_SESSION['user']['is_admin'] == 1 && $navigation['page_name'] ==
 Admin") { ?>
di><a class="dropdown-item" href="<?php echo $navigation['page_link']; ?>">Admin panel</a>
 ??php } ?>
 ?php endforeach; ?>
 /ul>
 ?php } ?>
 :/ul>
 /div>
 /div>
</nav>
<div class="container">
```

### 5.28. views/dogs/add.php

```
if (!isset($_SESSION['user']) || (isset($_SESSION['user']) && $_SESSION['user']['is_admin'] == 0)) {
header("Location: index.php");
<section class="mt-4 mb-5">
<div class="container">
<div class="row justify-content-center">
<div class="col-lg-6 col-md-8 col-sm-10 col-10 g-0">
<h1 class="mb-1">Submit new dog &#128021;</h1>
Fields marked with <strong class="text-danger">*</strong> are required.
<div id="add-new-dog-errors" class="mb-3"></div>
<form id="submit-new-dog-form">
<div class="mb-4">
<label class="form-label">Breed <strong class="text-danger">*</strong></label>
<input name="breed" type="text" class="form-control" placeholder="Enter breed">
 </div>
<div class="mb-4">
<label class="form-label">Name <strong class="text-danger">*</strong></label>
<input name="name" type="text" class="form-control" placeholder="Enter name">
</div>
<div class="mb-4">
<label class="form-label">Description <strong class="text-danger">*</strong></label>
<textarea class="form-control" name="description" placeholder="Enter description" id="floatingTextarea2"</p>
style="height: 100px"></textarea>
</div>
<div class="mb-4">
<label class="form-label">Upload Image <strong class="text-danger">*</strong></label> <br>
<input type="file" name="file">
</div>
```

```
<button type="submit" class="btn btn-primary w-100">Submit</button>
 /form>
 /div>
 /div>
 /div>
 /div>
 /section>
<script src="assets/js/api/dogs/dogs.js"></script>
5.29. views/dogs/edit.php
<?php
if (!isset($_SESSION['user']) || (isset($_SESSION['user']) && $_SESSION['user']['is_admin'] == 0)) {
header("Location: index.php");
id = GET['id'];
$query = $conn->prepare("SELECT * FROM dogs WHERE id = :id");
$query->execute(array(
':id' => $id,
$dog = $query->fetch(PDO::FETCH_ASSOC);
?>
 <section class="mt-4 mb-5">
 <div class="container">
<div class="row justify-content-center">
 <div class="col-lg-6 col-md-8 col-sm-10 col-10 g-0">
<div class="edit-dog">
 </div>
 /div>
 </div>
 </div>
```

```
<script src="assets/js/api/dogs/dogs.js"></script>
5.30. views/dogs/show.php
<div class="row mt-5">
<div class="col-md-8 mb-3 offset-md-2 data">
</div>
 <script src="assets/js/api/dogs/dogs.js"></script>
<script src="assets/js/api/favorites/favorites.js"></script>
5.31. views/about.php
<div id="export">
<div class="col-md-10 offset-md-1 mt-5 mb-5">
<h1 class="text-center mb-4">About me :)</h1>
<div class="card mb-3 shadow">
 <div class="image-container">
 timg src="./assets/images/mojaslika.jpeg" class="card-img-top img-thumbnail mojaslika" style="width:
400px;">
 /div>
 <div class="card-body">
 cp class="card-text mt-0">
Zdravo, ja sam Jana Matović. Rođena sam u Prijepolju i imam 22 godine. Završila sam gimnaziju, prirodno-
matematički smer, a trenutno sam student 3. godine "Visoke škole za informacione i komunikacione
tehnologije". Smer: Informacione tehnologije Modul: Web programiranje
 \langle p \rangle
 cbutton onclick="ExportToDoc('export');">Export as .doc</button>
 /div>
 /div>
 /div>
 /div>
<script>
function ExportToDoc(element, filename = ") {
var header = "<html xmlns:o='urn:schemas-microsoft-com:office:office' xmlns:w='urn:schemas-microsoft-
com:office:word' xmlns='http://www.w3.org/TR/REC-html40'><head><meta charset='utf-8'><title>Export
HTML to Word Document with JavaScript</title></head><body>";
```

var footer = "</body></html>";

```
var html = header + document.getElementById(element).innerHTML + footer;
var blob = new Blob(['\ufeff', html], {
type: 'application/msword'
 / Specify link url
var url = 'data:application/vnd.ms-word;charset=utf-8,' + encodeURIComponent(html);
 / Specify file name
filename = filename ? filename + '.docx' : 'document.docx';
 / Create download link element
var downloadLink = document.createElement("a");
document.body.appendChild(downloadLink);
if (navigator.msSaveOrOpenBlob) {
navigator.msSaveOrOpenBlob(blob, filename);
 Create a link to the file
downloadLink.href = url;
 Setting the file name
downloadLink.download = filename;
//triggering the function
downloadLink.click();
document.body.removeChild(downloadLink);
</script>
5.32. views/admin.php
<?php
if (!isset(\$\_SESSION['user']) \parallel (isset(\$\_SESSION['user']) \&\& \$\_SESSION['user']['is\_admin'] == 0)) \{ if (!isset(\$\_SESSION['user']) \&\& \$\_SESSION['user']['is\_admin'] == 0) \} 
header("Location: index.php");
```

#### ?>

```
<div class="col-md-10 offset-md-1 mt-5">
<div class="card shadow">
<div class="card-body">
<h5 class="card-title">Pages statistics</h5>
cp class="card-text">
thead>
NAME
TOTAL VISITS
LAST 24h VISITS
</thead>
<h5 class="card-title active-users"></h5>
/div>
/div>
/div>
<script src="assets/js/api/admin/admin.js"></script>
```

#### 5.33. views/home.php

```
<div class="mt-5">
<div class="mb-3">
<div class="d-flex w-50">
<div>
<div>
<label for="">Sort by</label>
<select class="form-select sort-input" aria-label="Default select example">
<option selected value="1">Date</option>
<option value="2">Most Comments</option>
<option value="3">Most Likes</option>
</select>
</div>
<div class="ms-2">
<label for="">Search</label>
```

```
input class="form-control me-2 search-input" type="search" placeholder="Search" aria-label="Search">
 /div>
 /div>
 /div>
 <div id="dogs" class="row">
</div>
<nav aria-label="Page navigation example">
</nav>
 </div>
<script src="assets/js/api/dogs/dogs.js"></script>
5.34. views/login.php
<?php
if (isset($_SESSION['user'])) {
header("Location: index.php");
 <!-- ----- REGISTRACIJA ------ --:
<section class="mt-4 mb-5">
<div class="container">
<div class="row justify-content-center">
<div class="col-lg-6 col-md-8 col-sm-10 col-10 g-0">
<div class="login-form-container">
<h1 class="mb-1">Login</h1>
Fields marked with <strong class="text-danger">*</strong> are required.
<div id="login-errors" class="mb-3"></div>
<form id="login-form">
<div class="mb-4">
<label class="form-label">Username/Email <strong class="text-danger">*</strong></label>
```

```
<input name="usernameOrEmail" type="text" class="form-control" placeholder="Enter Username or email"</p>
value="<?php echo $username ?? ""; ?>">
</div>
<div class="mb-4">
<label class="form-label">Password <strong class="text-danger">*</strong></label>
input name="password" type="password" class="form-control" placeholder="Enter password">
</div>
<button type="submit" class="btn btn-primary w-100">Login</button>
<div class="text-center">
<div class="mt-3 mb-1">OR</div>
</div>
<div class="text-center mt-0">
You don't have an account, go to <a href="<?php echo BASE_URL ?>?page=register">register</a> page.
 /div>
 /form>
 /div>
 /div>
 /div>
 /div>
 5.35. views/logout.php
<?php
unset($_SESSION['user']);
header("Location: index.php");
exit;
5.36. views/profile.php
<?php
if (!isset($_SESSION['user'])) {
header("Location: index.php");
exit:
```

```
<div class="col-md-10 offset-md-1 mt-4 mb-5">
<h1 class="mb-4 text-center">Welcome to your profile page :)</h1>
<div class="card text-center">
<div class="card-header profile-header">
<div class="card-body">
<div class="accordion" id="accordionExample">
<div class="accordion-item">
<h2 class="accordion-header">
<button class="accordion-button collapsed" type="button" data-bs-toggle="collapse" data-bs-</p>
target="#collapseComments" aria-expanded="false" aria-controls="collapseComments">
i class="fa fa-comments" aria-hidden="true"></i> &nbsp; <span class="comments-
number"></span>&nbsp;Comments
 /button>
</h2>
div id="collapseComments" class="accordion-collapse collapse" aria-labelledby="headingTwo" data-bs-
parent="#accordionExample">
 div class="accordion-body text-start">
:/ul>
 /div>
 /div>
 /div>
<div class="accordion-item">
<h2 class="accordion-header">
<button class="accordion-button collapsed" type="button" data-bs-toggle="collapse" data-bs-</p>
target="#collapseTwo" aria-expanded="false" aria-controls="collapseTwo">
 i class="fa fa-heart" aria-hidden="true"></i> &nbsp; <span class="favorites-
number"></span>&nbsp;Favorite dogs
 /button>
 \frac{h2}{}
div id="collapseTwo" class="accordion-collapse collapse" aria-labelledby="headingTwo" data-bs-
parent="#accordionExample">
<div class="accordion-body text-start">
```

}

```
/div>
 /div>
 /div>
 /div>
 /div>
 div class="card-footer text-muted user-joined">
 /div>
 /div>
 /div>
<script src="assets/js/api/users/users.js"></script>
5.37. views/register.php
<?php
if (isset($_SESSION['user'])) {
header("Location: index.php");
 <!-- ----- REGISTRACIJA ------------------>
 <section class="mt-4 mb-5">
 <div class="container">
 <div class="row justify-content-center">
 <div class="col-lg-6 col-md-8 col-sm-10 col-10 g-0">
 <div class="login-form-container">
 <h1 class="mb-1">Register</h1>
 Fields marked with <strong class="text-danger">*</strong> are required.
<div id="register-errors" class="mb-3"></div>
 <form id="register-form">
 <div class="mb-4">
<label class="form-label">Username <strong class="text-danger">*</strong></label>
 input name="username" type="text" class="form-control" placeholder="Enter Username" value="<?php
echo $username ?? ""; ?>">
 </div>
<div class="mb-4">
 <label class="form-label">Email <strong class="text-danger">*</strong></label>
```

```
input name="email" type="email" class="form-control" placeholder="Enter email" value="<?php echo
$email ?? ""; ?>">
</div>
<div class="mb-4">
<label class="form-label">Password <strong class="text-danger">*</strong></label>
input name="password" type="password" class="form-control" placeholder="Confirm password">
<div class="mb-4">
<label class="form-label">Confirm password <strong class="text-danger">*</strong></label>
 cinput name="password2" type="password" class="form-control" placeholder="Potvrdite šifru">
</div>
<div class="mb-4">
<label class="form-label">Birthday</label>
<input name="birthday" type="date" class="form-control" placeholder="Enter birthday" value="<?php echo</p>
$birthday ?? ""; ?>">
</div>
<button name="register" type="submit" class="btn btn-primary w-100">Register</button>
<div class="text-center">
<div class="mt-3 mb-1">OR</div>
</div>
<div class="text-center mt-0">
You already have account, go to <a href="<?php echo BASE_URL ?>?page=login">login</a> page.
 /div>
 </form>
 /div>
 /div>
 /div>
 /div>
 /section>
 :!-- ----- REGISTRACIJA -----
5.38. views/index.php
<?php
require_once "config/connection.php";
include "views/fixed/head.php";
```

```
if (!isset($_GET['page'])) {
include "views/home.php";
} else {
switch ($_GET['page']) {
case 'admin':
include "views/admin.php";
break;
case 'about':
include "views/about.php";
break;
case 'dogs-edit':
include "views/dogs/edit.php";
break;
case 'dogs':
include "views/dogs/show.php";
break;
case 'add-new-dog':
include "views/dogs/add.php";
break;
case 'login':
include "views/login.php";
break;
case 'register':
include "views/register.php";
break;
case 'profile':
include "views/profile.php";
break;
case 'admin':
include "views/admin.php";
break;
case 'logout':
include "views/logout.php";
break;
default:
include "views/home.php";
break;
```

include "views/fixed/footer.php";