
Trabalho de Redes II – Gabriel Oliveira Campos - 559825

1- Configuração do XAMPP, com a porta 8080, junto com o CMD para mostrar o IP falso da máquina, junto com o acessamento ao servidor com o IP Falso.



2- IP verdadeiro da máquina mostrado no site www.meuip.com.br



3- Conexão ao servidor pelo celular conectado a mesma rede WIFI com o IP Falso.

20:57

① 192.168.0.27:808

Apache Friends



Apache + MariaDB + P

Welcome to XAMPP fo Windows 7.3.2

You have successfully installed XAM system! Now you can start using Ap PHP and other components. You can

4- Configuração do NAT pelo roteador da NET, caminhamento de portas do IP externo para o IP interno.



5- Conexão feita com o servidor utilizando o IP Real com o celular pelo 4G

20:33

© 191.185.61.158:80

Apache Friends


XAMF

Apache + MariaDB + P


Welcome to XAMPP fo Windows 7.3.2

You have successfully installed XAM system! Now you can start using Ap PHP and other components. You can

6- Criação de um servidor dns no site do no-ip.com onde foi configurado o domino e o IP real.



7- Agora com o cliente do NOIP troca o IP verdadeiro pelo domínio hosteado honeybadger1313.hopto.org:8080



Welcome to XAMPP fo Windows 7.2.7

You have successfully installed XAM system! Now you can start using Ap PHP and other components. You can