

PyGameMaker IDE Test Checklist

A comprehensive checklist for testing all features of PyGameMaker IDE.

Each item has three checkboxes: **L** = Linux, **M** = macOS, **W** = Windows. Tick the box for every platform you tested it on.

0. New in 1.0.0-rc.12 (audit + visual phase)

Specifically validates the work added in the rc.12 release. Each item references the commit it shipped in so a regression is easy to bisect.

Welcome tab (commits [e42d4b6](#) / [7e86274](#) / [37d7186](#))

- ☐ ☐ ☐ ☐ ☐ Welcome tab is the default tab on first launch with no project
- ☐ ☐ ☐ ☐ ☐ Title "Welcome to PyGameMaker IDE" + version label "v1.0.0-rc.13" visible
- ☐ ☐ ☐ ☐ ☐ **Get started** column shows New Project, Open Project, **More options** dropdown
- ☐ ☐ ☐ ☐ ☐ "More options" dropdown opens a menu with Open ZIP / Import GMK / Import Roberta entries
- ☐ ☐ ☐ ☐ ☐ **Continue where you left off** list shows recent projects with "N days ago" timestamps
- ☐ ☐ ☐ ☐ ☐ Clicking a recent-project row opens that project
- ☐ ☐ ☐ ☐ ☐ Recent-project list is wrapped in a visible rectangle (themed frame)
- ☐ ☐ ☐ ☐ ☐ "Clear recent projects" link hides itself when the list is empty
- ☐ ☐ ☐ ☐ ☐ Footer links (Documentation / Tutorials / About) open the right targets

Try a sample game — bundled samples + copy-on-open (commits [a8f78d0](#) / [f8a0eb7](#))

- ☐ ☐ ☐ ☐ ☐ **Try a sample game** dropdown opens a menu listing Maze 1-3
- ☐ ☐ ☐ ☐ ☐ Clicking a sample opens **immediately** — no "choose output folder" prompt, no GMK-import wait
- ☐ ☐ ☐ ☐ ☐ After clicking, the IDE title shows the sample's name (e.g. maze_1 — PyGameMaker IDE)
- ☐ ☐ ☐ ☐ ☐ The newly-opened project lives at <Documents>/PyGameMaker Projects/<sample>/ — not under samples/
- ☐ ☐ ☐ ☐ ☐ Clicking the same sample twice opens a fresh copy at <sample>_2/, leaving the first one alone
- ☐ ☐ ☐ ☐ ☐ After editing and pressing Ctrl+S, only the working copy changes; samples/<sample>/ on disk is untouched
- ☐ ☐ ☐ ☐ ☐ Each sample loads to an editable state (assets visible in the asset tree, rooms openable, etc.)

Window title (commit [00911b3](#))

- ☐ ☐ ☐ ☐ ☐ No-project title: "PyGameMaker IDE"
- ☐ ☐ ☐ ☐ ☐ Project loaded: "<ProjectName> — PyGameMaker IDE"
- ☐ ☐ ☐ ☐ ☐ After unsaved edits: trailing " *" appears in title in real time
- ☐ ☐ ☐ ☐ ☐ After save: " *" disappears

Toolbar (commit [00911b3](#))

- ☐ ☐ ☐ ☐ ☐ Hover any toolbar icon → tooltip with descriptive text + shortcut hint (e.g. "Save Project (Ctrl+S)", "Test Game (F5)")
- ☐ ☐ ☐ ☐ ☐ Save / Test / Debug / Export / Import Sprite / Import Sound icons grey out when no project is open
- ☐ ☐ ☐ ☐ ☐ Same icons enable correctly once a project is loaded
- ☐ ☐ ☐ ☐ ☐ New / Open icons stay enabled in both states

Tools menu graying (commit [78e190d](#))

- ☐ ☐ ☐ ☐ ☐ No project loaded: "Validate Project", "Migrate to Modular Structure", and Thymio → Add Event / Add Action are greyed out
- ☐ ☐ ☐ ☐ ☐ No project loaded: Preferences, Configure Action Blocks, Configure Thymio Blocks, Language, Open Playground, Import Open Roberta XML stay enabled
- ☐ ☐ ☐ ☐ ☐ Project loaded: every Tools item becomes enabled

Asset tree empty-state hint (commit [00911b3](#))

- ☐ ☐ ☐ ☐ ☐ No project loaded: italic hint visible below the category list ("No project loaded. Use File → New / Open Project to begin.")
- ☐ ☐ ☐ ☐ ☐ Hint disappears once a project loads
- ☐ ☐ ☐ ☐ ☐ Hint dims correctly under both light and dark themes

Right panel empty-state placeholder (commit [00911b3](#))

- ☐ ☐ ☐ ☐ ☐ No project loaded: the Asset Information / Properties / Preview group boxes are hidden; one centred italic message takes their place
- ☐ ☐ ☐ ☐ ☐ Message appears in both light and dark themes
- ☐ ☐ ☐ ☐ ☐ Project loaded: the three group boxes reappear; placeholder is hidden

Aseba code export (commit [71e19f3](#))

- ☐ ☐ ☐ ☐ ☐ File → Export menu contains "Export Aseba (Thymio) code..."
- ☐ ☐ ☐ ☐ ☐ Item is greyed out when no project is open, enabled when one is

- L [] M [] W [] Clicking it prompts for an output directory
- L [] M [] W [] On a project with Thymio objects: writes one .aes1 per object + a README.md to the chosen directory
- L [] M [] W [] On a project without Thymio objects: shows the "No Thymio objects found" warning instead of the generic failure dialog
- L [] M [] W [] Success dialog offers to open the output folder; works on Windows / macOS / Linux

Cross-platform export "open folder" prompts (commit a44f750)

- L [] M [] W [] After a successful Linux-binary export, the "open folder?" prompt uses the correct OS-native open command (start / open / xdg-open)
- L [] M [] W [] Same for iOS export (where reachable)
- L [] M [] W [] Same for HTML5, exe, macos, android exports (regression check)

Localised Desktop / Documents defaults (commit 53ec9ae)

- L [] M [] W [] On Windows with OneDrive-redirected Desktop: export dialog defaults to the OneDrive-Desktop path, not a non-existent ~/Desktop
- L [] M [] W [] On Linux with non-English locale: export dialog defaults to the localised desktop folder (Bureau / Schreibtisch / etc.)
- L [] M [] W [] New-project dialog defaults to the localised Documents folder

Windows console flash suppressed (commit 53ec9ae)

- L [] M [] W [] On Windows in dev mode, pressing F5 to Test Game: no python.exe console window flashes before pygame opens

Dialog button bar ordering (commit 00911b3)

- L [] M [] W [] Sprite Strip Import dialog: Cancel/OK button row follows the platform convention (OK-then-Cancel on Win/Linux, Cancel-then-OK on macOS)
- L [] M [] W [] Blockly Block Config dialog: Select All / Select None stay on the left; Save/Cancel pair on the right follows the platform convention

Translation coverage (commit ad47e68)

- L [] M [] W [] Switching language at runtime (Tools → Language) actually changes the visible labels (sanity check that .qm files load)
- L [] M [] W [] All 7 active languages (de, es, fr, it, ru, sl, uk) appear in the Language menu when their .qm files are present

1. Application Startup & Basic Operations

- L [x] M [] W [] Application launches without errors (*verified post-afb9c75: clean console, no Qt UniqueConnection warning, no duplicate pygm.X log lines*)
- L [] M [] W [] Main window displays correctly
- L [] M [] W [] Menu bar is visible and responsive
- L [] M [] W [] Toolbar buttons are visible and clickable
- L [] M [] W [] Status bar shows information
- L [] M [] W [] Asset tree panel is visible
- L [] M [] W [] Properties panel is visible

2. Project Management

- L [] M [] W [] Create new project (File > New Project)
- L [] M [] W [] Open existing project (File > Open Project)
- L [] M [] W [] Save project (File > Save / Ctrl+S)
- L [] M [] W [] Save project as new name (File > Save As)
- L [] M [] W [] Close project (File > Close Project)
- L [] M [] W [] Recent projects list works
- L [] M [] W [] Project settings dialog opens and saves

3. Asset Tree Operations

Sprites

- L [] M [] W [] Create new sprite
- L [] M [] W [] Import sprite from image file (PNG, JPG, GIF)
- L [] M [] W [] Edit sprite properties (name, origin, collision mask)
- L [] M [] W [] Delete sprite
- L [] M [] W [] Duplicate sprite
- L [] M [] W [] Rename sprite

Sounds

- L [] M [] W [] Create/import new sound (WAV, MP3, OGG)

- L [] M [] W [] Preview sound playback
- L [] M [] W [] Edit sound properties
- L [] M [] W [] Delete sound

Backgrounds

- L [] M [] W [] Create new background
- L [] M [] W [] Import background image
- L [] M [] W [] Edit background properties (tiling, scrolling)
- L [] M [] W [] Delete background

Objects

- L [] M [] W [] Create new object
- L [] M [] W [] Assign sprite to object
- L [] M [] W [] Edit object properties (visible, solid, depth, persistent)
- L [] M [] W [] Add events to object
- L [] M [] W [] Add actions to events
- L [] M [] W [] Delete object
- L [] M [] W [] Duplicate object
- L [] M [] W [] Parent/child object relationships

Rooms

- L [] M [] W [] Create new room
- L [] M [] W [] Edit room properties (width, height, speed)
- L [] M [] W [] Set room background
- L [] M [] W [] Place object instances in room
- L [] M [] W [] Move/resize instances
- L [] M [] W [] Delete instances
- L [] M [] W [] Set room order (first room)
- L [] M [] W [] Delete room

4. Object Events Testing

Create Event

- L [] M [] W [] Add Create event
- L [] M [] W [] Actions execute when instance is created
- L [] M [] W [] Variable initialization works

Destroy Event

- L [] M [] W [] Add Destroy event
- L [] M [] W [] Actions execute when instance is destroyed

Step Events

- L [] M [] W [] Step event fires every frame
- L [] M [] W [] Begin Step event fires before Step
- L [] M [] W [] End Step event fires after Step

Alarm Events

- L [] M [] W [] Alarm 0-11 can be set
- L [] M [] W [] Alarm triggers at correct time
- L [] M [] W [] Alarm can be reset

Keyboard Events

- L [] M [] W [] Key Press event (fires once on key down)
- L [] M [] W [] Key Release event (fires once on key up)
- L [] M [] W [] Key Down event (fires continuously while held)
- L [] M [] W [] Specific key detection (Arrow keys, WASD, Space, Enter, etc.)
- L [] M [] W [] Any key detection

Mouse Events

- L [] M [] W [] Left button press/release/down
- L [] M [] W [] Right button press/release/down
- L [] M [] W [] Middle button press/release/down
- L [] M [] W [] Mouse enter (cursor enters instance)
- L [] M [] W [] Mouse leave (cursor leaves instance)
- L [] M [] W [] Global mouse events (anywhere on screen)

Collision Events

- L [] M [] W [] Collision with specific object
- L [] M [] W [] Collision detection accuracy
- L [] M [] W [] Multiple collision events on same object

Other Events

- L [] M [] W [] Outside Room event
- L [] M [] W [] Intersect Boundary event
- L [] M [] W [] Game Start event
- L [] M [] W [] Game End event
- L [] M [] W [] Room Start event
- L [] M [] W [] Room End event
- L [] M [] W [] Animation End event
- L [] M [] W [] User-defined events

Draw Events

- L [] M [] W [] Draw event overrides default sprite drawing
- L [] M [] W [] Draw GUI event for HUD elements
- L [] M [] W [] Draw Begin/End events

5. Actions Testing

Movement Actions

- L [] M [] W [] Move Fixed (8 directions + stop)
- L [] M [] W [] Move Free (direction + speed)
- L [] M [] W [] Move Towards (target point)
- L [] M [] W [] Set Speed
- L [] M [] W [] Set Direction
- L [] M [] W [] Set Horizontal Speed (hspeed)
- L [] M [] W [] Set Vertical Speed (vspeed)
- L [] M [] W [] Reverse Horizontal
- L [] M [] W [] Reverse Vertical
- L [] M [] W [] Set Gravity
- L [] M [] W [] Set Friction
- L [] M [] W [] Jump to Position
- L [] M [] W [] Jump to Start Position
- L [] M [] W [] Jump to Random Position
- L [] M [] W [] Snap to Grid
- L [] M [] W [] Wrap Screen
- L [] M [] W [] Move to Contact
- L [] M [] W [] Bounce against objects

Instance Actions

- L [] M [] W [] Create Instance
- L [] M [] W [] Create Instance with Motion
- L [] M [] W [] Create Random Instance
- L [] M [] W [] Change Instance (transform to different object)
- L [] M [] W [] Destroy Instance
- L [] M [] W [] Destroy at Position

Control Flow Actions

- L [] M [] W [] If Variable (comparison)
- L [] M [] W [] If Instance Count
- L [] M [] W [] If Dice (random chance)
- L [] M [] W [] If Question (user prompt)
- L [] M [] W [] If Expression
- L [] M [] W [] If Mouse Button
- L [] M [] W [] If Instance Aligned with Grid
- L [] M [] W [] Start Block / End Block
- L [] M [] W [] Else
- L [] M [] W [] Exit Event
- L [] M [] W [] Repeat
- L [] M [] W [] Call Parent Event

Room Actions

- L [] M [] W [] Go to Next Room
- L [] M [] W [] Go to Previous Room
- L [] M [] W [] Restart Room
- L [] M [] W [] Go to Room (specific)

- L [] M [] W [] If Previous Room Exists
- L [] M [] W [] If Next Room Exists

Variable Actions

- L [] M [] W [] Set Variable
- L [] M [] W [] If Variable
- L [] M [] W [] Draw Variable

Score/Lives/Health Actions

- L [] M [] W [] Set Score
- L [] M [] W [] If Score
- L [] M [] W [] Draw Score
- L [] M [] W [] Set Lives
- L [] M [] W [] If Lives
- L [] M [] W [] Draw Lives
- L [] M [] W [] Set Health
- L [] M [] W [] If Health
- L [] M [] W [] Draw Health
- L [] M [] W [] Draw Health Bar

Drawing Actions

- L [] M [] W [] Draw Sprite
- L [] M [] W [] Draw Background
- L [] M [] W [] Draw Text
- L [] M [] W [] Draw Text Transformed
- L [] M [] W [] Draw Rectangle
- L [] M [] W [] Draw Ellipse
- L [] M [] W [] Draw Line
- L [] M [] W [] Draw Arrow
- L [] M [] W [] Set Color
- L [] M [] W [] Set Font
- L [] M [] W [] Set Full Screen

Sound Actions

- L [] M [] W [] Play Sound
- L [] M [] W [] Stop Sound
- L [] M [] W [] If Sound Playing
- L [] M [] W [] Set Volume
- L [] M [] W [] Set Pan

Timing Actions

- L [] M [] W [] Set Alarm
- L [] M [] W [] Sleep (pause execution)
- L [] M [] W [] Set Timeline

Info/Game Actions

- L [] M [] W [] Display Message
- L [] M [] W [] Show Info
- L [] M [] W [] Show Video
- L [] M [] W [] Restart Game
- L [] M [] W [] End Game
- L [] M [] W [] Save Game
- L [] M [] W [] Load Game

6. Room Editor

- L [] M [] W [] Grid display toggle
- L [] M [] W [] Grid snap toggle
- L [] M [] W [] Zoom in/out
- L [] M [] W [] Pan/scroll room view
- L [] M [] W [] Instance placement
- L [] M [] W [] Instance selection (click)
- L [] M [] W [] Multi-select instances (Ctrl+click or drag box)
- L [] M [] W [] Move selected instances
- L [] M [] W [] Delete selected instances (Delete key)
- L [] M [] W [] Copy/paste instances
- L [] M [] W [] Instance properties panel
- L [] M [] W [] Layer management (if applicable)
- L [] M [] W [] Background layer editing

- L [] M [] W [] View settings (show/hide elements)

7. Blockly Visual Programming

- L [] M [] W [] Blockly editor opens for actions
- L [] M [] W [] Blocks can be dragged from toolbox
- L [] M [] W [] Blocks snap together correctly
- L [] M [] W [] Block deletion works
- L [] M [] W [] Undo/redo in Blockly
- L [] M [] W [] Code generation from blocks
- L [] M [] W [] All action categories available in toolbox
- L [] M [] W [] Custom blocks (if any)

8. Code Editor

- L [] M [] W [] Python code editor opens
- L [] M [] W [] Syntax highlighting works
- L [] M [] W [] Code completion (if available)
- L [] M [] W [] Code can be saved
- L [] M [] W [] Code executes correctly in game

9. Game Execution

Run Game (F5)

- L [] M [] W [] Game window opens
- L [] M [] W [] First room loads correctly
- L [] M [] W [] Objects appear at correct positions
- L [] M [] W [] Sprites display correctly
- L [] M [] W [] Animations play
- L [] M [] W [] Events fire correctly
- L [] M [] W [] Collisions detected
- L [] M [] W [] Keyboard input works
- L [] M [] W [] Mouse input works
- L [] M [] W [] Sound plays
- L [] M [] W [] Room transitions work
- L [] M [] W [] Game can be closed cleanly

Debug Mode

- L [] M [] W [] Debug output visible
- L [] M [] W [] FPS display (if enabled)
- L [] M [] W [] Variable inspection (if available)
- L [] M [] W [] Step-through execution (if available)

10. Export/Build

HTML5 Export

- L [] M [] W [] Export to HTML5 works
- L [] M [] W [] Game runs in browser
- L [] M [] W [] All features work in browser

Standalone Export

- L [] M [] W [] Export to executable works
- L [] M [] W [] Game runs without IDE
- L [] M [] W [] All assets bundled correctly

11. Preferences/Settings

- L [] M [] W [] Preferences dialog opens
- L [] M [] W [] Language selection works
- L [] M [] W [] Theme selection works (light/dark)
- L [] M [] W [] Font settings work
- L [] M [] W [] Grid settings persist
- L [] M [] W [] Settings save between sessions

12. Help System

- L [] M [] W [] Help menu accessible
- L [] M [] W [] Documentation opens

- L [] M [] W [] About dialog shows version info
- L [] M [] W [] Links work (website, GitHub, etc.)

13. Standalone Executable Testing

- L [] M [] W [] Application launches from executable
- L [] M [] W [] No empty directories created in launch folder
- L [] M [] W [] Projects can be created/opened
- L [] M [] W [] Games can be run (F5)
- L [] M [] W [] Room preview shows appropriate message
- L [] M [] W [] All UI elements render correctly
- L [] M [] W [] No Python-related errors in console

14. Error Handling

- L [] M [] W [] Invalid project file shows error message
- L [] M [] W [] Missing asset references handled gracefully
- L [] M [] W [] Syntax errors in code show helpful messages
- L [] M [] W [] Crash recovery (autosave, if available)
- L [] M [] W [] Undo works after errors

15. Audit-fix validation (2026-06-11 full audit: 15 high / 61 medium / 35 low)

Re-run on **each** desktop OS to confirm the audit fixes hold. Every line has a per-platform tri-box — tick **Linux** / **Windows** / **macOS** as you verify it. Each item is tagged with the audit ID(s) it validates; full descriptions live in docs/FULL_AUDIT_2026-06-11.md. The bulk of the fixes ship with automated regression tests (15.0), so on a given OS you can run the suite first and then spot-check the platform-sensitive items below.

15.0 Automated regression suite (the primary validator)

- [] L [] W [] m — `pytest tests/ -q reports` **0 failures** (Windows: `py -3.12 -m pytest tests/ -q`; Linux/macOS: `python3 -m pytest tests/ -q`). Expected ~1080 passed on the Windows box; pass count grows as tests are added, skip count is env-dependent — treat any non-zero **failure** as a regression (per CLAUDE.md).
- [] L [] W [] m — `python tools/smoke_run_samples.py` — all bundled samples boot and run their loop with no fatal crash (headless, SDL dummy).
- [] L [] W [] m — `python tools/smoke_room_lifecycle.py` — room restart / change / restart_game and create-once hold on real sample data (validates M48/M51/M52/M53).

15.1 Runtime / gameplay (Test Game on the bundled samples)

- [] L [] W [] m — Imported maze/platformer samples run at the authored speed, not double-speed (GMK room_speed honored) (M48)
- [] L [] W [] m — A spawner that creates instances each step no longer hard-hangs the frame; spawned instances appear next frame (M49, M46)
- [] L [] W [] m — Bullets/enemies spawned via Create Moving/Random Instance are **visible** and inherit parent events/collisions (M46, M47)
- [] L [] W [] m — `exit_event` inside an if/else branch or a repeat block aborts the whole event; an `if_condition` then-branch runs **once** (M43)
- [] L [] W [] m — Pushing a sprite with a transparent margin / nonzero origin lands flush against a wall (no jitter / off-grid) (M50)
- [] L [] W [] m — A persistent player survives `restart_room`; after `restart_game` rooms 2..N are fresh; re-entering a room doesn't re-run its create events (M51, M52, M53)
- [] L [] W [] m — Releasing a movement key closes a message dialog is open does NOT leave the character moving after it closes (M54)
- [] L [] W [] m — `key_pressed` arrow conditions and `mouse_check` button/over-object conditions actually fire; numpad/punctuation keys work (M30, M31, L25)
- [] L [] W [] m — `Test Health <= 0 / >= N` death checks trigger (M29); Next/Previous/Restart-Room dropdown options navigate (M28)
- [] L [] W [] m — `outside_room` fires when the sprite is fully off-screen for nonzero-origin sprites (L30)
- [] L [] W [] m — Custom `self.<var>` code in an event runs (no silent `NameError`); collision-spawned instances' create events read their **own** speed, not the colliding pair's (L28, L29, M45)

15.2 Thymio playground / simulator

- [] L [] W [] m — Ground sensors read the surface **in front** of the robot (line-following works); "Turn Left" rotates left on screen (M55, M56)
- [] L [] W [] m — Opening then closing the Thymio Playground / Run window repeatedly doesn't accumulate windows or memory (WA_DeleteOnClose) (L4)
- [] L [] W [] m — Blockly Thymio if-blocks execute their nested actions and don't skip the following sibling action (M44)

15.3 Editors (sprite / room / playground / object / script)

- [] L [] W [] m — Sprite editor: eyedropper drag doesn't paint; frame add/duplicate/**delete** are undoable; drawing during playback doesn't lose strokes; margin clicks don't paint edge pixels; selection marquees don't dirty the sprite (M25, M26, L15,

L16, L17)

- [] L · [] W · [] m — Room editor: Clear All / Shift All are undoable; paste/duplicate/paint **redo** works; scaled instances are clickable over their whole footprint; Ctrl+D doesn't clobber the copy clipboard (M23, M24, L12, L13)
- [] L · [] W · [] m — Playground editor: robots get unique ports; Add Wall/Robot redo works; properties panel refreshes after undo/redo (M21, M22, L11)
- [] L · [] W · [] m — Script editor: toolbar Undo/Redo and Edit ► Undo work (not just Ctrl+Z) (L14)
- [] L · [] W · [] m — A room and an object that share a name can both be open; deleting one doesn't close the other (L5)

15.4 Events / actions config dialogs

- [] L · [] W · [] m — Editing a set_sprite action keeps <self> (doesn't silently re-point to the first sprite); draw_lives empty sprite is reachable (M27)
- [] L · [] W · [] m — check_empty dropdown shows only solid/all (no bogus object names); unknown/Blockly-only actions still appear as a row so Remove/Move hit the right action (L18, L19)

15.5 Importers (GMK / Roberta)

- [] L · [] W · [] m — Importing a normal .gmk works; a hostile/corrupt one (huge declared image/zlib sizes) is rejected with a warning, not an OOM hang (M40, M41, L26)
- [] L · [] W · [] m — Roberta import: LED colours apply (red/green/blue); a variable-driven LED colour doesn't crash the import (M42, L27)

15.6 Exporters (platform-sensitive — run the native target per OS)

- [] L · [] W · [] m — Desktop export of a project named with an apostrophe (e.g. "L'aventure") builds; a locked output folder reports failure and keeps the build instead of reporting fake success (M38, M39)
- [] L · [] W · [] m — Aseba .aes1 export opens via Aseba Studio File ► Open (valid XML, no stray end) (M32, M33)
- [] L · [] W · [] m — Kivy/desktop export: collision actions, jump, keyboard-release and non-PNG backgrounds work; a quoted/newline message doesn't break the build (M34, M35, M36, M37, L21, L22)
- [] L · [] m — Android export (Linux/macOS native; Windows via WSL): an accented project name builds; a failed/cancelled build cleans its temp dir and doesn't double-report (L20, L23, L24)
- [] L · [] W · [] m — Object/Room **package** export+import round-trips non-PNG sprite/background assets (M58)

15.7 Assets / project / widgets / IDE lifecycle

- [] L · [] W · [] m — Deleting/renaming a room, object **or playground** removes/moves its <type>/<name>.json side file (no resurrection on reuse) (H3, M59)
- [] L · [] W · [] m — Editing object properties in the right panel with no editor open writes through and marks dirty; a drag-reorder isn't discarded by a later asset delete (M61, M60)
- [] L · [] W · [] m — Importing an object/room package after unsaved edits doesn't silently discard them (L2)
- [] L · [] W · [] m — Imported assets are readable under the **dark** theme (not black-on-dark) (L33)
- [] L · [] W · [] m — New Project description persists into Project Settings; Export Options checkboxes (Debug/Optimize) take effect (L8, L9)
- [] L · [] W · [] m — Opening a .zip project then quitting/switching doesn't leave a temp extraction behind in TEMP (L7)
- [] L · [] W · [] m — A tutorial with an external link doesn't blank the page; a tutorial-gating edition shows a placeholder, not an empty list, when its curated tutorial is missing under a non-en/fr language (L35, L1)
- [] L · [] W · [] m — project.json survives a simulated mid-save failure (atomic write); folder save rolls back across files on error (L34)

Test Environment Notes

Track each OS pass separately so a platform-specific regression is obvious.

Field	Linux	Windows	macOS
Date tested			
OS version			
Python / PySide6			
pytest result (passed/failed)			
Tester			
Notes			