

Insulator Defect Image Dataset - Version 1.2: Documentation

3002017949

Insulator Defect Image Dataset - Version 1.2: Documentation

3002017949

Technical Update, June 2020

EPRI Engineer/Scientist I

P. Kulkarni

DISCLAIMER OF WARRANTIES AND LIMITATION OF LIABILITIES

THIS DOCUMENT WAS PREPARED BY THE ORGANIZATION(S) NAMED BELOW AS AN ACCOUNT OF WORK SPONSORED OR COSPONSORED BY THE ELECTRIC POWER RESEARCH INSTITUTE, INC. (EPRI). NEITHER EPRI, ANY MEMBER OF EPRI, ANY COSPONSOR, THE ORGANIZATION(S) BELOW, NOR ANY PERSON ACTING ON BEHALF OF ANY OF THEM:

- (A) MAKES ANY WARRANTY OR REPRESENTATION WHATSOEVER, EXPRESS OR IMPLIED, (I) WITH RESPECT TO THE USE OF ANY INFORMATION, APPARATUS, METHOD, PROCESS, OR SIMILAR ITEM DISCLOSED IN THIS DOCUMENT, INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, OR (II) THAT SUCH USE DOES NOT INFRINGE ON OR INTERFERE WITH PRIVATELY OWNED RIGHTS, INCLUDING ANY PARTY'S INTELLECTUAL PROPERTY, OR (III) THAT THIS DOCUMENT IS SUITABLE TO ANY PARTICULAR USER'S CIRCUMSTANCE; OR
- (B) ASSUMES RESPONSIBILITY FOR ANY DAMAGES OR OTHER LIABILITY WHATSOEVER (INCLUDING ANY CONSEQUENTIAL DAMAGES, EVEN IF EPRI OR ANY EPRI REPRESENTATIVE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES) RESULTING FROM YOUR SELECTION OR USE OF THIS DOCUMENT OR ANY INFORMATION, APPARATUS, METHOD, PROCESS, OR SIMILAR ITEM DISCLOSED IN THIS DOCUMENT.

REFERENCE HEREIN TO ANY SPECIFIC COMMERCIAL PRODUCT, PROCESS, OR SERVICE BY ITS TRADE NAME, TRADEMARK, MANUFACTURER, OR OTHERWISE, DOES NOT NECESSARILY CONSTITUTE OR IMPLY ITS ENDORSEMENT, RECOMMENDATION, OR FAVORING BY EPRI.

THE IMAGES AND ANNOTATIONS IN THIS DATASET BELONG TO THE ELECTRIC POWER RESEARCH INSTITUTE (EPRI) AND ARE LICENSED UNDER A CREATIVE COMMONS LICENSE (CC-BY 4.0)

THE ELECTRIC POWER RESEARCH INSTITUTE (EPRI) PREPARED THIS REPORT.

This is an EPRI Technical Update report. A Technical Update report is intended as an informal report of continuing research, a meeting, or a topical study. It is not a final EPRI technical report.

NOTE

For further information about EPRI, call the EPRI Customer Assistance Center at 800.313.3774 or e-mail askepri@epri.com.

Electric Power Research Institute, EPRI, and TOGETHER...SHAPING THE FUTURE OF ELECTRICITY are registered service marks of the Electric Power Research Institute, Inc.

Copyright © 2019 Electric Power Research Institute, Inc. All rights reserved.

ACKNOWLEDGMENTS

The Electric Power Research Institute (EPRI) prepared this report.

Principal Investigators

- P. Kulkarni
- T. Shaw
- D. Lewis

This report describes research sponsored by EPRI.

This publication is a corporate document that should be cited in the literature in the following manner:

Insulator Defect Image Dataset - Version 1.2: Documentation EPRI, Palo Alto, CA: 2020. 3002017949.

ABSTRACT

High quality labeled image data for defective assets is limited in the electric utility industry. For training an Artificial Intelligence / Machine Learning model, standalone images cannot suffice. EPRI, through its Artificial Intelligence initiative, has released a curated and labeled dataset 'Insulator Defect Image Dataset Version 1.0 (IDID V1.0)'.

This readme file provides the dataset overview, characteristics, file structure and labeling format for IDID V1.2, not the imagery itself.

To download the IDID imagery: This product is available at no cost. Submit a request via email to <u>orders@epri.com</u> that includes your <u>full name</u>, <u>mailing address</u>, <u>phone number</u>, <u>organizational affiliation</u>, <u>and country of citizenship</u>."

Keywords

Insulators
Labeled Data
Defect Detection
Artificial Intelligence
JSON

CONTENTS

ABSTRACT	V
1 DATASET OVERVIEW	1-1
2 DATASET DETAILS	2-1
Training Set	2-1
Test Set	2-1
3 FILE STRUCTURE	3-1
4 LABELS	4-1

LIST OF FIGURES

Figure 4-1 Damaged insulator string and its corresponding annotations ID: 150394.jpg4-3

LIST OF TABLES

Table 2-1 Train set details	2-1
Table 2-2 Test set details	
Table 3-1 Folder structure	3-1
Table 4-1 Description of the tags in JSON	4-2

1 DATASET OVERVIEW

The Insulator Defect Image Dataset (IDID) consists of labeled high quality images of transmission line insulators. The images have insulator string as the primary subject and parent class. These images contain 3 sub-classes:

- 1. Flashover damage insulator shell
- 2. Broken insulator shell
- 3. Good insulator shell.

This readme document provides the dataset overview, characteristics, file structure and labeling format for IDID V1.2, not the imagery itself.

To download the IDID imagery: This product is available at no cost. Submit a request via email to <u>orders@epri.com</u> that includes your <u>full name</u>, <u>mailing address</u>, <u>phone number</u>, <u>organizational affiliation</u>, and <u>country of citizenship</u>."

2 DATASET DETAILS

IDID is divided in two sets. A training set and a test data set.

Training Set

Details of training dataset are provided in Table 2-1.

Table 2-1 Train set details

Train set			
Total number of images	1596		
Total labeled assets	7568		
Labeled asset split			
Insulator strings	1788		
Good insulator shell	2636		
Broken insulator shell	1140		
Flashover damage insulator shell	2004		

Test Set

Table 2-2 provides characteristics of the test set held by EPRI. The test set is not available for download.

Table 2-2 Test set details

Test set			
Total number of images	88		
Total labeled assets	403		
Labeled Asset split			
Insulator strings	103		
Good insulator shell	147		
Broken insulator shell	64		
Flashover damage insulator shell	89		

3 FILE STRUCTURE

The dataset contains 2 folders named Flashed and Broken. Table 3-1 describes the contents of the two folders.

Table 3-1 Folder structure

Folder	Contents
Flashed	The folder contains a JSON file for labels and a subfolder with the images containing Insulator strings with Good and Flashover Damage insulator shell
Broken	The folder contains a JSON file for labels and a subfolder with the images containing Insulator strings with Good and Broken insulator shells

4 LABELS

The labels/annotations are stored in a Java Script Object Notation (JSON) format to be easily imported and viewed. It is a standard format that allows easy ingestion in ML pipelines. The labels are bounding boxes which are rectangular in shape. Label files have the following structure:

```
"filename": "100009h.jpg",
     "Labels":
       "objects":[
            "name":"insulator",
            "material": "porcelain",
            "type":"unknown",
            "manufacturer": "unknown",
            "conditions":{
               "glaze": "Flashover damage"
            "string":1,
             "bbox":[
               X,
               Y,
               W,
               Η
            ],
            "comments":"none"
          },
                                                                    (annotated objects continued)
          . . . . .
                                                                            (filenames continued)
  . . . . .
]
                                                                                           (EOF)
```

Explanation of the fields in the JSON file is provided in Table 4-1.

Filename	Corresponds to the filenames in the dataset
Labels	A dictionary indicating the annotated objects it contains
Objects	A list containing all the annotated objects in that image
Name	A tag to identify the Asset
Material	The material of the Insulator
Туре	The configuration of the Insulator
Manufacturer	The manufacturer of the Insulator
Conditions	The condition associated to the asset or a part of the asset
String	A Boolean value that indicates whether the Insulator is a string (1) or an individual disc(0)
bbox	A list containing the Bounding box value of the asset
Х	X pixel coordinate of top left corner
Υ	Y pixel coordinate of top left corner
W	Width of the asset
Н	Height of the asset
Comments	Any additional comments used while Labeling

Table 4-1 Description of the tags in JSON

Figure 4-1 shows the bounding boxes drawn on a damaged insulator string.




Figure 4-1 Damaged insulator string and its corresponding annotations ID: 150394.jpg



Export Control Restrictions

Access to and use of this EPRI product is granted with the specific understanding and requirement that responsibility for ensuring

full compliance with all applicable U.S. and foreign export laws and regulations is being undertaken by you and your company. This includes an obligation to ensure that any individual receiving access hereunder who is not a U.S. citizen or U.S. permanent resident is permitted access under applicable U.S. and foreign export laws and regulations.

In the event you are uncertain whether you or your company may lawfully obtain access to this EPRI product, you acknowledge that it is your obligation to consult with your company's legal counsel to determine whether this access is lawful. Although EPRI may make available on a case by case basis an informal assessment of the applicable U.S. export classification for specific EPRI products, you and your company acknowledge that this assessment is solely for informational purposes and not for reliance purposes.

Your obligations regarding U.S. export control requirements apply during and after you and your company's engagement with EPRI. To be clear, the obligations continue after your retirement or other departure from your company, and include any knowledge retained after gaining access to EPRI products.

You and your company understand and acknowledge your obligations to make a prompt report to EPRI and the appropriate authorities regarding any access to or use of this EPRI product hereunder that may be in violation of applicable U.S. or foreign export laws or regulations.

The Electric Power Research Institute, Inc. (EPRI, www.epri.com) conducts research and development relating to the generation, delivery and use of electricity for the benefit of the public. An independent, nonprofit organization, EPRI brings together its scientists and engineers as well as experts from academia and industry to help address challenges in electricity, including reliability, efficiency, affordability, health, safety and the environment. EPRI also provides technology, policy and economic analyses to drive long-range research and development planning, and supports research in emerging technologies. EPRI members represent 90% of the electricity generated and delivered in the United States with international participation extending to 40 countries. EPRI's principal offices and laboratories are located in Palo Alto, Calif.; Charlotte, N.C.; Knoxville, Tenn.; Dallas,

Together...Shaping the Future of Electricity

Texas; Lenox, Mass.; and Washington, D.C.

© 2019 Electric Power Research Institute (EPRI), Inc. All rights reserved. Electric Power Research Institute, EPRI, and TOGETHER...SHAPING THE FUTURE OF ELECTRICITY are registered service marks of the Electric Power Research Institute, Inc.

10xxxxx