Courseware **Updates & News** Calendar Wiki Discussion **Progress**

PROBLEM 1-1 (1/1 point)

The ONLY thing we are interested in when designing programs is that it returns the correct answer.

O True

False



You have used 1 of 1 submissions

PROBLEM 1-2 (1/1 point)

Roughly speaking, under the RAM model of computation, adding two numbers takes the same amount of time as dividing them.

True

O False

You have used 1 of 1 submissions

PROBLEM 1-3 (1/1 point)

When determining asymptotic complexity, we discard all terms except for the one with the largest growth rate.



Show Answer

You have used 1 of 1 submissions

PROBLEM 1-4 (1/1 point)


Bisection search is an example of linear time complexity

○ True ● False ✓

You have used 1 of 1 submissions

PROBLEM 1-5 (1/1 point)

For large values of n, an algorithm that takes $20000n^2$ steps has better time complexity (takes less time) than one that takes $0.001n^5$ steps



Show Discussion



New Post



EdX offers interactive online classes and MOOCs from the world's best universities. Online courses from MITx, HarvardX, BerkeleyX, UTx and many other universities. Topics include biology, business, chemistry, computer science, economics, finance, electronics, engineering, food and nutrition, history, humanities, law, literature, math, medicine, music, philosophy, physics, science, statistics and more. EdX is a non-profit online initiative created by founding partners Harvard and MIT.

© 2015 edX Inc.

About edX

About

News

Contact

FAQ

edX Blog

Donate to edX

Jobs at edX

Follow Us



Twitter



Facebook



Meetup



LinkedIn



Q+ Google+

EdX, Open edX, and the edX and Open edX logos are registered trademarks or trademarks of edX Inc.

Terms of Service and Honor Code

Privacy Policy (Revised 10/22/2014)