

## COUNTING BOBS (15 points possible)

Assume `s` is a string of lower case characters.

Write a program that prints the number of times the string `'bob'` occurs in `s`. For example, if `s = 'azcbobobegghakl'`, then your program should print

```
Number of times bob occurs is: 2
```

For problems such as these, do not include `raw_input` statements or define the variable `s` in any way. Our automated testing will provide a value of `s` for you - so the code you submit in the following box should assume `s` is already defined. If you are confused by this instruction, please review L4 Problems 10 and 11 before you begin this problem set.

1 # Paste your code into this box

Unanswered

Check

Save

*You have used 0 of 30 submissions*

---

Show related resources



---

Show Discussion



New Post



EdX offers interactive online classes and MOOCs from the world's best universities. Online courses from MITx, HarvardX, BerkeleyX, UTx and many other universities. Topics include biology, business, chemistry, computer science, economics, finance, electronics, engineering, food and nutrition, history, humanities, law, literature, math, medicine, music, philosophy, physics, science, statistics and more. EdX is a non-profit online initiative created by founding partners Harvard and MIT.

© 2015 edX, some rights reserved

[Terms of Service and Honor Code](#)

[Privacy Policy \(Revised 4/16/2014\)](#)

## About edX

[About](#)

[News](#)

[Contact](#)

[FAQ](#)

[edX Blog](#)


[Donate to edX](#)

[Jobs at edX](#)

## Follow Us

 [Twitter](#)

 [Facebook](#)

 [Meetup](#)

 [LinkedIn](#)

 [Google+](#)

1

This is a list of recommended resources. If you're stuck, curious, or want to learn more, please look around. If you find a useful resources, help your fellow classmates by adding it!

[Skip](#)