

[Courseware](#)[Updates & News](#)[Calendar](#)[Wiki](#)[Discussion](#)[Progress](#)

Help

PROBLEM 2-1 (1/1 point)

Indirection, as talked about in lecture, means you have to traverse the list more than once.

☐ True☒ False

You have used 1 of 1 submissions

PROBLEM 2-2 (1/1 point)


The complexity of binary search on a sorted list of n items is $O(\log n)$.

☒ True☐ False

You have used 1 of 1 submissions

PROBLEM 2-3 (1/1 point)


The worst case time complexity for selection sort is $O(n^2)$.

- ☒ True 
- ☐ False

You have used 1 of 1 submissions

PROBLEM 2-4 (1/1 point)


The base case for the recursive version of merge sort from lecture is checking ONLY for the list being empty.

- ☐ True
- ☒ False 

You have used 1 of 1 submissions

PROBLEM 2-5 (1/1 point)


An ideal hash function maps all the input keys to the same output.

- ☐ True
- ☒ False 

You have used 1 of 1 submissions

Show Discussion

 New Post



EdX offers interactive online classes and MOOCs from the world's best universities. Online courses from MITx, HarvardX, BerkeleyX, UTx and many other universities. Topics include biology, business, chemistry, computer science, economics, finance, electronics, engineering, food and nutrition, history, humanities, law, literature, math, medicine, music, philosophy, physics, science, statistics and more. EdX is a non-profit online initiative created by founding partners Harvard and MIT.

© 2015 edX Inc.

EdX, Open edX, and the edX and Open edX logos are registered trademarks or trademarks of edX Inc.

Terms of Service and Honor Code

About edX

[About](#)

[News](#)

[Contact](#)

[FAQ](#)

[edX Blog](#)


[Donate to edX](#)

[Jobs at edX](#)

Follow Us

 [Twitter](#)

 [Facebook](#)

 [Meetup](#)

 [LinkedIn](#)

 [Google+](#)

