

Arquivo: Navbar.js

```
text import React, { useState } from 'react'; import { useNavigate } from 'react-
router-dom'; import { motion, AnimatePresence } from 'framer-motion'; import
{ FaBars, FaTimes } from 'react-icons/fa'; import './Navbar.css';

const Navbar = () => { const [showMenu, setShowMenu] = useState(false);
const navigate = useNavigate();

const handleLogout = () => { localStorage.removeItem('token'); navi-
gate('/login'); };

return ( <>

    <h1>IMDB</h1>
    <motion.button
      onClick={() => setShowMenu(!showMenu)}
      whileHover={{ scale: 1.1 }}
      whileTap={{ scale: 0.9 }}
    >
      {showMenu ? <FaTimes /> : <FaBars />}
    </motion.button>
  </div>

  <AnimatePresence>
    {showMenu && (
      <motion.div
        className="nav-menu"
        initial={{ x: '100%' }}
        animate={{ x: 0 }}
        exit={{ x: '100%' }}
        transition={{ type: 'spring', stiffness: 300, damping: 30 }}
      >
        <ul>
          <li>
            <a href="/" onClick={() => setShowMenu(false)}>
              Painel
            </a>
          </li>
          <li>
            <a href="/login" onClick={() => setShowMenu(false)}>
              Login
            </a>
          </li>
          <li>
            <a href="/register" onClick={() => setShowMenu(false)}>
              Cadastro
            </a>
          </li>
        </ul>
      </motion.div>
    )}
  </AnimatePresence>
) </>
```

```

        </a>
      </li>
      <li>
        <button
          onClick={() => {
            handleLogout();
            setShowMenu(false);
          }}
        >
          Sair
        </button>
      </li>
    </ul>
  </motion.div>
)}
</AnimatePresence>
</>

); };

export default Navbar;

```