

This document contains extended metrics and evaluation tables for our paper on room positioning and localization using deep learning fusion techniques. Each set of tables indicates which building the evaluation relates to, which model is used for it, and which frequency the evaluation applies to.

Below is the key for the room names, and the fusion levels (non fusion, or fusion). These keys help organize the tables that follow for easier understanding. **Important:** This key applies to all pages AFTER page 3. The tables on pages 2 and 3 follow the exact same format as the paper. The final page contains the room dimensions for both buildings.

Building One	
Code	Room Name
R1	Room One
R2	Room Two
R3	Room Three
R4	Room Four

Building Two	
Code	Room Name
R1	Room One
R2	Room Two
R3	Room Three
R4	Room Four
R5	Room Five
R6	Room Six
R7	Room Seven
R8	Room Eight
R9	Room Nine
R10	Room Ten
R11	Room Eleven
R12	Room Twelve

Fusion Levels	
Code	Type
A	NO FUSION (Spectrogram only)
B	Spectrogram with Depth Map
C	Spectrogram with Line Sweep
D	Spectrogram with Depth Map + Line Sweep

Each row is coded as the room name paired with its fusion level. For example, R1:A indicates that Room 1 has *no* fusion. This applies for the other levels (B-D).

How the experiment sets work for the tables:

- **Experiment Set One:** Tables named “Test Results.” These are intended to do a few-shot, single-use feasibility test. Experiment Set One is visible in pages two and three. However, since this is not enough to *prove* feasibility, we develop experiment set two. Abbreviation Key: Line Sweep (LS), Depth Map (DM), Line Sweep + Depth Map (D+L).
- **Experiment Set Two:** These tables are marked as “10-Session Stability Results.” These tables have experiments that train a model and test its stability patterns, specifically for fusion efficacy, for the classification over time. In particular it’s a test over 10 sessions (two weeks) for all of our experiments in each frequency.

Any table with AlexNet or SVM as its model does NOT use fusion. Therefore, these tables will not have the fusion codes appended. Results are **bolded** to indicate an enhancement over ViT-base. Notice that there are improvements over AlexNet and SVM, but visualizing with the same base model is more fair for **enhancement**. SVM being a traditional model, generally suffered low results consistent with no fusion. *Almost all cases of fusion increased the performance even by a little. While fusion does sometimes fail, noting that negative results are important, it demonstrates a good proof-of-concept for this work’s contribution.*

Room	AlexNet (%)			ViT (%)											
	No Fusion			No Fusion			Fusion (DM)			Fusion (LS)			Fusion (D+L)		
	2x2	3x3	4x4	2x2	3x3	4x4	2x2	3x3	4x4	2x2	3x3	4x4	2x2	3x3	4x4
Room 1	100	100	100	97	86	89	98	89	93	98	85	89	98	91	94
Room 2	96	97	91	100	85	82	100	91	86	100	92	87	100	89	87
Room 3	100	99	99	93	97	90	94	98	95	95	98	92	96	98	95
Room 4	100	97	94	95	92	88	96	95	93	96	93	92	96	97	93

TABLE I: Building One F1-Score Test Results (96.1 MHz)

Room	AlexNet (%)			ViT (%)											
	No Fusion			No Fusion			Fusion (DM)			Fusion (LS)			Fusion (D+L)		
	2x2	3x3	4x4	2x2	3x3	4x4	2x2	3x3	4x4	2x2	3x3	4x4	2x2	3x3	4x4
Room 1	71	55	50	76	68	54	98	98	99	88	89	91	100	99	100
Room 2	81	56	29	86	67	53	100	97	98	97	89	90	100	99	99
Room 3	57	47	41	76	55	56	96	95	100	94	95	99	100	99	100
Room 4	68	47	51	86	57	52	98	95	98	98	88	91	99	99	98

TABLE II: Building One F1-Score Test Results (2.4 GHz)

Room	AlexNet (%)			ViT (%)											
	No Fusion			No Fusion			Fusion (DM)			Fusion (LS)			Fusion (D+L)		
	2x2	3x3	4x4	2x2	3x3	4x4	2x2	3x3	4x4	2x2	3x3	4x4	2x2	3x3	4x4
Room 1	100	100	99	97	97	84	99	97	95	98	99	91	99	98	91
Room 2	95	99	93	91	98	86	94	99	93	92	98	89	96	99	90
Room 3	99	85	99	90	96	89	92	98	97	91	98	95	93	98	97
Room 4	98	98	100	78	94	93	80	94	94	78	93	96	82	97	96
Room 5	100	98	99	98	100	88	97	100	94	97	100	91	98	100	96
Room 6	100	95	99	94	92	95	98	93	92	94	92	90	98	95	77
Room 7	100	100	95	98	96	93	98	99	93	99	99	93	99	98	93
Room 8	100	100	99	97	94	94	99	92	97	96	93	92	98	97	96
Room 9	99	98	93	100	93	88	100	97	95	100	96	92	100	95	95
Room 10	100	98	100	93	88	95	98	98	97	96	99	96	96	99	98
Room 11	96	96	94	99	96	91	99	97	95	98	97	94	99	98	94
Room 12	100	87	85	87	79	83	90	91	68	93	85	83	93	89	84

TABLE III: Building Two F1-Score Test Results (96.1 MHz)

Room	AlexNet (%)			ViT (%)											
	No Fusion			No Fusion			Fusion (DM)			Fusion (LS)			Fusion (D+L)		
	2x2	3x3	4x4	2x2	3x3	4x4	2x2	3x3	4x4	2x2	3x3	4x4	2x2	3x3	4x4
Room 1	56	55	37	71	61	52	98	98	97	94	91	89	100	100	99
Room 2	52	38	26	64	44	40	88	90	94	81	79	85	95	95	99
Room 3	58	50	33	72	56	55	94	98	99	83	95	91	98	99	100
Room 4	55	41	25	68	57	54	96	97	99	91	91	92	98	100	100
Room 5	39	27	26	53	50	47	99	97	93	89	86	84	100	99	99
Room 6	41	33	27	56	47	47	93	94	98	85	85	92	96	96	100
Room 7	50	32	26	58	43	41	89	88	93	84	84	87	93	95	99
Room 8	51	33	25	65	50	40	92	87	95	87	80	81	94	99	99
Room 9	59	41	29	76	49	45	99	96	97	94	90	84	100	99	98
Room 10	72	47	26	66	56	44	92	96	99	84	87	93	94	99	100
Room 11	50	46	37	63	44	52	92	96	67	85	89	93	95	99	99
Room 12	53	38	22	65	54	34	82	91	93	74	86	89	88	96	99

TABLE IV: Building Two F1-Score Test Results (2.4 GHz)

Room	SVM (%)			ViT (%)											
	No Fusion			No Fusion			Fusion (DM)			Fusion (LS)			Fusion (D+L)		
	2x2	3x3	4x4	2x2	3x3	4x4	2x2	3x3	4x4	2x2	3x3	4x4	2x2	3x3	4x4
Room 1	77	33	33	97	86	89	98	89	93	98	85	89	98	91	94
Room 2	98	47	24	100	85	82	100	91	86	100	92	87	100	89	87
Room 3	54	23	15	93	97	90	94	98	95	95	98	92	96	98	95
Room 4	96	36	25	95	92	88	96	95	93	96	93	92	96	97	93

TABLE V: Building One F1-Score Test Results (96.1 MHz) - Against SVM

Room	SVM (%)			ViT (%)											
	No Fusion			No Fusion			Fusion (DM)			Fusion (LS)			Fusion (D+L)		
	2x2	3x3	4x4	2x2	3x3	4x4	2x2	3x3	4x4	2x2	3x3	4x4	2x2	3x3	4x4
Room 1	34	12	7	76	68	54	98	98	99	88	89	91	100	99	100
Room 2	30	9	6	86	67	53	100	97	98	97	89	90	100	99	99
Room 3	29	9	4	76	55	56	96	95	100	94	95	99	100	99	100
Room 4	25	11	4	86	57	52	98	95	98	98	88	91	99	99	98

TABLE VI: Building One F1-Score Test Results (2.4 GHz) - Against SVM

Room	SVM (%)			ViT (%)											
	No Fusion			No Fusion			Fusion (DM)			Fusion (LS)			Fusion (D+L)		
	2x2	3x3	4x4	2x2	3x3	4x4	2x2	3x3	4x4	2x2	3x3	4x4	2x2	3x3	4x4
Room 1	75	46	17	97	97	84	99	97	95	98	99	91	99	98	91
Room 2	18	27	8	91	98	86	94	99	93	92	98	89	96	99	90
Room 3	35	34	14	90	96	89	92	98	97	91	98	95	93	98	97
Room 4	61	28	15	78	94	93	80	94	94	78	93	96	82	97	96
Room 5	83	22	13	98	100	88	97	100	94	97	100	91	98	100	96
Room 6	49	41	27	94	92	95	98	93	92	94	92	90	98	95	77
Room 7	60	37	12	98	96	93	98	99	93	99	99	93	99	98	93
Room 8	53	27	17	97	94	94	99	92	97	96	93	92	98	97	96
Room 9	43	39	18	100	93	88	100	97	95	100	96	92	100	95	95
Room 10	75	42	17	93	88	95	98	98	97	96	99	96	96	99	98
Room 11	89	39	16	99	96	91	99	97	95	98	97	94	99	98	94
Room 12	70	26	18	87	79	83	90	91	68	93	85	83	93	89	84

TABLE VII: Building Two F1-Score Test Results (96.1 MHz) - Against SVM

Room	SVM (%)			ViT (%)											
	No Fusion			No Fusion			Fusion (DM)			Fusion (LS)			Fusion (D+L)		
	2x2	3x3	4x4	2x2	3x3	4x4	2x2	3x3	4x4	2x2	3x3	4x4	2x2	3x3	4x4
Room 1	26	14	6	71	61	52	98	98	97	94	91	89	100	100	99
Room 2	30	8	5	64	44	40	88	90	94	81	79	85	95	95	99
Room 3	33	10	3	72	56	55	94	98	99	83	95	91	98	99	100
Room 4	21	10	4	68	57	54	96	97	99	91	91	92	98	100	100
Room 5	28	11	5	53	50	47	99	97	93	89	86	84	100	99	99
Room 6	24	11	5	56	47	47	93	94	98	85	85	92	96	96	100
Room 7	20	9	4	58	43	41	89	88	93	84	84	87	93	95	99
Room 8	37	10	6	65	50	40	92	87	95	87	80	81	94	99	99
Room 9	28	12	7	76	49	45	99	96	97	94	90	84	100	99	98
Room 10	26	13	5	66	56	44	92	96	99	84	87	93	94	99	100
Room 11	24	9	4	63	44	52	92	96	67	85	89	93	95	99	99
Room 12	27	10	6	65	54	34	82	91	93	74	86	89	88	96	99

TABLE VIII: Building Two F1-Score Test Results (2.4 GHz) - Against SVM

Towards Achieving Room-Level Localization Fusing Depth-Based and Spectrographic Modalities:
Technical Report (Extended Metrics & Tables)

	Session									
Room	1	2	3	4	5	6	7	8	9	10
R1:A	61	64	44	36	66	60	50	71	90	50
R1:B	64	79	57	45	80	79	72	83	95	57
R1:C	63	64	45	37	67	60	54	72	89	52
R1:D	65	68	56	43	76	70	60	84	96	56
R2:A	28	31	49	49	51	52	79	62	76	58
R2:B	41	21	30	49	59	29	49	44	45	51
R2:C	28	28	39	54	50	60	77	61	81	57
R2:D	33	33	34	52	61	58	86	70	82	67
R3:A	25	49	36	42	31	35	42	52	57	30
R3:B	33	49	36	43	34	41	48	64	58	43
R3:C	31	51	40	41	33	41	49	60	58	40
R3:D	44	53	61	54	38	64	62	66	65	48
R4:A	71	76	68	39	40	53	23	58	85	87
R4:B	35	24	28	39	25	30	27	35	43	35
R4:C	88	76	79	54	52	69	32	74	92	90
R4:D	93	86	84	43	46	63	46	70	92	89

(a) 2x2

	Session									
Room	1	2	3	4	5	6	7	8	9	10
R1:A	30	25	28	25	27	26	22	30	30	34
R1:B	35	24	28	32	25	30	27	35	43	35
R1:C	28	24	22	33	23	28	24	29	35	27
R1:D	37	29	37	37	34	36	32	37	42	40
R2:A	10	28	22	40	31	24	24	41	48	25
R2:B	17	38	30	51	43	33	36	45	57	36
R2:C	16	32	29	44	35	34	33	40	48	28
R2:D	20	39	37	55	45	40	35	49	61	36
R3:A	1	11	14	23	25	23	28	23	23	31
R3:B	2	15	23	24	26	27	35	24	26	41
R3:C	1	12	15	28	28	25	28	24	28	34
R3:D	3	15	18	26	28	31	31	23	29	39
R4:A	17	30	31	27	19	21	18	17	25	25
R4:B	22	29	28	35	21	24	22	27	32	30
R4:C	17	31	27	32	20	22	17	23	32	27
R4:D	23	35	35	32	21	28	23	26	38	33

(c) 4x4

	Session									
Room	1	2	3	4	5	6	7	8	9	10
R1:A	36	22	33	44	50	27	45	37	47	45
R1:B	41	21	30	49	59	29	49	44	45	51
R1:C	39	19	28	45	57	25	45	46	46	47
R1:D	46	24	33	49	65	27	48	44	50	50
R2:A	26	32	30	57	36	26	38	36	50	35
R2:B	31	43	39	68	40	34	48	43	62	40
R2:C	32	39	39	70	41	31	46	35	53	37
R2:D	34	50	40	65	43	33	47	39	60	38
R3:A	28	29	41	26	31	18	23	37	34	33
R3:B	30	35	48	40	32	21	27	39	35	39
R3:C	28	31	45	31	32	18	22	39	34	39
R3:D	39	42	45	52	40	24	34	46	38	45
R4:A	29	30	33	37	34	34	43	40	31	43
R4:B	39	33	37	38	34	38	47	49	34	47
R4:C	30	28	29	35	31	33	38	38	30	42
R4:D	38	35	34	39	35	37	43	51	29	45

(b) 3x3

TABLE IX: Building One 10-Session Stability Results (ViT) 96.1 MHz

	Session									
Room	1	2	3	4	5	6	7	8	9	10
R1:A	12	34	15	27	12	25	21	13	11	18
R1:B	49	71	62	71	51	71	70	65	49	62
R1:C	18	50	32	34	31	40	48	34	25	32
R1:D	50	91	76	77	64	87	81	82	64	73
R2:A	41	18	9	18	23	17	24	19	15	26
R2:B	94	86	38	69	87	92	84	77	77	85
R2:C	86	48	32	48	66	67	54	50	58	68
R2:D	100	96	49	72	95	98	96	93	85	96
R3:A	17	17	25	28	30	18	21	18	28	20
R3:B	43	61	68	87	66	55	72	63	75	58
R3:C	31	58	66	84	63	62	74	59	71	53
R3:D	79	92	90	96	87	84	98	88	97	80
R4:A	26	50	35	25	24	48	46	38	35	20
R4:B	58	91	93	71	60	75	90	75	68	76
R4:C	48	81	74	48	48	65	70	63	49	50
R4:D	75	95	96	86	73	78	93	81	85	89

(a) 2x2

	Session									
Room	1	2	3	4	5	6	7	8	9	10
R1:A	2	8	4	2	3	10	4	2	9	3
R1:B	47	87	90	80	83	91	92	90	80	76
R1:C	9	35	40	31	35	40	39	30	26	26
R1:D	71	98	98	97	88	100	100	95	96	90
R2:A	5	3	3	3	2	5	2	1	2	4
R2:B	78	47	39	22	27	73	42	43	19	22
R2:C	51	22	24	18	15	36	14	26	13	9
R2:D	94	56	63	18	25	71	59	55	18	14
R3:A	4	4	3	5	6	7	5	7	5	4
R3:B	51	87	80	87	93	87	90	87	91	79
R3:C	61	61	53	59	82	60	68	64	62	75
R3:D	93	95	96	98	99	96	98	94	99	99
R4:A	3	4	8	3	10	6	7	8	3	3
R4:B	33	79	84	75	77	82	92	73	56	85
R4:C	27	42	47	35	50	48	56	41	16	52
R4:D	65	92	93	89	92	86	99	84	83	94

(c) 4x4

	Session									
Room	1	2	3	4	5	6	7	8	9	10
R1:A	3	7	7	13	5	9	11	11	7	9
R1:B	17	66	62	74	54	85	82	82	74	67
R1:C	6	35	30	42	33	40	46	43	31	37
R1:D	17	79	78	92	73	90	94	93	89	87
R2:A	10	2	6	6	11	6	2	3	4	13
R2:B	71	15	19	24	22	21	10	11	25	19
R2:C	44	2	4	8	6	6	2	3	9	5
R2:D	73	68	32	51	42	58	48	36	44	41
R3:A	6	7	7	8	6	10	9	8	4	7
R3:B	50	81	75	79	85	87	89	86	67	89
R3:C	39	53	58	54	67	67	67	67	55	73
R3:D	61	98	97	99	98	99	99	99	85	97
R4:A	5	4	11	5	7	6	3	14	3	13
R4:B	61	72	85	67	58	73	73	78	40	75
R4:C	36	53	59	54	38	55	56	59	34	50
R4:D	69	88	95	92	76	82	89	89	82	92

(b) 3x3

TABLE X: Building One 10-Session Stability (ViT) 2.4 GHz

Towards Achieving Room-Level Localization Fusing Depth-Based and Spectrographic Modalities:
Technical Report (Extended Metrics & Tables)

Room	Session									
	1	2	3	4	5	6	7	8	9	10
R1:A	29	19	26	29	16	25	25	28	36	30
R1:B	57	71	58	67	63	43	86	54	90	71
R1:C	50	57	47	63	42	40	78	45	74	53
R1:D	59	71	62	85	70	47	85	62	98	80
R2:A	20	26	20	14	28	14	28	16	28	24
R2:B	56	63	35	56	50	58	65	34	69	64
R2:C	47	53	35	40	49	48	59	32	62	55
R2:D	82	84	63	88	63	72	88	59	88	90
R3:A	28	10	26	14	11	23	23	19	25	11
R3:B	78	41	65	74	35	49	72	69	71	42
R3:C	39	16	37	16	11	27	30	36	41	17
R3:D	89	85	90	89	54	60	95	83	86	83
R4:A	13	19	9	25	23	16	20	15	21	18
R4:B	61	82	55	77	61	53	84	70	88	37
R4:C	38	51	32	63	55	52	55	51	53	40
R4:D	82	94	67	89	72	60	96	77	95	61
R5:A	28	27	21	30	30	27	28	26	24	13
R5:B	90	90	86	91	82	80	90	80	75	66
R5:C	75	64	74	77	75	64	78	69	62	54
R5:D	98	94	98	98	94	97	97	94	93	83
R6:A	14	20	16	17	6	16	22	13	17	27
R6:B	98	46	75	79	48	90	76	60	85	96
R6:C	80	32	48	46	27	75	52	30	45	86
R6:D	100	65	84	93	52	95	81	68	94	100
R7:A	21	28	36	29	37	31	26	35	44	53
R7:B	63	72	82	65	86	75	79	89	81	92
R7:C	62	66	71	74	84	74	67	88	82	86
R7:D	91	90	94	90	99	95	93	96	97	99
R8:A	14	11	28	24	13	23	21	28	26	13
R8:B	37	38	62	85	71	37	56	71	82	76
R8:C	34	30	57	74	65	38	47	63	73	61
R8:D	59	66	72	94	91	62	74	84	96	93
R9:A	34	25	16	25	36	23	41	40	28	25
R9:B	62	70	63	92	83	71	84	84	79	58
R9:C	46	55	44	82	71	54	72	75	73	45
R9:D	71	80	78	98	88	82	96	97	94	67
R10:A	25	42	11	25	11	39	28	23	27	29
R10:B	63	83	58	76	49	67	61	66	71	65
R10:C	52	79	43	58	35	51	44	49	60	53
R10:D	79	89	72	89	62	78	79	76	83	74
R11:A	20	25	18	16	16	31	44	35	28	27
R11:B	84	68	62	82	77	83	83	83	86	81
R11:C	61	50	46	72	65	76	79	63	68	63
R11:D	92	85	82	98	88	95	90	90	97	89
R12:A	17	30	23	14	25	18	12	27	19	13
R12:B	53	59	45	37	59	31	46	57	29	33
R12:C	39	46	37	25	51	29	31	38	22	18
R12:D	72	70	60	66	84	39	66	72	45	50

TABLE XI: Building Two 10-Session Stability Results (ViT)
2.4GHz - 2x2

Room	Session									
	1	2	3	4	5	6	7	8	9	10
R1:A	5	11	6	16	10	5	11	8	6	8
R1:B	76	80	71	95	69	66	88	62	91	64
R1:C	48	47	38	61	55	36	59	33	52	50
R1:D	92	97	81	100	96	79	96	86	99	96
R2:A	7	8	9	6	8	9	12	9	10	13
R2:B	76	71	43	89	74	77	82	61	87	81
R2:C	65	55	35	68	50	59	74	45	66	63
R2:D	98	92	66	97	79	93	96	82	97	89
R3:A	9	6	4	6	13	12	7	6	8	5
R3:B	63	55	42	67	71	49	67	52	64	55
R3:C	52	37	37	41	56	36	47	48	48	36
R3:D	82	75	61	86	84	60	87	68	84	60
R4:A	4	4	5	11	13	8	9	4	6	6
R4:B	56	56	40	86	90	53	76	60	77	65
R4:C	25	25	20	54	56	24	30	33	45	35
R4:D	86	84	77	97	99	86	92	89	94	99
R5:A	9	10	13	7	6	6	8	5	8	8
R5:B	76	78	69	85	66	76	52	78	49	88
R5:C	52	55	45	34	32	33	30	45	31	64
R5:D	90	94	87	90	84	94	70	89	88	97
R6:A	10	18	7	12	2	6	5	6	5	3
R6:B	61	54	30	64	28	56	24	29	55	72
R6:C	36	48	16	53	6	54	8	10	38	36
R6:D	74	68	30	73	33	89	23	39	74	92
R7:A	11	9	15	22	15	10	13	13	28	13
R7:B	79	76	84	87	88	73	82	81	92	86
R7:C	60	63	71	77	70	58	71	62	73	68
R7:D	93	92	92	98	93	89	95	90	98	95
R8:A	6	4	17	16	12	8	9	12	10	8
R8:B	56	45	79	71	82	54	55	73	72	69
R8:C	49	41	69	69	67	41	49	61	67	65
R8:D	89	85	97	92	98	90	85	96	92	86
R9:A	5	13	9	21	12	7	3	7	9	19
R9:B	57	68	62	89	78	49	54	68	85	76
R9:C	37	52	47	69	65	33	32	43	63	73
R9:D	74	87	80	97	95	70	75	87	91	98
R10:A	11	13	11	17	14	7	14	11	18	17
R10:B	78	70	60	86	59	74	83	64	87	67
R10:C	59	51	47	67	44	53	65	46	73	55
R10:D	94	92	84	95	78	94	97	77	95	84
R11:A	9	6	9	8	12	12	8	10	11	6
R11:B	92	88	82	85	77	91	87	79	91	77
R11:C	71	61	50	67	56	60	68	53	73	53
R11:D	100	98	97	98	86	99	97	88	100	97
R12:A	11	9	12	6	10	10	13	6	7	6
R12:B	58	77	62	84	40	68	53	65	72	56
R12:C	48	66	57	68	25	54	49	59	58	40
R12:D	71	92	82	94	48	87	66	86	87	85

TABLE XII: Building Two 10-Session Stability Results (ViT)
2.4GHz - 3x3

Towards Achieving Room-Level Localization Fusing Depth-Based and Spectrographic Modalities:
Technical Report (Extended Metrics & Tables)

Room	Session									
	1	2	3	4	5	6	7	8	9	10
R1:A	3	3	5	8	5	6	8	6	5	5
R1:B	50	64	78	87	61	61	81	59	85	52
R1:C	27	31	46	62	41	36	56	37	57	31
R1:D	61	76	92	98	83	82	89	82	95	69
R2:A	4	6	3	5	4	4	8	4	6	7
R2:B	79	81	60	90	79	80	82	71	89	67
R2:C	57	59	30	63	48	56	64	43	60	42
R2:D	95	99	88	99	97	95	98	93	99	94
R3:A	4	3	6	5	4	5	3	3	3	3
R3:B	93	73	90	93	74	73	77	90	79	66
R3:C	48	36	47	49	57	37	45	48	40	22
R3:D	97	91	98	95	93	85	89	97	94	92
R4:A	2	2	2	5	4	1	4	6	3	4
R4:B	46	80	33	80	85	40	85	66	50	29
R4:C	24	58	19	53	56	26	65	39	49	34
R4:D	68	99	72	97	96	55	98	79	81	84
R5:A	4	5	5	4	6	6	5	6	4	6
R5:B	65	67	53	74	51	79	51	65	67	83
R5:C	44	42	35	36	37	41	38	42	27	46
R5:D	91	93	85	93	83	93	87	88	80	89
R6:A	3	4	5	4	6	3	3	2	4	4
R6:B	77	87	68	73	75	80	66	65	82	97
R6:C	53	47	35	48	42	51	30	26	43	58
R6:D	92	91	91	97	92	88	90	89	98	99
R7:A	5	8	7	7	5	6	8	10	12	9
R7:B	84	84	88	87	93	87	91	94	73	86
R7:C	58	62	71	68	74	61	70	76	61	64
R7:D	98	97	93	100	99	98	98	99	93	96
R8:A	4	4	5	6	9	3	6	6	5	8
R8:B	83	84	74	82	94	76	84	89	87	85
R8:C	42	50	51	59	75	35	51	63	54	71
R8:D	94	95	95	90	99	87	95	99	98	99
R9:A	4	9	5	7	7	3	4	6	9	4
R9:B	55	81	69	93	82	58	62	69	96	86
R9:C	32	47	37	53	56	32	35	34	59	68
R9:D	81	91	84	97	97	79	78	73	95	97
R10:A	4	7	11	7	4	8	5	6	11	7
R10:B	88	95	90	91	90	92	97	81	96	90
R10:C	66	71	57	75	62	62	73	58	84	66
R10:D	97	98	97	100	96	98	99	92	100	98
R11:A	7	5	5	4	7	6	4	3	8	3
R11:B	42	43	59	60	59	50	35	60	46	41
R11:C	77	71	59	76	78	66	65	56	74	56
R11:D	99	95	85	100	98	99	95	75	98	87
R12:A	6	3	7	4	5	3	5	4	10	5
R12:B	71	82	85	92	61	79	78	64	92	85
R12:C	62	73	70	76	46	66	58	52	77	76
R12:D	95	99	98	98	94	95	98	89	98	98

TABLE XIII: Building Two 10-Session Stability Results (ViT) 2.4GHz - 4x4

Room	Session									
	1	2	3	4	5	6	7	8	9	10
R1:A	10	10	28	12	17	15	9	11	12	9
R1:B	10	11	31	31	20	15	7	20	29	20
R1:C	10	10	30	16	23	18	10	21	14	14
R1:D	10	13	32	19	20	18	11	17	17	14
R2:A	10	10	23	21	27	9	38	30	22	13
R2:B	10	10	25	28	28	10	43	33	27	17
R2:C	10	10	20	28	29	21	41	37	26	15
R2:D	11	10	28	29	29	14	47	35	26	16
R3:A	9	10	11	10	10	11	12	11	10	10
R3:B	10	12	11	11	10	19	17	18	10	13
R3:C	9	12	11	13	12	15	23	17	10	12
R3:D	10	11	10	11	10	12	21	17	10	11
R4:A	2	1	12	12	10	16	10	9	10	11
R4:B	10	3	15	13	9	18	10	12	11	12
R4:C	7	2	14	12	9	17	10	10	11	11
R4:D	1	3	14	12	11	20	11	10	12	14
R5:A	25	8	12	10	12	10	18	19	11	10
R5:B	34	10	15	11	22	10	27	23	19	10
R5:C	29	10	15	11	20	10	26	25	18	9
R5:D	37	11	20	10	15	10	26	27	14	10
R6:A	13	58	13	18	43	11	10	33	15	11
R6:B	20	78	18	22	58	11	13	41	17	11
R6:C	14	61	14	19	46	11	10	36	14	11
R6:D	20	69	20	24	56	11	14	47	18	11
R7:A	38	33	59	60	50	69	68	31	80	51
R7:B	37	34	69	71	56	72	73	38	86	56
R7:C	25	37	65	63	42	67	67	31	83	47
R7:D	30	37	75	75	50	79	73	40	88	53
R8:A	35	51	9	29	43	23	35	29	30	53
R8:B	49	66	16	35	55	27	41	47	40	53
R8:C	33	61	12	23	50	24	34	33	40	49
R8:D	53	79	23	40	61	29	41	51	47	66
R9:A	21	54	17	16	16	29	31	28	29	30
R9:B	33	58	12	25	17	33	33	46	42	34
R9:C	19	58	12	18	15	24	33	25	25	31
R9:D	24	50	35	16	20	33	31	22	27	29
R10:A	37	11	10	41	12	13	19	33	15	21
R10:B	52	11	10	41	35	26	7	44	47	48
R10:C	54	11	10	40	12	17	4	37	42	36
R10:D	54	11	10	43	16	20	14	45	44	50
R11:A	50	3	19	34	19	47	17	47	65	41
R11:B	48	10	24	33	28	49	14	51	67	42
R11:C	42	11	35	29	44	45	20	42	58	34
R11:D	44	13	34	31	35	53	18	49	66	43
R12:A	10	19	11	18	22	30	11	16	11	33
R12:B	10	20	13	25	28	33	11	20	12	44
R12:C	10	18	11	25	29	29	11	20	12	41
R12:D	10	21	23	41	37	51	19	27	14	57

TABLE XIV: Building Two 10-Session Stability Results (ViT) 96.1 MHz - 2x2

Towards Achieving Room-Level Localization Fusing Depth-Based and Spectrographic Modalities:
Technical Report (Extended Metrics & Tables)

Room	Session									
	1	2	3	4	5	6	7	8	9	10
R1:A	5	6	9	13	3	8	11	10	6	6
R1:B	9	10	10	15	4	11	12	9	7	5
R1:C	6	7	17	13	6	15	19	12	12	13
R1:D	11	12	17	20	11	13	19	20	10	13
R2:A	2	3	13	32	23	15	13	8	13	16
R2:B	3	4	19	39	18	27	14	15	16	21
R2:C	2	4	8	40	24	25	12	15	17	18
R2:D	2	6	23	51	21	27	16	25	17	20
R3:A	8	4	5	12	6	9	5	7	6	12
R3:B	13	7	5	15	9	25	8	7	8	29
R3:C	14	2	8	20	7	23	10	6	4	26
R3:D	16	7	7	16	10	23	13	13	9	25
R4:A	2	4	15	5	12	15	9	6	11	10
R4:B	3	7	18	8	11	17	17	13	18	19
R4:C	2	4	18	5	8	9	10	7	14	8
R4:D	3	5	24	7	16	13	13	14	18	14
R5:A	8	6	11	5	4	7	6	2	4	4
R5:B	11	10	16	6	6	4	5	2	4	5
R5:C	9	3	13	7	7	13	6	4	4	4
R5:D	8	3	21	10	9	12	7	3	7	8
R6:A	1	11	24	5	5	7	5	5	6	4
R6:B	2	19	23	8	10	8	10	4	5	4
R6:C	5	12	19	6	5	8	10	1	9	4
R6:D	6	20	26	5	5	8	14	5	10	11
R7:A	14	14	30	46	24	31	30	16	38	30
R7:B	16	26	35	50	25	32	27	15	47	42
R7:C	12	17	36	51	23	35	40	13	47	41
R7:D	19	28	44	51	27	39	42	22	53	44
R8:A	3	26	8	9	10	22	15	17	16	16
R8:B	5	29	10	11	12	30	21	18	16	19
R8:C	6	21	10	12	13	30	16	15	19	19
R8:D	6	25	12	16	17	28	24	20	21	19
R9:A	9	15	4	17	10	22	6	17	27	16
R9:B	8	18	5	12	12	19	11	16	23	25
R9:C	4	9	5	19	11	21	6	17	27	15
R9:D	12	27	6	12	14	19	7	14	24	24
R10:A	25	6	7	24	25	16	14	21	30	33
R10:B	34	6	9	29	32	31	20	30	36	33
R10:C	33	12	9	26	34	26	22	23	35	30
R10:D	44	10	11	33	38	33	25	42	47	48
R11:A	18	24	29	22	21	23	33	37	21	26
R11:B	25	28	31	27	17	26	26	29	23	31
R11:C	22	34	32	27	19	28	39	26	24	31
R11:D	25	34	33	37	23	21	41	28	26	32
R12:A	11	12	8	11	13	5	4	11	8	6
R12:B	18	19	10	22	14	7	5	12	10	8
R12:C	12	21	11	18	16	7	7	9	10	8
R12:D	15	22	11	25	12	9	7	10	11	9

TABLE XV: Building Two 10-Session Stability (ViT) 96.1 MHz - 3x3

Room	Session									
	1	2	3	4	5	6	7	8	9	10
R1:A	2	4	5	5	4	5	4	4	6	5
R1:B	5	8	8	5	6	7	11	5	11	6
R1:C	3	6	6	5	6	6	7	3	7	3
R1:D	6	8	10	8	9	8	9	9	15	5
R2:A	3	1	1	2	5	2	4	3	2	2
R2:B	2	1	1	3	5	2	5	6	2	3
R2:C	1	3	3	3	4	3	4	2	2	4
R2:D	2	1	2	3	4	3	5	3	2	2
R3:A	5	4	4	2	1	4	5	2	4	6
R3:B	9	8	9	3	2	1	5	4	2	3
R3:C	7	5	7	4	2	5	5	3	3	6
R3:D	8	14	11	3	3	2	8	5	6	3
R4:A	4	2	4	1	2	1	2	3	3	2
R4:B	4	4	5	1	4	2	5	4	6	2
R4:C	2	4	4	1	3	5	4	2	1	3
R4:D	4	3	3	3	8	6	4	3	3	6
R5:A	3	4	3	1	3	3	7	3	8	2
R5:B	7	5	12	5	3	8	10	11	8	6
R5:C	5	9	8	1	7	9	9	7	11	6
R5:D	6	7	10	6	10	21	14	8	14	10
R6:A	1	11	6	5	4	3	5	4	8	6
R6:B	7	21	9	7	3	4	5	3	10	1
R6:C	6	16	7	4	6	3	6	2	10	3
R6:D	1	16	9	2	2	3	4	1	5	1
R7:A	4	7	28	15	21	25	19	10	17	28
R7:B	13	17	37	18	23	32	18	16	22	34
R7:C	5	13	36	24	20	38	22	12	19	32
R7:D	11	13	38	21	25	32	26	16	31	38
R8:A	1	6	11	6	3	6	7	5	9	3
R8:B	5	14	13	11	8	10	11	13	13	10
R8:C	2	9	14	7	5	9	8	6	11	5
R8:D	3	19	16	14	10	13	11	11	15	7
R9:A	10	16	6	9	8	6	5	8	11	5
R9:B	11	14	7	16	7	9	5	13	10	8
R9:C	10	16	6	14	9	9	5	10	9	8
R9:D	13	16	10	16	8	12	6	19	13	8
R10:A	14	11	12	20	17	29	17	22	27	23
R10:B	26	17	11	25	17	25	23	23	35	24
R10:C	18	15	15	19	18	28	25	24	31	28
R10:D	23	18	22	33	20	38	29	33	42	33
R11:A	4	6	17	16	6	12	15	14	24	19
R11:B	5	8	16	17	10	18	16	16	32	28
R11:C	10	11	18	14	7	19	19	15	29	28
R11:D	8	9	15	21	12	20	30	20	38	25
R12:A	1	7	2	4	2	5	1	7	2	3
R12:B	3	10	6	5	3	5	3	7	5	7
R12:C	4	11	7	8	4	5	3	9	7	8
R12:D	5	13	10	9	5	8	4	12	6	7

TABLE XVI: Building Two 10-Session Stability (ViT) 96.1 MHz - 4x4

Towards Achieving Room-Level Localization Fusing Depth-Based and Spectrographic Modalities:
Technical Report (Extended Metrics & Tables)

Room	Session (2x2)										Session (3x3)										Session (4x4)									
	1	2	3	4	5	6	7	8	9	10	1	2	3	4	5	6	7	8	9	10	1	2	3	4	5	6	7	8	9	10
R1	27	21	26	20	19	18	30	30	37	15	7	10	4	10	6	5	10	6	7	4	2	2	4	7	6	5	9	5	4	6
R2	26	27	16	18	16	13	36	16	28	34	4	14	9	4	7	10	11	11	12	10	5	5	3	7	4	5	8	4	5	7
R3	19	12	21	21	23	23	9	21	18	18	18	11	13	6	6	14	7	6	12	7	10	6	5	3	8	5	7	6	5	3
R4	23	17	37	24	31	11	7	19	16	10	7	8	6	10	10	8	3	3	7	6	2	5	2	5	3	3	4	4	4	3
R5	29	16	21	26	28	24	21	21	28	17	6	9	5	7	17	3	5	8	5	10	3	5	3	7	9	7	4	8	7	5
R6	29	40	12	15	8	15	19	10	11	23	20	5	5	13	2	2	5	4	3	10	8	2	4	3	4	5	3	3	4	4
R7	15	25	31	32	23	24	29	25	50	53	10	10	13	14	20	12	14	9	24	15	4	8	10	5	8	3	6	11	13	8
R8	13	9	30	22	7	17	16	29	23	12	6	5	20	13	9	5	12	15	8	11	3	3	7	5	6	3	5	7	4	5
R9	25	30	30	22	24	21	33	35	14	9	7	13	6	16	15	6	5	14	8	13	2	9	7	8	6	3	3	4	10	6
R10	28	32	13	26	8	41	19	38	21	36	6	20	8	16	12	10	20	14	19	12	4	3	4	4	6	6	4	5	9	8
R11	39	12	22	14	17	19	40	23	32	18	7	9	12	12	8	8	7	5	12	14	4	5	7	8	9	4	3	2	9	2
R12	18	17	30	10	27	12	14	26	17	19	6	7	9	7	2	13	9	4	13	7	3	5	9	6	6	3	4	4	10	5

TABLE XVII: Building Two 10-Session Stability (AlexNet) 2.4 GHz

Room	Session (2x2)										Session (3x3)										Session (4x4)									
	1	2	3	4	5	6	7	8	9	10	1	2	3	4	5	6	7	8	9	10	1	2	3	4	5	6	7	8	9	10
R1	26	28	36	19	10	10	10	33	9	9	3	9	3	4	4	6	5	18	9	6	4	3	2	2	6	7	4	4	6	7
R2	10	10	10	8	16	9	19	20	28	33	2	2	2	16	5	3	9	8	5	5	3	5	1	2	1	1	7	4	2	2
R3	10	10	10	10	10	10	10	10	10	10	10	4	2	3	2	2	16	8	14	2	4	5	1	1	1	1	3	3	4	1
R4	10	11	41	11	10	10	10	20	14	10	2	2	10	8	14	9	9	8	16	14	5	2	2	6	2	5	1	1	1	3
R5	93	9	16	15	13	10	28	24	23	13	6	1	15	8	5	6	8	3	6	6	1	0	2	1	2	1	1	1	1	0
R6	10	73	23	10	92	10	41	89	10	24	6	28	11	2	6	5	10	5	4	4	1	45	7	3	6	2	6	7	6	6
R7	16	59	62	46	21	71	38	32	52	39	9	12	41	39	33	46	27	29	54	53	11	22	27	22	21	43	26	14	24	44
R8	22	45	64	31	33	48	54	25	29	13	1	17	16	16	3	7	4	2	5	6	4	1	8	9	5	5	7	2	6	2
R9	35	52	29	14	14	35	8	35	38	16	5	5	20	5	9	6	4	19	16	18	1	8	2	1	2	4	1	2	4	2
R10	28	15	11	25	42	58	17	57	53	61	6	18	2	37	22	35	15	35	44	24	16	14	8	20	12	23	34	24	36	36
R11	14	32	26	18	45	12	42	23	20	15	9	40	25	23	5	18	6	30	18	35	3	5	9	19	10	7	16	17	19	27
R12	10	14	27	36	56	73	56	28	16	63	3	13	3	4	3	3	7	2	4	14	4	4	7	5	2	5	3	4	2	5

TABLE XVIII: Building Two 10-Session Stability (AlexNet) 96.1 MHz

Room	Session (2x2)										Session (3x3)										Session (4x4)									
	1	2	3	4	5	6	7	8	9	10	1	2	3	4	5	6	7	8	9	10	1	2	3	4	5	6	7	8	9	10
R1	15	31	22	20	16	11	6	15	9	30	3	16	11	4	8	10	15	11	6	11	1	8	4	3	7	7	4	5	3	3
R2	23	11	13	10	18	10	10	30	10	18	10	2	12	4	7	6	4	3	5	13	6	3	1	3	1	11	1	2	3	2
R3	3	24	12	19	18	26	22	17	46	18	10	5	13	8	9	7	8	11	6	13	4	4	3	3	8	5	6	7	4	7
R4	25	33	23	29	33	36	36	16	33	24	6	14	11	3	6	8	9	17	7	13	3	3	7	4	4	4	5	8	3	5

TABLE XIX: Building One 10-Session Stability (AlexNet) 2.4 GHz

Room	Session (2x2)										Session (3x3)										Session (4x4)									
	1	2	3	4	5	6	7	8	9	10	1	2	3	4	5	6	7	8	9	10	1	2	3	4	5	6	7	8	9	10
R1	67	37	48	62	72	72	92	86	65	75	45	33	29	47	71	33	81	51	65	68	45	36	30	61	45	52	36	51	49	42
R2	21	24	39	43	43	34	68	63	56	49	33	53	35	57	27	16	45	43	48	50	21	40	42	37	48	27	19	51	60	46
R3	36	33	65	34	38	22	40	96	67	62	15	36	56	35	31	21	51	45	35	70	1	20	25	28	22	8	27	23	22	54
R4	91	80	83	42	53	71	26	60	99	82	27	47	36	56	44	45	49	45	53	55	34	41	34	41	25	45	41	47	39	45

TABLE XX: Building One 10-Session Stability (AlexNet) 96.1 MHz

Room	Session (No Fusion) 1				Session (Fusion Depth Map) 1			
	Granularity Level				Granularity Level			
	1	2	3	4	1	2	3	4
R1	95	0	83	66	99.00	2.00	90.00	66.00
R2	0	13	24	76	0.00	22.00	28.00	81.00
R3	33	0	61	6	37.00	0.00	73.00	23.00
R4	60	95	63	66	44.00	97.00	82.00	68.00

(a)

Room	Session (No Fusion) 1				Session (Fusion Depth Map) 1			
	Granularity Level				Granularity Level			
	1	2	3	4	1	2	3	4
R1	7.00	1.00	40.00	0.00	72.00	49.00	57.00	17.00
R2	56.00	7.00	64.00	36.00	98.00	90.00	92.00	97.00
R3	3.00	43.00	2.00	19.00	20.00	70.00	40.00	42.00
R4	49.00	33.00	23.00	0.00	77.00	69.00	63.00	23.00

(b)

TABLE XXI: Subset of Session One out of Ten - Fusion vs. Non-Fusion 2x2 Granularity Levels for (a) 96.1 MHz and (b) 2.4 GHz.

Towards Achieving Room-Level Localization Fusing Depth-Based and Spectrographic Modalities:
Technical Report (Extended Metrics & Tables)

Room	Session (2x2)										Session (3x3)										Session (4x4)									
	1	2	3	4	5	6	7	8	9	10	1	2	3	4	5	6	7	8	9	10	1	2	3	4	5	6	7	8	9	10
R1	25	21	15	19	16	13	9	15	27	17	7	9	5	10	6	4	6	5	10	5	4	5	2	6	3	1	5	2	6	5
R2	16	22	25	20	17	18	21	24	27	19	5	8	9	10	4	7	9	8	5	8	5	4	2	6	3	3	3	3	5	5
R3	45	15	26	24	11	28	42	21	22	13	4	5	4	7	3	6	4	5	5	4	5	5	2	2	1	2	3	4	2	1
R4	14	11	11	25	13	15	10	13	11	16	4	5	7	6	5	12	3	4	7	5	1	1	2	4	2	2	1	2	1	2
R5	11	9	11	35	15	29	36	11	11	20	4	6	12	14	14	6	8	6	6	7	2	6	3	3	2	3	3	4	5	2
R6	12	14	15	13	12	14	11	12	14	17	2	5	2	12	3	5	3	4	6	7	3	7	1	1	1	6	2	1	4	2
R7	23	22	15	19	15	18	9	32	16	18	4	6	2	7	11	5	5	2	10	6	3	3	5	3	3	4	4	2	4	3
R8	23	16	17	15	26	25	26	10	14	8	6	12	4	12	6	8	4	2	8	8	3	4	2	4	3	3	5	2	5	4
R9	25	22	14	19	26	21	18	34	12	17	12	6	4	7	15	10	7	4	7	5	4	4	4	2	4	3	4	3	2	3
R10	16	33	9	39	20	18	20	15	31	28	5	10	4	10	12	14	18	2	8	10	2	4	1	2	5	5	3	3	1	3
R11	13	13	18	22	20	18	32	29	24	30	5	8	3	3	11	4	4	4	6	9	3	3	2	2	7	3	3	1	2	3
R12	12	28	21	15	27	20	11	10	23	15	6	5	7	9	6	7	4	4	8	7	3	3	3	4	4	3	3	2	5	2

TABLE XXII: Building Two 10-Session Stability (SVM) 2.4 GHz

Room	Session (2x2)										Session (3x3)										Session (4x4)									
	1	2	3	4	5	6	7	8	9	10	1	2	3	4	5	6	7	8	9	10	1	2	3	4	5	6	7	8	9	10
R1	10	23	29	10	11	10	10	13	14	18	4	12	4	14	3	2	2	12	14	15	0	8	1	3	1	2	1	6	4	5
R2	10	10	18	10	10	10	10	10	10	10	2	2	3	17	2	2	2	2	2	2	1	1	2	1	1	1	1	1	1	1
R3	10	10	10	10	10	10	10	10	10	10	4	10	4	2	2	2	2	2	4	4	3	2	1	1	1	1	1	1	1	3
R4	10	10	25	13	11	12	10	17	12	10	4	2	8	2	2	2	2	2	3	2	1	1	1	1	1	1	1	1	4	1
R5	17	10	10	10	10	10	14	12	19	10	9	9	3	2	2	2	3	2	4	2	4	4	1	1	1	1	1	1	1	1
R6	0	10	10	11	10	10	25	11	32	28	12	3	15	14	2	13	17	10	11	2	1	4	5	1	3	1	6	2	3	2
R7	20	20	42	39	36	38	12	38	56	38	12	11	21	15	17	12	20	0	24	15	3	2	8	2	12	6	11	3	9	16
R8	10	10	19	10	10	10	10	10	10	10	2	2	3	2	2	2	2	2	2	2	1	1	1	1	1	1	1	1	1	1
R9	10	10	26	10	10	10	10	10	10	10	2	2	10	2	2	2	2	2	2	2	1	6	1	1	1	1	1	1	1	1
R10	10	0	9	67	18	30	17	33	50	25	3	4	7	7	6	8	9	15	12	11	6	1	1	8	12	8	9	10	11	10
R11	10	10	10	28	40	84	10	58	10	17	2	2	2	4	12	11	16	22	7	10	1	1	1	11	5	6	6	10	6	5
R12	10	10	10	10	11	10	10	10	10	10	2	2	2	2	7	2	2	2	2	2	1	1	1	1	1	1	1	3	1	1

TABLE XXIII: Building Two 10-Session Stability (SVM) 96.1 MHz

Room	Session (2x2)										Session (3x3)										Session (4x4)									
	1	2	3	4	5	6	7	8	9	10	1	2	3	4	5	6	7	8	9	10	1	2	3	4	5	6	7	8	9	10
R1	12	22	7	23	16	19	12	15	15	30	4	4	8	4	5	4	7	4	10	6	1	1	2	2	2	2	2	1	7	3
R2	11	10	10	10	10	10	9	10	10	10	6	4	4	5	4	4	4	4	2	3	2	1	1	1	2	1	1	3	1	1
R3	19	18	16	13	7	11	14	17	11	20	4	4	4	4	6	4	5	4	5	4	2	2	2	1	2	1	1	2	0	2
R4	16	19	15	17	14	10	17	17	8	19	3	4	4	4	4	4	4	4	5	5	1	2	3	2	2	1	1	2	1	1

TABLE XXIV: Building One 10-Session Stability (SVM) 2.4 GHz

Room	Session (2x2)										Session (3x3)										Session (4x4)									
	1	2	3	4	5	6	7	8	9	10	1	2	3	4	5	6	7	8	9	10	1	2	3	4	5	6	7	8	9	10
R1	67	61	74	69	61	65	61	67	72	59	17	12	13	13	20	22	28	24	23	25	15	9	9	21	13	20	14	11	15	20
R2	21	12	35	80	57	40	91	55	98	44	29	29	18	25	21	21	18	36	26	36	5	10	8	15	9	7	9	17	16	17
R3	5	68	36	81	54	27	58	43	45	26	26	11	20	25	9	12	20	22	32	17	2	6	7	3	12	8	5	7	5	9
R4	50	53	57	19	30	34	28	49	22	29	16	26	11	17	13	10	34	15	9	16	19	17	15	11	16	14	17	13	9	10

TABLE XXV: Building One 10-Session Stability (SVM) 96.1 MHz

This page contains the room dimensions for both building one and building two.

TABLE XXVI: Building One Room Dimensions

	Side One	Side Two	Sq. Footage
Room 1	13 ft.	11 ft.	143 ft ²
Room 2	11 ft.	13 ft.	143 ft ²
Room 3	16 ft.	15 ft.	240 ft ²
Room 4	16 ft.	18 ft.	288 ft ²

TABLE XXVII: Building Two Room Dimensions

	Side One	Side Two	Sq. Footage
Room 1	10 ft.	12 ft.	120 ft ²
Room 2	14 ft.	10 ft.	140 ft ²
Room 3	9 ft.	10 ft.	90 ft ²
Room 4	9 ft.	10 ft.	90 ft ²
Room 5	9 ft.	10 ft.	90 ft ²
Room 6	9 ft.	8 ft.	72 ft ²
Room 7	15 ft.	21 ft.	315 ft ²
Room 8	10 ft.	12 ft.	120 ft ²
Room 9	10 ft.	9 ft.	90 ft ²
Room 10	10 ft.	14 ft.	140 ft ²
Room 11	22 ft.	15 ft.	330 ft ²
Room 12	14 ft.	10 ft.	140 ft ²