



Width vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Log




Width vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Linear



Height vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Log




Height

$y_0 = 1.231$, $m = 1.538$, $R^2 = 0.403$, $N = 427$

Height vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Linear




Height

$y_0 = -370.183, m = 35.789, R^2 = 0.362, N = 427$

Diameter vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Log




Diameter

$y_0 = -3.583$, $m = 2.313$, $R^2 = 0.688$, $N = 427$

Diameter vs. Fresh Weight


Entire Dataset, All AccessionsMode – Double Linear



Diameter

$y_0 = -1071.079$, $m = 22.875$, $R^2 = 0.654$, $N = 427$

Thickness vs. Fresh Weight
Entire Dataset, All AccessionsMode – Double Log




Thickness


$y_0 = 2.729$, $m = 1.323$, $R^2 = 0.396$, $N = 427$

Thickness vs. Fresh Weight


Entire Dataset, All AccessionsMode – Double Linear



Diameter / Width vs. Fresh Weight
Entire Dataset, All AccessionsMode – Double Log



Diameter / Width vs. Fresh Weight
Entire Dataset, All AccessionsMode – Double Linear




Diameter / Width

$y_0 = 1231.897, m = -67.76, R^2 = 0.036, N = 427$

Width vs. Height

Entire Dataset, All AccessionsMode – Double Log




Width

$$y_0 = 3.052, m = 0.173, R^2 = 0.045, N = 427$$

Width vs. Height

Entire Dataset, All AccessionsMode – Double Linear




Width

$y_0 = 29.909$, $m = 0.305$, $R^2 = 0.038$, $N = 427$


Width vs. Diameter

Entire Dataset, All AccessionsMode – Double Log




Width vs. Diameter

Entire Dataset, All AccessionsMode – Double Linear



Width vs. Thickness

Entire Dataset, All AccessionsMode – Double Log




Width

$$y_0 = 2.303, m = 0.24, R^2 = 0.065, N = 427$$

Width vs. Thickness

Entire Dataset, All AccessionsMode – Double Linear




Width

$$y_0 = 16.317, m = 0.227, R^2 = 0.049, N = 427$$


Height vs. Diameter

Entire Dataset, All AccessionsMode – Double Log




Height vs. Diameter

Entire Dataset, All AccessionsMode – Double Linear



Height vs. Thickness

Entire Dataset, All AccessionsMode – Double Log




Height

$$y_0 = 2.003, m = 0.279, R^2 = 0.059, N = 427$$

Height vs. Thickness


Entire Dataset, All AccessionsMode – Double Linear



Height
 $y_0 = 14.658, m = 0.164, R^2 = 0.062, N = 427$

Diameter vs. Thickness


Entire Dataset, All AccessionsMode – Double Log



Diameter

$y_0 = 1.073$, $m = 0.432$, $R^2 = 0.106$, $N = 427$


Diameter vs. Thickness
Entire Dataset, All AccessionsMode – Double Linear



Diameter

$y_0 = 11.797, m = 0.101, R^2 = 0.103, N = 427$


Diameter / Width vs. Dry Weight
Entire Dataset, All AccessionsMode – Double Log



Diameter / Width


$y_0 = 3.959$, $m = -0.39$, $R^2 = 0.035$, $N = 427$

Diameter / Width vs. Dry Weight
Entire Dataset, All AccessionsMode – Double Linear



Diameter / Width
 $y_0 = 43.541$, $m = -2.351$, $R^2 = 0.026$, $N = 427$


Width vs. Fresh Weight
Entire Dataset, 242Mode – Double Log



Width
 $y_0 = 1.446$, $m = 1.855$, $R^2 = 0.8$, $N = 31$


Width vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear




Height vs. Fresh Weight

Entire Dataset, 242Mode – Double Log




Height vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear



Diameter vs. Fresh Weight

Entire Dataset, 242Mode – Double Log




Diameter


$y_0 = -5.835, m = 2.709, R^2 = 0.721, N = 31$

Diameter vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear




Thickness vs. Fresh Weight
Entire Dataset, 242Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 242Mode – Double Log



Diameter / Width
 $y_0 = 8.197$, $m = -1.16$, $R^2 = 0.192$, $N = 31$


Diameter / Width vs. Fresh Weight
Entire Dataset, 242Mode – Double Linear



Diameter / Width
 $y_0 = 990.981$, $m = -80.416$, $R^2 = 0.17$, $N = 31$

Width vs. Height

Entire Dataset, 242Mode – Double Log




Width


$y_0 = 2.745$, $m = 0.331$, $R^2 = 0.25$, $N = 31$

Width vs. Height

Entire Dataset, 242Mode – Double Linear




Width vs. Diameter
Entire Dataset, 242Mode – Double Log




Width
 $y_0 = 3.372$, $m = 0.404$, $R^2 = 0.387$, $N = 31$

Width vs. Diameter

Entire Dataset, 242Mode – Double Linear




Width vs. Thickness
Entire Dataset, 242Mode – Double Log



Width
 $y_0 = 1.987, m = 0.301, R^2 = 0.161, N = 31$

Width vs. Thickness

Entire Dataset, 242Mode – Double Linear




Width

$y_0 = 9.498$, $m = 0.503$, $R^2 = 0.236$, $N = 31$


Height vs. Diameter

Entire Dataset, 242Mode – Double Log




Height vs. Diameter

Entire Dataset, 242Mode – Double Linear



Height vs. Thickness

Entire Dataset, 242Mode - Double Log




Height

$y_0 = 1.295, m = 0.402, R^2 = 0.126, N = 31$


Height vs. Thickness

Entire Dataset, 242Mode – Double Linear




Diameter vs. Thickness

Entire Dataset, 242Mode – Double Log




Diameter vs. Thickness

Entire Dataset, 242Mode – Double Linear



Diameter / Width vs. Dry Weight


Entire Dataset, 242Mode – Double Log



Diameter / Width

$y_0 = 5.47$, $m = -1.16$, $R^2 = 0.192$, $N = 31$

Diameter / Width vs. Dry Weight
Entire Dataset, 242Mode – Double Linear



Diameter / Width
 $y_0 = 64.841$, $m = -5.262$, $R^2 = 0.17$, $N = 31$

Width vs. Fresh Weight

Entire Dataset, 246Mode – Double Log




Width

$y_0 = 1.831, m = 1.579, R^2 = 0.665, N = 30$

Width vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear



Width

$y_0 = -326.31, m = 52.46, R^2 = 0.709, N = 30$

Height vs. Fresh Weight

Entire Dataset, 246Mode – Double Log



Height vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear



Height

$y_0 = -256.101, m = 24.297, R^2 = 0.393, N = 30$

Diameter vs. Fresh Weight

Entire Dataset, 246Mode – Double Log



Diameter

$y_0 = -3.056$, $m = 2.145$, $R^2 = 0.679$, $N = 30$

Diameter vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear



Thickness vs. Fresh Weight

Entire Dataset, 246Mode – Double Log




Thickness

$y_0 = 4.387$, $m = 0.641$, $R^2 = 0.098$, $N = 30$

Thickness vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear



Thickness


$y_0 = 232.759, m = 16.162, R^2 = 0.06, N = 30$

Diameter / Width vs. Fresh Weight
Entire Dataset, 246Mode – Double Log



Diameter / Width
 $y_0 = 7.046$, $m = -0.592$, $R^2 = 0.062$, $N = 30$

Diameter / Width vs. Fresh Weight
Entire Dataset, 246Mode – Double Linear



Diameter / Width
 $y_0 = 796.433$, $m = -66.46$, $R^2 = 0.076$, $N = 30$

Width vs. Height

Entire Dataset, 246Mode – Double Log




Width

$$y_0 = 2.634, m = 0.281, R^2 = 0.112, N = 30$$

Width vs. Height

Entire Dataset, 246Mode – Double Linear



Width

$y_0 = 21.469$, $m = 0.568$, $R^2 = 0.125$, $N = 30$


Width vs. Diameter
Entire Dataset, 246Mode – Double Log



Width
 $y_0 = 3.067$, $m = 0.446$, $R^2 = 0.359$, $N = 30$

Width vs. Diameter

Entire Dataset, 246Mode – Double Linear




Width vs. Thickness

Entire Dataset, 246Mode – Double Log




Width vs. Thickness

Entire Dataset, 246Mode – Double Linear



Height vs. Diameter

Entire Dataset, 246Mode – Double Log



Height vs. Diameter

Entire Dataset, 246Mode – Double Linear



Height vs. Thickness

Entire Dataset, 246Mode – Double Log



Height vs. Thickness

Entire Dataset, 246Mode – Double Linear



Height

$y_0 = 16.87$, $m = -0.058$, $R^2 = 0.01$, $N = 30$

Diameter vs. Thickness

Entire Dataset, 246Mode – Double Log



Diameter


$y_0 = 2.897, m = -0.045, R^2 = 0.001, N = 30$

Diameter vs. Thickness

Entire Dataset, 246Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 246Mode – Double Log




Diameter / Width
 $y_0 = 3.728$, $m = -0.419$, $R^2 = 0.015$, $N = 30$

Diameter / Width vs. Dry Weight
Entire Dataset, 246Mode – Double Linear



Diameter / Width
 $y_0 = 35.926, m = -2.5, R^2 = 0.017, N = 30$

Width vs. Fresh Weight
Entire Dataset, 319Mode – Double Log




Width

$y_0 = 3.28$, $m = 1.338$, $R^2 = 0.534$, $N = 31$

Width vs. Fresh Weight


Entire Dataset, 319Mode – Double Linear



$y_0 = -186.629$, $m = 80.567$, $R^2 = 0.469$, $N = 31$

Height vs. Fresh Weight

Entire Dataset, 319Mode – Double Log




Height

$y_0 = 5.146$, $m = 0.478$, $R^2 = 0.157$, $N = 31$

Height vs. Fresh Weight

Entire Dataset, 319Mode – Double Linear




Height

$y_0 = 327.132$, $m = 16.708$, $R^2 = 0.268$, $N = 31$


Diameter vs. Fresh Weight

Entire Dataset, 319Mode – Double Log




Diameter vs. Fresh Weight

Entire Dataset, 319Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 319Mode – Double Log



Thickness vs. Fresh Weight


Entire Dataset, 319Mode – Double Linear



Thickness


$y_0 = 419.134, m = 28.352, R^2 = 0.132, N = 31$

Diameter / Width vs. Fresh Weight
Entire Dataset, 319Mode – Double Log



Diameter / Width
 $y_0 = 7.125$, $m = -0.088$, $R^2 = 0.002$, $N = 31$


Diameter / Width vs. Fresh Weight
Entire Dataset, 319Mode – Double Linear



Diameter / Width
 $y_0 = 1141.907$, $m = -8.389$, $R^2 = 0.001$, $N = 31$


Width vs. Height

Entire Dataset, 319Mode – Double Log



Width vs. Height


Entire Dataset, 319Mode – Double Linear



Width

$y_0 = 27.145$, $m = 1.158$, $R^2 = 0.101$, $N = 31$


Width vs. Diameter
Entire Dataset, 319Mode – Double Log




Width
 $y_0 = 3.47$, $m = 0.423$, $R^2 = 0.272$, $N = 31$

Width vs. Diameter

Entire Dataset, 319Mode – Double Linear




Width vs. Thickness
Entire Dataset, 319Mode – Double Log



Width
 $y_0 = 3.021, m = 0.047, R^2 = 0.002, N = 31$

Width vs. Thickness


Entire Dataset, 319Mode – Double Linear



Width
 $y_0 = 23.11$, $m = 0.027$, $R^2 = 0$, $N = 31$

Height vs. Diameter


Entire Dataset, 319Mode – Double Log



Height
 $y_0 = 3.476$, $m = 0.305$, $R^2 = 0.324$, $N = 31$

Height vs. Diameter

Entire Dataset, 319Mode – Double Linear




Height

$y_0 = 55.65$, $m = 1.053$, $R^2 = 0.524$, $N = 31$

Height vs. Thickness

Entire Dataset, 319Mode – Double Log




Height

$y_0 = 3.047$, $m = 0.027$, $R^2 = 0.002$, $N = 31$

Height vs. Thickness

Entire Dataset, 319Mode – Double Linear




Height

$y_0 = 21.84, m = 0.037, R^2 = 0.008, N = 31$

Diameter vs. Thickness

Entire Dataset, 319Mode – Double Log




Diameter

$y_0 = 2.098, m = 0.227, R^2 = 0.038, N = 31$

Diameter vs. Thickness

Entire Dataset, 319Mode – Double Linear




Diameter

$y_0 = 17.943, m = 0.054, R^2 = 0.036, N = 31$

Diameter / Width vs. Dry Weight


Entire Dataset, 319Mode – Double Log




Diameter / Width

$y_0 = 3.086$, $m = 0.099$, $R^2 = 0.001$, $N = 31$

Diameter / Width vs. Dry Weight
Entire Dataset, 319Mode – Double Linear



Width vs. Fresh Weight
Entire Dataset, 325Mode – Double Log




Width

$y_0 = 1.524, m = 1.835, R^2 = 0.652, N = 30$

Width vs. Fresh Weight

Entire Dataset, 325Mode – Double Linear



Width

$y_0 = -1069.816, m = 111.449, R^2 = 0.671, N = 30$

Height vs. Fresh Weight

Entire Dataset, 325Mode – Double Log




Height

$y_0 = -0.195, m = 2.017, R^2 = 0.624, N = 30$

Height vs. Fresh Weight

Entire Dataset, 325Mode – Double Linear



Diameter vs. Fresh Weight

Entire Dataset, 325Mode – Double Log



Diameter

$y_0 = -4.143$, $m = 2.479$, $R^2 = 0.872$, $N = 30$

Diameter vs. Fresh Weight

Entire Dataset, 325Mode – Double Linear




Diameter

$y_0 = -1986.159, m = 34.747, R^2 = 0.811, N = 30$


Thickness vs. Fresh Weight

Entire Dataset, 325Mode – Double Log



Thickness vs. Fresh Weight

Entire Dataset, 325Mode – Double Linear



Thickness

$y_0 = 561.706$, $m = 42.352$, $R^2 = 0.186$, $N = 30$

Diameter / Width vs. Fresh Weight
Entire Dataset, 325Mode – Double Log



Diameter / Width
 $y_0 = 7.375$, $m = -0.042$, $R^2 = 0$, $N = 30$

Diameter / Width vs. Fresh Weight
Entire Dataset, 325Mode – Double Linear



Diameter / Width
 $y_0 = 2071.387$, $m = -115.522$, $R^2 = 0.012$, $N = 30$

Width vs. Height

Entire Dataset, 325Mode – Double Log



Width

$y_0 = 2.291$, $m = 0.454$, $R^2 = 0.26$, $N = 30$

Width vs. Height

Entire Dataset, 325Mode – Double Linear



Width

$y_0 = 23.484, m = 0.768, R^2 = 0.256, N = 30$

Width vs. Diameter
Entire Dataset, 325Mode – Double Log



Width
 $y_0 = 2.609$, $m = 0.638$, $R^2 = 0.556$, $N = 30$

Width vs. Diameter

Entire Dataset, 325Mode – Double Linear



Width

$y_0 = 39.042, m = 2.672, R^2 = 0.575, N = 30$

Width vs. Thickness

Entire Dataset, 325Mode – Double Log



Width

$y_0 = 2.736$, $m = 0.132$, $R^2 = 0.011$, $N = 30$

Width vs. Thickness


Entire Dataset, 325Mode – Double Linear



Width
 $y_0 = 21.58$, $m = 0.093$, $R^2 = 0.004$, $N = 30$

Height vs. Diameter

Entire Dataset, 325Mode – Double Log




Height vs. Diameter

Entire Dataset, 325Mode – Double Linear



Height vs. Thickness

Entire Dataset, 325Mode – Double Log



Height

$y_0 = 0.955$, $m = 0.59$, $R^2 = 0.173$, $N = 30$

Height vs. Thickness

Entire Dataset, 325Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 325Mode – Double Log




Diameter vs. Thickness

Entire Dataset, 325Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 325Mode – Double Log



Diameter / Width
 $y_0 = 4.017$, $m = -0.518$, $R^2 = 0.011$, $N = 30$


Diameter / Width vs. Dry Weight
Entire Dataset, 325Mode – Double Linear



Diameter / Width
 $y_0 = 52.067$, $m = -5.295$, $R^2 = 0.022$, $N = 30$

Width vs. Fresh Weight

Entire Dataset, 326Mode – Double Log




Width

$y_0 = -0.342$, $m = 2.49$, $R^2 = 0.821$, $N = 30$

Width vs. Fresh Weight

Entire Dataset, 326Mode – Double Linear




Width

$y_0 = -1241.988, m = 122.741, R^2 = 0.765, N = 30$

Height vs. Fresh Weight

Entire Dataset, 326Mode – Double Log




Height

$y_0 = -0.197, m = 2.025, R^2 = 0.729, N = 30$

Height vs. Fresh Weight

Entire Dataset, 326Mode – Double Linear




Height

$y_0 = -874.902, m = 56.637, R^2 = 0.722, N = 30$


Diameter vs. Fresh Weight

Entire Dataset, 326Mode – Double Log




Diameter vs. Fresh Weight

Entire Dataset, 326Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 326Mode – Double Log



Thickness vs. Fresh Weight


Entire Dataset, 326Mode – Double Linear



Thickness


$y_0 = -39.394, m = 37.801, R^2 = 0.276, N = 30$

Diameter / Width vs. Fresh Weight
Entire Dataset, 326Mode – Double Log



Diameter / Width
 $y_0 = 5.509$, $m = 0.859$, $R^2 = 0.027$, $N = 30$


Diameter / Width vs. Fresh Weight
Entire Dataset, 326Mode – Double Linear



Diameter / Width
 $y_0 = -85.524$, $m = 226.481$, $R^2 = 0.049$, $N = 30$

Width vs. Height

Entire Dataset, 326Mode – Double Log




Width

$$y_0 = 0.942, m = 0.876, R^2 = 0.572, N = 30$$

Width vs. Height


Entire Dataset, 326Mode – Double Linear



Width

$y_0 = 4.226, m = 1.559, R^2 = 0.548, N = 30$

Width vs. Diameter
Entire Dataset, 326Mode – Double Log




Width

$y_0 = 1.709, m = 0.923, R^2 = 0.757, N = 30$

Width vs. Diameter

Entire Dataset, 326Mode – Double Linear




Width

$y_0 = 5.773, m = 4.099, R^2 = 0.736, N = 30$

Width vs. Thickness

Entire Dataset, 326Mode – Double Log




Width

$y_0 = 1.856$, $m = 0.478$, $R^2 = 0.136$, $N = 30$

Width vs. Thickness

Entire Dataset, 326Mode – Double Linear




Width

$y_0 = 13.228, m = 0.687, R^2 = 0.124, N = 30$

Height vs. Diameter

Entire Dataset, 326Mode – Double Log




Height

$y_0 = 1.368, m = 0.865, R^2 = 0.892, N = 30$

Height vs. Diameter

Entire Dataset, 326Mode – Double Linear




Height

$y_0 = 10.026, m = 2.144, R^2 = 0.893, N = 30$

Height vs. Thickness

Entire Dataset, 326Mode - Double Log




Height

$y_0 = 2.261, m = 0.279, R^2 = 0.062, N = 30$

Height vs. Thickness

Entire Dataset, 326Mode – Double Linear




Height

$y_0 = 18.084, m = 0.229, R^2 = 0.061, N = 30$

Diameter vs. Thickness

Entire Dataset, 326Mode – Double Log




Diameter


$y_0 = 1.768$, $m = 0.335$, $R^2 = 0.075$, $N = 30$

Diameter vs. Thickness

Entire Dataset, 326Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 326Mode – Double Log



Diameter / Width
 $y_0 = 5.28$, $m = -1.214$, $R^2 = 0.021$, $N = 30$

Diameter / Width vs. Dry Weight
Entire Dataset, 326Mode – Double Linear



Diameter / Width
 $y_0 = 88.042$, $m = -11.786$, $R^2 = 0.022$, $N = 30$

Width vs. Fresh Weight

Entire Dataset, 390Mode – Double Log



Width

$y_0 = 0.123, m = 2.191, R^2 = 0.721, N = 30$

Width vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 390Mode – Double Log



Height

$y_0 = -0.423$, $m = 2.175$, $R^2 = 0.666$, $N = 30$

Height vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear



Height

$y_0 = -1298.616, m = 80.77, R^2 = 0.601, N = 30$

Diameter vs. Fresh Weight

Entire Dataset, 390Mode – Double Log



Diameter

$y_0 = -5.144, m = 2.726, R^2 = 0.801, N = 30$

Diameter vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear



Diameter

$y_0 = -1917.337, m = 35.709, R^2 = 0.749, N = 30$

Thickness vs. Fresh Weight

Entire Dataset, 390Mode – Double Log



Thickness

$y_0 = 2.916, m = 1.354, R^2 = 0.546, N = 30$

Thickness vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear



Diameter / Width vs. Fresh Weight
Entire Dataset, 390Mode – Double Log



Diameter / Width

$y_0 = 8.513$, $m = -1.031$, $R^2 = 0.036$, $N = 30$


Diameter / Width vs. Fresh Weight
Entire Dataset, 390Mode – Double Linear



Diameter / Width
 $y_0 = 2934.213, m = -422.593, R^2 = 0.057, N = 30$

Width vs. Height

Entire Dataset, 390Mode – Double Log



Width vs. Height

Entire Dataset, 390Mode – Double Linear



Width vs. Diameter
Entire Dataset, 390Mode – Double Log



Width
 $y_0 = 2.122$, $m = 0.745$, $R^2 = 0.773$, $N = 30$

Width vs. Diameter

Entire Dataset, 390Mode – Double Linear



Width vs. Thickness
Entire Dataset, 390Mode – Double Log



Width

$y_0 = 1.252, m = 0.588, R^2 = 0.174, N = 30$

Width vs. Thickness

Entire Dataset, 390Mode – Double Linear



Height vs. Diameter

Entire Dataset, 390Mode – Double Log



Height vs. Diameter

Entire Dataset, 390Mode – Double Linear



Height vs. Thickness

Entire Dataset, 390Mode – Double Log



Height vs. Thickness

Entire Dataset, 390Mode – Double Linear



Height

$y_0 = 10.901, m = 0.384, R^2 = 0.126, N = 30$

Diameter vs. Thickness

Entire Dataset, 390Mode – Double Log



Diameter

$y_0 = -0.126, m = 0.724, R^2 = 0.189, N = 30$

Diameter vs. Thickness

Entire Dataset, 390Mode – Double Linear



Diameter


$y_0 = 9.091, m = 0.157, R^2 = 0.135, N = 30$

Diameter / Width vs. Dry Weight
Entire Dataset, 390Mode – Double Log




Diameter / Width
 $y_0 = 1.978$, $m = 1.151$, $R^2 = 0.029$, $N = 30$

Diameter / Width vs. Dry Weight
Entire Dataset, 390Mode – Double Linear




Diameter / Width
 $y_0 = -22.926, m = 16.004, R^2 = 0.043, N = 30$

Width vs. Fresh Weight
Entire Dataset, 572Mode – Double Log



Width vs. Fresh Weight

Entire Dataset, 572Mode – Double Linear




Width

$y_0 = -620.212$, $m = 77.19$, $R^2 = 0.649$, $N = 30$

Height vs. Fresh Weight

Entire Dataset, 572Mode – Double Log




Height

$y_0 = 1.095, m = 1.565, R^2 = 0.654, N = 30$

Height vs. Fresh Weight

Entire Dataset, 572Mode – Double Linear




Height

$$y_0 = -489.548, m = 36.569, R^2 = 0.645, N = 30$$

Diameter vs. Fresh Weight

Entire Dataset, 572Mode – Double Log




Diameter

$y_0 = -1.939$, $m = 1.942$, $R^2 = 0.738$, $N = 30$


Diameter vs. Fresh Weight

Entire Dataset, 572Mode – Double Linear



Thickness vs. Fresh Weight

Entire Dataset, 572Mode – Double Log




Thickness


$y_0 = 5.623$, $m = 0.373$, $R^2 = 0.077$, $N = 30$

Thickness vs. Fresh Weight

Entire Dataset, 572Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 572Mode – Double Log



Diameter / Width
 $y_0 = 7.283$, $m = -0.376$, $R^2 = 0.008$, $N = 30$


Diameter / Width vs. Fresh Weight
Entire Dataset, 572Mode – Double Linear



Diameter / Width
 $y_0 = 1018.507, m = -38.015, R^2 = 0.002, N = 30$

Width vs. Height

Entire Dataset, 572Mode – Double Log




Width

$y_0 = 0.962, m = 0.895, R^2 = 0.727, N = 30$

Width vs. Height


Entire Dataset, 572Mode – Double Linear



Width


$y_0 = 2.531, m = 1.789, R^2 = 0.723, N = 30$

Width vs. Diameter
Entire Dataset, 572Mode – Double Log



Width vs. Diameter

Entire Dataset, 572Mode – Double Linear




Width

$y_0 = 15.299$, $m = 3.757$, $R^2 = 0.755$, $N = 30$

Width vs. Thickness

Entire Dataset, 572Mode – Double Log




Width

$y_0 = 3.099$, $m = -0.06$, $R^2 = 0.002$, $N = 30$


Width vs. Thickness

Entire Dataset, 572Mode – Double Linear



Height vs. Diameter

Entire Dataset, 572Mode – Double Log




Height

$y_0 = 1.536$, $m = 0.813$, $R^2 = 0.903$, $N = 30$


Height vs. Diameter

Entire Dataset, 572Mode – Double Linear



Height vs. Thickness

Entire Dataset, 572Mode – Double Log




Height

$y_0 = 3.284$, $m = -0.101$, $R^2 = 0.005$, $N = 30$

Height vs. Thickness

Entire Dataset, 572Mode – Double Linear




Height

$y_0 = 21.341$, $m = -0.069$, $R^2 = 0.009$, $N = 30$

Diameter vs. Thickness

Entire Dataset, 572Mode – Double Log




Diameter


$y_0 = 3.653, m = -0.164, R^2 = 0.01, N = 30$

Diameter vs. Thickness

Entire Dataset, 572Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 572Mode – Double Log



Diameter / Width
 $y_0 = 3.114$, $m = 0.06$, $R^2 = 0$, $N = 30$


Diameter / Width vs. Dry Weight
Entire Dataset, 572Mode – Double Linear



Diameter / Width
 $y_0 = 14.751, m = 2.786, R^2 = 0.002, N = 30$

Width vs. Fresh Weight

Entire Dataset, 580Mode – Double Log




Width

$y_0 = 3.241, m = 1.287, R^2 = 0.443, N = 31$


Width vs. Fresh Weight

Entire Dataset, 580Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 580Mode – Double Log




Height

$y_0 = 3.569, m = 0.855, R^2 = 0.216, N = 31$

Height vs. Fresh Weight

Entire Dataset, 580Mode – Double Linear




Height

$y_0 = 96.95$, $m = 18.651$, $R^2 = 0.217$, $N = 31$

Diameter vs. Fresh Weight

Entire Dataset, 580Mode – Double Log




Diameter

$y_0 = 3.605$, $m = 0.692$, $R^2 = 0.118$, $N = 31$


Diameter vs. Fresh Weight

Entire Dataset, 580Mode – Double Linear



Thickness vs. Fresh Weight

Entire Dataset, 580Mode – Double Log




Thickness


$y_0 = 4.697$, $m = 0.663$, $R^2 = 0.231$, $N = 31$

Thickness vs. Fresh Weight

Entire Dataset, 580Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 580Mode – Double Log




Diameter / Width
 $y_0 = 7.493$, $m = -0.424$, $R^2 = 0.073$, $N = 31$

Diameter / Width vs. Fresh Weight
Entire Dataset, 580Mode – Double Linear



Width vs. Height

Entire Dataset, 580Mode – Double Log




Width

$y_0 = 3.315, m = 0.141, R^2 = 0.018, N = 31$


Width vs. Height

Entire Dataset, 580Mode – Double Linear



Width vs. Diameter

Entire Dataset, 580Mode – Double Log




Width

$y_0 = 3.981$, $m = 0.196$, $R^2 = 0.042$, $N = 31$

Width vs. Diameter

Entire Dataset, 580Mode – Double Linear




Width

$y_0 = 74.21$, $m = 1.156$, $R^2 = 0.039$, $N = 31$

Width vs. Thickness

Entire Dataset, 580Mode – Double Log




Width

$y_0 = 2.838, m = 0.084, R^2 = 0.004, N = 31$


Width vs. Thickness

Entire Dataset, 580Mode – Double Linear



Height vs. Diameter

Entire Dataset, 580Mode – Double Log




Height

$y_0 = 2.493$, $m = 0.546$, $R^2 = 0.358$, $N = 31$


Height vs. Diameter

Entire Dataset, 580Mode – Double Linear



Height vs. Thickness

Entire Dataset, 580Mode – Double Log




Height

$y_0 = 3.793$, $m = -0.197$, $R^2 = 0.022$, $N = 31$

Height vs. Thickness

Entire Dataset, 580Mode – Double Linear




Height

$y_0 = 25.562$, $m = -0.096$, $R^2 = 0.017$, $N = 31$


Diameter vs. Thickness

Entire Dataset, 580Mode – Double Log




Diameter vs. Thickness

Entire Dataset, 580Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 580Mode – Double Log



Diameter / Width
 $y_0 = 4.992$, $m = -0.907$, $R^2 = 0.069$, $N = 31$

Diameter / Width vs. Dry Weight
Entire Dataset, 580Mode – Double Linear



Diameter / Width
 $y_0 = 58.271$, $m = -4.312$, $R^2 = 0.045$, $N = 31$

Width vs. Fresh Weight
Entire Dataset, 582Mode – Double Log



Width vs. Fresh Weight

Entire Dataset, 582Mode – Double Linear



Width

$y_0 = -648.412, m = 101.052, R^2 = 0.777, N = 30$

Height vs. Fresh Weight

Entire Dataset, 582Mode – Double Log



Height

$y_0 = -0.325$, $m = 1.913$, $R^2 = 0.498$, $N = 30$

Height vs. Fresh Weight

Entire Dataset, 582Mode – Double Linear




Height

$y_0 = -728.551, m = 39.625, R^2 = 0.438, N = 30$

Diameter vs. Fresh Weight

Entire Dataset, 582Mode – Double Log



Diameter vs. Fresh Weight

Entire Dataset, 582Mode – Double Linear



Diameter

$y_0 = -1028.727, m = 20.406, R^2 = 0.669, N = 30$

Thickness vs. Fresh Weight

Entire Dataset, 582Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 582Mode – Double Linear



$y_0 = -203.485$, $m = 52.351$, $R^2 = 0.349$, $N = 30$

Diameter / Width vs. Fresh Weight
Entire Dataset, 582Mode – Double Log



Diameter / Width

$y_0 = 8.565$, $m = -0.956$, $R^2 = 0.097$, $N = 30$

Diameter / Width vs. Fresh Weight
Entire Dataset, 582Mode – Double Linear



Diameter / Width
 $y_0 = 1937.443$, $m = -161.404$, $R^2 = 0.137$, $N = 30$

Width vs. Height

Entire Dataset, 582Mode – Double Log



Width vs. Height

Entire Dataset, 582Mode – Double Linear



Width vs. Diameter
Entire Dataset, 582Mode – Double Log



Width vs. Diameter

Entire Dataset, 582Mode – Double Linear



Width vs. Thickness
Entire Dataset, 582Mode – Double Log



Width
 $y_0 = 2.051$, $m = 0.375$, $R^2 = 0.167$, $N = 30$

Width vs. Thickness

Entire Dataset, 582Mode – Double Linear



Height vs. Diameter

Entire Dataset, 582Mode – Double Log




Height

$y_0 = 1.082, m = 0.932, R^2 = 0.716, N = 30$

Height vs. Diameter

Entire Dataset, 582Mode – Double Linear



Height vs. Thickness

Entire Dataset, 582Mode – Double Log



Height

$y_0 = 1.911$, $m = 0.313$, $R^2 = 0.062$, $N = 30$

Height vs. Thickness

Entire Dataset, 582Mode – Double Linear



Height

$y_0 = 14.57$, $m = 0.174$, $R^2 = 0.066$, $N = 30$

Diameter vs. Thickness

Entire Dataset, 582Mode – Double Log



Diameter

$y_0 = 1.215, m = 0.409, R^2 = 0.128, N = 30$

Diameter vs. Thickness

Entire Dataset, 582Mode – Double Linear



Diameter

$y_0 = 11.828, m = 0.104, R^2 = 0.137, N = 30$

Diameter / Width vs. Dry Weight
Entire Dataset, 582Mode – Double Log



Diameter / Width
 $y_0 = 6.594$, $m = -1.813$, $R^2 = 0.077$, $N = 30$

Diameter / Width vs. Dry Weight
Entire Dataset, 582Mode – Double Linear



Diameter / Width

$y_0 = 103.357$, $m = -11.874$, $R^2 = 0.103$, $N = 30$

Width vs. Fresh Weight

Entire Dataset, 584Mode – Double Log



Width

$y_0 = 1.242, m = 1.939, R^2 = 0.692, N = 31$

Width vs. Fresh Weight

Entire Dataset, 584Mode – Double Linear



Width

$y_0 = -1050.525$, $m = 112.659$, $R^2 = 0.743$, $N = 31$

Height vs. Fresh Weight

Entire Dataset, 584Mode – Double Log



Height

$y_0 = 0.602, m = 1.794, R^2 = 0.776, N = 31$

Height vs. Fresh Weight

Entire Dataset, 584Mode – Double Linear



Height

$y_0 = -910.855$, $m = 57.99$, $R^2 = 0.753$, $N = 31$

Diameter vs. Fresh Weight

Entire Dataset, 584Mode – Double Log



Diameter

$y_0 = -2.993, m = 2.236, R^2 = 0.892, N = 31$

Diameter vs. Fresh Weight

Entire Dataset, 584Mode – Double Linear



Thickness vs. Fresh Weight

Entire Dataset, 584Mode – Double Log



Thickness vs. Fresh Weight

Entire Dataset, 584Mode – Double Linear



Thickness

$y_0 = 503.783$, $m = 25.851$, $R^2 = 0.045$, $N = 31$

Diameter / Width vs. Fresh Weight
Entire Dataset, 584Mode – Double Log



Diameter / Width
 $y_0 = 6.065$, $m = 0.592$, $R^2 = 0.025$, $N = 31$

Diameter / Width vs. Fresh Weight
Entire Dataset, 584Mode – Double Linear



Diameter / Width

$y_0 = 684.011$, $m = 96.99$, $R^2 = 0.011$, $N = 31$


Width vs. Height

Entire Dataset, 584Mode – Double Log




Width vs. Height

Entire Dataset, 584Mode – Double Linear




Width vs. Diameter

Entire Dataset, 584Mode – Double Log



Width vs. Diameter

Entire Dataset, 584Mode – Double Linear



Width

$y_0 = 19.706$, $m = 3.468$, $R^2 = 0.659$, $N = 31$

Width vs. Thickness
Entire Dataset, 584Mode – Double Log



Width vs. Thickness

Entire Dataset, 584Mode – Double Linear



Width

$y_0 = 24.592$, $m = -0.035$, $R^2 = 0.001$, $N = 31$

Height vs. Diameter

Entire Dataset, 584Mode – Double Log



Height vs. Diameter

Entire Dataset, 584Mode – Double Linear



Height vs. Thickness

Entire Dataset, 584Mode – Double Log



Height

$y_0 = 3.009$, $m = 0.044$, $R^2 = 0.003$, $N = 31$

Height vs. Thickness

Entire Dataset, 584Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 584Mode – Double Log



Diameter

$y_0 = 2.894$, $m = 0.061$, $R^2 = 0.005$, $N = 31$

Diameter vs. Thickness

Entire Dataset, 584Mode – Double Linear



Diameter


$y_0 = 23.18, m = 0.008, R^2 = 0.001, N = 31$

Diameter / Width vs. Dry Weight
Entire Dataset, 584Mode – Double Log




Diameter / Width
 $y_0 = 3.173$, $m = 0.058$, $R^2 = 0$, $N = 31$

Diameter / Width vs. Dry Weight
Entire Dataset, 584Mode – Double Linear




Diameter / Width
 $y_0 = 11.161$, $m = 3.961$, $R^2 = 0.014$, $N = 31$

Width vs. Fresh Weight
Entire Dataset, 585Mode – Double Log



Width vs. Fresh Weight


Entire Dataset, 585Mode – Double Linear



$y_0 = -639.965$, $m = 77.367$, $R^2 = 0.571$, $N = 31$

Height vs. Fresh Weight

Entire Dataset, 585Mode – Double Log




Height

$y_0 = 0.749, m = 1.686, R^2 = 0.518, N = 31$


Height vs. Fresh Weight

Entire Dataset, 585Mode – Double Linear




Diameter vs. Fresh Weight

Entire Dataset, 585Mode – Double Log




Diameter vs. Fresh Weight

Entire Dataset, 585Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 585Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 585Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 585Mode – Double Log



Diameter / Width
 $y_0 = 6.052$, $m = 0.387$, $R^2 = 0.011$, $N = 31$


Diameter / Width vs. Fresh Weight
Entire Dataset, 585Mode – Double Linear



Diameter / Width
 $y_0 = 559.66, m = 51.629, R^2 = 0.008, N = 31$


Width vs. Height

Entire Dataset, 585Mode – Double Log



Width vs. Height


Entire Dataset, 585Mode – Double Linear



Width


$y_0 = 8.561$, $m = 1.313$, $R^2 = 0.474$, $N = 31$

Width vs. Diameter
Entire Dataset, 585Mode – Double Log




Width vs. Diameter

Entire Dataset, 585Mode – Double Linear




Width vs. Thickness
Entire Dataset, 585Mode – Double Log




Width vs. Thickness

Entire Dataset, 585Mode – Double Linear




Height vs. Diameter

Entire Dataset, 585Mode – Double Log




Height vs. Diameter

Entire Dataset, 585Mode – Double Linear




Height vs. Thickness

Entire Dataset, 585Mode – Double Log




Height

$y_0 = 2.34$, $m = 0.199$, $R^2 = 0.026$, $N = 31$

$$y_0 = 16.425, m = 0.141, R^2 = 0.031, N = 31$$


Diameter vs. Thickness

Entire Dataset, 585Mode – Double Log




Diameter


$y_0 = 1.003, m = 0.466, R^2 = 0.11, N = 31$

Diameter vs. Thickness

Entire Dataset, 585Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 585Mode – Double Log



Diameter / Width
 $y_0 = 5.623$, $m = -1.588$, $R^2 = 0.099$, $N = 31$


Diameter / Width vs. Dry Weight
Entire Dataset, 585Mode – Double Linear



Diameter / Width
 $y_0 = 70.59, m = -9.316, R^2 = 0.053, N = 31$

Width vs. Fresh Weight

Entire Dataset, 839Mode – Double Log




Width

$y_0 = 1.02$, $m = 1.827$, $R^2 = 0.681$, $N = 31$

Width vs. Fresh Weight

Entire Dataset, 839Mode – Double Linear




Width

$y_0 = -628.34$, $m = 65.752$, $R^2 = 0.634$, $N = 31$

Height vs. Fresh Weight

Entire Dataset, 839Mode – Double Log




Height

$y_0 = 1.672, m = 1.45, R^2 = 0.408, N = 31$

Height vs. Fresh Weight

Entire Dataset, 839Mode – Double Linear




Height

$y_0 = -329.546$, $m = 36.645$, $R^2 = 0.41$, $N = 31$

Diameter vs. Fresh Weight

Entire Dataset, 839Mode – Double Log




Diameter

$y_0 = -4.145, m = 2.424, R^2 = 0.814, N = 31$


Diameter vs. Fresh Weight

Entire Dataset, 839Mode – Double Linear



Thickness vs. Fresh Weight

Entire Dataset, 839Mode – Double Log




Thickness

$y_0 = 5.685$, $m = 0.403$, $R^2 = 0.082$, $N = 31$

Thickness vs. Fresh Weight


Entire Dataset, 839Mode – Double Linear



Thickness


$y_0 = 713.96, m = 14.323, R^2 = 0.042, N = 31$

Diameter / Width vs. Fresh Weight
Entire Dataset, 839Mode – Double Log



Diameter / Width
 $y_0 = 7.634$, $m = -0.607$, $R^2 = 0.022$, $N = 31$


Diameter / Width vs. Fresh Weight
Entire Dataset, 839Mode – Double Linear



Diameter / Width
 $y_0 = 1378.641$, $m = -109.237$, $R^2 = 0.015$, $N = 31$

Width vs. Height

Entire Dataset, 839Mode – Double Log




Width

$y_0 = 1.756, m = 0.565, R^2 = 0.335, N = 31$

Width vs. Height


Entire Dataset, 839Mode – Double Linear



Width

$y_0 = 15.871$, $m = 0.797$, $R^2 = 0.306$, $N = 31$


Width vs. Diameter
Entire Dataset, 839Mode – Double Log



Width
 $y_0 = 2.331$, $m = 0.691$, $R^2 = 0.702$, $N = 31$

Width vs. Diameter

Entire Dataset, 839Mode – Double Linear




Width

$y_0 = 29.608$, $m = 2.617$, $R^2 = 0.654$, $N = 31$

Width vs. Thickness

Entire Dataset, 839Mode – Double Log




Width

$y_0 = 3.091, m = -0.092, R^2 = 0.003, N = 31$

Width vs. Thickness

Entire Dataset, 839Mode – Double Linear




Width

$y_0 = 20.643$, $m = -0.156$, $R^2 = 0.017$, $N = 31$


Height vs. Diameter

Entire Dataset, 839Mode – Double Log




Height vs. Diameter

Entire Dataset, 839Mode – Double Linear




Height vs. Thickness

Entire Dataset, 839Mode – Double Log




Height vs. Thickness

Entire Dataset, 839Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 839Mode – Double Log




Diameter


$y_0 = 3.508, m = -0.157, R^2 = 0.007, N = 31$

Diameter vs. Thickness

Entire Dataset, 839Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 839Mode – Double Log




Diameter / Width

$y_0 = 3.252$, $m = 0.173$, $R^2 = 0.001$, $N = 31$

Diameter / Width vs. Dry Weight
Entire Dataset, 839Mode – Double Linear




Width vs. Fresh Weight
Entire Dataset, 845Mode – Double Log



Width vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear




Width

$y_0 = -968.64$, $m = 87.791$, $R^2 = 0.715$, $N = 30$

Height vs. Fresh Weight

Entire Dataset, 845Mode – Double Log




Height

$y_0 = -0.172, m = 1.974, R^2 = 0.753, N = 30$

Height vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear




Height

$y_0 = -858.119$, $m = 52.466$, $R^2 = 0.789$, $N = 30$


Diameter vs. Fresh Weight

Entire Dataset, 845Mode – Double Log




Diameter vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 845Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 845Mode – Double Log



Diameter / Width
 $y_0 = 5.401, m = 0.898, R^2 = 0.031, N = 30$


Diameter / Width vs. Fresh Weight
Entire Dataset, 845Mode – Double Linear



Diameter / Width
 $y_0 = -276.18, m = 274.076, R^2 = 0.065, N = 30$


Width vs. Height

Entire Dataset, 845Mode – Double Log




Width vs. Height

Entire Dataset, 845Mode – Double Linear




Width vs. Diameter
Entire Dataset, 845Mode – Double Log




Width vs. Diameter

Entire Dataset, 845Mode – Double Linear




Width vs. Thickness
Entire Dataset, 845Mode – Double Log



Width
 $y_0 = 2.583$, $m = 0.095$, $R^2 = 0.007$, $N = 30$


Width vs. Thickness

Entire Dataset, 845Mode – Double Linear




Height vs. Diameter

Entire Dataset, 845Mode – Double Log




Height vs. Diameter

Entire Dataset, 845Mode – Double Linear



Height vs. Thickness

Entire Dataset, 845Mode – Double Log




Height

$y_0 = 2.734$, $m = 0.039$, $R^2 = 0.001$, $N = 30$


Height vs. Thickness

Entire Dataset, 845Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 845Mode – Double Log




Diameter

$y_0 = 2.619$, $m = 0.057$, $R^2 = 0.003$, $N = 30$

Diameter vs. Thickness


Entire Dataset, 845Mode – Double Linear




Diameter

$y_0 = 16.644$, $m = 0.015$, $R^2 = 0.004$, $N = 30$

Diameter / Width vs. Dry Weight
Entire Dataset, 845Mode – Double Log




Diameter / Width vs. Dry Weight
Entire Dataset, 845Mode – Double Linear



Diameter / Width
 $y_0 = -11.696$, $m = 13.1$, $R^2 = 0.034$, $N = 30$

Width vs. Fresh Weight
Entire Dataset, 854Mode – Double Log




Width

$y_0 = 1.464, m = 1.661, R^2 = 0.662, N = 31$

Width vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear




Width

$y_0 = -268.805$, $m = 44.238$, $R^2 = 0.641$, $N = 31$


Height vs. Fresh Weight

Entire Dataset, 854Mode – Double Log




Height vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear




Diameter vs. Fresh Weight

Entire Dataset, 854Mode – Double Log



Diameter vs. Fresh Weight


Entire Dataset, 854Mode – Double Linear



Diameter


$y_0 = -220.859$, $m = 10.203$, $R^2 = 0.433$, $N = 31$

Thickness vs. Fresh Weight
Entire Dataset, 854Mode – Double Log



Thickness vs. Fresh Weight


Entire Dataset, 854Mode – Double Linear



Thickness


$y_0 = 206.397$, $m = 12.367$, $R^2 = 0.161$, $N = 31$

Diameter / Width vs. Fresh Weight
Entire Dataset, 854Mode – Double Log



Diameter / Width
 $y_0 = 7.333$, $m = -0.925$, $R^2 = 0.099$, $N = 31$


Diameter / Width vs. Fresh Weight
Entire Dataset, 854Mode – Double Linear



Diameter / Width
 $y_0 = 822.627$, $m = -96.847$, $R^2 = 0.097$, $N = 31$

Width vs. Height

Entire Dataset, 854Mode – Double Log




Width

$y_0 = 1.486, m = 0.633, R^2 = 0.322, N = 31$

Width vs. Height

Entire Dataset, 854Mode – Double Linear




Width

$y_0 = 9.593, m = 1.002, R^2 = 0.323, N = 31$


Width vs. Diameter

Entire Dataset, 854Mode – Double Log




Width vs. Diameter

Entire Dataset, 854Mode – Double Linear



Width vs. Thickness

Entire Dataset, 854Mode – Double Log




Width

$y_0 = 2.645$, $m = 0.085$, $R^2 = 0.003$, $N = 31$

Width vs. Thickness

Entire Dataset, 854Mode – Double Linear




Width

$y_0 = 16.464$, $m = 0.102$, $R^2 = 0.003$, $N = 31$


Height vs. Diameter

Entire Dataset, 854Mode – Double Log




Height vs. Diameter

Entire Dataset, 854Mode – Double Linear




Height vs. Thickness

Entire Dataset, 854Mode – Double Log




Height vs. Thickness

Entire Dataset, 854Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 854Mode – Double Log




Diameter

$y_0 = 4.557$, $m = -0.404$, $R^2 = 0.049$, $N = 31$

Diameter vs. Thickness


Entire Dataset, 854Mode – Double Linear



Diameter


$y_0 = 24.755, m = -0.105, R^2 = 0.043, N = 31$

Diameter / Width vs. Dry Weight
Entire Dataset, 854Mode – Double Log



Diameter / Width
 $y_0 = 4.508$, $m = -0.676$, $R^2 = 0.013$, $N = 31$

Diameter / Width vs. Dry Weight
Entire Dataset, 854Mode – Double Linear



Diameter / Width
 $y_0 = 67.553, m = -6.971, R^2 = 0.011, N = 31$