
Width vs. Fresh Weight
Entire Dataset, All Accessions
Fresh Weight
200
500
1000
2000
5
10
20
Width
y_0 = 2.813, m = 1.349, R^2 =0.52, N = 389


Height vs. Fresh Weight
Entire Dataset, All Accessions
Fresh Weight
200
500
1000
2000
20
30
40
50
60
Height
y_0 = 1.463, m = 1.468, R^2 =0.383, N = 389


Diameter vs. Fresh Weight
Entire Dataset, All Accessions
Fresh Weight
200
500
1000
2000
20
50
100
200
Diameter
y_0 = 0.487, m = 1.396, R^2 =0.408, N = 389


Thickness vs. Fresh Weight
Entire Dataset, All Accessions
Fresh Weight
200
500
1000
2000
10
15
20
25
30
35
40
Thickness
y_0 = 2.688, m = 1.333, R^2 =0.411, N = 389


Diameter / Width vs. Fresh Weight
Entire Dataset, All Accessions
Fresh Weight
2000
1000
500
200
1
2
5
10
20
Diameter / Width
y_0 = 7.122, m = −0.287, R^2 =0.027, N = 389


Width vs. Height
Entire Dataset, All Accessions
Height
20
30
40
50
60
5
10
20
Width
y_0 = 3.202, m = 0.121, R^2 =0.024, N = 389


Width vs. Diameter
Entire Dataset, All Accessions
Diameter
200
100
50
20
5
10
20
Width
y_0 = 3.578, m = 0.298, R^2 =0.121, N = 389


Width vs. Thickness
Entire Dataset, All Accessions
Thickness
10
15
20
25
30
35
40
5
10
20
Width
y_0 = 2.288, m = 0.245, R^2 =0.074, N = 389


Height vs. Diameter
Entire Dataset, All Accessions
Diameter
200
100
50
20
20
30
40
50
60
Height
y_0 = 1.85, m = 0.728, R^2 =0.45, N = 389


Height vs. Thickness
Entire Dataset, All Accessions
Thickness
10
15
20
25
30
35
40
20
30
40
50
60
Height
y_0 = 1.937, m = 0.296, R^2 =0.067, N = 389


Diameter vs. Thickness
Entire Dataset, All Accessions
Thickness
10
15
20
25
30
35
40
20
50
100
200
Diameter
y_0 = 1.706, m = 0.289, R^2 =0.076, N = 389


Width vs. Fresh Weight
Entire Dataset, 242
Fresh Weight
200
400
600
800
1000
5
10
15
Width
y_0 = 3.797, m = 0.905, R^2 =0.343, N = 32


Height vs. Fresh Weight
Entire Dataset, 242
Fresh Weight
200
400
600
800
1000
25
30
35
40
45
Height
y_0 = −1.017, m = 1.972, R^2 =0.538, N = 32


Diameter vs. Fresh Weight
Entire Dataset, 242
Fresh Weight
200
400
600
800
1000
70
80
90
100
Diameter
y_0 = −5.962, m = 2.737, R^2 =0.727, N = 32


Thickness vs. Fresh Weight
Entire Dataset, 242
Fresh Weight
200
400
600
800
1000
12
14
16
18
20
22
24
Thickness
y_0 = 1.759, m = 1.541, R^2 =0.306, N = 32


Diameter / Width vs. Fresh Weight
Entire Dataset, 242
Fresh Weight
200
400
600
800
1000
5
10
15
20
25
Diameter / Width
y_0 = 6.529, m = −0.29, R^2 =0.033, N = 32


Width vs. Height
Entire Dataset, 242
Height
45
40
35
30
25
5
10
15
Width
y_0 = 3.109, m = 0.179, R^2 =0.097, N = 32


Width vs. Diameter
Entire Dataset, 242
Diameter
70
80
90
100
5
10
15
Width
y_0 = 3.996, m = 0.15, R^2 =0.097, N = 32


Width vs. Thickness
Entire Dataset, 242
Thickness
12
14
16
18
20
22
24
5
10
15
Width
y_0 = 2.175, m = 0.231, R^2 =0.173, N = 32


Height vs. Diameter
Entire Dataset, 242
Diameter
70
80
90
100
25
30
35
40
45
Height
y_0 = 1.679, m = 0.757, R^2 =0.816, N = 32


Height vs. Thickness
Entire Dataset, 242
Thickness
12
14
16
18
20
22
24
25
30
35
40
45
Height
y_0 = 1.989, m = 0.208, R^2 =0.047, N = 32


Diameter vs. Thickness
Entire Dataset, 242
Thickness
12
14
16
18
20
22
24
70
80
90
100
Diameter
y_0 = 0.986, m = 0.399, R^2 =0.12, N = 32


Width vs. Fresh Weight
Entire Dataset, 246
Fresh Weight
300
400
500
600
700
800
12
14
16
18
20
Width
y_0 = 2.53, m = 1.315, R^2 =0.518, N = 32


Height vs. Fresh Weight
Entire Dataset, 246
Fresh Weight
300
400
500
600
700
800
25
30
35
Height
y_0 = 1.341, m = 1.402, R^2 =0.371, N = 32


Diameter vs. Fresh Weight
Entire Dataset, 246
Fresh Weight
300
400
500
600
700
800
60
65
70
75
80
85
90
Diameter
y_0 = −2.825, m = 2.088, R^2 =0.643, N = 32


Thickness vs. Fresh Weight
Entire Dataset, 246
Fresh Weight
300
400
500
600
700
800
12
14
16
18
20
Thickness
y_0 = 4.323, m = 0.66, R^2 =0.101, N = 32


Diameter / Width vs. Fresh Weight
Entire Dataset, 246
Fresh Weight
300
400
500
600
700
800
3.5
4.0
4.5
5.0
5.5
6.0
6.5
Diameter / Width
y_0 = 6.641, m = −0.343, R^2 =0.03, N = 32


Width vs. Height
Entire Dataset, 246
Height
35
30
25
12
14
16
18
20
Width
y_0 = 2.917, m = 0.178, R^2 =0.05, N = 32


Width vs. Diameter
Entire Dataset, 246
Diameter
60
65
70
75
80
85
90
12
14
16
18
20
Width
y_0 = 3.387, m = 0.328, R^2 =0.218, N = 32


Width vs. Thickness
Entire Dataset, 246
Thickness
12
14
16
18
20
12
14
16
18
20
Width
y_0 = 2.743, m = −0.015, R^2 =0, N = 32


Height vs. Diameter
Entire Dataset, 246
Diameter
60
65
70
75
80
85
90
25
30
35
Height
y_0 = 1.455, m = 0.83, R^2 =0.884, N = 32


Height vs. Thickness
Entire Dataset, 246
Thickness
12
14
16
18
20
25
30
35
Height
y_0 = 2.952, m = −0.073, R^2 =0.004, N = 32


Diameter vs. Thickness
Entire Dataset, 246
Thickness
12
14
16
18
20
60
65
70
75
80
85
90
Diameter
y_0 = 2.765, m = −0.014, R^2 =0, N = 32


Width vs. Fresh Weight
Entire Dataset, 319
Fresh Weight
600
800
1000
1200
1400
1600
12
14
16
18
20
Width
y_0 = 3.071, m = 1.412, R^2 =0.589, N = 32


Height vs. Fresh Weight
Entire Dataset, 319
Fresh Weight
600
800
1000
1200
1400
1600
20
30
40
50
60
Height
y_0 = 5.499, m = 0.388, R^2 =0.125, N = 32


Diameter vs. Fresh Weight
Entire Dataset, 319
Fresh Weight
600
800
1000
1200
1400
1600
20
50
100
Diameter
y_0 = 7.043, m = −0.015, R^2 =0.001, N = 32


Thickness vs. Fresh Weight
Entire Dataset, 319
Fresh Weight
600
800
1000
1200
1400
1600
20
22
24
26
28
30
32
Thickness
y_0 = 5.051, m = 0.611, R^2 =0.094, N = 32


Diameter / Width vs. Fresh Weight
Entire Dataset, 319
Fresh Weight
600
800
1000
1200
1400
1600
1
2
5
Diameter / Width
y_0 = 7.287, m = −0.174, R^2 =0.078, N = 32


Width vs. Height
Entire Dataset, 319
Height
20
30
40
50
60
12
14
16
18
20
Width
y_0 = 3.299, m = 0.18, R^2 =0.012, N = 32


Width vs. Diameter
Entire Dataset, 319
Diameter
100
50
20
12
14
16
18
20
Width
y_0 = 5.197, m = −0.228, R^2 =0.007, N = 32


Width vs. Thickness
Entire Dataset, 319
Thickness
32
30
28
26
24
22
20
12
14
16
18
20
Width
y_0 = 3.063, m = 0.03, R^2 =0.001, N = 32


Height vs. Diameter
Entire Dataset, 319
Diameter
100
50
20
20
30
40
50
60
Height
y_0 = 4.387, m = 0.047, R^2 =0.001, N = 32


Height vs. Thickness
Entire Dataset, 319
Thickness
20
22
24
26
28
30
32
20
30
40
50
60
Height
y_0 = 3.149, m = −0.001, R^2 =0, N = 32


Diameter vs. Thickness
Entire Dataset, 319
Thickness
20
22
24
26
28
30
32
20
50
100
Diameter
y_0 = 2.784, m = 0.079, R^2 =0.053, N = 32


Width vs. Fresh Weight
Entire Dataset, 325
Fresh Weight
500
1000
1500
2000
2500
18
20
22
24
26
28
30
Width
y_0 = 1.99, m = 1.679, R^2 =0.593, N = 24


Height vs. Fresh Weight
Entire Dataset, 325
Fresh Weight
500
1000
1500
2000
2500
30
35
40
45
Height
y_0 = 0.48, m = 1.822, R^2 =0.574, N = 24


Diameter vs. Fresh Weight
Entire Dataset, 325
Fresh Weight
500
1000
1500
2000
2500
70
80
90
100
110
120
Diameter
y_0 = −3.792, m = 2.398, R^2 =0.859, N = 24


Thickness vs. Fresh Weight
Entire Dataset, 325
Fresh Weight
500
1000
1500
2000
2500
20
25
30
35
40
Thickness
y_0 = 4.36, m = 0.921, R^2 =0.311, N = 24


Diameter / Width vs. Fresh Weight
Entire Dataset, 325
Fresh Weight
2500
2000
1500
1000
500
4.0
4.5
5.0
5.5
Diameter / Width
y_0 = 7.182, m = 0.039, R^2 =0, N = 24


Width vs. Height
Entire Dataset, 325
Height
45
40
35
30
18
20
22
24
26
28
30
Width
y_0 = 2.696, m = 0.324, R^2 =0.128, N = 24


Width vs. Diameter
Entire Dataset, 325
Diameter
70
80
90
100
110
120
18
20
22
24
26
28
30
Width
y_0 = 2.849, m = 0.56, R^2 =0.442, N = 24


Width vs. Thickness
Entire Dataset, 325
Thickness
40
35
30
25
20
18
20
22
24
26
28
30
Width
y_0 = 2.334, m = 0.254, R^2 =0.037, N = 24


Height vs. Diameter
Entire Dataset, 325
Diameter
70
80
90
100
110
120
30
35
40
45
Height
y_0 = 1.481, m = 0.841, R^2 =0.819, N = 24


Height vs. Thickness
Entire Dataset, 325
Thickness
20
25
30
35
40
30
35
40
45
Height
y_0 = 0.869, m = 0.609, R^2 =0.175, N = 24


Diameter vs. Thickness
Entire Dataset, 325
Thickness
40
35
30
25
20
70
80
90
100
110
120
Diameter
y_0 = 0.235, m = 0.629, R^2 =0.161, N = 24


Width vs. Fresh Weight
Entire Dataset, 326
Fresh Weight
600
800
1000
1200
1400
14
15
16
17
18
19
20
Width
y_0 = 0.776, m = 2.106, R^2 =0.722, N = 32


Height vs. Fresh Weight
Entire Dataset, 326
Fresh Weight
600
800
1000
1200
1400
25
30
35
Height
y_0 = −0.127, m = 2.003, R^2 =0.711, N = 32


Diameter vs. Fresh Weight
Entire Dataset, 326
Fresh Weight
600
800
1000
1200
1400
65
70
75
80
85
90
95
Diameter
y_0 = −3.795, m = 2.432, R^2 =0.877, N = 32


Thickness vs. Fresh Weight
Entire Dataset, 326
Fresh Weight
600
800
1000
1200
1400
15
20
25
30
Thickness
y_0 = 4.571, m = 0.69, R^2 =0.196, N = 32


Diameter / Width vs. Fresh Weight
Entire Dataset, 326
Fresh Weight
600
800
1000
1200
1400
4.0
4.2
4.4
4.6
4.8
5.0
5.2
5.4
Diameter / Width
y_0 = 6.351, m = 0.288, R^2 =0.005, N = 32


Width vs. Height
Entire Dataset, 326
Height
25
30
35
14
15
16
17
18
19
20
Width
y_0 = 1.5, m = 0.684, R^2 =0.429, N = 32


Width vs. Diameter
Entire Dataset, 326
Diameter
95
90
85
80
75
70
65
14
15
16
17
18
19
20
Width
y_0 = 2.166, m = 0.766, R^2 =0.644, N = 32


Width vs. Thickness
Entire Dataset, 326
Thickness
15
20
25
30
14
15
16
17
18
19
20
Width
y_0 = 0.971, m = 0.782, R^2 =0.242, N = 32


Height vs. Diameter
Entire Dataset, 326
Diameter
95
90
85
80
75
70
65
25
30
35
Height
y_0 = 1.386, m = 0.859, R^2 =0.882, N = 32


Height vs. Thickness
Entire Dataset, 326
Thickness
15
20
25
30
25
30
35
Height
y_0 = 2.496, m = 0.205, R^2 =0.018, N = 32


Diameter vs. Thickness
Entire Dataset, 326
Thickness
15
20
25
30
65
70
75
80
85
90
95
Diameter
y_0 = 1.59, m = 0.371, R^2 =0.049, N = 32


Width vs. Fresh Weight
Entire Dataset, 390
Fresh Weight
500
1000
1500
2000
20
25
30
Width
y_0 = 0.388, m = 2.107, R^2 =0.67, N = 29


Height vs. Fresh Weight
Entire Dataset, 390
Fresh Weight
500
1000
1500
2000
25
30
35
40
Height
y_0 = 0.051, m = 2.038, R^2 =0.651, N = 29


Diameter vs. Fresh Weight
Entire Dataset, 390
Fresh Weight
500
1000
1500
2000
60
70
80
90
100
110
Diameter
y_0 = −1.886, m = 2.009, R^2 =0.638, N = 29


Thickness vs. Fresh Weight
Entire Dataset, 390
Fresh Weight
500
1000
1500
2000
15
20
25
30
Thickness
y_0 = 2.952, m = 1.334, R^2 =0.536, N = 29


Diameter / Width vs. Fresh Weight
Entire Dataset, 390
Fresh Weight
2000
1500
1000
500
2.5
3.0
3.5
4.0
4.5
Diameter / Width
y_0 = 7.159, m = −0.002, R^2 =0, N = 29


Width vs. Height
Entire Dataset, 390
Height
40
35
30
25
20
25
30
Width
y_0 = 1.518, m = 0.613, R^2 =0.361, N = 29


Width vs. Diameter
Entire Dataset, 390
Diameter
110
100
90
80
70
60
20
25
30
Width
y_0 = 2.214, m = 0.712, R^2 =0.483, N = 29


Width vs. Thickness
Entire Dataset, 390
Thickness
15
20
25
30
20
25
30
Width
y_0 = 1.4, m = 0.545, R^2 =0.149, N = 29


Height vs. Diameter
Entire Dataset, 390
Diameter
110
100
90
80
70
60
25
30
35
40
Height
y_0 = 1.501, m = 0.86, R^2 =0.734, N = 29


Height vs. Thickness
Entire Dataset, 390
Thickness
15
20
25
30
25
30
35
40
Height
y_0 = 1.165, m = 0.57, R^2 =0.169, N = 29


Diameter vs. Thickness
Entire Dataset, 390
Thickness
15
20
25
30
60
70
80
90
100
110
Diameter
y_0 = 1.047, m = 0.468, R^2 =0.115, N = 29


Width vs. Fresh Weight
Entire Dataset, 572
Fresh Weight
600
800
1000
1200
14
16
18
20
22
Width
y_0 = 1.664, m = 1.728, R^2 =0.647, N = 24


Height vs. Fresh Weight
Entire Dataset, 572
Fresh Weight
600
800
1000
1200
30
35
40
45
Height
y_0 = 0.767, m = 1.663, R^2 =0.686, N = 24


Diameter vs. Fresh Weight
Entire Dataset, 572
Fresh Weight
600
800
1000
1200
70
80
90
100
Diameter
y_0 = −2.557, m = 2.086, R^2 =0.792, N = 24


Thickness vs. Fresh Weight
Entire Dataset, 572
Fresh Weight
600
800
1000
1200
14
16
18
20
22
24
Thickness
y_0 = 5.397, m = 0.453, R^2 =0.104, N = 24


Diameter / Width vs. Fresh Weight
Entire Dataset, 572
Fresh Weight
600
800
1000
1200
4.2
4.4
4.6
4.8
5.0
5.2
Diameter / Width
y_0 = 6.602, m = 0.086, R^2 =0, N = 24


Width vs. Height
Entire Dataset, 572
Height
45
40
35
30
14
16
18
20
22
Width
y_0 = 0.963, m = 0.894, R^2 =0.699, N = 24


Width vs. Diameter
Entire Dataset, 572
Diameter
70
80
90
100
14
16
18
20
22
Width
y_0 = 2.165, m = 0.78, R^2 =0.725, N = 24


Width vs. Thickness
Entire Dataset, 572
Thickness
14
16
18
20
22
24
14
16
18
20
22
Width
y_0 = 2.673, m = 0.094, R^2 =0.004, N = 24


Height vs. Diameter
Entire Dataset, 572
Diameter
70
80
90
100
30
35
40
45
Height
y_0 = 1.544, m = 0.811, R^2 =0.897, N = 24


Height vs. Thickness
Entire Dataset, 572
Thickness
14
16
18
20
22
24
30
35
40
45
Height
y_0 = 2.742, m = 0.058, R^2 =0.002, N = 24


Diameter vs. Thickness
Entire Dataset, 572
Thickness
14
16
18
20
22
24
70
80
90
100
Diameter
y_0 = 2.814, m = 0.03, R^2 =0, N = 24


Width vs. Fresh Weight
Entire Dataset, 580
Fresh Weight
700
800
900
1000
1100
1200
12
13
14
15
16
17
18
Width
y_0 = 3.282, m = 1.276, R^2 =0.449, N = 24


Height vs. Fresh Weight
Entire Dataset, 580
Fresh Weight
700
800
900
1000
1100
1200
36
38
40
42
44
46
48
Height
y_0 = 3.88, m = 0.774, R^2 =0.12, N = 24


Diameter vs. Fresh Weight
Entire Dataset, 580
Fresh Weight
700
800
900
1000
1100
1200
80
100
120
140
160
180
Diameter
y_0 = 3.951, m = 0.616, R^2 =0.251, N = 24


Thickness vs. Fresh Weight
Entire Dataset, 580
Fresh Weight
700
800
900
1000
1100
1200
18
20
22
24
26
28
Thickness
y_0 = 4.972, m = 0.588, R^2 =0.227, N = 24


Diameter / Width vs. Fresh Weight
Entire Dataset, 580
Fresh Weight
700
800
900
1000
1100
1200
6
7
8
9
10
Diameter / Width
y_0 = 6.615, m = 0.08, R^2 =0.004, N = 24


Width vs. Height
Entire Dataset, 580
Height
36
38
40
42
44
46
48
12
13
14
15
16
17
18
Width
y_0 = 3.644, m = 0.03, R^2 =0.001, N = 24


Width vs. Diameter
Entire Dataset, 580
Diameter
80
100
120
140
160
180
12
13
14
15
16
17
18
Width
y_0 = 3.338, m = 0.448, R^2 =0.084, N = 24


Width vs. Thickness
Entire Dataset, 580
Thickness
28
26
24
22
20
18
12
13
14
15
16
17
18
Width
y_0 = 3.163, m = −0.043, R^2 =0.001, N = 24


Height vs. Diameter
Entire Dataset, 580
Diameter
80
100
120
140
160
180
36
38
40
42
44
46
48
Height
y_0 = −0.112, m = 1.254, R^2 =0.479, N = 24


Height vs. Thickness
Entire Dataset, 580
Thickness
28
26
24
22
20
18
36
38
40
42
44
46
48
Height
y_0 = 3.644, m = −0.16, R^2 =0.008, N = 24


Diameter vs. Thickness
Entire Dataset, 580
Thickness
28
26
24
22
20
18
80
100
120
140
160
180
Diameter
y_0 = 3.84, m = −0.174, R^2 =0.03, N = 24


Width vs. Fresh Weight
Entire Dataset, 582
Fresh Weight
600
800
1000
1200
1400
12
13
14
15
16
17
18
Width
y_0 = 2.552, m = 1.56, R^2 =0.683, N = 32


Height vs. Fresh Weight
Entire Dataset, 582
Fresh Weight
600
800
1000
1200
1400
35
40
45
50
Height
y_0 = 0.499, m = 1.69, R^2 =0.451, N = 32


Diameter vs. Fresh Weight
Entire Dataset, 582
Fresh Weight
600
800
1000
1200
1400
70
80
90
100
110
Diameter
y_0 = −2.442, m = 2.028, R^2 =0.716, N = 32


Thickness vs. Fresh Weight
Entire Dataset, 582
Fresh Weight
600
800
1000
1200
1400
18
20
22
24
Thickness
y_0 = 3.082, m = 1.215, R^2 =0.322, N = 32


Diameter / Width vs. Fresh Weight
Entire Dataset, 582
Fresh Weight
600
800
1000
1200
1400
6.0
6.5
7.0
7.5
8.0
Diameter / Width
y_0 = 7.699, m = −0.474, R^2 =0.04, N = 32


Width vs. Height
Entire Dataset, 582
Height
50
45
40
35
12
13
14
15
16
17
18
Width
y_0 = 2.883, m = 0.315, R^2 =0.176, N = 32


Width vs. Diameter
Entire Dataset, 582
Diameter
110
100
90
80
70
12
13
14
15
16
17
18
Width
y_0 = 3.223, m = 0.492, R^2 =0.39, N = 32


Width vs. Thickness
Entire Dataset, 582
Thickness
18
20
22
24
12
13
14
15
16
17
18
Width
y_0 = 2.301, m = 0.286, R^2 =0.105, N = 32


Height vs. Diameter
Entire Dataset, 582
Diameter
110
100
90
80
70
35
40
45
50
Height
y_0 = 1.216, m = 0.896, R^2 =0.727, N = 32


Height vs. Thickness
Entire Dataset, 582
Thickness
18
20
22
24
35
40
45
50
Height
y_0 = 1.782, m = 0.348, R^2 =0.088, N = 32


Diameter vs. Thickness
Entire Dataset, 582
Thickness
18
20
22
24
70
80
90
100
110
Diameter
y_0 = 1.111, m = 0.432, R^2 =0.149, N = 32


Width vs. Fresh Weight
Entire Dataset, 584
Fresh Weight
1000
1500
2000
14
16
18
20
22
24
26
28
Width
y_0 = 1.352, m = 1.912, R^2 =0.735, N = 24


Height vs. Fresh Weight
Entire Dataset, 584
Fresh Weight
1000
1500
2000
25
30
35
40
45
Height
y_0 = 0.677, m = 1.777, R^2 =0.759, N = 24


Diameter vs. Fresh Weight
Entire Dataset, 584
Fresh Weight
1000
1500
2000
100
150
200
Diameter
y_0 = 2.455, m = 1.009, R^2 =0.497, N = 24


Thickness vs. Fresh Weight
Entire Dataset, 584
Fresh Weight
1000
1500
2000
18
20
22
24
26
28
30
Thickness
y_0 = 4.237, m = 0.868, R^2 =0.14, N = 24


Diameter / Width vs. Fresh Weight
Entire Dataset, 584
Fresh Weight
1000
1500
2000
4
5
6
7
8
9
10
Diameter / Width
y_0 = 6.413, m = 0.371, R^2 =0.04, N = 24


Width vs. Height
Entire Dataset, 584
Height
45
40
35
30
25
14
16
18
20
22
24
26
28
Width
y_0 = 1.371, m = 0.74, R^2 =0.458, N = 24


Width vs. Diameter
Entire Dataset, 584
Diameter
100
150
200
14
16
18
20
22
24
26
28
Width
y_0 = 1.579, m = 0.989, R^2 =0.403, N = 24


Width vs. Thickness
Entire Dataset, 584
Thickness
18
20
22
24
26
28
30
14
16
18
20
22
24
26
28
Width
y_0 = 2.85, m = 0.108, R^2 =0.013, N = 24


Height vs. Diameter
Entire Dataset, 584
Diameter
100
150
200
25
30
35
40
45
Height
y_0 = 1.383, m = 0.876, R^2 =0.377, N = 24


Height vs. Thickness
Entire Dataset, 584
Thickness
18
20
22
24
26
28
30
25
30
35
40
45
Height
y_0 = 2.741, m = 0.12, R^2 =0.019, N = 24


Diameter vs. Thickness
Entire Dataset, 584
Thickness
18
20
22
24
26
28
30
100
150
200
Diameter
y_0 = 2.56, m = 0.135, R^2 =0.048, N = 24


Width vs. Fresh Weight
Entire Dataset, 585
Fresh Weight
400
600
800
1000
1200
14
16
18
20
22
Width
y_0 = 1.06, m = 1.919, R^2 =0.482, N = 24


Height vs. Fresh Weight
Entire Dataset, 585
Fresh Weight
400
600
800
1000
1200
25
30
35
40
Height
y_0 = 0.802, m = 1.667, R^2 =0.595, N = 24


Diameter vs. Fresh Weight
Entire Dataset, 585
Fresh Weight
400
600
800
1000
1200
40
60
80
100
Diameter
y_0 = 4.349, m = 0.515, R^2 =0.201, N = 24


Thickness vs. Fresh Weight
Entire Dataset, 585
Fresh Weight
400
600
800
1000
1200
16
18
20
22
24
26
Thickness
y_0 = 2.841, m = 1.228, R^2 =0.403, N = 24


Diameter / Width vs. Fresh Weight
Entire Dataset, 585
Fresh Weight
400
600
800
1000
1200
2
3
4
5
Diameter / Width
y_0 = 6.191, m = 0.257, R^2 =0.036, N = 24


Width vs. Height
Entire Dataset, 585
Height
25
30
35
40
14
16
18
20
22
Width
y_0 = 0.846, m = 0.91, R^2 =0.506, N = 24


Width vs. Diameter
Entire Dataset, 585
Diameter
100
80
60
40
14
16
18
20
22
Width
y_0 = 0.466, m = 1.334, R^2 =0.308, N = 24


Width vs. Thickness
Entire Dataset, 585
Thickness
16
18
20
22
24
26
14
16
18
20
22
Width
y_0 = 2.322, m = 0.246, R^2 =0.03, N = 24


Height vs. Diameter
Entire Dataset, 585
Diameter
100
80
60
40
25
30
35
40
Height
y_0 = 0.748, m = 1.025, R^2 =0.298, N = 24


Height vs. Thickness
Entire Dataset, 585
Thickness
16
18
20
22
24
26
25
30
35
40
Height
y_0 = 2.367, m = 0.191, R^2 =0.029, N = 24


Diameter vs. Thickness
Entire Dataset, 585
Thickness
26
24
22
20
18
16
40
60
80
100
Diameter
y_0 = 3.062, m = −0.009, R^2 =0, N = 24


Width vs. Fresh Weight
Entire Dataset, 839
Fresh Weight
400
600
800
1000
1200
1600
20
25
30
35
40
Width
y_0 = 2.566, m = 1.326, R^2 =0.512, N = 24


Height vs. Fresh Weight
Entire Dataset, 839
Fresh Weight
400
600
800
1000
1200
1600
25
30
35
40
45
Height
y_0 = 0.979, m = 1.646, R^2 =0.474, N = 24


Diameter vs. Fresh Weight
Entire Dataset, 839
Fresh Weight
400
600
800
1000
1200
1600
70
80
90
100
110
120
Diameter
y_0 = −4.437, m = 2.486, R^2 =0.86, N = 24


Thickness vs. Fresh Weight
Entire Dataset, 839
Fresh Weight
400
600
800
1000
1200
1600
10
15
20
25
Thickness
y_0 = 5.661, m = 0.407, R^2 =0.069, N = 24


Diameter / Width vs. Fresh Weight
Entire Dataset, 839
Fresh Weight
1600
1200
1000
800
600
400
2.5
3.0
3.5
4.0
4.5
Diameter / Width
y_0 = 7.202, m = −0.308, R^2 =0.012, N = 24


Width vs. Height
Entire Dataset, 839
Height
45
40
35
30
25
20
25
30
35
40
Width
y_0 = 2.227, m = 0.41, R^2 =0.279, N = 24


Width vs. Diameter
Entire Dataset, 839
Diameter
120
110
100
90
80
70
20
25
30
35
40
Width
y_0 = 2.871, m = 0.516, R^2 =0.558, N = 24


Width vs. Thickness
Entire Dataset, 839
Thickness
10
15
20
25
20
25
30
35
40
Width
y_0 = 3.133, m = −0.11, R^2 =0.009, N = 24


Height vs. Diameter
Entire Dataset, 839
Diameter
120
110
100
90
80
70
25
30
35
40
45
Height
y_0 = 1.81, m = 0.766, R^2 =0.738, N = 24


Height vs. Thickness
Entire Dataset, 839
Thickness
10
15
20
25
25
30
35
40
45
Height
y_0 = 4.56, m = −0.504, R^2 =0.106, N = 24


Diameter vs. Thickness
Entire Dataset, 839
Thickness
10
15
20
25
70
80
90
100
110
120
Diameter
y_0 = 3.209, m = −0.095, R^2 =0.003, N = 24


Width vs. Fresh Weight
Entire Dataset, 845
Fresh Weight
400
600
800
1000
1200
1600
16
18
20
22
24
26
Width
y_0 = 0.057, m = 2.187, R^2 =0.715, N = 32


Height vs. Fresh Weight
Entire Dataset, 845
Fresh Weight
400
600
800
1000
1200
1600
25
30
35
40
Height
y_0 = −0.198, m = 1.977, R^2 =0.757, N = 32


Diameter vs. Fresh Weight
Entire Dataset, 845
Fresh Weight
400
600
800
1000
1200
1600
70
80
90
100
110
Diameter
y_0 = −3.354, m = 2.271, R^2 =0.875, N = 32


Thickness vs. Fresh Weight
Entire Dataset, 845
Fresh Weight
400
600
800
1000
1200
1600
15
20
25
Thickness
y_0 = 4.267, m = 0.827, R^2 =0.159, N = 32


Diameter / Width vs. Fresh Weight
Entire Dataset, 845
Fresh Weight
1600
1200
1000
800
600
400
3.5
4.0
4.5
Diameter / Width
y_0 = 5.058, m = 1.126, R^2 =0.066, N = 32


Width vs. Height
Entire Dataset, 845
Height
25
30
35
40
16
18
20
22
24
26
Width
y_0 = 0.899, m = 0.85, R^2 =0.557, N = 32


Width vs. Diameter
Entire Dataset, 845
Diameter
70
80
90
100
110
16
18
20
22
24
26
Width
y_0 = 1.711, m = 0.894, R^2 =0.703, N = 32


Width vs. Thickness
Entire Dataset, 845
Thickness
15
20
25
16
18
20
22
24
26
Width
y_0 = 2.473, m = 0.126, R^2 =0.01, N = 32


Height vs. Diameter
Entire Dataset, 845
Diameter
110
100
90
80
70
25
30
35
40
Height
y_0 = 1.282, m = 0.902, R^2 =0.929, N = 32


Height vs. Thickness
Entire Dataset, 845
Thickness
15
20
25
25
30
35
40
Height
y_0 = 2.213, m = 0.185, R^2 =0.029, N = 32


Diameter vs. Thickness
Entire Dataset, 845
Thickness
25
20
15
70
80
90
100
110
Diameter
y_0 = 1.967, m = 0.202, R^2 =0.03, N = 32


Width vs. Fresh Weight
Entire Dataset, 854
Fresh Weight
300
400
500
600
14
15
16
17
18
19
Width
y_0 = 1.371, m = 1.703, R^2 =0.689, N = 24


Height vs. Fresh Weight
Entire Dataset, 854
Fresh Weight
300
400
500
600
20
22
24
26
28
30
Height
y_0 = 2.774, m = 1.012, R^2 =0.244, N = 24


Diameter vs. Fresh Weight
Entire Dataset, 854
Fresh Weight
300
400
500
600
30
40
50
60
70
Diameter
y_0 = 4.155, m = 0.459, R^2 =0.113, N = 24


Thickness vs. Fresh Weight
Entire Dataset, 854
Fresh Weight
300
400
500
600
14
16
18
20
22
Thickness
y_0 = 4.267, m = 0.614, R^2 =0.196, N = 24


Diameter / Width vs. Fresh Weight
Entire Dataset, 854
Fresh Weight
600
500
400
300
2.5
3.0
3.5
4.0
4.5
Diameter / Width
y_0 = 6.581, m = −0.391, R^2 =0.062, N = 24


Width vs. Height
Entire Dataset, 854
Height
20
22
24
26
28
30
14
15
16
17
18
19
Width
y_0 = 1.831, m = 0.511, R^2 =0.26, N = 24


Width vs. Diameter
Entire Dataset, 854
Diameter
30
40
50
60
70
14
15
16
17
18
19
Width
y_0 = 1.998, m = 0.772, R^2 =0.265, N = 24


Width vs. Thickness
Entire Dataset, 854
Thickness
14
16
18
20
22
14
15
16
17
18
19
Width
y_0 = 2.188, m = 0.258, R^2 =0.03, N = 24


Height vs. Diameter
Entire Dataset, 854
Diameter
30
40
50
60
70
20
22
24
26
28
30
Height
y_0 = 3.263, m = 0.265, R^2 =0.031, N = 24


Height vs. Thickness
Entire Dataset, 854
Thickness
14
16
18
20
22
20
22
24
26
28
30
Height
y_0 = 4.235, m = −0.415, R^2 =0.079, N = 24


Diameter vs. Thickness
Entire Dataset, 854
Thickness
22
20
18
16
14
30
40
50
60
70
Diameter
y_0 = 2.804, m = 0.022, R^2 =0, N = 24