


Width vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Log




Width

$y_0 = 2.477, m = 1.464, R^2 = 0.555, N = 448$


Width vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Linear



Height vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Log




Height

$y_0 = 1.191$, $m = 1.549$, $R^2 = 0.414$, $N = 448$


Height vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Linear



Diameter vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Log




Diameter

$y_0 = 0.127$, $m = 1.48$, $R^2 = 0.437$, $N = 448$

Diameter vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Linear




Diameter

$y_0 = -527.925$, $m = 16.569$, $R^2 = 0.487$, $N = 448$

Thickness vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Log




Thickness


$y_0 = 2.736$, $m = 1.321$, $R^2 = 0.396$, $N = 448$

Thickness vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, All AccessionsMode – Double Log



Diameter / Width


$y_0 = 7.158$, $m = -0.301$, $R^2 = 0.025$, $N = 448$

Diameter / Width vs. Fresh Weight
Entire Dataset, All AccessionsMode – Double Linear



Width vs. Height

Entire Dataset, All AccessionsMode – Double Log




Width

$y_0 = 3.043$, $m = 0.176$, $R^2 = 0.047$, $N = 448$

Width vs. Height

Entire Dataset, All AccessionsMode – Double Linear




Width

$$y_0 = 30.028, m = 0.301, R^2 = 0.037, N = 448$$

Width vs. Diameter

Entire Dataset, All AccessionsMode – Double Log




Width

$y_0 = 3.43$, $m = 0.349$, $R^2 = 0.158$, $N = 448$


Width vs. Diameter

Entire Dataset, All AccessionsMode – Double Linear



Width vs. Thickness


Entire Dataset, All AccessionsMode – Double Log



Width

$y_0 = 2.339$, $m = 0.227$, $R^2 = 0.059$, $N = 448$

Width vs. Thickness
Entire Dataset, All AccessionsMode – Double Linear




Width

$y_0 = 16.535$, $m = 0.214$, $R^2 = 0.044$, $N = 448$

Height vs. Diameter


Entire Dataset, All AccessionsMode – Double Log



Height
 $y_0 = 1.765$, $m = 0.752$, $R^2 = 0.489$, $N = 448$

Height vs. Diameter

Entire Dataset, All AccessionsMode – Double Linear




Height

$y_0 = 20.011, m = 1.863, R^2 = 0.568, N = 448$

Height vs. Thickness

Entire Dataset, All AccessionsMode – Double Log




Height

$$y_0 = 1.975, m = 0.286, R^2 = 0.062, N = 448$$

Height vs. Thickness

Entire Dataset, All AccessionsMode – Double Linear




Height

$$y_0 = 14.589, m = 0.165, R^2 = 0.064, N = 448$$

Diameter vs. Thickness


Entire Dataset, All AccessionsMode – Double Log




Diameter

$$y_0 = 1.71, m = 0.289, R^2 = 0.074, N = 448$$

Diameter vs. Thickness
Entire Dataset, All AccessionsMode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, All AccessionsMode – Double Log



Diameter / Width

$y_0 = 4.873$, $m = -0.51$, $R^2 = 0.065$, $N = 448$

Diameter / Width vs. Dry Weight
Entire Dataset, All AccessionsMode – Double Linear



Diameter / Width

$y_0 = 97.546$, $m = -6.258$, $R^2 = 0.064$, $N = 448$

Width vs. Fresh Weight
Entire Dataset, 242Mode – Double Log



Width

$y_0 = 1.702, m = 1.754, R^2 = 0.789, N = 32$

Width vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear



Width

$y_0 = -422.729$, $m = 73.458$, $R^2 = 0.763$, $N = 32$

Height vs. Fresh Weight

Entire Dataset, 242Mode – Double Log



Height

$y_0 = -1.017$, $m = 1.972$, $R^2 = 0.538$, $N = 32$

Height vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear




Height

$y_0 = -522.688, m = 27.378, R^2 = 0.501, N = 32$

Diameter vs. Fresh Weight

Entire Dataset, 242Mode – Double Log




Diameter vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear



Thickness vs. Fresh Weight

Entire Dataset, 242Mode – Double Log



Thickness


$y_0 = 1.759, m = 1.541, R^2 = 0.306, N = 32$

Thickness vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear



Diameter / Width vs. Fresh Weight
Entire Dataset, 242Mode – Double Log



Diameter / Width
 $y_0 = 8.252$, $m = -1.189$, $R^2 = 0.219$, $N = 32$


Diameter / Width vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear



Width vs. Height

Entire Dataset, 242Mode – Double Log




Width vs. Height

Entire Dataset, 242Mode – Double Linear



Width vs. Diameter
Entire Dataset, 242Mode – Double Log



Width
 $y_0 = 3.415$, $m = 0.387$, $R^2 = 0.397$, $N = 32$

Width vs. Diameter

Entire Dataset, 242Mode – Double Linear



Width vs. Thickness

Entire Dataset, 242Mode – Double Log



Width

$y_0 = 2.177$, $m = 0.226$, $R^2 = 0.102$, $N = 32$

Width vs. Thickness

Entire Dataset, 242Mode – Double Linear



Width

$y_0 = 10.606, m = 0.419, R^2 = 0.177, N = 32$


Height vs. Diameter

Entire Dataset, 242Mode – Double Log




Height vs. Diameter

Entire Dataset, 242Mode – Double Linear



Height vs. Thickness

Entire Dataset, 242Mode – Double Log




Height


$y_0 = 1.989$, $m = 0.208$, $R^2 = 0.047$, $N = 32$

Height vs. Thickness

Entire Dataset, 242Mode – Double Linear



Diameter vs. Thickness
Entire Dataset, 242Mode – Double Log



Diameter

$y_0 = 0.986$, $m = 0.399$, $R^2 = 0.12$, $N = 32$

Diameter vs. Thickness

Entire Dataset, 242Mode – Double Linear



Diameter


$y_0 = 8.799$, $m = 0.085$, $R^2 = 0.135$, $N = 32$

Diameter / Width vs. Dry Weight
Entire Dataset, 242Mode – Double Log



Diameter / Width
 $y_0 = 5.525$, $m = -1.189$, $R^2 = 0.219$, $N = 32$

Diameter / Width vs. Dry Weight
Entire Dataset, 242Mode – Double Linear



Diameter / Width
 $y_0 = 64.477$, $m = -5.205$, $R^2 = 0.189$, $N = 32$

Width vs. Fresh Weight
Entire Dataset, 246Mode – Double Log




Width

$y_0 = 2.53, m = 1.315, R^2 = 0.518, N = 32$

Width vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 246Mode – Double Log



Height

$y_0 = 1.341$, $m = 1.402$, $R^2 = 0.371$, $N = 32$

Height vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear



Height

$y_0 = -222.61, m = 22.907, R^2 = 0.354, N = 32$

Diameter vs. Fresh Weight

Entire Dataset, 246Mode – Double Log



Diameter

$y_0 = -2.825, m = 2.088, R^2 = 0.643, N = 32$

Diameter vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear



Thickness vs. Fresh Weight
Entire Dataset, 246Mode – Double Log



Thickness vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear



Diameter / Width vs. Fresh Weight
Entire Dataset, 246Mode – Double Log



Diameter / Width
 $y_0 = 6.641$, $m = -0.343$, $R^2 = 0.03$, $N = 32$

Diameter / Width vs. Fresh Weight
Entire Dataset, 246Mode – Double Linear



Diameter / Width

$y_0 = 685.507$, $m = -44.949$, $R^2 = 0.048$, $N = 32$

Width vs. Height

Entire Dataset, 246Mode – Double Log




Width

$y_0 = 2.917$, $m = 0.178$, $R^2 = 0.05$, $N = 32$

Width vs. Height

Entire Dataset, 246Mode – Double Linear




Width vs. Diameter
Entire Dataset, 246Mode – Double Log



Width
 $y_0 = 3.387$, $m = 0.328$, $R^2 = 0.218$, $N = 32$

Width vs. Diameter


Entire Dataset, 246Mode – Double Linear



Width
 $y_0 = 48.063$, $m = 1.592$, $R^2 = 0.24$, $N = 32$


Width vs. Thickness

Entire Dataset, 246Mode – Double Log



Width vs. Thickness

Entire Dataset, 246Mode – Double Linear




Height vs. Diameter

Entire Dataset, 246Mode – Double Log



Height vs. Diameter

Entire Dataset, 246Mode – Double Linear




Height

$y_0 = 12.013$, $m = 2.003$, $R^2 = 0.874$, $N = 32$


Height vs. Thickness

Entire Dataset, 246Mode – Double Log



Height vs. Thickness

Entire Dataset, 246Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 246Mode – Double Log




Diameter

$y_0 = 2.765$, $m = -0.014$, $R^2 = 0$, $N = 32$

Diameter vs. Thickness


Entire Dataset, 246Mode – Double Linear



Diameter

$y_0 = 15.735$, $m = -0.009$, $R^2 = 0.001$, $N = 32$


Diameter / Width vs. Dry Weight
Entire Dataset, 246Mode – Double Log




Diameter / Width

$y_0 = 3.79$, $m = -0.343$, $R^2 = 0.03$, $N = 32$

Diameter / Width vs. Dry Weight
Entire Dataset, 246Mode – Double Linear




Width vs. Fresh Weight
Entire Dataset, 319Mode – Double Log



Width vs. Fresh Weight


Entire Dataset, 319Mode – Double Linear



$y_0 = -259.132$, $m = 85.578$, $R^2 = 0.507$, $N = 32$

Height vs. Fresh Weight

Entire Dataset, 319Mode – Double Log




Height

$y_0 = 5.018, m = 0.514, R^2 = 0.171, N = 32$

Height vs. Fresh Weight

Entire Dataset, 319Mode – Double Linear



Height

$y_0 = 277.418$, $m = 18.064$, $R^2 = 0.285$, $N = 32$


Diameter vs. Fresh Weight

Entire Dataset, 319Mode – Double Log




Diameter vs. Fresh Weight

Entire Dataset, 319Mode – Double Linear



Thickness vs. Fresh Weight
Entire Dataset, 319Mode – Double Log




Thickness

$y_0 = 5.051, m = 0.611, R^2 = 0.094, N = 32$

Thickness vs. Fresh Weight


Entire Dataset, 319Mode – Double Linear




Thickness

$y_0 = 570.068$, $m = 22.706$, $R^2 = 0.078$, $N = 32$

Diameter / Width vs. Fresh Weight
Entire Dataset, 319Mode – Double Log




Diameter / Width vs. Fresh Weight
Entire Dataset, 319Mode – Double Linear




Width vs. Height

Entire Dataset, 319Mode – Double Log



Width vs. Height


Entire Dataset, 319Mode – Double Linear



Width


$y_0 = 26.227$, $m = 1.221$, $R^2 = 0.118$, $N = 32$

Width vs. Diameter
Entire Dataset, 319Mode – Double Log




Width
 $y_0 = 5.251$, $m = -0.248$, $R^2 = 0.008$, $N = 32$

Width vs. Diameter
Entire Dataset, 319Mode – Double Linear



Width
 $y_0 = 94.256$, $m = 0.402$, $R^2 = 0.002$, $N = 32$


Width vs. Thickness
Entire Dataset, 319Mode – Double Log



Width
 $y_0 = 3.14$, $m = 0.002$, $R^2 = 0$, $N = 32$

Width vs. Thickness

Entire Dataset, 319Mode – Double Linear




Width

$y_0 = 24.153, m = -0.045, R^2 = 0.001, N = 32$

Height vs. Diameter

Entire Dataset, 319Mode – Double Log




Height

$y_0 = 4.302$, $m = 0.07$, $R^2 = 0.001$, $N = 32$


Height vs. Diameter

Entire Dataset, 319Mode – Double Linear



Height vs. Thickness


Entire Dataset, 319Mode – Double Log



Height
 $y_0 = 3.101$, $m = 0.012$, $R^2 = 0$, $N = 32$

Height vs. Thickness

Entire Dataset, 319Mode – Double Linear




Height

$y_0 = 22.284, m = 0.025, R^2 = 0.004, N = 32$

Diameter vs. Thickness

Entire Dataset, 319Mode – Double Log



Diameter


$y_0 = 2.784, m = 0.079, R^2 = 0.053, N = 32$

Diameter vs. Thickness


Entire Dataset, 319Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 319Mode – Double Log



Diameter / Width vs. Dry Weight
Entire Dataset, 319Mode – Double Linear



Width vs. Fresh Weight
Entire Dataset, 325Mode – Double Log




Width

$y_0 = 2.063, m = 1.669, R^2 = 0.616, N = 32$

Width vs. Fresh Weight

Entire Dataset, 325Mode – Double Linear




Width

$y_0 = -876.901, m = 103.984, R^2 = 0.654, N = 32$

Height vs. Fresh Weight

Entire Dataset, 325Mode – Double Log




Height

$y_0 = 0.271, m = 1.887, R^2 = 0.561, N = 32$

Height vs. Fresh Weight

Entire Dataset, 325Mode – Double Linear




Height

$y_0 = -1038.244, m = 61.83, R^2 = 0.486, N = 32$

Diameter vs. Fresh Weight

Entire Dataset, 325Mode – Double Log




Diameter

$$y_0 = -4.004, m = 2.446, R^2 = 0.848, N = 32$$


Diameter vs. Fresh Weight

Entire Dataset, 325Mode – Double Linear



Thickness vs. Fresh Weight

Entire Dataset, 325Mode – Double Log




Thickness

$y_0 = 4.466, m = 0.902, R^2 = 0.267, N = 32$

Thickness vs. Fresh Weight


Entire Dataset, 325Mode – Double Linear



Thickness


$y_0 = 537.835$, $m = 42.976$, $R^2 = 0.198$, $N = 32$

Diameter / Width vs. Fresh Weight
Entire Dataset, 325Mode – Double Log



Diameter / Width
 $y_0 = 7.574$, $m = -0.181$, $R^2 = 0.004$, $N = 32$

Diameter / Width vs. Fresh Weight
Entire Dataset, 325Mode – Double Linear




Diameter / Width

$y_0 = 2187.708, m = -143.234, R^2 = 0.028, N = 32$


Width vs. Height

Entire Dataset, 325Mode – Double Log



Width vs. Height


Entire Dataset, 325Mode – Double Linear



Width

$y_0 = 28.703, m = 0.565, R^2 = 0.152, N = 32$


Width vs. Diameter
Entire Dataset, 325Mode – Double Log



Width
 $y_0 = 2.942$, $m = 0.535$, $R^2 = 0.448$, $N = 32$

Width vs. Diameter

Entire Dataset, 325Mode – Double Linear




Width

$y_0 = 49.141, m = 2.282, R^2 = 0.473, N = 32$

Width vs. Thickness

Entire Dataset, 325Mode – Double Log




Width

$y_0 = 2.546$, $m = 0.191$, $R^2 = 0.025$, $N = 32$

Width vs. Thickness


Entire Dataset, 325Mode – Double Linear



Width
 $y_0 = 20.065$, $m = 0.153$, $R^2 = 0.013$, $N = 32$

Height vs. Diameter

Entire Dataset, 325Mode – Double Log




Height

$y_0 = 1.412, m = 0.861, R^2 = 0.826, N = 32$


Height vs. Diameter

Entire Dataset, 325Mode – Double Linear



Height vs. Thickness

Entire Dataset, 325Mode – Double Log




Height

$y_0 = 1.15$, $m = 0.535$, $R^2 = 0.138$, $N = 32$


Height vs. Thickness

Entire Dataset, 325Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 325Mode – Double Log




Diameter


$y_0 = 0.607$, $m = 0.549$, $R^2 = 0.13$, $N = 32$

Diameter vs. Thickness

Entire Dataset, 325Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 325Mode – Double Log



Diameter / Width
 $y_0 = 4.863$, $m = -0.181$, $R^2 = 0.004$, $N = 32$

Diameter / Width vs. Dry Weight
Entire Dataset, 325Mode – Double Linear




Diameter / Width

$y_0 = 145.419, m = -9.521, R^2 = 0.028, N = 32$


Width vs. Fresh Weight

Entire Dataset, 326Mode – Double Log



Width vs. Fresh Weight

Entire Dataset, 326Mode – Double Linear



$y_0 = -951.63, m = 107.034, R^2 = 0.699, N = 32$

Height vs. Fresh Weight

Entire Dataset, 326Mode – Double Log



Height vs. Fresh Weight


Entire Dataset, 326Mode – Double Linear



Height


$y_0 = -864.6, m = 56.049, R^2 = 0.7, N = 32$

Diameter vs. Fresh Weight
Entire Dataset, 32Mode – Double Log



Diameter vs. Fresh Weight

Entire Dataset, 326Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 326Mode – Double Log



Thickness vs. Fresh Weight

Entire Dataset, 326Mode – Double Linear



Thickness

$y_0 = 181.589, m = 29.301, R^2 = 0.24, N = 32$

Diameter / Width vs. Fresh Weight
Entire Dataset, 326Mode – Double Log



Diameter / Width
 $y_0 = 6.351$, $m = 0.288$, $R^2 = 0.005$, $N = 32$


Diameter / Width vs. Fresh Weight
Entire Dataset, 326Mode – Double Linear



Diameter / Width
 $y_0 = 619.715, m = 65.029, R^2 = 0.007, N = 32$

Width vs. Height

Entire Dataset, 326Mode – Double Log



Width

$y_0 = 1.5, m = 0.684, R^2 = 0.429, N = 32$

Width vs. Height

Entire Dataset, 326Mode – Double Linear



Width

$y_0 = 9.975, m = 1.247, R^2 = 0.426, N = 32$

Width vs. Diameter
Entire Dataset, 326Mode – Double Log




Width

$y_0 = 2.166, m = 0.766, R^2 = 0.644, N = 32$

Width vs. Diameter

Entire Dataset, 326Mode – Double Linear




Width

$y_0 = 17.286$, $m = 3.476$, $R^2 = 0.642$, $N = 32$

Width vs. Thickness

Entire Dataset, 326Mode – Double Log



Width

$y_0 = 0.971, m = 0.782, R^2 = 0.242, N = 32$

Width vs. Thickness

Entire Dataset, 326Mode – Double Linear



Width

$y_0 = 7.569, m = 0.996, R^2 = 0.217, N = 32$

Height vs. Diameter

Entire Dataset, 326Mode – Double Log




Height

$y_0 = 1.386, m = 0.859, R^2 = 0.882, N = 32$

Height vs. Diameter

Entire Dataset, 326Mode – Double Linear



Height

$y_0 = 10.258, m = 2.131, R^2 = 0.882, N = 32$

Height vs. Thickness

Entire Dataset, 326Mode – Double Log




Height

$y_0 = 2.496$, $m = 0.205$, $R^2 = 0.018$, $N = 32$


Height vs. Thickness

Entire Dataset, 326Mode – Double Linear




Diameter vs. Thickness

Entire Dataset, 326Mode – Double Log




Diameter vs. Thickness

Entire Dataset, 326Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 326Mode – Double Log



Diameter / Width
 $y_0 = 3.886$, $m = 0.288$, $R^2 = 0.005$, $N = 32$

Diameter / Width vs. Dry Weight
Entire Dataset, 326Mode – Double Linear




Diameter / Width

$y_0 = 52.719$, $m = 5.532$, $R^2 = 0.007$, $N = 32$

Width vs. Fresh Weight

Entire Dataset, 390Mode – Double Log




Width

$y_0 = 0.471, m = 2.085, R^2 = 0.662, N = 32$


Width vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 390Mode – Double Log




Height

$y_0 = 0.083, m = 2.028, R^2 = 0.644, N = 32$

Height vs. Fresh Weight


Entire Dataset, 390Mode – Double Linear



Height

$y_0 = -1071.671$, $m = 73.489$, $R^2 = 0.569$, $N = 32$

Diameter vs. Fresh Weight
Entire Dataset, 390Mode – Double Log




Diameter

$y_0 = -1.965$, $m = 2.027$, $R^2 = 0.645$, $N = 32$

Diameter vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear




Diameter

$y_0 = -1297.323$, $m = 29.179$, $R^2 = 0.662$, $N = 32$


Thickness vs. Fresh Weight

Entire Dataset, 390Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 390Mode – Double Log



Diameter / Width
 $y_0 = 7.162$, $m = 0.005$, $R^2 = 0$, $N = 32$

Diameter / Width vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear




Diameter / Width

$y_0 = 1513.674$, $m = -38.744$, $R^2 = 0.001$, $N = 32$

Width vs. Height

Entire Dataset, 390Mode – Double Log




Width

$y_0 = 1.559$, $m = 0.602$, $R^2 = 0.353$, $N = 32$

Width vs. Height


Entire Dataset, 390Mode – Double Linear



Width

$y_0 = 15.605, m = 0.703, R^2 = 0.319, N = 32$

Width vs. Diameter
Entire Dataset, 390Mode – Double Log




Width


$y_0 = 2.247$, $m = 0.703$, $R^2 = 0.48$, $N = 32$

Width vs. Diameter

Entire Dataset, 390Mode – Double Linear



Width vs. Thickness
Entire Dataset, 390Mode – Double Log




Width

$y_0 = 1.427$, $m = 0.536$, $R^2 = 0.148$, $N = 32$


Width vs. Thickness

Entire Dataset, 390Mode – Double Linear



Height vs. Diameter

Entire Dataset, 390Mode – Double Log




Height

$y_0 = 1.505, m = 0.859, R^2 = 0.736, N = 32$


Height vs. Diameter

Entire Dataset, 390Mode – Double Linear




Height vs. Thickness

Entire Dataset, 390Mode – Double Log



Height vs. Thickness

Entire Dataset, 390Mode – Double Linear




Height

$y_0 = 11.877, m = 0.357, R^2 = 0.126, N = 32$

Diameter vs. Thickness

Entire Dataset, 390Mode – Double Log




Diameter


$y_0 = 1.058, m = 0.464, R^2 = 0.114, N = 32$

Diameter vs. Thickness

Entire Dataset, 390Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 390Mode – Double Log



Diameter / Width


$y_0 = 4.68$, $m = 0.005$, $R^2 = 0$, $N = 32$

Diameter / Width vs. Dry Weight
Entire Dataset, 390Mode – Double Linear



Diameter / Width
 $y_0 = 126.495$, $m = -3.238$, $R^2 = 0.001$, $N = 32$

Width vs. Fresh Weight
Entire Dataset, 572Mode – Double Log




Width

$y_0 = 2.052, m = 1.591, R^2 = 0.573, N = 32$

Width vs. Fresh Weight

Entire Dataset, 572Mode – Double Linear




Width

$y_0 = -521.912$, $m = 72.705$, $R^2 = 0.524$, $N = 32$

Height vs. Fresh Weight

Entire Dataset, 572Mode – Double Log




Height

$y_0 = 1.14, m = 1.558, R^2 = 0.592, N = 32$

Height vs. Fresh Weight


Entire Dataset, 572Mode – Double Linear



Height

$y_0 = -479.344, m = 36.811, R^2 = 0.575, N = 32$

Diameter vs. Fresh Weight
Entire Dataset, 572Mode – Double Log




Diameter

$y_0 = -2.277$, $m = 2.02$, $R^2 = 0.723$, $N = 32$


Diameter vs. Fresh Weight

Entire Dataset, 572Mode – Double Linear



Thickness vs. Fresh Weight

Entire Dataset, 572Mode – Double Log




Thickness


$y_0 = 5.31$, $m = 0.485$, $R^2 = 0.125$, $N = 32$

Thickness vs. Fresh Weight

Entire Dataset, 572Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 572Mode – Double Log



Diameter / Width
 $y_0 = 6.779$, $m = -0.031$, $R^2 = 0$, $N = 32$


Diameter / Width vs. Fresh Weight
Entire Dataset, 572Mode – Double Linear



Diameter / Width
 $y_0 = 675.137$, $m = 41.248$, $R^2 = 0.003$, $N = 32$

Width vs. Height

Entire Dataset, 572Mode – Double Log




Width


$y_0 = 1.254$, $m = 0.794$, $R^2 = 0.585$, $N = 32$

Width vs. Height

Entire Dataset, 572Mode – Double Linear



Width vs. Diameter
Entire Dataset, 572Mode – Double Log




Width

$y_0 = 2.307$, $m = 0.732$, $R^2 = 0.684$, $N = 32$

Width vs. Diameter

Entire Dataset, 572Mode – Double Linear




Width

$y_0 = 21.778$, $m = 3.416$, $R^2 = 0.652$, $N = 32$


Width vs. Thickness

Entire Dataset, 572Mode – Double Log




Width vs. Thickness

Entire Dataset, 572Mode – Double Linear



Height vs. Diameter

Entire Dataset, 572Mode – Double Log




Height

$y_0 = 1.581, m = 0.802, R^2 = 0.886, N = 32$


Height vs. Diameter

Entire Dataset, 572Mode – Double Linear



Height vs. Thickness

Entire Dataset, 572Mode – Double Log




Height

$y_0 = 3.088$, $m = -0.043$, $R^2 = 0.001$, $N = 32$

Height vs. Thickness

Entire Dataset, 572Mode – Double Linear




Height

$y_0 = 20.262$, $m = -0.033$, $R^2 = 0.002$, $N = 32$

Diameter vs. Thickness

Entire Dataset, 572Mode – Double Log




Diameter

$y_0 = 3.207, m = -0.061, R^2 = 0.001, N = 32$

Diameter vs. Thickness


Entire Dataset, 572Mode – Double Linear



Diameter


$y_0 = 20.716, m = -0.019, R^2 = 0.003, N = 32$

Diameter / Width vs. Dry Weight
Entire Dataset, 572Mode – Double Log



Diameter / Width
 $y_0 = 4.01$, $m = -0.031$, $R^2 = 0$, $N = 32$


Diameter / Width vs. Dry Weight
Entire Dataset, 572Mode – Double Linear



Diameter / Width
 $y_0 = 42.318$, $m = 2.585$, $R^2 = 0.003$, $N = 32$

Width vs. Fresh Weight

Entire Dataset, 580Mode – Double Log




Width

$y_0 = 3.101$, $m = 1.34$, $R^2 = 0.473$, $N = 32$

Width vs. Fresh Weight

Entire Dataset, 580Mode – Double Linear




Width

$$y_0 = -306.117, m = 77.028, R^2 = 0.462, N = 32$$


Height vs. Fresh Weight

Entire Dataset, 580Mode – Double Log



Height vs. Fresh Weight

Entire Dataset, 580Mode – Double Linear




Height

$y_0 = 27.071$, $m = 20.497$, $R^2 = 0.258$, $N = 32$


Diameter vs. Fresh Weight

Entire Dataset, 580Mode – Double Log



Diameter vs. Fresh Weight

Entire Dataset, 580Mode – Double Linear




Diameter

$y_0 = 481.717, m = 4.034, R^2 = 0.167, N = 32$

Thickness vs. Fresh Weight

Entire Dataset, 580Mode – Double Log




Thickness

$y_0 = 5.1$, $m = 0.536$, $R^2 = 0.148$, $N = 32$

Thickness vs. Fresh Weight


Entire Dataset, 580Mode – Double Linear




$y_0 = 368.954$, $m = 22.919$, $R^2 = 0.169$, $N = 32$

Diameter / Width vs. Fresh Weight

Entire Dataset, 580Mode – Double Log




Diameter / Width vs. Fresh Weight
Entire Dataset, 580Mode – Double Linear



Width vs. Height

Entire Dataset, 580Mode – Double Log




Width

$y_0 = 3.166$, $m = 0.197$, $R^2 = 0.035$, $N = 32$

Width vs. Height


Entire Dataset, 580Mode – Double Linear



Width


$y_0 = 32.321$, $m = 0.557$, $R^2 = 0.039$, $N = 32$

Width vs. Diameter
Entire Dataset, 580Mode – Double Log



Width vs. Diameter


Entire Dataset, 580Mode – Double Linear



Width

$y_0 = 39.11$, $m = 3.647$, $R^2 = 0.101$, $N = 32$


Width vs. Thickness
Entire Dataset, 580Mode – Double Log



Width
 $y_0 = 3.065$, $m = -0.002$, $R^2 = 0$, $N = 32$

Width vs. Thickness

Entire Dataset, 580Mode – Double Linear




Width

$y_0 = 20.799$, $m = 0.049$, $R^2 = 0.001$, $N = 32$


Height vs. Diameter

Entire Dataset, 580Mode – Double Log



Height vs. Diameter

Entire Dataset, 580Mode – Double Linear




Height

$y_0 = 6.511, m = 2.157, R^2 = 0.279, N = 32$

Height vs. Thickness

Entire Dataset, 580Mode – Double Log




Height

$y_0 = 4.034$, $m = -0.263$, $R^2 = 0.039$, $N = 32$

Height vs. Thickness

Entire Dataset, 580Mode – Double Linear




Height

$y_0 = 26.958$, $m = -0.133$, $R^2 = 0.034$, $N = 32$

Diameter vs. Thickness

Entire Dataset, 580Mode – Double Log




Diameter


$y_0 = 4.079, m = -0.225, R^2 = 0.056, N = 32$

Diameter vs. Thickness

Entire Dataset, 580Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 580Mode – Double Log



Diameter / Width

$y_0 = 4.233, m = -0.06, R^2 = 0.002, N = 32$

Diameter / Width vs. Dry Weight
Entire Dataset, 580Mode – Double Linear



Diameter / Width
 $y_0 = 61.646$, $m = 0.231$, $R^2 = 0$, $N = 32$

Width vs. Fresh Weight
Entire Dataset, 582Mode – Double Log



Width vs. Fresh Weight


Entire Dataset, 582Mode – Double Linear



$y_0 = -464.549$, $m = 90.19$, $R^2 = 0.676$, $N = 32$

Height vs. Fresh Weight

Entire Dataset, 582Mode – Double Log



Height vs. Fresh Weight


Entire Dataset, 582Mode – Double Linear



Height

$y_0 = -495.898$, $m = 33.854$, $R^2 = 0.383$, $N = 32$

Diameter vs. Fresh Weight
Entire Dataset, 582Mode – Double Log



Diameter

$y_0 = -2.442, m = 2.028, R^2 = 0.716, N = 32$

Diameter vs. Fresh Weight

Entire Dataset, 582Mode – Double Linear




Diameter

$y_0 = -922.53, m = 19.216, R^2 = 0.637, N = 32$


Thickness vs. Fresh Weight

Entire Dataset, 582Mode – Double Log



Thickness vs. Fresh Weight

Entire Dataset, 582Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 582Mode – Double Log



Diameter / Width
 $y_0 = 7.699$, $m = -0.474$, $R^2 = 0.04$, $N = 32$

Diameter / Width vs. Fresh Weight
Entire Dataset, 582Mode – Double Linear



Diameter / Width
 $y_0 = 1424.014$, $m = -76.785$, $R^2 = 0.057$, $N = 32$


Width vs. Height

Entire Dataset, 582Mode – Double Log



Width vs. Height

Entire Dataset, 582Mode – Double Linear




Width vs. Diameter
Entire Dataset, 582Mode – Double Log



Width vs. Diameter

Entire Dataset, 582Mode – Double Linear



Width vs. Thickness
Entire Dataset, 582Mode – Double Log



Width
 $y_0 = 2.301$, $m = 0.286$, $R^2 = 0.105$, $N = 32$

Width vs. Thickness

Entire Dataset, 582Mode – Double Linear



Height vs. Diameter

Entire Dataset, 582Mode – Double Log




Height

$y_0 = 1.216$, $m = 0.896$, $R^2 = 0.727$, $N = 32$

Height vs. Diameter

Entire Dataset, 582Mode – Double Linear




Height

$y_0 = 15.618$, $m = 1.917$, $R^2 = 0.712$, $N = 32$

Height vs. Thickness

Entire Dataset, 582Mode – Double Log




Height

$y_0 = 1.782, m = 0.348, R^2 = 0.088, N = 32$

Height vs. Thickness

Entire Dataset, 582Mode – Double Linear




Height

$y_0 = 13.943$, $m = 0.189$, $R^2 = 0.093$, $N = 32$

Diameter vs. Thickness

Entire Dataset, 582Mode – Double Log




Diameter

$y_0 = 1.111$, $m = 0.432$, $R^2 = 0.149$, $N = 32$

Diameter vs. Thickness


Entire Dataset, 582Mode – Double Linear



Diameter


$y_0 = 11.398, m = 0.109, R^2 = 0.159, N = 32$

Diameter / Width vs. Dry Weight
Entire Dataset, 582Mode – Double Log




Diameter / Width
 $y_0 = 5.043$, $m = -0.474$, $R^2 = 0.04$, $N = 32$

Diameter / Width vs. Dry Weight
Entire Dataset, 582Mode – Double Linear




Diameter / Width
 $y_0 = 100.085, m = -5.397, R^2 = 0.057, N = 32$

Width vs. Fresh Weight
Entire Dataset, 584Mode – Double Log



Width vs. Fresh Weight

Entire Dataset, 584Mode – Double Linear




Width

$y_0 = -1051.003$, $m = 112.689$, $R^2 = 0.748$, $N = 32$

Height vs. Fresh Weight

Entire Dataset, 584Mode – Double Log




Height

$y_0 = 0.57, m = 1.805, R^2 = 0.768, N = 32$

Height vs. Fresh Weight


Entire Dataset, 584Mode – Double Linear



Height


$y_0 = -910.909$, $m = 58.238$, $R^2 = 0.745$, $N = 32$

Diameter vs. Fresh Weight
Entire Dataset, 584Mode – Double Log




Diameter vs. Fresh Weight

Entire Dataset, 584Mode – Double Linear




Thickness vs. Fresh Weight
Entire Dataset, 584Mode – Double Log




Thickness
 $y_0 = 4.306$, $m = 0.839$, $R^2 = 0.103$, $N = 32$

Thickness vs. Fresh Weight


Entire Dataset, 584Mode – Double Linear



Diameter / Width vs. Fresh Weight
Entire Dataset, 584Mode – Double Log




Diameter / Width vs. Fresh Weight
Entire Dataset, 584Mode – Double Linear



Diameter / Width
 $y_0 = 821.953$, $m = 66.202$, $R^2 = 0.029$, $N = 32$

Width vs. Height

Entire Dataset, 584Mode – Double Log




Width


$$y_0 = 1.246, m = 0.778, R^2 = 0.475, N = 32$$

Width vs. Height

Entire Dataset, 584Mode – Double Linear




Width vs. Diameter
Entire Dataset, 584Mode – Double Log




Width vs. Diameter

Entire Dataset, 584Mode – Double Linear




Width vs. Thickness

Entire Dataset, 584Mode – Double Log




Width vs. Thickness

Entire Dataset, 584Mode – Double Linear




Height vs. Diameter

Entire Dataset, 584Mode – Double Log




Height vs. Diameter

Entire Dataset, 584Mode – Double Linear




Height vs. Thickness

Entire Dataset, 584Mode – Double Log




Height vs. Thickness

Entire Dataset, 584Mode – Double Linear




Diameter vs. Thickness

Entire Dataset, 584Mode – Double Log




Diameter vs. Thickness


Entire Dataset, 584Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 584Mode – Double Log



Diameter / Width vs. Dry Weight
Entire Dataset, 584Mode – Double Linear




Width vs. Fresh Weight
Entire Dataset, 585Mode – Double Log



Width vs. Fresh Weight


Entire Dataset, 585Mode – Double Linear



$y_0 = -593.512$, $m = 75.03$, $R^2 = 0.567$, $N = 32$

Height vs. Fresh Weight

Entire Dataset, 585Mode – Double Log




Height

$y_0 = 0.788, m = 1.676, R^2 = 0.52, N = 32$

Height vs. Fresh Weight

Entire Dataset, 585Mode – Double Linear




Height

$y_0 = -507.106, m = 39.452, R^2 = 0.548, N = 32$

Diameter vs. Fresh Weight

Entire Dataset, 585Mode – Double Log




Diameter

$y_0 = 3.967$, $m = 0.612$, $R^2 = 0.22$, $N = 32$


Diameter vs. Fresh Weight

Entire Dataset, 585Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 585Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 585Mode – Double Linear




$y_0 = -93.285$, $m = 41.226$, $R^2 = 0.388$, $N = 32$

Diameter / Width vs. Fresh Weight
Entire Dataset, 585Mode – Double Log




Diameter / Width vs. Fresh Weight
Entire Dataset, 585Mode – Double Linear



Diameter / Width
 $y_0 = 575.643$, $m = 47.956$, $R^2 = 0.017$, $N = 32$


Width vs. Height

Entire Dataset, 585Mode – Double Log




Width vs. Height

Entire Dataset, 585Mode – Double Linear




Width vs. Diameter
Entire Dataset, 585Mode – Double Log




Width vs. Diameter

Entire Dataset, 585Mode – Double Linear




Width vs. Thickness

Entire Dataset, 585Mode – Double Log




Width vs. Thickness

Entire Dataset, 585Mode – Double Linear




Height vs. Diameter

Entire Dataset, 585Mode – Double Log




Height vs. Diameter

Entire Dataset, 585Mode – Double Linear



Height vs. Thickness

Entire Dataset, 585Mode – Double Log




Height

$y_0 = 2.454$, $m = 0.168$, $R^2 = 0.018$, $N = 32$

Height vs. Thickness

Entire Dataset, 585Mode – Double Linear




Height

$y_0 = 17.269$, $m = 0.118$, $R^2 = 0.022$, $N = 32$


Diameter vs. Thickness

Entire Dataset, 585Mode – Double Log




Diameter vs. Thickness


Entire Dataset, 585Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 585Mode – Double Log



Diameter / Width vs. Dry Weight
Entire Dataset, 585Mode – Double Linear



Width vs. Fresh Weight
Entire Dataset, 839Mode – Double Log




Width

$y_0 = 1.976$, $m = 1.52$, $R^2 = 0.572$, $N = 32$


Width vs. Fresh Weight

Entire Dataset, 839Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 839Mode – Double Log




Height

$y_0 = 1.845, m = 1.399, R^2 = 0.396, N = 32$

Height vs. Fresh Weight

Entire Dataset, 839Mode – Double Linear




Height

$y_0 = -274.675$, $m = 34.884$, $R^2 = 0.389$, $N = 32$

Diameter vs. Fresh Weight

Entire Dataset, 839Mode – Double Log




Diameter

$y_0 = -4.128, m = 2.42, R^2 = 0.813, N = 32$


Diameter vs. Fresh Weight

Entire Dataset, 839Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 839Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 839Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 839Mode – Double Log



Diameter / Width

$y_0 = 7.373$, $m = -0.416$, $R^2 = 0.017$, $N = 32$


Diameter / Width vs. Fresh Weight
Entire Dataset, 839Mode – Double Linear



Diameter / Width
 $y_0 = 1230.5$, $m = -71.742$, $R^2 = 0.009$, $N = 32$

Width vs. Height

Entire Dataset, 839Mode – Double Log




Width

$y_0 = 1.829$, $m = 0.541$, $R^2 = 0.359$, $N = 32$

Width vs. Height

Entire Dataset, 839Mode – Double Linear




Width

$y_0 = 17.334$, $m = 0.734$, $R^2 = 0.329$, $N = 32$

Width vs. Diameter

Entire Dataset, 839Mode – Double Log




Width

$y_0 = 2.66, m = 0.585, R^2 = 0.61, N = 32$

Width vs. Diameter

Entire Dataset, 839Mode – Double Linear




Width

$y_0 = 43.277$, $m = 2.024$, $R^2 = 0.521$, $N = 32$

Width vs. Thickness

Entire Dataset, 839Mode – Double Log




Width

$y_0 = 3.271$, $m = -0.149$, $R^2 = 0.011$, $N = 32$


Width vs. Thickness

Entire Dataset, 839Mode – Double Linear




Height vs. Diameter

Entire Dataset, 839Mode – Double Log




Height vs. Diameter

Entire Dataset, 839Mode – Double Linear



Height vs. Thickness

Entire Dataset, 839Mode – Double Log




Height

$y_0 = 4.736$, $m = -0.546$, $R^2 = 0.117$, $N = 32$


Height vs. Thickness

Entire Dataset, 839Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 839Mode – Double Log




Diameter

$y_0 = 3.556, m = -0.168, R^2 = 0.008, N = 32$

Diameter vs. Thickness


Entire Dataset, 839Mode – Double Linear



Diameter

$y_0 = 21.92$, $m = -0.055$, $R^2 = 0.023$, $N = 32$

Diameter / Width vs. Dry Weight
Entire Dataset, 839Mode – Double Log




Diameter / Width

$y_0 = 4.885$, $m = -0.416$, $R^2 = 0.017$, $N = 32$

Diameter / Width vs. Dry Weight


Entire Dataset, 839Mode – Double Linear



Diameter / Width

$y_0 = 102.283, m = -5.963, R^2 = 0.009, N = 32$

Width vs. Fresh Weight
Entire Dataset, 845Mode – Double Log




Width

$y_0 = 0.057, m = 2.187, R^2 = 0.715, N = 32$

Width vs. Fresh Weight


Entire Dataset, 845Mode – Double Linear



$y_0 = -977.161$, $m = 87.825$, $R^2 = 0.691$, $N = 32$

Height vs. Fresh Weight

Entire Dataset, 845Mode – Double Log




Height

$y_0 = -0.198$, $m = 1.977$, $R^2 = 0.757$, $N = 32$

Height vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear



Height

$y_0 = -835.643$, $m = 51.488$, $R^2 = 0.777$, $N = 32$

Diameter vs. Fresh Weight

Entire Dataset, 845Mode – Double Log



Diameter

$y_0 = -3.354, m = 2.271, R^2 = 0.875, N = 32$

Diameter vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear



Thickness vs. Fresh Weight

Entire Dataset, 845Mode – Double Log




Thickness


$y_0 = 4.267, m = 0.827, R^2 = 0.159, N = 32$

Thickness vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 845Mode – Double Log



Diameter / Width
 $y_0 = 5.058$, $m = 1.126$, $R^2 = 0.066$, $N = 32$

Diameter / Width vs. Fresh Weight
Entire Dataset, 845Mode – Double Linear



Diameter / Width
 $y_0 = -152.027$, $m = 238.481$, $R^2 = 0.07$, $N = 32$

Width vs. Height

Entire Dataset, 845Mode – Double Log



Width vs. Height

Entire Dataset, 845Mode – Double Linear




Width vs. Diameter
Entire Dataset, 845Mode – Double Log




Width vs. Diameter

Entire Dataset, 845Mode – Double Linear




Width vs. Thickness

Entire Dataset, 845Mode – Double Log



Width vs. Thickness

Entire Dataset, 845Mode – Double Linear



Height vs. Diameter

Entire Dataset, 845Mode – Double Log




Height

$y_0 = 1.282$, $m = 0.902$, $R^2 = 0.929$, $N = 32$

Height vs. Diameter

Entire Dataset, 845Mode – Double Linear




Height

$y_0 = 7.229, m = 2.34, R^2 = 0.94, N = 32$

Height vs. Thickness

Entire Dataset, 845Mode – Double Log



Height

$y_0 = 2.213, m = 0.185, R^2 = 0.029, N = 32$

Height vs. Thickness


Entire Dataset, 845Mode – Double Linear



Height
 $y_0 = 14.985$, $m = 0.083$, $R^2 = 0.019$, $N = 32$

Diameter vs. Thickness

Entire Dataset, 845Mode – Double Log




Diameter

$y_0 = 1.967$, $m = 0.202$, $R^2 = 0.03$, $N = 32$

Diameter vs. Thickness


Entire Dataset, 845Mode – Double Linear



Diameter


$y_0 = 14.494$, $m = 0.038$, $R^2 = 0.024$, $N = 32$

Diameter / Width vs. Dry Weight
Entire Dataset, 845Mode – Double Log




Diameter / Width
 $y_0 = 2.688, m = 1.126, R^2 = 0.066, N = 32$

Diameter / Width vs. Dry Weight
Entire Dataset, 845Mode – Double Linear



Diameter / Width
 $y_0 = -14.221, m = 22.308, R^2 = 0.07, N = 32$


Width vs. Fresh Weight
Entire Dataset, 854Mode – Double Log



Width
 $y_0 = 1.571$, $m = 1.625$, $R^2 = 0.64$, $N = 32$

Width vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear




Width

$$y_0 = -252.257, m = 43.329, R^2 = 0.623, N = 32$$


Height vs. Fresh Weight

Entire Dataset, 854Mode – Double Log




Height vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear



Diameter vs. Fresh Weight

Entire Dataset, 854Mode – Double Log




Diameter

$y_0 = 4.064$, $m = 0.479$, $R^2 = 0.124$, $N = 32$


Diameter vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 854Mode – Double Log



Thickness vs. Fresh Weight


Entire Dataset, 854Mode – Double Linear



Thickness

$y_0 = 211.965$, $m = 12.128$, $R^2 = 0.157$, $N = 32$


Diameter / Width vs. Fresh Weight
Entire Dataset, 854Mode – Double Log



Diameter / Width

$y_0 = 6.509$, $m = -0.339$, $R^2 = 0.046$, $N = 32$


Diameter / Width vs. Fresh Weight
Entire Dataset, 854Mode – Double Linear



Diameter / Width
 $y_0 = 619.487$, $m = -47.31$, $R^2 = 0.054$, $N = 32$

Width vs. Height

Entire Dataset, 854Mode – Double Log




Width

$y_0 = 1.632, m = 0.583, R^2 = 0.253, N = 32$

Width vs. Height

Entire Dataset, 854Mode – Double Linear




Width

$y_0 = 11.187$, $m = 0.915$, $R^2 = 0.245$, $N = 32$


Width vs. Diameter

Entire Dataset, 854Mode – Double Log




Width vs. Diameter

Entire Dataset, 854Mode – Double Linear




Width vs. Thickness
Entire Dataset, 854Mode – Double Log



Width
 $y_0 = 2.598, m = 0.101, R^2 = 0.004, N = 32$


Width vs. Thickness

Entire Dataset, 854Mode – Double Linear




Height vs. Diameter

Entire Dataset, 854Mode – Double Log




Height vs. Diameter

Entire Dataset, 854Mode – Double Linear



Height vs. Thickness

Entire Dataset, 854Mode – Double Log




Height

$y_0 = 4.582$, $m = -0.527$, $R^2 = 0.138$, $N = 32$


Height vs. Thickness

Entire Dataset, 854Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 854Mode – Double Log




Diameter


$y_0 = 3.154$, $m = -0.067$, $R^2 = 0.004$, $N = 32$

Diameter vs. Thickness

Entire Dataset, 854Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 854Mode – Double Log



Diameter / Width

$y_0 = 4.111$, $m = -0.339$, $R^2 = 0.046$, $N = 32$

Diameter / Width vs. Dry Weight
Entire Dataset, 854Mode – Double Linear



Diameter / Width
 $y_0 = 56.317$, $m = -4.301$, $R^2 = 0.054$, $N = 32$