Width vs. Fresh Weight
Entire Dataset, All Accessions

Fresh Weight

Width
y_0 = 2.391, m = 1.493, R^2 =0.57, N = 376

Height vs. Fresh Weight
Entire Dataset, All Accessions

Fresh Weight

Height
y_0 = 1.041, m = 1.585, R^2 =0.421, N = 376

Diameter vs. Fresh Weight
Entire Dataset, All Accessions

Fresh Weight

Diameter
y_0 = −3.687, m = 2.334, R^2 =0.686, N = 376

Thickness vs. Fresh Weight
Entire Dataset, All Accessions

Thickness
y_0 = 2.6, m = 1.361, R^2 =0.42, N = 376

Diameter / Width vs. Fresh Weight
Entire Dataset, All Accessions

Fresh Weight

Diameter / Width
y_0 = 7.321, m = −0.417, R^2 =0.037, N = 376

**Width vs. Height**
Entire Dataset, All Accessions

Height

Width
y_0 = 3.105, m = 0.154, R^2 =0.036, N = 376

Width vs. Diameter
Entire Dataset, All Accessions

Diameter

Width
y_0 = 3.48, m = 0.334, R^2 =0.227, N = 376

Width vs. Thickness
Entire Dataset, All Accessions

Width

$y\_0 = 2.255$, $m = 0.256$, $R^2 = 0.074$, $N = 376$

Height vs. Diameter
Entire Dataset, All Accessions

Diameter

Height
y_0 = 1.606, m = 0.798, R^2 =0.846, N = 376

**Height vs. Thickness
Entire Dataset, All Accessions**

Thickness

Height
y_0 = 1.802, m = 0.334, R^2 =0.082, N = 376

Diameter vs. Thickness
Entire Dataset, All Accessions

Thickness

Diameter
y_0 = 0.869, m = 0.477, R^2 =0.127, N = 376

Width vs. Fresh Weight
**Entire Dataset, 242**

Fresh Weight

Width
y_0 = 1.721, m = 1.745, R^2 =0.785, N = 31

Height vs. Fresh Weight
Entire Dataset, 242

Fresh Weight

Height
y_0 = −1.01, m = 1.971, R^2 =0.528, N = 31

Diameter vs. Fresh Weight
Entire Dataset, 242

Fresh Weight

Diameter
$y\_0 = -6.181$, m = 2.789, R^2 =0.725, N = 31

Thickness vs. Fresh Weight
Entire Dataset, 242

Fresh Weight

Thickness
$y\_0 = 1.236$, $m = 1.724$, $R^2 = 0.371$, $N = 31$

Diameter / Width vs. Fresh Weight
Entire Dataset, 242

Fresh Weight

Diameter / Width
y_0 = 8.262, m = −1.201, R^2 =0.228, N = 31

Width vs. Height
Entire Dataset, 242

y_0 = 2.521, m = 0.417, R^2 =0.33, N = 31

**Width vs. Diameter**
Entire Dataset, 242

Diameter

Width
y_0 = 3.443, m = 0.374, R^2 =0.387, N = 31

Width vs. Thickness
Entire Dataset, 242

Thickness

Width
y_0 = 2.124, m = 0.251, R^2 =0.13, N = 31

Height vs. Diameter
Entire Dataset, 242

Diameter

Height
$y\_0 = 1.719$, $m = 0.745$, $R^2 = 0.809$, $N = 31$

**Height vs. Thickness**
Entire Dataset, 242

Height
y_0 = 1.806, m = 0.262, R^2 =0.075, N = 31

Diameter vs. Thickness
Entire Dataset, 242

Thickness

Diameter
y_0 = 0.583, m = 0.494, R^2 =0.182, N = 31

Width vs. Fresh Weight
Entire Dataset, 246

Fresh Weight

Width
$y\_0 = 2.53$, $m = 1.315$, $R^2 = 0.518$, $N = 32$

Height vs. Fresh Weight
Entire Dataset, 246

Fresh Weight

Height
y_0 = 1.341, m = 1.402, R^2 =0.371, N = 32

Diameter vs. Fresh Weight
Entire Dataset, 246

Fresh Weight

Diameter
y_0 = −2.825, m = 2.088, R^2 =0.643, N = 32

Thickness vs. Fresh Weight
Entire Dataset, 246

Fresh Weight

Thickness

$y\_0 = 4.323$, $m = 0.66$, $R^2 = 0.101$, $N = 32$

**Diameter / Width vs. Fresh Weight**
Entire Dataset, 246

Fresh Weight

Diameter / Width
y_0 = 6.641, m = −0.343, R^2 =0.03, N = 32

Width vs. Height
Entire Dataset, 246

Width
y_0 = 2.917, m = 0.178, R^2 =0.05, N = 32

Width vs. Diameter
Entire Dataset, 246

Diameter

Width
y_0 = 3.387, m = 0.328, R^2 =0.218, N = 32

Width vs. Thickness
Entire Dataset, 246

Width
y_0 = 2.743, m = −0.015, R^2 =0, N = 32

Height vs. Diameter
Entire Dataset, 246

Diameter

Height
y_0 = 1.455, m = 0.83, R^2 =0.884, N = 32

Height vs. Thickness
Entire Dataset, 246

Thickness

Height
y_0 = 2.952, m = −0.073, R^2 =0.004, N = 32

Diameter vs. Thickness
Entire Dataset, 246

Thickness

Diameter
y_0 = 2.765, m = −0.014, R^2 =0, N = 32

Width vs. Fresh Weight
Entire Dataset, 319

Fresh Weight

Width
y_0 = 3.176, m = 1.373, R^2 =0.561, N = 30

Height vs. Fresh Weight
Entire Dataset, 319

Fresh Weight

Height
y_0 = 0.861, m = 1.592, R^2 =0.628, N = 30

Diameter vs. Fresh Weight
Entire Dataset, 319

Fresh Weight

Diameter
y_0 = −1.963, m = 1.925, R^2 =0.734, N = 30

Thickness vs. Fresh Weight
Entire Dataset, 319

Fresh Weight

Thickness
$y\_0 = 4.681$, $m = 0.723$, $R^2 = 0.137$, $N = 30$

**Diameter / Width vs. Fresh Weight**
Entire Dataset, 319

Fresh Weight

Diameter / Width

y_0 = 7.167, m = −0.112, R^2 =0.003, N = 30

Width vs. Height
Entire Dataset, 319

Width
y_0 = 2.88, m = 0.345, R^2 =0.142, N = 30

Width vs. Diameter
Entire Dataset, 319

Diameter

Width
y_0 = 3.455, m = 0.428, R^2 =0.275, N = 30

Width vs. Thickness
Entire Dataset, 319

Width
$y\_0 = 2.981$, m = 0.06, R^2 =0.004, N = 30

Height vs. Diameter
Entire Dataset, 319

Diameter

Height
$y\_0 = 1.378$, m = 0.85, R^2 =0.904, N = 30

Height vs. Thickness
**Entire Dataset, 319**

Thickness

Height
$y\_0 = 2.202$, $m = 0.247$, $R^2 = 0.057$, $N = 30$

Diameter vs. Thickness
Entire Dataset, 319

Thickness

Diameter
y_0 = 2.095, m = 0.227, R^2 =0.039, N = 30

**Width vs. Fresh Weight**
Entire Dataset, 325

Fresh Weight

Width
y_0 = 1.99, m = 1.679, R^2 =0.593, N = 24

Height vs. Fresh Weight
Entire Dataset, 325

Fresh Weight

Height
y_0 = 0.48, m = 1.822, R^2 =0.574, N = 24

Diameter vs. Fresh Weight
**Entire Dataset, 325**

Diameter
y_0 = −3.792, m = 2.398, R^2 =0.859, N = 24

Thickness vs. Fresh Weight
**Entire Dataset, 325**

Fresh Weight

Thickness
y_0 = 4.36, m = 0.921, R^2 =0.311, N = 24

Diameter / Width vs. Fresh Weight
Entire Dataset, 325

Fresh Weight

Diameter / Width
y_0 = 7.182, m = 0.039, R^2 =0, N = 24

Width vs. Height
Entire Dataset, 325

Width
y_0 = 2.696, m = 0.324, R^2 =0.128, N = 24

Width vs. Diameter
Entire Dataset, 325

Diameter

Width
y_0 = 2.849, m = 0.56, R^2 =0.442, N = 24

Width vs. Thickness
Entire Dataset, 325

Width
y_0 = 2.334, m = 0.254, R^2 =0.037, N = 24

Height vs. Diameter
**Entire Dataset, 325**

Diameter

Height
y_0 = 1.481, m = 0.841, R^2 =0.819, N = 24

Height vs. Thickness
**Entire Dataset, 325**

Thickness

Height
y_0 = 0.869, m = 0.609, R^2 =0.175, N = 24

Diameter vs. Thickness
Entire Dataset, 325

Thickness

Diameter
y_0 = 0.235, m = 0.629, R^2 =0.161, N = 24

Width vs. Fresh Weight
**Entire Dataset, 326**

Fresh Weight

Width
y_0 = 0.151, m = 2.322, R^2 =0.775, N = 31

Height vs. Fresh Weight
Entire Dataset, 326

Fresh Weight

Height
y_0 = −0.201, m = 2.026, R^2 =0.728, N = 31

Diameter vs. Fresh Weight
Entire Dataset, 326

Fresh Weight

Diameter
y_0 = −3.777, m = 2.428, R^2 =0.878, N = 31

Thickness vs. Fresh Weight
Entire Dataset, 326

Fresh Weight

Thickness
y_0 = 3.141, m = 1.131, R^2 =0.286, N = 31

Diameter / Width vs. Fresh Weight
Entire Dataset, 326

Fresh Weight

Diameter / Width

$y\_0 = 5.871$, $m = 0.613$, $R^2 = 0.017$, $N = 31$

Width vs. Height
**Entire Dataset, 326**

Height

Width
y_0 = 1.14, m = 0.808, R^2 =0.529, N = 31

Width vs. Diameter
**Entire Dataset, 326**

Diameter

Width
$y\_0 = 1.892$, m = 0.86, $R^2 = 0.714$, N = 31

Width vs. Thickness
Entire Dataset, 326

Thickness

Width
y_0 = 1.902, m = 0.462, R^2 =0.137, N = 31

Height vs. Diameter
Entire Dataset, 326

Height
y_0 = 1.366, m = 0.865, R^2 =0.891, N = 31

Height vs. Thickness
Entire Dataset, 326

Height
y_0 = 2.257, m = 0.28, R^2 =0.062, N = 31

Diameter vs. Thickness
Entire Dataset, 326

Thickness

Diameter
y_0 = 1.756, m = 0.337, R^2 =0.076, N = 31

Width vs. Fresh Weight
Entire Dataset, 390

Fresh Weight

Width
y_0 = 0.012, m = 2.222, R^2 =0.733, N = 27

Height vs. Fresh Weight
Entire Dataset, 390

Fresh Weight

Height
y_0 = −0.497, m = 2.198, R^2 =0.675, N = 27

Diameter vs. Fresh Weight
Entire Dataset, 390

Fresh Weight

Diameter

$y\_0 = -5.1$, $m = 2.716$, $R^2 = 0.797$, $N = 27$

Thickness vs. Fresh Weight
Entire Dataset, 390

Fresh Weight

Thickness
$y\_0 = 2.91$, $m = 1.351$, $R^2 = 0.551$, $N = 27$

Diameter / Width vs. Fresh Weight
Entire Dataset, 390

Fresh Weight

Diameter / Width
y_0 = 8.664, m = −1.161, R^2 =0.042, N = 27

Width vs. Height
Entire Dataset, 390

Width
y_0 = 1.253, m = 0.694, R^2 =0.511, N = 27

Width vs. Diameter
Entire Dataset, 390

Diameter

Width
$y\_0 = 2.076$, m = 0.758, R^2 =0.789, N = 27

Width vs. Thickness
Entire Dataset, 390

Width
y_0 = 1.22, m = 0.598, R^2 =0.176, N = 27

Height vs. Diameter
Entire Dataset, 390

Diameter

Height
y_0 = 1.648, m = 0.822, R^2 =0.876, N = 27

**Height vs. Thickness**
Entire Dataset, 390

Height
y_0 = 1.021, m = 0.61, R^2 =0.172, N = 27

Diameter vs. Thickness
Entire Dataset, 390

Thickness

Diameter
y_0 = −0.147, m = 0.729, R^2 =0.19, N = 27

Width vs. Fresh Weight
Entire Dataset, 572

Fresh Weight

Width
y_0 = 1.664, m = 1.728, R^2 =0.647, N = 24

Height vs. Fresh Weight
Entire Dataset, 572

Fresh Weight

Height
y_0 = 0.767, m = 1.663, R^2 =0.686, N = 24

Diameter vs. Fresh Weight
Entire Dataset, 572

Fresh Weight

Diameter
y_0 = −2.557, m = 2.086, R^2 =0.792, N = 24

Thickness vs. Fresh Weight
Entire Dataset, 572

Fresh Weight

Thickness
y_0 = 5.397, m = 0.453, R^2 =0.104, N = 24

Diameter / Width vs. Fresh Weight
Entire Dataset, 572

Fresh Weight

Diameter / Width
y_0 = 6.602, m = 0.086, R^2 =0, N = 24

Width vs. Height
Entire Dataset, 572

Height

Width
y_0 = 0.963, m = 0.894, R^2 =0.699, N = 24

**Width vs. Diameter**
Entire Dataset, 572

Diameter

Width
y_0 = 2.165, m = 0.78, R^2 =0.725, N = 24

Width vs. Thickness
Entire Dataset, 572

Thickness

Width
y_0 = 2.673, m = 0.094, R^2 =0.004, N = 24

Height vs. Diameter
Entire Dataset, 572

Diameter

Height
y_0 = 1.544, m = 0.811, R^2 =0.897, N = 24

Height vs. Thickness
Entire Dataset, 572

Thickness

Height
y_0 = 2.742, m = 0.058, R^2 =0.002, N = 24

Diameter vs. Thickness
Entire Dataset, 572

Thickness

Diameter
y_0 = 2.814, m = 0.03, R^2 =0, N = 24

**Width vs. Fresh Weight**
Entire Dataset, 580

Width
y_0 = 3.193, m = 1.305, R^2 =0.369, N = 22

Height vs. Fresh Weight
Entire Dataset, 580

Fresh Weight

Height
y_0 = 3.576, m = 0.857, R^2 =0.145, N = 22

Diameter vs. Fresh Weight
**Entire Dataset, 580**

Fresh Weight

Diameter

$y\_0 = 1.053$, $m = 1.259$, $R^2 = 0.287$, $N = 22$

**Thickness vs. Fresh Weight**
Entire Dataset, 580

Fresh Weight

Thickness
y_0 = 4.246, m = 0.825, R^2 =0.487, N = 22

Diameter / Width vs. Fresh Weight
Entire Dataset, 580

Diameter / Width
y_0 = 7.066, m = −0.171, R^2 =0.009, N = 22

Width vs. Height
Entire Dataset, 580

Width
y_0 = 3.395, m = 0.117, R^2 =0.015, N = 22

Width vs. Diameter
Entire Dataset, 580

Width
$y\_0 = 4.034$, m = 0.182, R^2 =0.04, N = 22

Width vs. Thickness
Entire Dataset, 580

Width
y_0 = 2.151, m = 0.328, R^2 =0.033, N = 22

Height vs. Diameter
Entire Dataset, 580

Height
y_0 = 1.32, m = 0.864, R^2 =0.813, N = 22

Height vs. Thickness
Entire Dataset, 580

Thickness

Height
y_0 = 3.543, m = −0.133, R^2 =0.005, N = 22

Diameter vs. Thickness
Entire Dataset, 580

Thickness

Diameter
y_0 = 2.42, m = 0.139, R^2 =0.005, N = 22

Width vs. Fresh Weight
Entire Dataset, 582

Fresh Weight

Width
y_0 = 2.174, m = 1.694, R^2 =0.776, N = 31

Height vs. Fresh Weight
Entire Dataset, 582

Fresh Weight

Height
y_0 = 0.067, m = 1.806, R^2 =0.459, N = 31

Diameter vs. Fresh Weight
Entire Dataset, 582

Fresh Weight

Diameter

$y\_0 = -2.714$, $m = 2.088$, $R^2 = 0.722$, $N = 31$

Thickness vs. Fresh Weight
Entire Dataset, 582

Fresh Weight

Thickness
$y\_0 = 3.113$, $m = 1.204$, $R^2 = 0.314$, $N = 31$

Diameter / Width vs. Fresh Weight
Entire Dataset, 582

Fresh Weight

Diameter / Width
y_0 = 8.391, m = −0.859, R^2 =0.097, N = 31

Width vs. Height
Entire Dataset, 582

Height

Width
y_0 = 2.663, m = 0.393, R^2 =0.297, N = 31

Width vs. Diameter
Entire Dataset, 582

Diameter

Width
y_0 = 3.019, m = 0.564, R^2 =0.52, N = 31

Width vs. Thickness
Entire Dataset, 582

Width
y_0 = 2.17, m = 0.332, R^2 =0.138, N = 31

Height vs. Diameter
Entire Dataset, 582

Height
y_0 = 1.144, m = 0.915, R^2 =0.711, N = 31

**Height vs. Thickness**
Entire Dataset, 582

Thickness

Height
y_0 = 1.865, m = 0.326, R^2 =0.069, N = 31

**Diameter vs. Thickness**
Entire Dataset, 582

Thickness

Diameter
y_0 = 1.185, m = 0.416, R^2 =0.132, N = 31

Width vs. Fresh Weight
Entire Dataset, 584

Fresh Weight

Width
y_0 = 1.354, m = 1.911, R^2 =0.727, N = 23

Height vs. Fresh Weight
Entire Dataset, 584

Fresh Weight

Height
y_0 = 0.713, m = 1.764, R^2 =0.771, N = 23

Diameter vs. Fresh Weight
Entire Dataset, 584

Fresh Weight

Diameter
$y\_0 = -2.783$, $m = 2.191$, $R^2 = 0.89$, $N = 23$

Thickness vs. Fresh Weight
Entire Dataset, 584

Fresh Weight

Thickness
y_0 = 4.385, m = 0.819, R^2 =0.124, N = 23

Diameter / Width vs. Fresh Weight
Entire Dataset, 584

Fresh Weight

Diameter / Width
y_0 = 6.484, m = 0.324, R^2 =0.008, N = 23

**Width vs. Height**
Entire Dataset, 584

Height

Width
y_0 = 1.308, m = 0.762, R^2 =0.466, N = 23

Width vs. Diameter
Entire Dataset, 584

Diameter

Width
$y\_0 = 2.206$, $m = 0.764$, $R^2 = 0.627$, $N = 23$

Width vs. Thickness
Entire Dataset, 584

Width
$y\_0 = 2.945$, $m = 0.074$, $R^2 = 0.006$, $N = 23$

Height vs. Diameter
Entire Dataset, 584

Diameter

Height
$y\_0 = 1.523$, $m = 0.826$, $R^2 = 0.911$, $N = 23$

**Height vs. Thickness**
Entire Dataset, 584

Height
y_0 = 2.761, m = 0.113, R^2 =0.017, N = 23

Diameter vs. Thickness
**Entire Dataset, 584**

Thickness

Diameter
y_0 = 2.631, m = 0.119, R^2 =0.014, N = 23

**Width vs. Fresh Weight**
Entire Dataset, 585

Width
y_0 = 0.729, m = 2.031, R^2 =0.502, N = 23

Height vs. Fresh Weight
Entire Dataset, 585

Fresh Weight

Height
y_0 = 0.753, m = 1.68, R^2 =0.597, N = 23

Diameter vs. Fresh Weight
Entire Dataset, 585

Fresh Weight

Diameter
y_0 = −2.726, m = 2.141, R^2 =0.757, N = 23

**Thickness vs. Fresh Weight
Entire Dataset, 585**

Fresh Weight

Thickness

$y\_0 = 2.638, m = 1.299, R^2 = 0.434, N = 23$

Diameter / Width vs. Fresh Weight
Entire Dataset, 585

Fresh Weight

Diameter / Width
y_0 = 4.77, m = 1.221, R^2 =0.13, N = 23

Width vs. Height
Entire Dataset, 585

Width
y_0 = 0.772, m = 0.935, R^2 =0.503, N = 23

Width vs. Diameter
Entire Dataset, 585

Width
y_0 = 1.981, m = 0.82, R^2 =0.496, N = 23

Width vs. Thickness
Entire Dataset, 585

Width
$y\_0 = 2.019$, m = 0.348, $R^2 = 0.057$, N = 23

Height vs. Diameter
Entire Dataset, 585

Height
$y\_0 = 1.464$, $m = 0.831$, $R^2 = 0.884$, $N = 23$

**Height vs. Thickness**
Entire Dataset, 585

Thickness

Height
y_0 = 2.251, m = 0.222, R^2 =0.041, N = 23

Diameter vs. Thickness
Entire Dataset, 585

Thickness

Diameter
y_0 = 1.087, m = 0.445, R^2 =0.127, N = 23

Width vs. Fresh Weight
Entire Dataset, 839

Width

y_0 = 0.8, m = 1.893, R^2 =0.713, N = 23

Height vs. Fresh Weight
Entire Dataset, 839

Fresh Weight

Height
y_0 = 0.981, m = 1.645, R^2 =0.474, N = 23

Diameter vs. Fresh Weight
Entire Dataset, 839

Fresh Weight

Diameter

$y\_0 = -4.455$, $m = 2.49$, $R^2 = 0.861$, $N = 23$

Thickness vs. Fresh Weight
Entire Dataset, 839

Fresh Weight

Thickness
y_0 = 5.62, m = 0.42, R^2 =0.072, N = 23

Diameter / Width vs. Fresh Weight
Entire Dataset, 839

Fresh Weight

Diameter / Width
y_0 = 7.614, m = −0.61, R^2 =0.019, N = 23

Width vs. Height
Entire Dataset, 839

Height

Width
y_0 = 1.697, m = 0.58, R^2 =0.382, N = 23

**Width vs. Diameter**
Entire Dataset, 839

Diameter

Width
y_0 = 2.235, m = 0.721, R^2 =0.745, N = 23

Width vs. Thickness
Entire Dataset, 839

Thickness

Width
$y\_0 = 2.904$, $m = -0.037$, $R^2 = 0.001$, $N = 23$

Height vs. Diameter
Entire Dataset, 839

Height
y_0 = 1.812, m = 0.765, R^2 =0.738, N = 23

**Height vs. Thickness**
Entire Dataset, 839

Height
$y\_0 = 4.546$, $m = -0.498$, $R^2 = 0.106$, $N = 23$

Diameter vs. Thickness
**Entire Dataset, 839**

Thickness

Diameter
y_0 = 3.155, m = −0.082, R^2 =0.002, N = 23

Width vs. Fresh Weight
Entire Dataset, 845

Fresh Weight

Width
y_0 = 0.057, m = 2.187, R^2 =0.715, N = 32

Height vs. Fresh Weight
Entire Dataset, 845

Fresh Weight

Height
y_0 = −0.198, m = 1.977, R^2 =0.757, N = 32

Diameter vs. Fresh Weight
Entire Dataset, 845

Fresh Weight

Diameter
y_0 = −3.354, m = 2.271, R^2 =0.875, N = 32

Thickness vs. Fresh Weight
**Entire Dataset, 845**

Fresh Weight

Thickness
y_0 = 4.267, m = 0.827, R^2 =0.159, N = 32

**Diameter / Width vs. Fresh Weight**
Entire Dataset, 845

Fresh Weight

Diameter / Width
y_0 = 5.058, m = 1.126, R^2 =0.066, N = 32

Width vs. Height
Entire Dataset, 845

Width
y_0 = 0.899, m = 0.85, R^2 =0.557, N = 32

Width vs. Diameter
Entire Dataset, 845

Diameter

Width
y_0 = 1.711, m = 0.894, R^2 =0.703, N = 32

**Width vs. Thickness**
Entire Dataset, 845

Thickness

Width
y_0 = 2.473, m = 0.126, R^2 =0.01, N = 32

**Height vs. Diameter**
Entire Dataset, 845

Diameter

Height
y_0 = 1.282, m = 0.902, R^2 =0.929, N = 32

Height vs. Thickness
Entire Dataset, 845

Height
y_0 = 2.213, m = 0.185, R^2 =0.029, N = 32

Diameter vs. Thickness
Entire Dataset, 845

Thickness

Diameter
y_0 = 1.967, m = 0.202, R^2 =0.03, N = 32

Width vs. Fresh Weight
Entire Dataset, 854

Fresh Weight

Width
y_0 = 1.268, m = 1.737, R^2 =0.71, N = 23

Height vs. Fresh Weight
Entire Dataset, 854

Fresh Weight

Height
y_0 = 2.426, m = 1.122, R^2 =0.26, N = 23

Diameter vs. Fresh Weight
Entire Dataset, 854

Fresh Weight

Diameter
y_0 = −0.862, m = 1.664, R^2 =0.464, N = 23

Thickness vs. Fresh Weight
**Entire Dataset, 854**

Fresh Weight

Thickness
y_0 = 4.206, m = 0.633, R^2 =0.206, N = 23

**Diameter / Width vs. Fresh Weight**
Entire Dataset, 854

Fresh Weight

Diameter / Width

y_0 = 7.819, m = −1.269, R^2 =0.165, N = 23

Width vs. Height
Entire Dataset, 854

Height

Width
y_0 = 1.686, m = 0.56, R^2 =0.356, N = 23

Width vs. Diameter
Entire Dataset, 854

Diameter

Width
y_0 = 2.393, m = 0.639, R^2 =0.573, N = 23

Width vs. Thickness
Entire Dataset, 854

Width
y_0 = 2.241, m = 0.24, R^2 =0.026, N = 23

Height vs. Diameter
Entire Dataset, 854

Diameter

Height
y_0 = 1.471, m = 0.831, R^2 =0.852, N = 23

Height vs. Thickness
Entire Dataset, 854

Thickness

Height
$y\_0 = 4.191$, $m = -0.401$, $R^2 = 0.065$, $N = 23$

Diameter vs. Thickness
Entire Dataset, 854

Thickness

Diameter
y_0 = 3.968, m = −0.258, R^2 =0.022, N = 23