


Width vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Log




Width

$y_0 = 2.494$, $m = 1.457$, $R^2 = 0.554$, $N = 448$

Width vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Linear




Width

$y_0 = -305.614$, $m = 65.714$, $R^2 = 0.527$, $N = 448$

Height vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Log




Height

$$y_0 = 1.291, m = 1.521, R^2 = 0.405, N = 448$$

Height vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Linear




Height

$y_0 = -361.289, m = 35.524, R^2 = 0.368, N = 448$

Diameter vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Log




Diameter

$$y_0 = 0.127, m = 1.48, R^2 = 0.437, N = 448$$

Diameter vs. Fresh Weight


Entire Dataset, All AccessionsMode – Double Linear



Diameter

$y_0 = -527.925$, $m = 16.569$, $R^2 = 0.487$, $N = 448$

Thickness vs. Fresh Weight
Entire Dataset, All AccessionsMode – Double Log




Thickness

$y_0 = 2.736$, $m = 1.321$, $R^2 = 0.396$, $N = 448$

Thickness vs. Fresh Weight


Entire Dataset, All AccessionsMode – Double Linear



Thickness

$y_0 = -186.049$, $m = 53.134$, $R^2 = 0.351$, $N = 448$


Diameter / Width vs. Fresh Weight
Entire Dataset, All AccessionsMode – Double Log



Diameter / Width


$y_0 = 7.162$, $m = -0.304$, $R^2 = 0.026$, $N = 448$

Diameter / Width vs. Fresh Weight
Entire Dataset, All AccessionsMode – Double Linear



Width vs. Height

Entire Dataset, All AccessionsMode – Double Log




Width

$y_0 = 3.069$, $m = 0.167$, $R^2 = 0.041$, $N = 448$


Width vs. Height

Entire Dataset, All AccessionsMode – Double Linear



Width vs. Diameter


Entire Dataset, All AccessionsMode – Double Log



Width


$y_0 = 3.431$, $m = 0.349$, $R^2 = 0.159$, $N = 448$

Width vs. Diameter
Entire Dataset, All AccessionsMode – Double Linear



Width vs. Thickness

Entire Dataset, All AccessionsMode – Double Log




Width

$y_0 = 2.344$, $m = 0.225$, $R^2 = 0.058$, $N = 448$


Width vs. Thickness

Entire Dataset, All AccessionsMode – Double Linear



Height vs. Diameter

Entire Dataset, All AccessionsMode – Double Log




Height

$y_0 = 1.815$, $m = 0.738$, $R^2 = 0.478$, $N = 448$

Height vs. Diameter

Entire Dataset, All AccessionsMode – Double Linear




Height

$y_0 = 20.477, m = 1.851, R^2 = 0.563, N = 448$

Height vs. Thickness

Entire Dataset, All AccessionsMode – Double Log




Height

$$y_0 = 1.989, m = 0.283, R^2 = 0.062, N = 448$$


Height vs. Thickness

Entire Dataset, All AccessionsMode – Double Linear



Diameter vs. Thickness


Entire Dataset, All AccessionsMode – Double Log



Diameter

$y_0 = 1.71$, $m = 0.289$, $R^2 = 0.074$, $N = 448$


Diameter vs. Thickness
Entire Dataset, All AccessionsMode – Double Linear



Diameter

$y_0 = 13.778, m = 0.077, R^2 = 0.086, N = 448$


Diameter / Width vs. Dry Weight
Entire Dataset, All AccessionsMode – Double Log



Diameter / Width

$y_0 = 3.79$, $m = -0.285$, $R^2 = 0.026$, $N = 448$

Diameter / Width vs. Dry Weight
Entire Dataset, All AccessionsMode – Double Linear



Width vs. Fresh Weight
Entire Dataset, 242Mode – Double Log



Width

$y_0 = 1.702, m = 1.754, R^2 = 0.789, N = 32$

Width vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear



Width

$y_0 = -422.729$, $m = 73.458$, $R^2 = 0.763$, $N = 32$

Height vs. Fresh Weight

Entire Dataset, 242Mode – Double Log



Height

$y_0 = -1.017$, $m = 1.972$, $R^2 = 0.538$, $N = 32$

Height vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear




Height

$y_0 = -522.688, m = 27.378, R^2 = 0.501, N = 32$

Diameter vs. Fresh Weight

Entire Dataset, 242Mode – Double Log




Diameter vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear



Thickness vs. Fresh Weight
Entire Dataset, 242Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear



$y_0 = -441.757$, $m = 56.372$, $R^2 = 0.446$, $N = 32$

Diameter / Width vs. Fresh Weight
Entire Dataset, 242Mode – Double Log




Diameter / Width
 $y_0 = 8.252$, $m = -1.189$, $R^2 = 0.219$, $N = 32$

Diameter / Width vs. Fresh Weight
Entire Dataset, 242Mode – Double Linear



Width vs. Height

Entire Dataset, 242Mode – Double Log




Width


$y_0 = 2.495, m = 0.429, R^2 = 0.341, N = 32$

Width vs. Height

Entire Dataset, 242Mode – Double Linear



Width vs. Diameter
Entire Dataset, 242Mode – Double Log



Width
 $y_0 = 3.415$, $m = 0.387$, $R^2 = 0.397$, $N = 32$

Width vs. Diameter

Entire Dataset, 242Mode – Double Linear



Width vs. Thickness

Entire Dataset, 242Mode – Double Log



Width

$y_0 = 2.177$, $m = 0.226$, $R^2 = 0.102$, $N = 32$

Width vs. Thickness

Entire Dataset, 242Mode – Double Linear



Width

$y_0 = 10.606$, $m = 0.419$, $R^2 = 0.177$, $N = 32$


Height vs. Diameter

Entire Dataset, 242Mode – Double Log




Height vs. Diameter

Entire Dataset, 242Mode – Double Linear



Height vs. Thickness

Entire Dataset, 242Mode – Double Log




Height

$$y_0 = 1.989, m = 0.208, R^2 = 0.047, N = 32$$


Height vs. Thickness

Entire Dataset, 242Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 242Mode – Double Log



Diameter vs. Thickness

Entire Dataset, 242Mode – Double Linear



Diameter


$y_0 = 8.799$, $m = 0.085$, $R^2 = 0.135$, $N = 32$

Diameter / Width vs. Dry Weight
Entire Dataset, 242Mode – Double Log



Diameter / Width
 $y_0 = 5.525$, $m = -1.189$, $R^2 = 0.219$, $N = 32$

Diameter / Width vs. Dry Weight
Entire Dataset, 242Mode – Double Linear



Diameter / Width
 $y_0 = 64.477$, $m = -5.205$, $R^2 = 0.189$, $N = 32$

Width vs. Fresh Weight
Entire Dataset, 246Mode – Double Log




Width

$y_0 = 2.53, m = 1.315, R^2 = 0.518, N = 32$

Width vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 246Mode – Double Log



Height
 $y_0 = 1.341$, $m = 1.402$, $R^2 = 0.371$, $N = 32$

Height vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear



Height

$$y_0 = -222.61, m = 22.907, R^2 = 0.354, N = 32$$

Diameter vs. Fresh Weight

Entire Dataset, 246Mode – Double Log



Diameter

$y_0 = -2.825, m = 2.088, R^2 = 0.643, N = 32$

Diameter vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear



Thickness vs. Fresh Weight

Entire Dataset, 246Mode – Double Log



Thickness vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear



Diameter / Width vs. Fresh Weight
Entire Dataset, 246Mode – Double Log



Diameter / Width
 $y_0 = 6.641, m = -0.343, R^2 = 0.03, N = 32$

Diameter / Width vs. Fresh Weight
Entire Dataset, 246Mode – Double Linear



Diameter / Width

$y_0 = 685.507$, $m = -44.949$, $R^2 = 0.048$, $N = 32$

Width vs. Height

Entire Dataset, 246Mode – Double Log




Width

$y_0 = 2.917$, $m = 0.178$, $R^2 = 0.05$, $N = 32$

Width vs. Height

Entire Dataset, 246Mode – Double Linear



Width vs. Diameter

Entire Dataset, 246Mode – Double Log




Width


$y_0 = 3.387$, $m = 0.328$, $R^2 = 0.218$, $N = 32$

Width vs. Diameter

Entire Dataset, 246Mode – Double Linear




Width vs. Thickness
Entire Dataset, 246Mode – Double Log



Width vs. Thickness

Entire Dataset, 246Mode – Double Linear



Width

$y_0 = 15.65$, $m = -0.037$, $R^2 = 0.002$, $N = 32$


Height vs. Diameter

Entire Dataset, 246Mode – Double Log




Height vs. Diameter

Entire Dataset, 246Mode – Double Linear




Height vs. Thickness

Entire Dataset, 246Mode – Double Log



Height vs. Thickness

Entire Dataset, 246Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 246Mode – Double Log




Diameter

$y_0 = 2.765$, $m = -0.014$, $R^2 = 0$, $N = 32$


Diameter vs. Thickness

Entire Dataset, 246Mode – Double Linear



Diameter / Width vs. Dry Weight


Entire Dataset, 246Mode – Double Log



Diameter / Width
 $y_0 = 3.13$, $m = -0.014$, $R^2 = 0$, $N = 32$

Diameter / Width vs. Dry Weight

Entire Dataset, 246Mode – Double Linear




Diameter / Width

$y_0 = 21.246$, $m = 0.75$, $R^2 = 0.002$, $N = 32$

Width vs. Fresh Weight

Entire Dataset, 319Mode – Double Log




Width

$y_0 = 3.071, m = 1.412, R^2 = 0.589, N = 32$


Width vs. Fresh Weight

Entire Dataset, 319Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 319Mode – Double Log




Height

$y_0 = 5.499, m = 0.388, R^2 = 0.125, N = 32$

Height vs. Fresh Weight

Entire Dataset, 319Mode – Double Linear



Height

$y_0 = 358.243$, $m = 16.328$, $R^2 = 0.255$, $N = 32$

Diameter vs. Fresh Weight


Entire Dataset, 319Mode – Double Log



$y_0 = 7.043$, $m = -0.015$, $R^2 = 0.001$, $N = 32$


Diameter vs. Fresh Weight

Entire Dataset, 319Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 319Mode – Double Log




Thickness vs. Fresh Weight


Entire Dataset, 319Mode – Double Linear



Diameter / Width vs. Fresh Weight
Entire Dataset, 319Mode – Double Log




$y_0 = 1465.437$, $m = -56.781$, $R^2 = 0.084$, $N = 32$




Width vs. Height

Entire Dataset, 319Mode – Double Log



Width vs. Height


Entire Dataset, 319Mode – Double Linear



Width

$y_0 = 35.701$, $m = 0.616$, $R^2 = 0.027$, $N = 32$

Width vs. Diameter
Entire Dataset, 319Mode – Double Log




Width

$y_0 = 5.197, m = -0.228, R^2 = 0.007, N = 32$

Width vs. Diameter

Entire Dataset, 319Mode – Double Linear




Width

$y_0 = 93.512$, $m = 0.446$, $R^2 = 0.003$, $N = 32$

Width vs. Thickness

Entire Dataset, 319Mode – Double Log




Width

$y_0 = 3.063$, $m = 0.03$, $R^2 = 0.001$, $N = 32$


Width vs. Thickness

Entire Dataset, 319Mode – Double Linear



Height vs. Diameter


Entire Dataset, 319Mode – Double Log



Height
 $y_0 = 4.387$, $m = 0.047$, $R^2 = 0.001$, $N = 32$

Height vs. Diameter

Entire Dataset, 319Mode – Double Linear




Height

$y_0 = 71.242$, $m = 0.645$, $R^2 = 0.073$, $N = 32$

Height vs. Thickness

Entire Dataset, 319Mode – Double Log




Height

$y_0 = 3.149$, $m = -0.001$, $R^2 = 0$, $N = 32$

Height vs. Thickness


Entire Dataset, 319Mode – Double Linear



Height
 $y_0 = 22.526$, $m = 0.02$, $R^2 = 0.003$, $N = 32$

Diameter vs. Thickness

Entire Dataset, 319Mode – Double Log




Diameter vs. Thickness

Entire Dataset, 319Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 319Mode – Double Log




Diameter / Width vs. Dry Weight

Entire Dataset, 319Mode – Double Linear



Width vs. Fresh Weight
Entire Dataset, 325Mode – Double Log




Width

$y_0 = 2.063, m = 1.669, R^2 = 0.616, N = 32$

Width vs. Fresh Weight

Entire Dataset, 325Mode – Double Linear




Width

$y_0 = -876.901, m = 103.984, R^2 = 0.654, N = 32$

Height vs. Fresh Weight

Entire Dataset, 325Mode – Double Log




Height

$y_0 = 0.271, m = 1.887, R^2 = 0.561, N = 32$


Height vs. Fresh Weight

Entire Dataset, 325Mode – Double Linear



Diameter vs. Fresh Weight

Entire Dataset, 325Mode – Double Log




Diameter

$y_0 = -4.004, m = 2.446, R^2 = 0.848, N = 32$

Diameter vs. Fresh Weight

Entire Dataset, 325Mode – Double Linear




Diameter

$y_0 = -1951.294$, $m = 34.203$, $R^2 = 0.779$, $N = 32$

Thickness vs. Fresh Weight

Entire Dataset, 325Mode – Double Log




Thickness

$y_0 = 4.466, m = 0.902, R^2 = 0.267, N = 32$

Thickness vs. Fresh Weight


Entire Dataset, 325Mode – Double Linear



Thickness


$y_0 = 537.835, m = 42.976, R^2 = 0.198, N = 32$

Diameter / Width vs. Fresh Weight
Entire Dataset, 325Mode – Double Log



Diameter / Width
 $y_0 = 7.574$, $m = -0.181$, $R^2 = 0.004$, $N = 32$

Diameter / Width vs. Fresh Weight
Entire Dataset, 325Mode – Double Linear




Diameter / Width

$y_0 = 2187.708, m = -143.234, R^2 = 0.028, N = 32$

Width vs. Height

Entire Dataset, 325Mode – Double Log




Width

$y_0 = 2.692$, $m = 0.33$, $R^2 = 0.153$, $N = 32$

Width vs. Height


Entire Dataset, 325Mode – Double Linear



Width

$y_0 = 28.703$, $m = 0.565$, $R^2 = 0.152$, $N = 32$

Width vs. Diameter
Entire Dataset, 325Mode – Double Log




Width

$y_0 = 2.942$, $m = 0.535$, $R^2 = 0.448$, $N = 32$

Width vs. Diameter

Entire Dataset, 325Mode – Double Linear




Width

$y_0 = 49.141$, $m = 2.282$, $R^2 = 0.473$, $N = 32$

Width vs. Thickness

Entire Dataset, 325Mode – Double Log




Width

$y_0 = 2.546$, $m = 0.191$, $R^2 = 0.025$, $N = 32$

Width vs. Thickness


Entire Dataset, 325Mode – Double Linear



Width
 $y_0 = 20.065$, $m = 0.153$, $R^2 = 0.013$, $N = 32$


Height vs. Diameter

Entire Dataset, 325Mode – Double Log




Height vs. Diameter

Entire Dataset, 325Mode – Double Linear



Height vs. Thickness

Entire Dataset, 325Mode – Double Log




Height

$y_0 = 1.15$, $m = 0.535$, $R^2 = 0.138$, $N = 32$


Height vs. Thickness

Entire Dataset, 325Mode – Double Linear




Diameter vs. Thickness

Entire Dataset, 325Mode – Double Log




Diameter vs. Thickness

Entire Dataset, 325Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 325Mode – Double Log



Diameter / Width
 $y_0 = 4.367$, $m = -0.755$, $R^2 = 0.035$, $N = 32$


Diameter / Width vs. Dry Weight
Entire Dataset, 325Mode – Double Linear



Diameter / Width
 $y_0 = 54.736, m = -5.905, R^2 = 0.041, N = 32$

Width vs. Fresh Weight


Entire Dataset, 326Mode – Double Log



$y_0 = 0.776$, $m = 2.106$, $R^2 = 0.722$, $N = 32$

Width vs. Fresh Weight

Entire Dataset, 326Mode – Double Linear



$y_0 = -951.63, m = 107.034, R^2 = 0.699, N = 32$

Height vs. Fresh Weight

Entire Dataset, 326Mode – Double Log



Height vs. Fresh Weight

Entire Dataset, 326Mode – Double Linear




Height

$y_0 = -864.6, m = 56.049, R^2 = 0.7, N = 32$


Diameter vs. Fresh Weight

Entire Dataset, 32Mode – Double Log



Diameter vs. Fresh Weight

Entire Dataset, 326Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 326Mode – Double Log



Thickness vs. Fresh Weight

Entire Dataset, 326Mode – Double Linear



Diameter / Width vs. Fresh Weight
Entire Dataset, 326Mode – Double Log



Diameter / Width
 $y_0 = 6.351$, $m = 0.288$, $R^2 = 0.005$, $N = 32$

Diameter / Width vs. Fresh Weight
Entire Dataset, 326Mode – Double Linear



Diameter / Width
 $y_0 = 619.715, m = 65.029, R^2 = 0.007, N = 32$

Width vs. Height

Entire Dataset, 326Mode – Double Log



Width vs. Height

Entire Dataset, 326Mode – Double Linear



Width

$y_0 = 9.975, m = 1.247, R^2 = 0.426, N = 32$

Width vs. Diameter
Entire Dataset, 326Mode – Double Log



Width

$y_0 = 2.166, m = 0.766, R^2 = 0.644, N = 32$

Width vs. Diameter

Entire Dataset, 326Mode – Double Linear




Width

$y_0 = 17.286, m = 3.476, R^2 = 0.642, N = 32$

Width vs. Thickness

Entire Dataset, 326Mode – Double Log



Width vs. Thickness

Entire Dataset, 326Mode – Double Linear



Width

$y_0 = 7.569, m = 0.996, R^2 = 0.217, N = 32$

Height vs. Diameter

Entire Dataset, 326Mode – Double Log




Height

$y_0 = 1.386, m = 0.859, R^2 = 0.882, N = 32$

Height vs. Diameter

Entire Dataset, 326Mode – Double Linear



Height vs. Thickness

Entire Dataset, 326Mode – Double Log




Height

$y_0 = 2.496$, $m = 0.205$, $R^2 = 0.018$, $N = 32$

Height vs. Thickness

Entire Dataset, 326Mode – Double Linear




Height

$y_0 = 18.918, m = 0.189, R^2 = 0.028, N = 32$


Diameter vs. Thickness

Entire Dataset, 326Mode – Double Log



Diameter vs. Thickness


Entire Dataset, 326Mode – Double Linear



Diameter

$y_0 = 15.637$, $m = 0.119$, $R^2 = 0.058$, $N = 32$


Diameter / Width vs. Dry Weight
Entire Dataset, 326Mode – Double Log



Diameter / Width
 $y_0 = 3.223, m = 0.181, R^2 = 0.001, N = 32$

Diameter / Width vs. Dry Weight


Entire Dataset, 326Mode – Double Linear



Diameter / Width

$y_0 = 27.043$, $m = 2.13$, $R^2 = 0.001$, $N = 32$

Width vs. Fresh Weight
Entire Dataset, 390Mode – Double Log




Width

$y_0 = 0.471, m = 2.085, R^2 = 0.662, N = 32$


Width vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 390Mode – Double Log




Height

$y_0 = 0.083, m = 2.028, R^2 = 0.644, N = 32$

Height vs. Fresh Weight


Entire Dataset, 390Mode – Double Linear



Height

$y_0 = -1071.671$, $m = 73.489$, $R^2 = 0.569$, $N = 32$

Diameter vs. Fresh Weight
Entire Dataset, 390Mode – Double Log




Diameter

$y_0 = -1.965$, $m = 2.027$, $R^2 = 0.645$, $N = 32$


Diameter vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 390Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 390Mode – Double Log



Diameter / Width
 $y_0 = 7.162$, $m = 0.005$, $R^2 = 0$, $N = 32$


Diameter / Width vs. Fresh Weight
Entire Dataset, 390Mode – Double Linear



Diameter / Width
 $y_0 = 1513.674$, $m = -38.744$, $R^2 = 0.001$, $N = 32$

Width vs. Height

Entire Dataset, 390Mode – Double Log




Width

$y_0 = 1.559$, $m = 0.602$, $R^2 = 0.353$, $N = 32$

Width vs. Height

Entire Dataset, 390Mode – Double Linear




Width

$y_0 = 15.605, m = 0.703, R^2 = 0.319, N = 32$


Width vs. Diameter

Entire Dataset, 390Mode – Double Log



Width vs. Diameter

Entire Dataset, 390Mode – Double Linear




Width

$y_0 = 29.832, m = 2.457, R^2 = 0.528, N = 32$

Width vs. Thickness

Entire Dataset, 390Mode – Double Log




Width

$y_0 = 1.427, m = 0.536, R^2 = 0.148, N = 32$

Width vs. Thickness

Entire Dataset, 390Mode – Double Linear




Width

$$y_0 = 14.379, m = 0.374, R^2 = 0.089, N = 32$$

Height vs. Diameter

Entire Dataset, 390Mode – Double Log




Height

$y_0 = 1.505, m = 0.859, R^2 = 0.736, N = 32$

Height vs. Diameter

Entire Dataset, 390Mode – Double Linear




Height

$y_0 = 12.619$, $m = 2.372$, $R^2 = 0.762$, $N = 32$


Height vs. Thickness

Entire Dataset, 390Mode – Double Log



Height vs. Thickness

Entire Dataset, 390Mode – Double Linear




Height

$y_0 = 11.877, m = 0.357, R^2 = 0.126, N = 32$

Diameter vs. Thickness

Entire Dataset, 390Mode – Double Log




Diameter

$y_0 = 1.058, m = 0.464, R^2 = 0.114, N = 32$


Diameter vs. Thickness

Entire Dataset, 390Mode – Double Linear




Diameter / Width vs. Dry Weight

Entire Dataset, 390Mode – Double Log




Diameter / Width
 $y_0 = 3.465$, $m = 0.009$, $R^2 = 0$, $N = 32$

Diameter / Width vs. Dry Weight
Entire Dataset, 390Mode – Double Linear



Diameter / Width
 $y_0 = 23.005$, $m = 3.528$, $R^2 = 0.005$, $N = 32$

Width vs. Fresh Weight
Entire Dataset, 572Mode – Double Log




Width

$y_0 = 2.052, m = 1.591, R^2 = 0.573, N = 32$

Width vs. Fresh Weight

Entire Dataset, 572Mode – Double Linear




Width

$y_0 = -521.912$, $m = 72.705$, $R^2 = 0.524$, $N = 32$

Height vs. Fresh Weight

Entire Dataset, 572Mode – Double Log




Height

$y_0 = 1.14, m = 1.558, R^2 = 0.592, N = 32$

Height vs. Fresh Weight


Entire Dataset, 572Mode – Double Linear



Height

$y_0 = -479.344, m = 36.811, R^2 = 0.575, N = 32$

Diameter vs. Fresh Weight
Entire Dataset, 572Mode – Double Log




Diameter

$y_0 = -2.277$, $m = 2.02$, $R^2 = 0.723$, $N = 32$


Diameter vs. Fresh Weight

Entire Dataset, 572Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 572Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 572Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 572Mode – Double Log



Diameter / Width
 $y_0 = 6.779$, $m = -0.031$, $R^2 = 0$, $N = 32$


Diameter / Width vs. Fresh Weight
Entire Dataset, 572Mode – Double Linear



Diameter / Width
 $y_0 = 675.137$, $m = 41.248$, $R^2 = 0.003$, $N = 32$

Width vs. Height

Entire Dataset, 572Mode – Double Log




Width


$y_0 = 1.254, m = 0.794, R^2 = 0.585, N = 32$

Width vs. Height

Entire Dataset, 572Mode – Double Linear



Width vs. Diameter
Entire Dataset, 572Mode – Double Log




Width

$y_0 = 2.307, m = 0.732, R^2 = 0.684, N = 32$


Width vs. Diameter

Entire Dataset, 572Mode – Double Linear




Width vs. Thickness

Entire Dataset, 572Mode – Double Log




Width vs. Thickness

Entire Dataset, 572Mode – Double Linear



Height vs. Diameter

Entire Dataset, 572Mode – Double Log




Height

$y_0 = 1.581, m = 0.802, R^2 = 0.886, N = 32$


Height vs. Diameter

Entire Dataset, 572Mode – Double Linear



Height vs. Thickness

Entire Dataset, 572Mode – Double Log




Height

$$y_0 = 3.088, m = -0.043, R^2 = 0.001, N = 32$$

Height vs. Thickness


Entire Dataset, 572Mode – Double Linear



Height
 $y_0 = 20.262$, $m = -0.033$, $R^2 = 0.002$, $N = 32$

Diameter vs. Thickness

Entire Dataset, 572Mode – Double Log




Diameter

$y_0 = 3.207, m = -0.061, R^2 = 0.001, N = 32$

Diameter vs. Thickness


Entire Dataset, 572Mode – Double Linear



Diameter


$y_0 = 20.716$, $m = -0.019$, $R^2 = 0.003$, $N = 32$

Diameter / Width vs. Dry Weight
Entire Dataset, 572Mode – Double Log



Diameter / Width
 $y_0 = 5.747$, $m = -1.685$, $R^2 = 0.061$, $N = 32$


Diameter / Width vs. Dry Weight
Entire Dataset, 572Mode – Double Linear



Diameter / Width
 $y_0 = 87.423, m = -13.22, R^2 = 0.081, N = 32$


Width vs. Fresh Weight

Entire Dataset, 580Mode – Double Log



Width vs. Fresh Weight

Entire Dataset, 580Mode – Double Linear




Width

$$y_0 = -306.117, m = 77.028, R^2 = 0.462, N = 32$$

Height vs. Fresh Weight

Entire Dataset, 580Mode – Double Log




Height

$y_0 = 3.305$, $m = 0.928$, $R^2 = 0.252$, $N = 32$


Height vs. Fresh Weight

Entire Dataset, 580Mode – Double Linear




Diameter vs. Fresh Weight

Entire Dataset, 580Mode – Double Log



Diameter vs. Fresh Weight

Entire Dataset, 580Mode – Double Linear




Diameter

$y_0 = 481.717$, $m = 4.034$, $R^2 = 0.167$, $N = 32$

Thickness vs. Fresh Weight


Entire Dataset, 580Mode – Double Log




Thickness
 $y_0 = 5.1$, $m = 0.536$, $R^2 = 0.148$, $N = 32$

Thickness vs. Fresh Weight


Entire Dataset, 580Mode – Double Linear



Diameter / Width vs. Fresh Weight
Entire Dataset, 580Mode – Double Log




Diameter / Width vs. Fresh Weight
Entire Dataset, 580Mode – Double Linear



Width vs. Height

Entire Dataset, 580Mode – Double Log




Width


$y_0 = 3.166, m = 0.197, R^2 = 0.035, N = 32$

Width vs. Height

Entire Dataset, 580Mode – Double Linear




Width vs. Diameter
Entire Dataset, 580Mode – Double Log




Width vs. Diameter

Entire Dataset, 580Mode – Double Linear




Width vs. Thickness
Entire Dataset, 580Mode – Double Log



Width
 $y_0 = 3.065$, $m = -0.002$, $R^2 = 0$, $N = 32$

Width vs. Thickness


Entire Dataset, 580Mode – Double Linear



Width
 $y_0 = 20.799$, $m = 0.049$, $R^2 = 0.001$, $N = 32$

Height vs. Diameter

Entire Dataset, 580Mode – Double Log




Height

$y_0 = 1.633, m = 0.784, R^2 = 0.315, N = 32$

Height vs. Diameter

Entire Dataset, 580Mode – Double Linear




Height

$y_0 = 6.511$, $m = 2.157$, $R^2 = 0.279$, $N = 32$

Height vs. Thickness

Entire Dataset, 580Mode – Double Log




Height

$y_0 = 4.034$, $m = -0.263$, $R^2 = 0.039$, $N = 32$

Height vs. Thickness

Entire Dataset, 580Mode – Double Linear




Height

$y_0 = 26.958$, $m = -0.133$, $R^2 = 0.034$, $N = 32$

Diameter vs. Thickness

Entire Dataset, 580Mode – Double Log




Diameter


$y_0 = 4.079, m = -0.225, R^2 = 0.056, N = 32$

Diameter vs. Thickness

Entire Dataset, 580Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 580Mode – Double Log



Diameter / Width

$y_0 = 4.734$, $m = -0.764$, $R^2 = 0.073$, $N = 32$

Diameter / Width vs. Dry Weight
Entire Dataset, 580Mode – Double Linear



Width vs. Fresh Weight
Entire Dataset, 582Mode – Double Log



Width vs. Fresh Weight


Entire Dataset, 582Mode – Double Linear



$y_0 = -464.549$, $m = 90.19$, $R^2 = 0.676$, $N = 32$

Height vs. Fresh Weight

Entire Dataset, 582Mode – Double Log



Height vs. Fresh Weight

Entire Dataset, 582Mode – Double Linear




Height

$y_0 = -495.898, m = 33.854, R^2 = 0.383, N = 32$

Diameter vs. Fresh Weight

Entire Dataset, 582Mode – Double Log



Diameter

$y_0 = -2.442, m = 2.028, R^2 = 0.716, N = 32$

Diameter vs. Fresh Weight

Entire Dataset, 582Mode – Double Linear




Diameter

$y_0 = -922.53, m = 19.216, R^2 = 0.637, N = 32$


Thickness vs. Fresh Weight

Entire Dataset, 582Mode – Double Log



Thickness vs. Fresh Weight

Entire Dataset, 582Mode – Double Linear




$y_0 = -187.76$, $m = 51.452$, $R^2 = 0.341$, $N = 32$

Diameter / Width vs. Fresh Weight
Entire Dataset, 582Mode – Double Log



Diameter / Width
 $y_0 = 7.699$, $m = -0.474$, $R^2 = 0.04$, $N = 32$

Diameter / Width vs. Fresh Weight
Entire Dataset, 582Mode – Double Linear



Diameter / Width

$y_0 = 1424.014$, $m = -76.785$, $R^2 = 0.057$, $N = 32$


Width vs. Height

Entire Dataset, 582Mode – Double Log



Width vs. Height

Entire Dataset, 582Mode – Double Linear




Width vs. Diameter
Entire Dataset, 582Mode – Double Log



Width vs. Diameter

Entire Dataset, 582Mode – Double Linear



Width vs. Thickness
Entire Dataset, 582Mode – Double Log



Width
 $y_0 = 2.301$, $m = 0.286$, $R^2 = 0.105$, $N = 32$

Width vs. Thickness

Entire Dataset, 582Mode – Double Linear



Height vs. Diameter

Entire Dataset, 582Mode – Double Log




Height

$y_0 = 1.216, m = 0.896, R^2 = 0.727, N = 32$

Height vs. Diameter

Entire Dataset, 582Mode – Double Linear




Height

$y_0 = 15.618, m = 1.917, R^2 = 0.712, N = 32$

Height vs. Thickness

Entire Dataset, 582Mode – Double Log




Height

$y_0 = 1.782, m = 0.348, R^2 = 0.088, N = 32$

Height vs. Thickness

Entire Dataset, 582Mode – Double Linear




Height

$y_0 = 13.943$, $m = 0.189$, $R^2 = 0.093$, $N = 32$

Diameter vs. Thickness

Entire Dataset, 582Mode – Double Log




Diameter


$y_0 = 1.111$, $m = 0.432$, $R^2 = 0.149$, $N = 32$

Diameter vs. Thickness

Entire Dataset, 582Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 582Mode – Double Log




Diameter / Width
 $y_0 = 5.469$, $m = -1.183$, $R^2 = 0.052$, $N = 32$

Diameter / Width vs. Dry Weight
Entire Dataset, 582Mode – Double Linear




Diameter / Width
 $y_0 = 74.34$, $m = -7.05$, $R^2 = 0.064$, $N = 32$

Width vs. Fresh Weight
Entire Dataset, 584Mode – Double Log



Width vs. Fresh Weight

Entire Dataset, 584Mode – Double Linear




Width

$y_0 = -1051.003$, $m = 112.689$, $R^2 = 0.748$, $N = 32$


Height vs. Fresh Weight

Entire Dataset, 584Mode – Double Log



Height vs. Fresh Weight


Entire Dataset, 584Mode – Double Linear



Height


$y_0 = -910.909$, $m = 58.238$, $R^2 = 0.745$, $N = 32$

Diameter vs. Fresh Weight
Entire Dataset, 584Mode – Double Log




Diameter vs. Fresh Weight

Entire Dataset, 584Mode – Double Linear



$y_0 = 349.084$, $m = 8.61$, $R^2 = 0.332$, $N = 32$


Thickness vs. Fresh Weight
Entire Dataset, 584Mode – Double Log



Thickness
 $y_0 = 4.306$, $m = 0.839$, $R^2 = 0.103$, $N = 32$

Thickness vs. Fresh Weight


Entire Dataset, 584Mode – Double Linear




Thickness

$y_0 = 460.211$, $m = 28.002$, $R^2 = 0.053$, $N = 32$

Diameter / Width vs. Fresh Weight
Entire Dataset, 584Mode – Double Log




Diameter / Width vs. Fresh Weight
Entire Dataset, 584Mode – Double Linear



Diameter / Width
 $y_0 = 821.953, m = 66.202, R^2 = 0.029, N = 32$

Width vs. Height

Entire Dataset, 584Mode – Double Log




Width

$$y_0 = 1.246, m = 0.778, R^2 = 0.475, N = 32$$


Width vs. Height

Entire Dataset, 584Mode – Double Linear




Width vs. Diameter

Entire Dataset, 584Mode – Double Log




Width vs. Diameter

Entire Dataset, 584Mode – Double Linear




Width vs. Thickness

Entire Dataset, 584Mode – Double Log




Width vs. Thickness

Entire Dataset, 584Mode – Double Linear




Height vs. Diameter

Entire Dataset, 584Mode – Double Log




Height vs. Diameter

Entire Dataset, 584Mode – Double Linear




Height vs. Thickness

Entire Dataset, 584Mode – Double Log




Height vs. Thickness

Entire Dataset, 584Mode – Double Linear




Diameter vs. Thickness

Entire Dataset, 584Mode – Double Log




Diameter vs. Thickness

Entire Dataset, 584Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 584Mode – Double Log



Diameter / Width

$y_0 = 2.997$, $m = 0.178$, $R^2 = 0.005$, $N = 32$


Diameter / Width vs. Dry Weight
Entire Dataset, 584Mode – Double Linear



Diameter / Width


$y_0 = 25.296$, $m = 0.839$, $R^2 = 0.004$, $N = 32$

Width vs. Fresh Weight
Entire Dataset, 585Mode – Double Log



Width vs. Fresh Weight


Entire Dataset, 585Mode – Double Linear



$y_0 = -593.512$, $m = 75.03$, $R^2 = 0.567$, $N = 32$

Height vs. Fresh Weight

Entire Dataset, 585Mode – Double Log




Height

$y_0 = 0.788, m = 1.676, R^2 = 0.52, N = 32$

Height vs. Fresh Weight

Entire Dataset, 585Mode – Double Linear




Height

$$y_0 = -507.106, m = 39.452, R^2 = 0.548, N = 32$$

Diameter vs. Fresh Weight

Entire Dataset, 585Mode – Double Log




Diameter

$y_0 = 3.967, m = 0.612, R^2 = 0.22, N = 32$


Diameter vs. Fresh Weight

Entire Dataset, 585Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 585Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 585Mode – Double Linear




$y_0 = -93.285$, $m = 41.226$, $R^2 = 0.388$, $N = 32$

Diameter / Width vs. Fresh Weight
Entire Dataset, 585Mode – Double Log



Diameter / Width vs. Fresh Weight


Entire Dataset, 585Mode – Double Linear



Diameter / Width
 $y_0 = 575.643$, $m = 47.956$, $R^2 = 0.017$, $N = 32$


Width vs. Height

Entire Dataset, 585Mode – Double Log




Width vs. Height

Entire Dataset, 585Mode – Double Linear




Width vs. Diameter
Entire Dataset, 585Mode – Double Log




Width vs. Diameter

Entire Dataset, 585Mode – Double Linear




Width vs. Thickness

Entire Dataset, 585Mode – Double Log




Width vs. Thickness

Entire Dataset, 585Mode – Double Linear




Height vs. Diameter

Entire Dataset, 585Mode – Double Log




Height vs. Diameter

Entire Dataset, 585Mode – Double Linear



Height vs. Thickness

Entire Dataset, 585Mode – Double Log




Height

$y_0 = 2.454$, $m = 0.168$, $R^2 = 0.018$, $N = 32$

Height vs. Thickness

Entire Dataset, 585Mode – Double Linear




Height

$y_0 = 17.269$, $m = 0.118$, $R^2 = 0.022$, $N = 32$


Diameter vs. Thickness

Entire Dataset, 585Mode – Double Log




Diameter vs. Thickness

Entire Dataset, 585Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 585Mode – Double Log



Diameter / Width


$y_0 = 3.505$, $m = -0.143$, $R^2 = 0.004$, $N = 32$

Diameter / Width vs. Dry Weight
Entire Dataset, 585Mode – Double Linear



Width vs. Fresh Weight

Entire Dataset, 839Mode – Double Log




Width

$y_0 = 2.674, m = 1.299, R^2 = 0.491, N = 32$

Width vs. Fresh Weight

Entire Dataset, 839Mode – Double Linear




Width

$y_0 = 65.011$, $m = 36.163$, $R^2 = 0.345$, $N = 32$

Height vs. Fresh Weight

Entire Dataset, 839Mode – Double Log




Height

$y_0 = 1.672, m = 1.45, R^2 = 0.408, N = 32$

Height vs. Fresh Weight

Entire Dataset, 839Mode – Double Linear




Height

$y_0 = -329.956, m = 36.646, R^2 = 0.41, N = 32$

Diameter vs. Fresh Weight

Entire Dataset, 839Mode – Double Log




Diameter

$y_0 = -4.128, m = 2.42, R^2 = 0.813, N = 32$


Diameter vs. Fresh Weight

Entire Dataset, 839Mode – Double Linear



Thickness vs. Fresh Weight

Entire Dataset, 839Mode – Double Log




Thickness

$y_0 = 5.713$, $m = 0.394$, $R^2 = 0.08$, $N = 32$

Thickness vs. Fresh Weight


Entire Dataset, 839Mode – Double Linear



Thickness

$y_0 = 717.371$, $m = 14.17$, $R^2 = 0.042$, $N = 32$


Diameter / Width vs. Fresh Weight
Entire Dataset, 839Mode – Double Log



Diameter / Width

$y_0 = 7.223$, $m = -0.305$, $R^2 = 0.013$, $N = 32$

Diameter / Width vs. Fresh Weight
Entire Dataset, 839Mode – Double Linear




Diameter / Width

$y_0 = 1170.506$, $m = -56.279$, $R^2 = 0.007$, $N = 32$

Width vs. Height

Entire Dataset, 839Mode – Double Log




Width

$y_0 = 2.272, m = 0.4, R^2 = 0.24, N = 32$


Width vs. Height

Entire Dataset, 839Mode – Double Linear



$y_0 = 24.216$, $m = 0.441$, $R^2 = 0.168$, $N = 32$


Width vs. Diameter
Entire Dataset, 839Mode – Double Log



Width

$y_0 = 2.917, m = 0.504, R^2 = 0.531, N = 32$

Width vs. Diameter
Entire Dataset, 839Mode – Double Linear




Width

$y_0 = 55.216$, $m = 1.524$, $R^2 = 0.399$, $N = 32$

Width vs. Thickness

Entire Dataset, 839Mode – Double Log




Width

$y_0 = 3.283$, $m = -0.153$, $R^2 = 0.013$, $N = 32$

Width vs. Thickness

Entire Dataset, 839Mode – Double Linear




Width

$y_0 = 20.8, m = -0.163, R^2 = 0.034, N = 32$


Height vs. Diameter

Entire Dataset, 839Mode – Double Log




Height vs. Diameter

Entire Dataset, 839Mode – Double Linear



Height vs. Thickness

Entire Dataset, 839Mode – Double Log




Height

$y_0 = 4.677$, $m = -0.53$, $R^2 = 0.106$, $N = 32$


Height vs. Thickness

Entire Dataset, 839Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 839Mode – Double Log




Diameter


$y_0 = 3.556, m = -0.168, R^2 = 0.008, N = 32$

Diameter vs. Thickness

Entire Dataset, 839Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 839Mode – Double Log



Diameter / Width
 $y_0 = 2.098$, $m = 1.029$, $R^2 = 0.076$, $N = 32$


Diameter / Width vs. Dry Weight
Entire Dataset, 839Mode – Double Linear



Diameter / Width
 $y_0 = -17.348$, $m = 13.893$, $R^2 = 0.095$, $N = 32$

Width vs. Fresh Weight

Entire Dataset, 845Mode – Double Log




Width

$y_0 = 0.057, m = 2.187, R^2 = 0.715, N = 32$

Width vs. Fresh Weight


Entire Dataset, 845Mode – Double Linear



$y_0 = -977.161$, $m = 87.825$, $R^2 = 0.691$, $N = 32$

Height vs. Fresh Weight

Entire Dataset, 845Mode – Double Log




Height

$y_0 = -0.198$, $m = 1.977$, $R^2 = 0.757$, $N = 32$

Height vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear



Height

$y_0 = -835.643$, $m = 51.488$, $R^2 = 0.777$, $N = 32$

Diameter vs. Fresh Weight

Entire Dataset, 845Mode – Double Log



Diameter

$y_0 = -3.354, m = 2.271, R^2 = 0.875, N = 32$

Diameter vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear



Thickness vs. Fresh Weight

Entire Dataset, 845Mode – Double Log




Thickness


$y_0 = 4.267, m = 0.827, R^2 = 0.159, N = 32$

Thickness vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 845Mode – Double Log



Diameter / Width
 $y_0 = 5.058$, $m = 1.126$, $R^2 = 0.066$, $N = 32$

Diameter / Width vs. Fresh Weight
Entire Dataset, 845Mode – Double Linear



Diameter / Width
 $y_0 = -152.027, m = 238.481, R^2 = 0.07, N = 32$

Width vs. Height

Entire Dataset, 845Mode – Double Log



Width vs. Height

Entire Dataset, 845Mode – Double Linear




Width vs. Diameter
Entire Dataset, 845Mode – Double Log




Width vs. Diameter

Entire Dataset, 845Mode – Double Linear




Width vs. Thickness

Entire Dataset, 845Mode – Double Log



Width vs. Thickness

Entire Dataset, 845Mode – Double Linear



Height vs. Diameter

Entire Dataset, 845Mode – Double Log




Height

$y_0 = 1.282$, $m = 0.902$, $R^2 = 0.929$, $N = 32$


Height vs. Diameter

Entire Dataset, 845Mode – Double Linear



Height vs. Thickness

Entire Dataset, 845Mode – Double Log



Height

$y_0 = 2.213, m = 0.185, R^2 = 0.029, N = 32$

Height vs. Thickness


Entire Dataset, 845Mode – Double Linear



Height
 $y_0 = 14.985$, $m = 0.083$, $R^2 = 0.019$, $N = 32$

Diameter vs. Thickness

Entire Dataset, 845Mode – Double Log




Diameter

$y_0 = 1.967$, $m = 0.202$, $R^2 = 0.03$, $N = 32$

Diameter vs. Thickness


Entire Dataset, 845Mode – Double Linear



Diameter


$y_0 = 14.494$, $m = 0.038$, $R^2 = 0.024$, $N = 32$

Diameter / Width vs. Dry Weight
Entire Dataset, 845Mode – Double Log




Diameter / Width
 $y_0 = 1.537$, $m = 1.474$, $R^2 = 0.085$, $N = 32$

Diameter / Width vs. Dry Weight
Entire Dataset, 845Mode – Double Linear



Diameter / Width
 $y_0 = -6.837$, $m = 11.654$, $R^2 = 0.039$, $N = 32$


Width vs. Fresh Weight
Entire Dataset, 854Mode – Double Log



Width
 $y_0 = 1.571$, $m = 1.625$, $R^2 = 0.64$, $N = 32$

Width vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear




Width

$y_0 = -252.257$, $m = 43.329$, $R^2 = 0.623$, $N = 32$


Height vs. Fresh Weight

Entire Dataset, 854Mode – Double Log




Height vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear



Diameter vs. Fresh Weight

Entire Dataset, 854Mode – Double Log




Diameter

$y_0 = 4.064$, $m = 0.479$, $R^2 = 0.124$, $N = 32$


Diameter vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 854Mode – Double Log



Thickness vs. Fresh Weight


Entire Dataset, 854Mode – Double Linear



Thickness


$y_0 = 211.965$, $m = 12.128$, $R^2 = 0.157$, $N = 32$

Diameter / Width vs. Fresh Weight
Entire Dataset, 854Mode – Double Log



Diameter / Width
 $y_0 = 6.509, m = -0.339, R^2 = 0.046, N = 32$


Diameter / Width vs. Fresh Weight
Entire Dataset, 854Mode – Double Linear



Diameter / Width
 $y_0 = 619.487$, $m = -47.31$, $R^2 = 0.054$, $N = 32$

Width vs. Height

Entire Dataset, 854Mode – Double Log




Width

$y_0 = 1.632, m = 0.583, R^2 = 0.253, N = 32$

Width vs. Height


Entire Dataset, 854Mode – Double Linear



Width


$y_0 = 11.187$, $m = 0.915$, $R^2 = 0.245$, $N = 32$

Width vs. Diameter
Entire Dataset, 854Mode – Double Log




Width vs. Diameter

Entire Dataset, 854Mode – Double Linear




Width vs. Thickness

Entire Dataset, 854Mode – Double Log



Width vs. Thickness

Entire Dataset, 854Mode – Double Linear




Width

$y_0 = 16.079$, $m = 0.124$, $R^2 = 0.005$, $N = 32$


Height vs. Diameter

Entire Dataset, 854Mode – Double Log




Height vs. Diameter

Entire Dataset, 854Mode – Double Linear



Height vs. Thickness

Entire Dataset, 854Mode – Double Log




Height

$y_0 = 4.582$, $m = -0.527$, $R^2 = 0.138$, $N = 32$


Height vs. Thickness

Entire Dataset, 854Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 854Mode – Double Log




Diameter


$y_0 = 3.154$, $m = -0.067$, $R^2 = 0.004$, $N = 32$

Diameter vs. Thickness

Entire Dataset, 854Mode – Double Linear



Diameter / Width vs. Dry Weight
Entire Dataset, 854Mode – Double Log



Diameter / Width vs. Dry Weight
Entire Dataset, 854Mode – Double Linear

