


Width vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Log




Width

$$y_0 = 2.813, m = 1.349, R^2 = 0.52, N = 389$$


Width vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Linear



Height vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Log




Height

$$y_0 = 1.463, m = 1.468, R^2 = 0.383, N = 389$$

Height vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Linear




Height

$y_0 = -294.705$, $m = 33.213$, $R^2 = 0.35$, $N = 389$

Diameter vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Log




Diameter

$y_0 = 0.487$, $m = 1.396$, $R^2 = 0.408$, $N = 389$


Diameter vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Linear



Thickness vs. Fresh Weight


Entire Dataset, All AccessionsMode – Double Log




Thickness

$y_0 = 2.688$, $m = 1.333$, $R^2 = 0.411$, $N = 389$

Thickness vs. Fresh Weight
Entire Dataset, All AccessionsMode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, All AccessionsMode – Double Log



Diameter / Width

$y_0 = 7.122$, $m = -0.287$, $R^2 = 0.027$, $N = 389$

Diameter / Width vs. Fresh Weight
Entire Dataset, All AccessionsMode – Double Linear




Diameter / Width

$y_0 = 1071.102, m = -37.323, R^2 = 0.022, N = 389$


Width vs. Height

Entire Dataset, All AccessionsMode – Double Log



Width vs. Height

Entire Dataset, All AccessionsMode – Double Linear




Width

$$y_0 = 31.732, m = 0.208, R^2 = 0.018, N = 389$$

Width vs. Diameter


Entire Dataset, All AccessionsMode – Double Log



Width

$y_0 = 3.578$, $m = 0.298$, $R^2 = 0.121$, $N = 389$


Width vs. Diameter
Entire Dataset, All AccessionsMode – Double Linear




Width
 $y_0 = 58.834$, $m = 1.503$, $R^2 = 0.152$, $N = 389$

Width vs. Thickness

Entire Dataset, All AccessionsMode – Double Log



Width vs. Thickness
Entire Dataset, All AccessionsMode – Double Linear




Width

$y_0 = 16.296, m = 0.226, R^2 = 0.05, N = 389$

Height vs. Diameter

Entire Dataset, All AccessionsMode – Double Log




Height

$y_0 = 1.85$, $m = 0.728$, $R^2 = 0.45$, $N = 389$

Height vs. Diameter

Entire Dataset, All AccessionsMode – Double Linear




Height

$$y_0 = 20.981, m = 1.832, R^2 = 0.542, N = 389$$


Height vs. Thickness

Entire Dataset, All AccessionsMode – Double Log




Height vs. Thickness

Entire Dataset, All AccessionsMode – Double Linear




Diameter vs. Thickness

Entire Dataset, All AccessionsMode – Double Log




Diameter vs. Thickness

Entire Dataset, All AccessionsMode – Double Linear



Width vs. Fresh Weight

Entire Dataset, 242Mode – Double Log




Width

$y_0 = 3.797$, $m = 0.905$, $R^2 = 0.343$, $N = 32$

Width vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear




Width

$y_0 = -189.382$, $m = 54.729$, $R^2 = 0.526$, $N = 32$

Height vs. Fresh Weight

Entire Dataset, 242Mode – Double Log




Height

$y_0 = -1.017$, $m = 1.972$, $R^2 = 0.538$, $N = 32$

Height vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear




Height

$y_0 = -522.688, m = 27.378, R^2 = 0.501, N = 32$


Diameter vs. Fresh Weight

Entire Dataset, 242Mode – Double Log




Diameter vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear




Thickness vs. Fresh Weight
Entire Dataset, 242Mode – Double Log



Thickness
 $y_0 = 1.759, m = 1.541, R^2 = 0.306, N = 32$


Thickness vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear




$y_0 = -441.757$, $m = 56.372$, $R^2 = 0.446$, $N = 32$

Diameter / Width vs. Fresh Weight
Entire Dataset, 242Mode – Double Log



Diameter / Width
 $y_0 = 6.529$, $m = -0.29$, $R^2 = 0.033$, $N = 32$


Diameter / Width vs. Fresh Weight
Entire Dataset, 242Mode – Double Linear



Diameter / Width
 $y_0 = 466.838, m = -4.904, R^2 = 0.005, N = 32$

Width vs. Height

Entire Dataset, 242Mode – Double Log




Width

$y_0 = 3.109, m = 0.179, R^2 = 0.097, N = 32$


Width vs. Height

Entire Dataset, 242Mode – Double Linear



Width vs. Diameter

Entire Dataset, 242Mode – Double Log




Width

$y_0 = 3.996$, $m = 0.15$, $R^2 = 0.097$, $N = 32$

Width vs. Diameter

Entire Dataset, 242Mode – Double Linear




Width

$y_0 = 59.884$, $m = 1.657$, $R^2 = 0.182$, $N = 32$


Width vs. Thickness

Entire Dataset, 242Mode – Double Log



Width vs. Thickness

Entire Dataset, 242Mode – Double Linear




Width

$y_0 = 10.49$, $m = 0.44$, $R^2 = 0.242$, $N = 32$


Height vs. Diameter

Entire Dataset, 242Mode – Double Log




Height vs. Diameter

Entire Dataset, 242Mode – Double Linear



Height vs. Thickness

Entire Dataset, 242Mode – Double Log




Height

$y_0 = 1.989, m = 0.208, R^2 = 0.047, N = 32$


Height vs. Thickness

Entire Dataset, 242Mode – Double Linear




Diameter vs. Thickness

Entire Dataset, 242Mode – Double Log




Diameter vs. Thickness

Entire Dataset, 242Mode – Double Linear




Width vs. Fresh Weight
Entire Dataset, 246Mode – Double Log



Width


$y_0 = 2.53, m = 1.315, R^2 = 0.518, N = 32$

Width vs. Fresh Weight
Entire Dataset, 246Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 246Mode – Double Log




Height

$y_0 = 1.341$, $m = 1.402$, $R^2 = 0.371$, $N = 32$

Height vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear



Height

$y_0 = -222.61, m = 22.907, R^2 = 0.354, N = 32$

Diameter vs. Fresh Weight
Entire Dataset, 246Mode – Double Log




Diameter

$y_0 = -2.825$, $m = 2.088$, $R^2 = 0.643$, $N = 32$


Diameter vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 246Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 246Mode – Double Log



Diameter / Width
 $y_0 = 6.641$, $m = -0.343$, $R^2 = 0.03$, $N = 32$

Diameter / Width vs. Fresh Weight
Entire Dataset, 246Mode – Double Linear




Diameter / Width

$y_0 = 685.507$, $m = -44.949$, $R^2 = 0.048$, $N = 32$

Width vs. Height

Entire Dataset, 246Mode – Double Log




Width

$y_0 = 2.917$, $m = 0.178$, $R^2 = 0.05$, $N = 32$


Width vs. Height

Entire Dataset, 246Mode – Double Linear



Width vs. Diameter

Entire Dataset, 246Mode – Double Log




Width


$y_0 = 3.387$, $m = 0.328$, $R^2 = 0.218$, $N = 32$

Width vs. Diameter

Entire Dataset, 246Mode – Double Linear




Width vs. Thickness
Entire Dataset, 246Mode – Double Log



Width vs. Thickness

Entire Dataset, 246Mode – Double Linear




Width

$y_0 = 15.65$, $m = -0.037$, $R^2 = 0.002$, $N = 32$


Height vs. Diameter

Entire Dataset, 246Mode – Double Log




Height vs. Diameter

Entire Dataset, 246Mode – Double Linear




Height vs. Thickness

Entire Dataset, 246Mode – Double Log



Height vs. Thickness

Entire Dataset, 246Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 246Mode – Double Log




Diameter


$y_0 = 2.765$, $m = -0.014$, $R^2 = 0$, $N = 32$

Diameter vs. Thickness

Entire Dataset, 246Mode – Double Linear



Width vs. Fresh Weight
Entire Dataset, 319Mode – Double Log




Width

$y_0 = 3.071, m = 1.412, R^2 = 0.589, N = 32$


Width vs. Fresh Weight

Entire Dataset, 319Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 319Mode – Double Log




Height

$y_0 = 5.499$, $m = 0.388$, $R^2 = 0.125$, $N = 32$

Height vs. Fresh Weight

Entire Dataset, 319Mode – Double Linear




Height

$y_0 = 358.243$, $m = 16.328$, $R^2 = 0.255$, $N = 32$

Diameter vs. Fresh Weight


Entire Dataset, 319Mode – Double Log



$y_0 = 7.043$, $m = -0.015$, $R^2 = 0.001$, $N = 32$


Diameter vs. Fresh Weight

Entire Dataset, 319Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 319Mode – Double Log




Thickness vs. Fresh Weight


Entire Dataset, 319Mode – Double Linear



Diameter / Width vs. Fresh Weight
Entire Dataset, 319Mode – Double Log




Diameter / Width vs. Fresh Weight
Entire Dataset, 319Mode – Double Linear




Width vs. Height

Entire Dataset, 319Mode – Double Log



Width vs. Height


Entire Dataset, 319Mode – Double Linear



Width

$y_0 = 35.701$, $m = 0.616$, $R^2 = 0.027$, $N = 32$

Width vs. Diameter
Entire Dataset, 319Mode – Double Log




Width

$y_0 = 5.197$, $m = -0.228$, $R^2 = 0.007$, $N = 32$

Width vs. Diameter


Entire Dataset, 319Mode – Double Linear



Width

$y_0 = 93.512$, $m = 0.446$, $R^2 = 0.003$, $N = 32$

Width vs. Thickness
Entire Dataset, 319Mode – Double Log




Width

$y_0 = 3.063, m = 0.03, R^2 = 0.001, N = 32$


Width vs. Thickness

Entire Dataset, 319Mode – Double Linear



Height vs. Diameter


Entire Dataset, 319Mode – Double Log



Height
 $y_0 = 4.387$, $m = 0.047$, $R^2 = 0.001$, $N = 32$

Height vs. Diameter

Entire Dataset, 319Mode – Double Linear




Height

$y_0 = 71.242, m = 0.645, R^2 = 0.073, N = 32$

Height vs. Thickness

Entire Dataset, 319Mode – Double Log




Height

$y_0 = 3.149$, $m = -0.001$, $R^2 = 0$, $N = 32$

Height vs. Thickness


Entire Dataset, 319Mode – Double Linear



Height
 $y_0 = 22.526$, $m = 0.02$, $R^2 = 0.003$, $N = 32$


Diameter vs. Thickness

Entire Dataset, 319Mode – Double Log




Diameter vs. Thickness

Entire Dataset, 319Mode – Double Linear



Width vs. Fresh Weight

Entire Dataset, 325Mode – Double Log




Width

$y_0 = 1.99, m = 1.679, R^2 = 0.593, N = 24$

Width vs. Fresh Weight

Entire Dataset, 325Mode – Double Linear




Width

$y_0 = -772.701, m = 96.661, R^2 = 0.621, N = 24$


Height vs. Fresh Weight

Entire Dataset, 325Mode – Double Log



Height vs. Fresh Weight

Entire Dataset, 325Mode – Double Linear




Height

$y_0 = -885.679$, $m = 56.88$, $R^2 = 0.502$, $N = 24$

Diameter vs. Fresh Weight

Entire Dataset, 325Mode – Double Log




Diameter

$y_0 = -3.792$, $m = 2.398$, $R^2 = 0.859$, $N = 24$

Diameter vs. Fresh Weight


Entire Dataset, 325Mode – Double Linear



Diameter

$y_0 = -1761.428, m = 32.114, R^2 = 0.797, N = 24$

Thickness vs. Fresh Weight
Entire Dataset, 325Mode – Double Log




Thickness

$y_0 = 4.36$, $m = 0.921$, $R^2 = 0.311$, $N = 24$

Thickness vs. Fresh Weight


Entire Dataset, 325Mode – Double Linear



Thickness


$y_0 = 501.883$, $m = 40.999$, $R^2 = 0.24$, $N = 24$

Diameter / Width vs. Fresh Weight
Entire Dataset, 325Mode – Double Log



Diameter / Width
 $y_0 = 7.182$, $m = 0.039$, $R^2 = 0$, $N = 24$

Diameter / Width vs. Fresh Weight
Entire Dataset, 325Mode – Double Linear




Diameter / Width

$y_0 = 1751.166$, $m = -67.54$, $R^2 = 0.007$, $N = 24$


Width vs. Height

Entire Dataset, 325Mode – Double Log




Width vs. Height

Entire Dataset, 325Mode – Double Linear




Width vs. Diameter
Entire Dataset, 325Mode – Double Log



Width vs. Diameter

Entire Dataset, 325Mode – Double Linear




Width

$y_0 = 46.783, m = 2.316, R^2 = 0.461, N = 24$

Width vs. Thickness

Entire Dataset, 325Mode – Double Log




Width

$y_0 = 2.334$, $m = 0.254$, $R^2 = 0.037$, $N = 24$

Width vs. Thickness

Entire Dataset, 325Mode – Double Linear




Width

$y_0 = 18.828$, $m = 0.192$, $R^2 = 0.017$, $N = 24$


Height vs. Diameter

Entire Dataset, 325Mode – Double Log




Height vs. Diameter

Entire Dataset, 325Mode – Double Linear



Height vs. Thickness

Entire Dataset, 325Mode – Double Log




Height

$y_0 = 0.869, m = 0.609, R^2 = 0.175, N = 24$


Height vs. Thickness

Entire Dataset, 325Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 325Mode – Double Log




Diameter

$y_0 = 0.235$, $m = 0.629$, $R^2 = 0.161$, $N = 24$


Diameter vs. Thickness

Entire Dataset, 325Mode – Double Linear




Width vs. Fresh Weight

Entire Dataset, 326Mode – Double Log



Width vs. Fresh Weight


Entire Dataset, 326Mode – Double Linear



$y_0 = -951.63, m = 107.034, R^2 = 0.699, N = 32$


Height vs. Fresh Weight

Entire Dataset, 326Mode – Double Log



Height vs. Fresh Weight


Entire Dataset, 326Mode – Double Linear



Height


$y_0 = -864.6, m = 56.049, R^2 = 0.7, N = 32$

Diameter vs. Fresh Weight
Entire Dataset, 32Mode – Double Log




Diameter vs. Fresh Weight

Entire Dataset, 326Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 326Mode – Double Log



Thickness vs. Fresh Weight


Entire Dataset, 326Mode – Double Linear



Thickness

$y_0 = 181.589, m = 29.301, R^2 = 0.24, N = 32$


Diameter / Width vs. Fresh Weight
Entire Dataset, 326Mode – Double Log



Diameter / Width

$y_0 = 6.351$, $m = 0.288$, $R^2 = 0.005$, $N = 32$


Diameter / Width vs. Fresh Weight
Entire Dataset, 326Mode – Double Linear



Diameter / Width
 $y_0 = 619.715, m = 65.029, R^2 = 0.007, N = 32$


Width vs. Height

Entire Dataset, 326Mode – Double Log



Width vs. Height


Entire Dataset, 326Mode – Double Linear



Width

$y_0 = 9.975, m = 1.247, R^2 = 0.426, N = 32$

Width vs. Diameter
Entire Dataset, 326Mode – Double Log




Width

$y_0 = 2.166$, $m = 0.766$, $R^2 = 0.644$, $N = 32$

Width vs. Diameter

Entire Dataset, 326Mode – Double Linear




Width

$y_0 = 17.286$, $m = 3.476$, $R^2 = 0.642$, $N = 32$

Width vs. Thickness

Entire Dataset, 326Mode – Double Log




Width

$y_0 = 0.971, m = 0.782, R^2 = 0.242, N = 32$

Width vs. Thickness

Entire Dataset, 326Mode – Double Linear




Width

$y_0 = 7.569, m = 0.996, R^2 = 0.217, N = 32$

Height vs. Diameter

Entire Dataset, 326Mode – Double Log




Height

$y_0 = 1.386, m = 0.859, R^2 = 0.882, N = 32$

Height vs. Diameter

Entire Dataset, 326Mode – Double Linear




Height

$y_0 = 10.258$, $m = 2.131$, $R^2 = 0.882$, $N = 32$


Height vs. Thickness

Entire Dataset, 326Mode – Double Log




Height vs. Thickness

Entire Dataset, 326Mode – Double Linear




Diameter vs. Thickness

Entire Dataset, 326Mode – Double Log




Diameter vs. Thickness

Entire Dataset, 326Mode – Double Linear



Width vs. Fresh Weight
Entire Dataset, 390Mode – Double Log




Width

$y_0 = 0.388, m = 2.107, R^2 = 0.67, N = 29$


Width vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 390Mode – Double Log




Height

$y_0 = 0.051, m = 2.038, R^2 = 0.651, N = 29$

Height vs. Fresh Weight


Entire Dataset, 390Mode – Double Linear



Height

$y_0 = -1076.549, m = 73.812, R^2 = 0.581, N = 29$

Diameter vs. Fresh Weight
Entire Dataset, 390Mode – Double Log




Diameter

$y_0 = -1.886$, $m = 2.009$, $R^2 = 0.638$, $N = 29$

Diameter vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear




Diameter

$y_0 = -1265.196$, $m = 28.855$, $R^2 = 0.658$, $N = 29$


Thickness vs. Fresh Weight

Entire Dataset, 390Mode – Double Log



Thickness vs. Fresh Weight


Entire Dataset, 390Mode – Double Linear



Thickness


$y_0 = -154.837, m = 63.56, R^2 = 0.44, N = 29$

Diameter / Width vs. Fresh Weight
Entire Dataset, 390Mode – Double Log



Diameter / Width
 $y_0 = 7.159$, $m = -0.002$, $R^2 = 0$, $N = 29$


Diameter / Width vs. Fresh Weight
Entire Dataset, 390Mode – Double Linear



Diameter / Width
 $y_0 = 1475.606$, $m = -31.949$, $R^2 = 0.001$, $N = 29$

Width vs. Height

Entire Dataset, 390Mode – Double Log




Width

$y_0 = 1.518, m = 0.613, R^2 = 0.361, N = 29$

Width vs. Height

Entire Dataset, 390Mode – Double Linear




Width

$y_0 = 15.067, m = 0.715, R^2 = 0.327, N = 29$

Width vs. Diameter

Entire Dataset, 390Mode – Double Log




Width

$y_0 = 2.214$, $m = 0.712$, $R^2 = 0.483$, $N = 29$


Width vs. Diameter

Entire Dataset, 390Mode – Double Linear



Width vs. Thickness

Entire Dataset, 390Mode – Double Log




Width

$y_0 = 1.4, m = 0.545, R^2 = 0.149, N = 29$

Width vs. Thickness

Entire Dataset, 390Mode – Double Linear




Width

$y_0 = 14.42, m = 0.375, R^2 = 0.088, N = 29$

Height vs. Diameter

Entire Dataset, 390Mode – Double Log




Height

$y_0 = 1.501$, $m = 0.86$, $R^2 = 0.734$, $N = 29$


Height vs. Diameter

Entire Dataset, 390Mode – Double Linear




Height vs. Thickness

Entire Dataset, 390Mode – Double Log



Height vs. Thickness

Entire Dataset, 390Mode – Double Linear




Height

$y_0 = 11.324$, $m = 0.379$, $R^2 = 0.14$, $N = 29$

Diameter vs. Thickness

Entire Dataset, 390Mode – Double Log




Diameter


$y_0 = 1.047$, $m = 0.468$, $R^2 = 0.115$, $N = 29$

Diameter vs. Thickness

Entire Dataset, 390Mode – Double Linear



Width vs. Fresh Weight
Entire Dataset, 572Mode – Double Log




Width

$y_0 = 1.664, m = 1.728, R^2 = 0.647, N = 24$


Width vs. Fresh Weight

Entire Dataset, 572Mode – Double Linear




Height vs. Fresh Weight

Entire Dataset, 572Mode – Double Log



Height vs. Fresh Weight

Entire Dataset, 572Mode – Double Linear




Height

$y_0 = -577.638, m = 39.682, R^2 = 0.664, N = 24$


Diameter vs. Fresh Weight

Entire Dataset, 572Mode – Double Log




Diameter vs. Fresh Weight

Entire Dataset, 572Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 572Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 572Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 572Mode – Double Log



Diameter / Width
 $y_0 = 6.602$, $m = 0.086$, $R^2 = 0$, $N = 24$


Diameter / Width vs. Fresh Weight
Entire Dataset, 572Mode – Double Linear



Diameter / Width
 $y_0 = 537.376$, $m = 71.459$, $R^2 = 0.009$, $N = 24$

Width vs. Height

Entire Dataset, 572Mode – Double Log




Width

$y_0 = 0.963$, $m = 0.894$, $R^2 = 0.699$, $N = 24$

Width vs. Height


Entire Dataset, 572Mode – Double Linear



Width

$y_0 = 2.492, m = 1.791, R^2 = 0.699, N = 24$


Width vs. Diameter
Entire Dataset, 572Mode – Double Log



Width
 $y_0 = 2.165, m = 0.78, R^2 = 0.725, N = 24$


Width vs. Diameter

Entire Dataset, 572Mode – Double Linear



Width vs. Thickness

Entire Dataset, 572Mode – Double Log




Width

$y_0 = 2.673, m = 0.094, R^2 = 0.004, N = 24$


Width vs. Thickness

Entire Dataset, 572Mode – Double Linear




Height vs. Diameter

Entire Dataset, 572Mode – Double Log




Height vs. Diameter

Entire Dataset, 572Mode – Double Linear



Height vs. Thickness

Entire Dataset, 572Mode – Double Log




Height

$y_0 = 2.742$, $m = 0.058$, $R^2 = 0.002$, $N = 24$

Height vs. Thickness


Entire Dataset, 572Mode – Double Linear



Height
 $y_0 = 18.822$, $m = 0.015$, $R^2 = 0$, $N = 24$

Diameter vs. Thickness

Entire Dataset, 572Mode – Double Log




Diameter

$y_0 = 2.814, m = 0.03, R^2 = 0, N = 24$


Diameter vs. Thickness

Entire Dataset, 572Mode – Double Linear



Width vs. Fresh Weight

Entire Dataset, 580Mode – Double Log




Width

$$y_0 = 3.282, m = 1.276, R^2 = 0.449, N = 24$$

Width vs. Fresh Weight

Entire Dataset, 580Mode – Double Linear




Width

$y_0 = -273.358, m = 75.043, R^2 = 0.466, N = 24$

Height vs. Fresh Weight

Entire Dataset, 580Mode – Double Log




Height

$y_0 = 3.88, m = 0.774, R^2 = 0.12, N = 24$

Height vs. Fresh Weight

Entire Dataset, 580Mode – Double Linear




Height

$y_0 = 168.655$, $m = 17.071$, $R^2 = 0.134$, $N = 24$

Diameter vs. Fresh Weight

Entire Dataset, 580Mode – Double Log




Diameter


$y_0 = 3.951, m = 0.616, R^2 = 0.251, N = 24$

Diameter vs. Fresh Weight

Entire Dataset, 580Mode – Double Linear




Thickness vs. Fresh Weight
Entire Dataset, 580Mode – Double Log




Thickness
 $y_0 = 4.972$, $m = 0.588$, $R^2 = 0.227$, $N = 24$

Thickness vs. Fresh Weight


Entire Dataset, 580Mode – Double Linear



Diameter / Width vs. Fresh Weight
Entire Dataset, 580Mode – Double Log




Diameter / Width vs. Fresh Weight
Entire Dataset, 580Mode – Double Linear



Diameter / Width
 $y_0 = 756.417, m = 19.316, R^2 = 0.017, N = 24$

Width vs. Height

Entire Dataset, 580Mode – Double Log




Width

$y_0 = 3.644$, $m = 0.03$, $R^2 = 0.001$, $N = 24$

Width vs. Height


Entire Dataset, 580Mode – Double Linear



Width

$y_0 = 39.52, m = 0.136, R^2 = 0.003, N = 24$


Width vs. Diameter
Entire Dataset, 580Mode – Double Log



Width
 $y_0 = 3.338, m = 0.448, R^2 = 0.084, N = 24$

Width vs. Diameter

Entire Dataset, 580Mode – Double Linear




Width

$y_0 = 37.801$, $m = 3.85$, $R^2 = 0.093$, $N = 24$

Width vs. Thickness

Entire Dataset, 580Mode – Double Log




Width

$y_0 = 3.163$, $m = -0.043$, $R^2 = 0.001$, $N = 24$

Width vs. Thickness


Entire Dataset, 580Mode – Double Linear



Width
 $y_0 = 21.446$, $m = -0.011$, $R^2 = 0$, $N = 24$


Height vs. Diameter

Entire Dataset, 580Mode – Double Log




Height vs. Diameter

Entire Dataset, 580Mode – Double Linear



Height vs. Thickness

Entire Dataset, 580Mode – Double Log




Height

$y_0 = 3.644$, $m = -0.16$, $R^2 = 0.008$, $N = 24$

Height vs. Thickness

Entire Dataset, 580Mode – Double Linear




Height

$y_0 = 24.933$, $m = -0.088$, $R^2 = 0.009$, $N = 24$

Diameter vs. Thickness

Entire Dataset, 580Mode – Double Log




Diameter

$y_0 = 3.84$, $m = -0.174$, $R^2 = 0.03$, $N = 24$


Diameter vs. Thickness

Entire Dataset, 580Mode – Double Linear




Width vs. Fresh Weight

Entire Dataset, 582Mode – Double Log



Width vs. Fresh Weight


Entire Dataset, 582Mode – Double Linear



$y_0 = -464.549$, $m = 90.19$, $R^2 = 0.676$, $N = 32$


Height vs. Fresh Weight

Entire Dataset, 582Mode – Double Log



Height vs. Fresh Weight

Entire Dataset, 582Mode – Double Linear




Height

$y_0 = -495.898, m = 33.854, R^2 = 0.383, N = 32$

Diameter vs. Fresh Weight

Entire Dataset, 582Mode – Double Log




Diameter

$y_0 = -2.442, m = 2.028, R^2 = 0.716, N = 32$

Diameter vs. Fresh Weight

Entire Dataset, 582Mode – Double Linear




Diameter

$y_0 = -922.53, m = 19.216, R^2 = 0.637, N = 32$


Thickness vs. Fresh Weight

Entire Dataset, 582Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 582Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 582Mode – Double Log



Diameter / Width
 $y_0 = 7.699$, $m = -0.474$, $R^2 = 0.04$, $N = 32$


Diameter / Width vs. Fresh Weight
Entire Dataset, 582Mode – Double Linear



Diameter / Width
 $y_0 = 1424.014$, $m = -76.785$, $R^2 = 0.057$, $N = 32$


Width vs. Height

Entire Dataset, 582Mode – Double Log




Width vs. Height

Entire Dataset, 582Mode – Double Linear




Width vs. Diameter
Entire Dataset, 582Mode – Double Log




Width vs. Diameter

Entire Dataset, 582Mode – Double Linear



Width vs. Thickness

Entire Dataset, 582Mode – Double Log




Width

$y_0 = 2.301$, $m = 0.286$, $R^2 = 0.105$, $N = 32$


Width vs. Thickness

Entire Dataset, 582Mode – Double Linear



Height vs. Diameter

Entire Dataset, 582Mode – Double Log




Height

$y_0 = 1.216, m = 0.896, R^2 = 0.727, N = 32$

Height vs. Diameter

Entire Dataset, 582Mode – Double Linear




Height

$y_0 = 15.618$, $m = 1.917$, $R^2 = 0.712$, $N = 32$

Height vs. Thickness

Entire Dataset, 582Mode – Double Log




Height

$y_0 = 1.782, m = 0.348, R^2 = 0.088, N = 32$

Height vs. Thickness

Entire Dataset, 582Mode – Double Linear




Height

$y_0 = 13.943$, $m = 0.189$, $R^2 = 0.093$, $N = 32$

Diameter vs. Thickness

Entire Dataset, 582Mode – Double Log




Diameter

$y_0 = 1.111, m = 0.432, R^2 = 0.149, N = 32$

Diameter vs. Thickness


Entire Dataset, 582Mode – Double Linear



Diameter


$y_0 = 11.398, m = 0.109, R^2 = 0.159, N = 32$

Width vs. Fresh Weight
Entire Dataset, 584Mode – Double Log



Width vs. Fresh Weight

Entire Dataset, 584Mode – Double Linear




Width

$y_0 = -1044.675$, $m = 113.776$, $R^2 = 0.739$, $N = 24$

Height vs. Fresh Weight

Entire Dataset, 584Mode – Double Log




Height

$y_0 = 0.677$, $m = 1.777$, $R^2 = 0.759$, $N = 24$

Height vs. Fresh Weight


Entire Dataset, 584Mode – Double Linear



Height

$y_0 = -957.03, m = 59.645, R^2 = 0.718, N = 24$

Diameter vs. Fresh Weight
Entire Dataset, 584Mode – Double Log




Diameter

$y_0 = 2.455$, $m = 1.009$, $R^2 = 0.497$, $N = 24$


Diameter vs. Fresh Weight

Entire Dataset, 584Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 584Mode – Double Log



Thickness vs. Fresh Weight


Entire Dataset, 584Mode – Double Linear



Thickness


$y_0 = 317.528$, $m = 34.724$, $R^2 = 0.093$, $N = 24$

Diameter / Width vs. Fresh Weight
Entire Dataset, 584Mode – Double Log



Diameter / Width
 $y_0 = 6.413$, $m = 0.371$, $R^2 = 0.04$, $N = 24$


Diameter / Width vs. Fresh Weight
Entire Dataset, 584Mode – Double Linear



Diameter / Width
 $y_0 = 870.777$, $m = 58.539$, $R^2 = 0.03$, $N = 24$


Width vs. Height

Entire Dataset, 584Mode – Double Log



Width vs. Height


Entire Dataset, 584Mode – Double Linear



Width

$$y_0 = 10.739, m = 1.275, R^2 = 0.46, N = 24$$


Width vs. Diameter
Entire Dataset, 584Mode – Double Log



Width
 $y_0 = 1.579$, $m = 0.989$, $R^2 = 0.403$, $N = 24$

Width vs. Diameter

Entire Dataset, 584Mode – Double Linear




Width

$y_0 = -4.888$, $m = 5.062$, $R^2 = 0.258$, $N = 24$


Width vs. Thickness

Entire Dataset, 584Mode – Double Log



Width vs. Thickness

Entire Dataset, 584Mode – Double Linear




Width

$y_0 = 22.451$, $m = 0.081$, $R^2 = 0.005$, $N = 24$

Height vs. Diameter

Entire Dataset, 584Mode – Double Log




Height

$y_0 = 1.383, m = 0.876, R^2 = 0.377, N = 24$

Height vs. Diameter

Entire Dataset, 584Mode – Double Linear




Height

$y_0 = 12.994$, $m = 2.258$, $R^2 = 0.181$, $N = 24$

Height vs. Thickness

Entire Dataset, 584Mode – Double Log




Height

$y_0 = 2.741$, $m = 0.12$, $R^2 = 0.019$, $N = 24$


Height vs. Thickness

Entire Dataset, 584Mode – Double Linear



Height
 $y_0 = 21.36, m = 0.075, R^2 = 0.015, N = 24$

Diameter vs. Thickness
Entire Dataset, 584Mode – Double Log




Diameter


$y_0 = 2.56$, $m = 0.135$, $R^2 = 0.048$, $N = 24$

Diameter vs. Thickness

Entire Dataset, 584Mode – Double Linear




Width vs. Fresh Weight
Entire Dataset, 585Mode – Double Log



Width
 $y_0 = 1.06$, $m = 1.919$, $R^2 = 0.482$, $N = 24$

Width vs. Fresh Weight

Entire Dataset, 585Mode – Double Linear




Width

$$y_0 = -623.589, m = 77.012, R^2 = 0.509, N = 24$$

Height vs. Fresh Weight

Entire Dataset, 585Mode – Double Log




Height

$y_0 = 0.802, m = 1.667, R^2 = 0.595, N = 24$

Height vs. Fresh Weight

Entire Dataset, 585Mode – Double Linear




Height

$y_0 = -525.321$, $m = 39.566$, $R^2 = 0.646$, $N = 24$

Diameter vs. Fresh Weight

Entire Dataset, 585Mode – Double Log




Diameter

$y_0 = 4.349$, $m = 0.515$, $R^2 = 0.201$, $N = 24$

Diameter vs. Fresh Weight

Entire Dataset, 585Mode – Double Linear




Diameter

$y_0 = 16.51$, $m = 9.619$, $R^2 = 0.412$, $N = 24$

Thickness vs. Fresh Weight

Entire Dataset, 585Mode – Double Log




Thickness


$y_0 = 2.841$, $m = 1.228$, $R^2 = 0.403$, $N = 24$

Thickness vs. Fresh Weight

Entire Dataset, 585Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 585Mode – Double Log



Diameter / Width

$y_0 = 6.191$, $m = 0.257$, $R^2 = 0.036$, $N = 24$


Diameter / Width vs. Fresh Weight
Entire Dataset, 585Mode – Double Linear



Diameter / Width
 $y_0 = 391.963$, $m = 81.264$, $R^2 = 0.068$, $N = 24$


Width vs. Height

Entire Dataset, 585Mode – Double Log



Width vs. Height


Entire Dataset, 585Mode – Double Linear



Width

$y_0 = 5.416$, $m = 1.499$, $R^2 = 0.467$, $N = 24$


Width vs. Diameter
Entire Dataset, 585Mode – Double Log



Width
 $y_0 = 0.466$, $m = 1.334$, $R^2 = 0.308$, $N = 24$


Width vs. Diameter

Entire Dataset, 585Mode – Double Linear




Width vs. Thickness

Entire Dataset, 585Mode – Double Log




Width vs. Thickness

Entire Dataset, 585Mode – Double Linear




Height vs. Diameter

Entire Dataset, 585Mode – Double Log




Height vs. Diameter

Entire Dataset, 585Mode – Double Linear



Height vs. Thickness

Entire Dataset, 585Mode – Double Log




Height

$y_0 = 2.367$, $m = 0.191$, $R^2 = 0.029$, $N = 24$

Height vs. Thickness

Entire Dataset, 585Mode – Double Linear




Height

$y_0 = 16.131, m = 0.148, R^2 = 0.041, N = 24$

Diameter vs. Thickness

Entire Dataset, 585Mode – Double Log




Diameter


$y_0 = 3.062$, $m = -0.009$, $R^2 = 0$, $N = 24$

Diameter vs. Thickness

Entire Dataset, 585Mode – Double Linear




Width vs. Fresh Weight
Entire Dataset, 839Mode – Double Log




Width vs. Fresh Weight

Entire Dataset, 839Mode – Double Linear




Height vs. Fresh Weight

Entire Dataset, 839Mode – Double Log



Height vs. Fresh Weight

Entire Dataset, 839Mode – Double Linear




Height

$y_0 = -560.497$, $m = 43.535$, $R^2 = 0.516$, $N = 24$

Diameter vs. Fresh Weight

Entire Dataset, 839Mode – Double Log




Diameter

$y_0 = -4.437$, $m = 2.486$, $R^2 = 0.86$, $N = 24$


Diameter vs. Fresh Weight

Entire Dataset, 839Mode – Double Linear



Thickness vs. Fresh Weight

Entire Dataset, 839Mode – Double Log




Thickness

$y_0 = 5.661$, $m = 0.407$, $R^2 = 0.069$, $N = 24$

Thickness vs. Fresh Weight


Entire Dataset, 839Mode – Double Linear



Thickness


$y_0 = 741.04$, $m = 12.351$, $R^2 = 0.026$, $N = 24$

Diameter / Width vs. Fresh Weight
Entire Dataset, 839Mode – Double Log



Diameter / Width
 $y_0 = 7.202$, $m = -0.308$, $R^2 = 0.012$, $N = 24$

Diameter / Width vs. Fresh Weight
Entire Dataset, 839Mode – Double Linear




Diameter / Width

$y_0 = 1122.515$, $m = -46.394$, $R^2 = 0.004$, $N = 24$


Width vs. Height

Entire Dataset, 839Mode – Double Log



Width vs. Height


Entire Dataset, 839Mode – Double Linear



Width


$y_0 = 23.396, m = 0.454, R^2 = 0.201, N = 24$

Width vs. Diameter
Entire Dataset, 839Mode – Double Log



Width vs. Diameter

Entire Dataset, 839Mode – Double Linear




Width

$y_0 = 53.827, m = 1.561, R^2 = 0.418, N = 24$

Width vs. Thickness

Entire Dataset, 839Mode – Double Log




Width

$y_0 = 3.133, m = -0.11, R^2 = 0.009, N = 24$


Width vs. Thickness

Entire Dataset, 839Mode – Double Linear




Height vs. Diameter

Entire Dataset, 839Mode – Double Log




Height vs. Diameter

Entire Dataset, 839Mode – Double Linear




Height vs. Thickness

Entire Dataset, 839Mode – Double Log




Height vs. Thickness

Entire Dataset, 839Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 839Mode – Double Log




Diameter

$y_0 = 3.209, m = -0.095, R^2 = 0.003, N = 24$

Diameter vs. Thickness

Entire Dataset, 839Mode – Double Linear




Diameter

$y_0 = 20.316, m = -0.04, R^2 = 0.015, N = 24$

Width vs. Fresh Weight

Entire Dataset, 845Mode – Double Log




Width

$y_0 = 0.057$, $m = 2.187$, $R^2 = 0.715$, $N = 32$


Width vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 845Mode – Double Log




Height

$y_0 = -0.198$, $m = 1.977$, $R^2 = 0.757$, $N = 32$

Height vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear




Height

$y_0 = -835.643, m = 51.488, R^2 = 0.777, N = 32$

Diameter vs. Fresh Weight

Entire Dataset, 845Mode – Double Log




Diameter

$y_0 = -3.354, m = 2.271, R^2 = 0.875, N = 32$


Diameter vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear



Thickness vs. Fresh Weight

Entire Dataset, 845Mode – Double Log




Thickness


$y_0 = 4.267$, $m = 0.827$, $R^2 = 0.159$, $N = 32$

Thickness vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 845Mode – Double Log



Diameter / Width
 $y_0 = 5.058$, $m = 1.126$, $R^2 = 0.066$, $N = 32$


Diameter / Width vs. Fresh Weight
Entire Dataset, 845Mode – Double Linear



Diameter / Width
 $y_0 = -152.027, m = 238.481, R^2 = 0.07, N = 32$


Width vs. Height

Entire Dataset, 845Mode – Double Log




Width vs. Height

Entire Dataset, 845Mode – Double Linear




Width vs. Diameter
Entire Dataset, 845Mode – Double Log



Width
 $y_0 = 1.711, m = 0.894, R^2 = 0.703, N = 32$

Width vs. Diameter


Entire Dataset, 845Mode – Double Linear



Width


$y_0 = 7.476$, $m = 3.663$, $R^2 = 0.705$, $N = 32$

Width vs. Thickness
Entire Dataset, 845Mode – Double Log



Width vs. Thickness

Entire Dataset, 845Mode – Double Linear




Width

$y_0 = 15.056$, $m = 0.126$, $R^2 = 0.014$, $N = 32$

Height vs. Diameter

Entire Dataset, 845Mode – Double Log




Height

$y_0 = 1.282, m = 0.902, R^2 = 0.929, N = 32$


Height vs. Diameter

Entire Dataset, 845Mode – Double Linear



Height vs. Thickness

Entire Dataset, 845Mode – Double Log




Height

$y_0 = 2.213, m = 0.185, R^2 = 0.029, N = 32$

Height vs. Thickness


Entire Dataset, 845Mode – Double Linear



Height
 $y_0 = 14.985$, $m = 0.083$, $R^2 = 0.019$, $N = 32$


Diameter vs. Thickness

Entire Dataset, 845Mode – Double Log



Diameter vs. Thickness


Entire Dataset, 845Mode – Double Linear



Diameter

$y_0 = 14.494$, $m = 0.038$, $R^2 = 0.024$, $N = 32$


Width vs. Fresh Weight
Entire Dataset, 854Mode – Double Log



Width
 $y_0 = 1.371$, $m = 1.703$, $R^2 = 0.689$, $N = 24$


Width vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 854Mode – Double Log




Height

$y_0 = 2.774, m = 1.012, R^2 = 0.244, N = 24$


Height vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear



Diameter vs. Fresh Weight

Entire Dataset, 854Mode – Double Log




Diameter

$y_0 = 4.155, m = 0.459, R^2 = 0.113, N = 24$

Diameter vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear




Diameter

$y_0 = 117.518$, $m = 5.081$, $R^2 = 0.199$, $N = 24$


Thickness vs. Fresh Weight

Entire Dataset, 854Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear



Diameter / Width vs. Fresh Weight
Entire Dataset, 854Mode – Double Log




Diameter / Width

$y_0 = 6.581$, $m = -0.391$, $R^2 = 0.062$, $N = 24$

Diameter / Width vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear




Diameter / Width

$y_0 = 657.185$, $m = -56.001$, $R^2 = 0.075$, $N = 24$

Width vs. Height

Entire Dataset, 854Mode – Double Log




Width

$y_0 = 1.831$, $m = 0.511$, $R^2 = 0.26$, $N = 24$


Width vs. Height

Entire Dataset, 854Mode – Double Linear



Width
 $y_0 = 13.047$, $m = 0.795$, $R^2 = 0.25$, $N = 24$


Width vs. Diameter
Entire Dataset, 854Mode – Double Log



Width
 $y_0 = 1.998, m = 0.772, R^2 = 0.265, N = 24$


Width vs. Diameter

Entire Dataset, 854Mode – Double Linear




Width vs. Thickness

Entire Dataset, 854Mode – Double Log




Width vs. Thickness

Entire Dataset, 854Mode – Double Linear




Height vs. Diameter

Entire Dataset, 854Mode – Double Log




Height vs. Diameter

Entire Dataset, 854Mode – Double Linear



Height vs. Thickness

Entire Dataset, 854Mode – Double Log




Height

$y_0 = 4.235$, $m = -0.415$, $R^2 = 0.079$, $N = 24$


Height vs. Thickness

Entire Dataset, 854Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 854Mode – Double Log



Diameter

$y_0 = 2.804$, $m = 0.022$, $R^2 = 0$, $N = 24$

Diameter vs. Thickness

Entire Dataset, 854Mode – Double Linear

