



Width vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Log




Width vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Linear



Height vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Log




Height

$y_0 = 1.271$, $m = 1.527$, $R^2 = 0.398$, $N = 416$

Height vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Linear




Height

$$y_0 = -383.003, m = 36.237, R^2 = 0.366, N = 416$$

Diameter vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Log




Diameter

$y_0 = -3.65$, $m = 2.328$, $R^2 = 0.692$, $N = 416$

Diameter vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Linear




Diameter

$$y_0 = -1086.411, m = 23.083, R^2 = 0.659, N = 416$$

Thickness vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Log




Thickness

$y_0 = 2.624$, $m = 1.358$, $R^2 = 0.41$, $N = 416$

Thickness vs. Fresh Weight


Entire Dataset, All AccessionsMode – Double Linear



Thickness

$y_0 = -207.905$, $m = 54.115$, $R^2 = 0.356$, $N = 416$


Diameter / Width vs. Fresh Weight
Entire Dataset, All AccessionsMode – Double Log



Diameter / Width


$y_0 = 7.383, m = -0.444, R^2 = 0.038, N = 416$

Diameter / Width vs. Fresh Weight
Entire Dataset, All AccessionsMode – Double Linear




Width vs. Height

Entire Dataset, All AccessionsMode – Double Log




Width vs. Height


Entire Dataset, All AccessionsMode – Double Linear



Width vs. Diameter
Entire Dataset, All AccessionsMode – Double Log




Width vs. Diameter
Entire Dataset, All AccessionsMode – Double Linear



Width vs. Thickness

Entire Dataset, All AccessionsMode – Double Log




Width

$y_0 = 2.241$, $m = 0.262$, $R^2 = 0.077$, $N = 416$

Width vs. Thickness

Entire Dataset, All AccessionsMode – Double Linear




Width

$$y_0 = 15.961, m = 0.249, R^2 = 0.058, N = 416$$

Height vs. Diameter

Entire Dataset, All AccessionsMode – Double Log




Height

$y_0 = 1.734$, $m = 0.763$, $R^2 = 0.778$, $N = 416$


Height vs. Diameter

Entire Dataset, All AccessionsMode – Double Linear



Height vs. Thickness

Entire Dataset, All AccessionsMode – Double Log




Height

$$y_0 = 2.013, m = 0.277, R^2 = 0.059, N = 416$$


Height vs. Thickness

Entire Dataset, All AccessionsMode – Double Linear



Diameter vs. Thickness


Entire Dataset, All AccessionsMode – Double Log



Diameter

$y_0 = 1.025$, $m = 0.444$, $R^2 = 0.113$, $N = 416$


Diameter vs. Thickness
Entire Dataset, All AccessionsMode – Double Linear



Diameter


$$y_0 = 11.642, m = 0.103, R^2 = 0.108, N = 416$$

Diameter / Width vs. Dry Weight
Entire Dataset, All AccessionsMode – Double Log



Diameter / Width
 $y_0 = 3.944$, $m = -0.378$, $R^2 = 0.032$, $N = 416$

Diameter / Width vs. Dry Weight
Entire Dataset, All AccessionsMode – Double Linear



Diameter / Width

$y_0 = 43.427$, $m = -2.304$, $R^2 = 0.024$, $N = 416$

Width vs. Fresh Weight

Entire Dataset, 242Mode – Double Log



Width

$y_0 = 1.327, m = 1.906, R^2 = 0.799, N = 30$

Width vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear



Width

$y_0 = -504.832$, $m = 80.585$, $R^2 = 0.784$, $N = 30$

Height vs. Fresh Weight

Entire Dataset, 242Mode – Double Log



Height

$y_0 = -2.684$, $m = 2.432$, $R^2 = 0.624$, $N = 30$

Height vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear



Diameter vs. Fresh Weight

Entire Dataset, 242Mode – Double Log



Diameter vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear



Thickness vs. Fresh Weight
Entire Dataset, 242Mode – Double Log



Thickness vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear



Diameter / Width vs. Fresh Weight
Entire Dataset, 242Mode – Double Log



Diameter / Width
 $y_0 = 8.112$, $m = -1.117$, $R^2 = 0.162$, $N = 30$

Diameter / Width vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear



Width vs. Height

Entire Dataset, 242Mode – Double Log



Width

$y_0 = 2.644, m = 0.374, R^2 = 0.292, N = 30$

Width vs. Height

Entire Dataset, 242Mode – Double Linear



Width

$y_0 = 21.545$, $m = 1.186$, $R^2 = 0.301$, $N = 30$

Width vs. Diameter

Entire Dataset, 242Mode – Double Log



Width

$y_0 = 3.299$, $m = 0.436$, $R^2 = 0.411$, $N = 30$

Width vs. Diameter

Entire Dataset, 242Mode – Double Linear



Width vs. Thickness

Entire Dataset, 242Mode – Double Log




Width

$y_0 = 1.935$, $m = 0.323$, $R^2 = 0.17$, $N = 30$

Width vs. Thickness

Entire Dataset, 242Mode – Double Linear



Width

$y_0 = 8.921$, $m = 0.558$, $R^2 = 0.26$, $N = 30$

Height vs. Diameter

Entire Dataset, 242Mode – Double Log



Height vs. Diameter

Entire Dataset, 242Mode – Double Linear



Height vs. Thickness

Entire Dataset, 242Mode - Double Log



Height

$$y_0 = 1.284, m = 0.404, R^2 = 0.127, N = 30$$


Height vs. Thickness

Entire Dataset, 242Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 242Mode – Double Log



Diameter vs. Thickness

Entire Dataset, 242Mode – Double Linear



Diameter / Width vs. Dry Weight
Entire Dataset, 242Mode – Double Log



Diameter / Width
 $y_0 = 5.386$, $m = -1.117$, $R^2 = 0.162$, $N = 30$

Diameter / Width vs. Dry Weight

Entire Dataset, 242Mode – Double Linear



Width vs. Fresh Weight

Entire Dataset, 246Mode – Double Log



Width

$y_0 = 1.831, m = 1.579, R^2 = 0.665, N = 30$


Width vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 246Mode – Double Log



Height

$y_0 = 1.091$, $m = 1.48$, $R^2 = 0.411$, $N = 30$

Height vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear




Height

$$y_0 = -256.101, m = 24.297, R^2 = 0.393, N = 30$$

Diameter vs. Fresh Weight

Entire Dataset, 246Mode – Double Log



Diameter vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear



Thickness vs. Fresh Weight
Entire Dataset, 246Mode – Double Log




Thickness

$y_0 = 4.387$, $m = 0.641$, $R^2 = 0.098$, $N = 30$

Thickness vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear



Thickness

$y_0 = 232.759$, $m = 16.162$, $R^2 = 0.06$, $N = 30$

Diameter / Width vs. Fresh Weight
Entire Dataset, 246Mode – Double Log



Diameter / Width

$y_0 = 7.046$, $m = -0.592$, $R^2 = 0.062$, $N = 30$

Diameter / Width vs. Fresh Weight
Entire Dataset, 246Mode – Double Linear



Diameter / Width
 $y_0 = 796.433$, $m = -66.46$, $R^2 = 0.076$, $N = 30$

Width vs. Height

Entire Dataset, 246Mode – Double Log




Width

$y_0 = 2.634, m = 0.281, R^2 = 0.112, N = 30$

Width vs. Height

Entire Dataset, 246Mode – Double Linear



Width

$y_0 = 21.469$, $m = 0.568$, $R^2 = 0.125$, $N = 30$

Width vs. Diameter
Entire Dataset, 246Mode – Double Log



Width
 $y_0 = 3.067$, $m = 0.446$, $R^2 = 0.359$, $N = 30$

Width vs. Diameter

Entire Dataset, 246Mode – Double Linear




Width

$y_0 = 39.169$, $m = 2.183$, $R^2 = 0.397$, $N = 30$

Width vs. Thickness

Entire Dataset, 246Mode – Double Log




Width

$y_0 = 2.63$, $m = 0.028$, $R^2 = 0.001$, $N = 30$

Width vs. Thickness

Entire Dataset, 246Mode – Double Linear



Height vs. Diameter


Entire Dataset, 246Mode – Double Log



Height
 $y_0 = 1.444$, $m = 0.834$, $R^2 = 0.884$, $N = 30$

Height vs. Diameter

Entire Dataset, 246Mode – Double Linear



Height
 $y_0 = 11.783$, $m = 2.016$, $R^2 = 0.875$, $N = 30$

Height vs. Thickness

Entire Dataset, 246Mode – Double Log



Height vs. Thickness

Entire Dataset, 246Mode – Double Linear



Height

$y_0 = 16.87, m = -0.058, R^2 = 0.01, N = 30$

Diameter vs. Thickness

Entire Dataset, 246Mode – Double Log



Diameter


$$y_0 = 2.897, m = -0.045, R^2 = 0.001, N = 30$$

Diameter vs. Thickness

Entire Dataset, 246Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 246Mode – Double Log




Diameter / Width
 $y_0 = 3.728$, $m = -0.419$, $R^2 = 0.015$, $N = 30$

Diameter / Width vs. Dry Weight
Entire Dataset, 246Mode – Double Linear



Diameter / Width
 $y_0 = 35.926$, $m = -2.5$, $R^2 = 0.017$, $N = 30$

Width vs. Fresh Weight
Entire Dataset, 319Mode – Double Log




Width

$y_0 = 2.81, m = 1.502, R^2 = 0.605, N = 30$


Width vs. Fresh Weight

Entire Dataset, 319Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 319Mode – Double Log




Height

$y_0 = 5.576$, $m = 0.366$, $R^2 = 0.118$, $N = 30$


Height vs. Fresh Weight

Entire Dataset, 319Mode – Double Linear




Diameter vs. Fresh Weight

Entire Dataset, 319Mode – Double Log



Diameter vs. Fresh Weight

Entire Dataset, 319Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 319Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 319Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 319Mode – Double Log



Diameter / Width

$y_0 = 7.171$, $m = -0.112$, $R^2 = 0.003$, $N = 30$


Diameter / Width vs. Fresh Weight
Entire Dataset, 319Mode – Double Linear



Diameter / Width
 $y_0 = 1122.991$, $m = -5.059$, $R^2 = 0$, $N = 30$


Width vs. Height

Entire Dataset, 319Mode – Double Log



Width vs. Height


Entire Dataset, 319Mode – Double Linear



Width

$y_0 = 33.853$, $m = 0.707$, $R^2 = 0.031$, $N = 30$


Width vs. Diameter
Entire Dataset, 319Mode – Double Log



Width
 $y_0 = 3.281$, $m = 0.488$, $R^2 = 0.326$, $N = 30$

Width vs. Diameter

Entire Dataset, 319Mode – Double Linear




Width

$y_0 = 56.597$, $m = 2.921$, $R^2 = 0.275$, $N = 30$

Width vs. Thickness

Entire Dataset, 319Mode – Double Log




Width

$y_0 = 3.041$, $m = 0.04$, $R^2 = 0.002$, $N = 30$


Width vs. Thickness

Entire Dataset, 319Mode – Double Linear



Height vs. Diameter

Entire Dataset, 319Mode – Double Log




Height

$y_0 = 3.736$, $m = 0.237$, $R^2 = 0.25$, $N = 30$

Height vs. Diameter

Entire Dataset, 319Mode – Double Linear




Height

$y_0 = 59.835$, $m = 0.964$, $R^2 = 0.478$, $N = 30$

Height vs. Thickness

Entire Dataset, 319Mode – Double Log




Height

$y_0 = 3.084, m = 0.018, R^2 = 0.001, N = 30$

Height vs. Thickness

Entire Dataset, 319Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 319Mode – Double Log




Diameter

$y_0 = 2.059$, $m = 0.236$, $R^2 = 0.042$, $N = 30$

Diameter vs. Thickness


Entire Dataset, 319Mode – Double Linear



Diameter


$y_0 = 17.821, m = 0.056, R^2 = 0.039, N = 30$

Diameter / Width vs. Dry Weight
Entire Dataset, 319Mode – Double Log



Diameter / Width
 $y_0 = 2.552$, $m = 0.392$, $R^2 = 0.011$, $N = 30$

Diameter / Width vs. Dry Weight
Entire Dataset, 319Mode – Double Linear



Width vs. Fresh Weight

Entire Dataset, 325Mode – Double Log



Width

$y_0 = 1.524$, $m = 1.835$, $R^2 = 0.652$, $N = 30$

Width vs. Fresh Weight

Entire Dataset, 325Mode – Double Linear



Width

$y_0 = -1069.816, m = 111.449, R^2 = 0.671, N = 30$

Height vs. Fresh Weight

Entire Dataset, 325Mode – Double Log




Height

$y_0 = -0.195, m = 2.017, R^2 = 0.624, N = 30$

Height vs. Fresh Weight

Entire Dataset, 325Mode – Double Linear



Height

$y_0 = -1231.049, m = 67.207, R^2 = 0.562, N = 30$

Diameter vs. Fresh Weight

Entire Dataset, 325Mode – Double Log



Diameter

$y_0 = -4.143, m = 2.479, R^2 = 0.872, N = 30$

Diameter vs. Fresh Weight


Entire Dataset, 325Mode – Double Linear



Diameter

$y_0 = -1986.159, m = 34.747, R^2 = 0.811, N = 30$

Thickness vs. Fresh Weight
Entire Dataset, 325Mode – Double Log



Thickness vs. Fresh Weight

Entire Dataset, 325Mode – Double Linear



Thickness

$y_0 = 561.706$, $m = 42.352$, $R^2 = 0.186$, $N = 30$

Diameter / Width vs. Fresh Weight
Entire Dataset, 325Mode – Double Log



Diameter / Width
 $y_0 = 7.375$, $m = -0.042$, $R^2 = 0$, $N = 30$

Diameter / Width vs. Fresh Weight
Entire Dataset, 325Mode – Double Linear



Diameter / Width
 $y_0 = 2071.387$, $m = -115.522$, $R^2 = 0.012$, $N = 30$

Width vs. Height

Entire Dataset, 325Mode – Double Log



Width

$y_0 = 2.291$, $m = 0.454$, $R^2 = 0.26$, $N = 30$

Width vs. Height

Entire Dataset, 325Mode – Double Linear



Width

$y_0 = 23.484, m = 0.768, R^2 = 0.256, N = 30$

Width vs. Diameter
Entire Dataset, 325Mode – Double Log



Width

$y_0 = 2.609$, $m = 0.638$, $R^2 = 0.556$, $N = 30$

Width vs. Diameter

Entire Dataset, 325Mode – Double Linear



Width

$y_0 = 39.042, m = 2.672, R^2 = 0.575, N = 30$

Width vs. Thickness

Entire Dataset, 325Mode – Double Log



Width

$y_0 = 2.736$, $m = 0.132$, $R^2 = 0.011$, $N = 30$

Width vs. Thickness

Entire Dataset, 325Mode – Double Linear



Width
 $y_0 = 21.58$, $m = 0.093$, $R^2 = 0.004$, $N = 30$

Height vs. Diameter

Entire Dataset, 325Mode – Double Log



Height

$y_0 = 1.334, m = 0.883, R^2 = 0.844, N = 30$

Height vs. Diameter

Entire Dataset, 325Mode – Double Linear



Height vs. Thickness

Entire Dataset, 325Mode – Double Log



Height vs. Thickness

Entire Dataset, 325Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 325Mode – Double Log




Diameter vs. Thickness

Entire Dataset, 325Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 325Mode – Double Log



Diameter / Width
 $y_0 = 4.017$, $m = -0.518$, $R^2 = 0.011$, $N = 30$

Diameter / Width vs. Dry Weight
Entire Dataset, 325Mode – Double Linear



Diameter / Width
 $y_0 = 52.067$, $m = -5.295$, $R^2 = 0.022$, $N = 30$

Width vs. Fresh Weight
Entire Dataset, 326Mode – Double Log



Width

$y_0 = -0.539$, $m = 2.561$, $R^2 = 0.833$, $N = 29$

Width vs. Fresh Weight

Entire Dataset, 326Mode – Double Linear



Width

$y_0 = -1315.31, m = 127.247, R^2 = 0.782, N = 29$

Height vs. Fresh Weight

Entire Dataset, 326Mode – Double Log



Height vs. Fresh Weight

Entire Dataset, 326Mode – Double Linear




Height

$y_0 = -920.898, m = 57.858, R^2 = 0.749, N = 29$

Diameter vs. Fresh Weight

Entire Dataset, 326Mode – Double Log



Diameter

$y_0 = -3.766, m = 2.425, R^2 = 0.883, N = 29$

Diameter vs. Fresh Weight

Entire Dataset, 326Mode – Double Linear



Thickness vs. Fresh Weight

Entire Dataset, 326Mode – Double Log




Thickness

$y_0 = 3.143, m = 1.129, R^2 = 0.286, N = 29$

Thickness vs. Fresh Weight

Entire Dataset, 326Mode – Double Linear



Diameter / Width vs. Fresh Weight
Entire Dataset, 326Mode – Double Log



Diameter / Width
 $y_0 = 4.939$, $m = 1.236$, $R^2 = 0.048$, $N = 29$

Diameter / Width vs. Fresh Weight
Entire Dataset, 326Mode – Double Linear



Diameter / Width
 $y_0 = -410.381, m = 297.994, R^2 = 0.073, N = 29$

Width vs. Height

Entire Dataset, 326Mode – Double Log



Width

$y_0 = 0.74$, $m = 0.948$, $R^2 = 0.643$, $N = 29$

Width vs. Height

Entire Dataset, 326Mode – Double Linear



Width

$y_0 = 1.839, m = 1.705, R^2 = 0.628, N = 29$

Width vs. Diameter
Entire Dataset, 326Mode – Double Log



Width

$y_0 = 1.585, m = 0.967, R^2 = 0.791, N = 29$

Width vs. Diameter

Entire Dataset, 326Mode – Double Linear



Width

$y_0 = 2.002, m = 4.331, R^2 = 0.776, N = 29$

Width vs. Thickness

Entire Dataset, 326Mode – Double Log



Width

$y_0 = 1.791, m = 0.501, R^2 = 0.142, N = 29$

Width vs. Thickness

Entire Dataset, 326Mode – Double Linear



Width

$y_0 = 12.525, m = 0.731, R^2 = 0.132, N = 29$

Height vs. Diameter

Entire Dataset, 326Mode – Double Log




Height

$y_0 = 1.331, m = 0.875, R^2 = 0.904, N = 29$

Height vs. Diameter

Entire Dataset, 326Mode – Double Linear



Height

$y_0 = 9.021, m = 2.171, R^2 = 0.904, N = 29$

Height vs. Thickness

Entire Dataset, 326Mode – Double Log




Height

$y_0 = 2.249, m = 0.283, R^2 = 0.063, N = 29$

Height vs. Thickness

Entire Dataset, 326Mode – Double Linear



Diameter vs. Thickness
Entire Dataset, 326Mode – Double Log



Diameter
 $y_0 = 1.768$, $m = 0.335$, $R^2 = 0.075$, $N = 29$

Diameter vs. Thickness


Entire Dataset, 326Mode – Double Linear



Diameter


$y_0 = 16.97$, $m = 0.107$, $R^2 = 0.069$, $N = 29$

Diameter / Width vs. Dry Weight
Entire Dataset, 326Mode – Double Log



Diameter / Width
 $y_0 = 6.81$, $m = -2.226$, $R^2 = 0.062$, $N = 29$

Diameter / Width vs. Dry Weight
Entire Dataset, 326Mode – Double Linear



Diameter / Width
 $y_0 = 122.583$, $m = -19.39$, $R^2 = 0.052$, $N = 29$

Width vs. Fresh Weight

Entire Dataset, 390Mode – Double Log



Width

$y_0 = 0.123, m = 2.191, R^2 = 0.721, N = 30$

Width vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 390Mode – Double Log



Height

$y_0 = -0.423$, $m = 2.175$, $R^2 = 0.666$, $N = 30$

Height vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear



Height

$y_0 = -1298.616, m = 80.77, R^2 = 0.601, N = 30$

Diameter vs. Fresh Weight

Entire Dataset, 390Mode – Double Log



Diameter

$y_0 = -5.144$, $m = 2.726$, $R^2 = 0.801$, $N = 30$

Diameter vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear



Diameter

$y_0 = -1917.337$, $m = 35.709$, $R^2 = 0.749$, $N = 30$

Thickness vs. Fresh Weight

Entire Dataset, 390Mode – Double Log



Thickness

$y_0 = 2.916, m = 1.354, R^2 = 0.546, N = 30$

Thickness vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear



Diameter / Width vs. Fresh Weight
Entire Dataset, 390Mode – Double Log



Diameter / Width
 $y_0 = 8.513$, $m = -1.031$, $R^2 = 0.036$, $N = 30$

Diameter / Width vs. Fresh Weight
Entire Dataset, 390Mode – Double Linear



Diameter / Width
 $y_0 = 2934.213, m = -422.593, R^2 = 0.057, N = 30$

Width vs. Height

Entire Dataset, 390Mode – Double Log



Width

$y_0 = 1.313, m = 0.677, R^2 = 0.489, N = 30$

Width vs. Height

Entire Dataset, 390Mode – Double Linear



Width vs. Diameter
Entire Dataset, 390Mode – Double Log



Width

$y_0 = 2.122$, $m = 0.745$, $R^2 = 0.773$, $N = 30$

Width vs. Diameter

Entire Dataset, 390Mode – Double Linear



Width vs. Thickness
Entire Dataset, 390Mode – Double Log



Width
 $y_0 = 1.252, m = 0.588, R^2 = 0.174, N = 30$

Width vs. Thickness

Entire Dataset, 390Mode – Double Linear



Height vs. Diameter

Entire Dataset, 390Mode – Double Log



Height vs. Diameter

Entire Dataset, 390Mode – Double Linear



Height vs. Thickness

Entire Dataset, 390Mode – Double Log



Height vs. Thickness

Entire Dataset, 390Mode – Double Linear



Height

$y_0 = 10.901, m = 0.384, R^2 = 0.126, N = 30$

Diameter vs. Thickness

Entire Dataset, 390Mode – Double Log



Diameter

$y_0 = -0.126, m = 0.724, R^2 = 0.189, N = 30$

Diameter vs. Thickness

Entire Dataset, 390Mode – Double Linear



Diameter


$y_0 = 9.091, m = 0.157, R^2 = 0.135, N = 30$

Diameter / Width vs. Dry Weight
Entire Dataset, 390Mode – Double Log




Diameter / Width
 $y_0 = 1.978$, $m = 1.151$, $R^2 = 0.029$, $N = 30$

Diameter / Width vs. Dry Weight
Entire Dataset, 390Mode – Double Linear



Diameter / Width
 $y_0 = -22.926$, $m = 16.004$, $R^2 = 0.043$, $N = 30$

Width vs. Fresh Weight
Entire Dataset, 572Mode – Double Log




Width

$y_0 = 1.351, m = 1.823, R^2 = 0.679, N = 29$

Width vs. Fresh Weight

Entire Dataset, 572Mode – Double Linear



Width

$y_0 = -754.734$, $m = 83.953$, $R^2 = 0.66$, $N = 29$


Height vs. Fresh Weight

Entire Dataset, 572Mode – Double Log



Height vs. Fresh Weight


Entire Dataset, 572Mode – Double Linear



Height

$y_0 = -506.047$, $m = 36.988$, $R^2 = 0.632$, $N = 29$

Diameter vs. Fresh Weight
Entire Dataset, 572Mode – Double Log




Diameter

$y_0 = -2.084, m = 1.974, R^2 = 0.729, N = 29$

Diameter vs. Fresh Weight

Entire Dataset, 572Mode – Double Linear




Diameter

$y_0 = -827.277$, $m = 19.288$, $R^2 = 0.728$, $N = 29$

Thickness vs. Fresh Weight

Entire Dataset, 572Mode – Double Log



Thickness vs. Fresh Weight

Entire Dataset, 572Mode – Double Linear



Diameter / Width vs. Fresh Weight
Entire Dataset, 572Mode – Double Log



Diameter / Width
 $y_0 = 6.82$, $m = -0.066$, $R^2 = 0$, $N = 29$

Diameter / Width vs. Fresh Weight
Entire Dataset, 572Mode – Double Linear



Diameter / Width
 $y_0 = 736.414$, $m = 25.295$, $R^2 = 0.001$, $N = 29$


Width vs. Height

Entire Dataset, 572Mode – Double Log



Width vs. Height

Entire Dataset, 572Mode – Double Linear



Width

$y_0 = 0.983, m = 1.867, R^2 = 0.707, N = 29$

Width vs. Diameter
Entire Dataset, 572Mode – Double Log



Width vs. Diameter

Entire Dataset, 572Mode – Double Linear



Width vs. Thickness

Entire Dataset, 572Mode – Double Log



Width

$y_0 = 2.697$, $m = 0.074$, $R^2 = 0.002$, $N = 29$


Width vs. Thickness

Entire Dataset, 572Mode – Double Linear



Height vs. Diameter

Entire Dataset, 572Mode – Double Log



Height vs. Diameter

Entire Dataset, 572Mode – Double Linear



Height vs. Thickness

Entire Dataset, 572Mode – Double Log



Height
 $y_0 = 3.012$, $m = -0.027$, $R^2 = 0$, $N = 29$

Height vs. Thickness

Entire Dataset, 572Mode – Double Linear



Height

$y_0 = 19.939$, $m = -0.033$, $R^2 = 0.002$, $N = 29$

Diameter vs. Thickness

Entire Dataset, 572Mode – Double Log



Diameter

$$y_0 = 3.286, m = -0.083, R^2 = 0.002, N = 29$$

Diameter vs. Thickness


Entire Dataset, 572Mode – Double Linear



Diameter

$y_0 = 21.154$, $m = -0.028$, $R^2 = 0.006$, $N = 29$


Diameter / Width vs. Dry Weight
Entire Dataset, 572Mode – Double Log



Diameter / Width

$y_0 = 1.63$, $m = 1.055$, $R^2 = 0.015$, $N = 29$


Diameter / Width vs. Dry Weight
Entire Dataset, 572Mode – Double Linear



Diameter / Width
 $y_0 = -10.091$, $m = 8.361$, $R^2 = 0.02$, $N = 29$

Width vs. Fresh Weight

Entire Dataset, 580Mode – Double Log



Width

$y_0 = 3.023$, $m = 1.366$, $R^2 = 0.43$, $N = 30$

Width vs. Fresh Weight

Entire Dataset, 580Mode – Double Linear



Width

$y_0 = -303.715$, $m = 76.465$, $R^2 = 0.412$, $N = 30$

Height vs. Fresh Weight

Entire Dataset, 580Mode – Double Log



Height vs. Fresh Weight

Entire Dataset, 580Mode – Double Linear



Diameter vs. Fresh Weight

Entire Dataset, 580Mode – Double Log




Diameter vs. Fresh Weight

Entire Dataset, 580Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 580Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 580Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 580Mode – Double Log



Diameter / Width
 $y_0 = 7.383, m = -0.36, R^2 = 0.045, N = 30$

Diameter / Width vs. Fresh Weight

Entire Dataset, 580Mode – Double Linear




Diameter / Width

$y_0 = 1162.207$, $m = -50.028$, $R^2 = 0.043$, $N = 30$


Width vs. Height

Entire Dataset, 580Mode – Double Log



Width vs. Height

Entire Dataset, 580Mode – Double Linear



Width

$y_0 = 28.922$, $m = 0.753$, $R^2 = 0.065$, $N = 30$

Width vs. Diameter

Entire Dataset, 580Mode – Double Log



Width vs. Diameter

Entire Dataset, 580Mode – Double Linear



Width

$y_0 = 66.613$, $m = 1.636$, $R^2 = 0.068$, $N = 30$

Width vs. Thickness

Entire Dataset, 580Mode – Double Log




Width

$y_0 = 2.487$, $m = 0.211$, $R^2 = 0.019$, $N = 30$

Width vs. Thickness

Entire Dataset, 580Mode – Double Linear




Width

$y_0 = 16.252$, $m = 0.351$, $R^2 = 0.026$, $N = 30$


Height vs. Diameter

Entire Dataset, 580Mode – Double Log



Height vs. Diameter

Entire Dataset, 580Mode – Double Linear



Height
 $y_0 = 38.332$, $m = 1.317$, $R^2 = 0.382$, $N = 30$

Height vs. Thickness

Entire Dataset, 580Mode – Double Log




Height

$y_0 = 4.011$, $m = -0.257$, $R^2 = 0.036$, $N = 30$

Height vs. Thickness

Entire Dataset, 580Mode – Double Linear




Height

$y_0 = 26.821$, $m = -0.13$, $R^2 = 0.03$, $N = 30$

Diameter vs. Thickness

Entire Dataset, 580Mode – Double Log



Diameter

$y_0 = 3.755$, $m = -0.154$, $R^2 = 0.011$, $N = 30$

Diameter vs. Thickness


Entire Dataset, 580Mode – Double Linear



Diameter


$y_0 = 24.65$, $m = -0.033$, $R^2 = 0.009$, $N = 30$

Diameter / Width vs. Dry Weight
Entire Dataset, 580Mode – Double Log



Diameter / Width
 $y_0 = 4.485$, $m = -0.616$, $R^2 = 0.028$, $N = 30$

Diameter / Width vs. Dry Weight
Entire Dataset, 580Mode – Double Linear



Diameter / Width
 $y_0 = 51.506$, $m = -3.148$, $R^2 = 0.019$, $N = 30$

Width vs. Fresh Weight
Entire Dataset, 582Mode – Double Log



Width vs. Fresh Weight

Entire Dataset, 582Mode – Double Linear



Width

$y_0 = -648.412, m = 101.052, R^2 = 0.777, N = 30$

Height vs. Fresh Weight

Entire Dataset, 582Mode – Double Log



Height

$y_0 = -0.325$, $m = 1.913$, $R^2 = 0.498$, $N = 30$

Height vs. Fresh Weight

Entire Dataset, 582Mode – Double Linear



Height

$y_0 = -728.551, m = 39.625, R^2 = 0.438, N = 30$

Diameter vs. Fresh Weight
Entire Dataset, 582Mode – Double Log



Diameter

$y_0 = -2.845, m = 2.118, R^2 = 0.741, N = 30$

Diameter vs. Fresh Weight

Entire Dataset, 582Mode – Double Linear



Diameter

$y_0 = -1028.727, m = 20.406, R^2 = 0.669, N = 30$

Thickness vs. Fresh Weight

Entire Dataset, 582Mode – Double Log



Thickness vs. Fresh Weight

Entire Dataset, 582Mode – Double Linear



Diameter / Width vs. Fresh Weight
Entire Dataset, 582Mode – Double Log



Diameter / Width vs. Fresh Weight
Entire Dataset, 582Mode – Double Linear



Diameter / Width
 $y_0 = 1937.443$, $m = -161.404$, $R^2 = 0.137$, $N = 30$

Width vs. Height

Entire Dataset, 582Mode – Double Log



Width vs. Height

Entire Dataset, 582Mode – Double Linear



Width vs. Diameter
Entire Dataset, 582Mode – Double Log



Width vs. Diameter

Entire Dataset, 582Mode – Double Linear



Width vs. Thickness

Entire Dataset, 582Mode – Double Log



Width

$y_0 = 2.051, m = 0.375, R^2 = 0.167, N = 30$

Width vs. Thickness

Entire Dataset, 582Mode – Double Linear



Height vs. Diameter

Entire Dataset, 582Mode – Double Log




Height

$y_0 = 1.082, m = 0.932, R^2 = 0.716, N = 30$

Height vs. Diameter

Entire Dataset, 582Mode – Double Linear



Height vs. Thickness

Entire Dataset, 582Mode – Double Log



Height

$y_0 = 1.911$, $m = 0.313$, $R^2 = 0.062$, $N = 30$

Height vs. Thickness

Entire Dataset, 582Mode – Double Linear



Height

$y_0 = 14.57$, $m = 0.174$, $R^2 = 0.066$, $N = 30$

Diameter vs. Thickness

Entire Dataset, 582Mode – Double Log



Diameter

$y_0 = 1.215$, $m = 0.409$, $R^2 = 0.128$, $N = 30$

Diameter vs. Thickness

Entire Dataset, 582Mode – Double Linear



Diameter

$y_0 = 11.828, m = 0.104, R^2 = 0.137, N = 30$

Diameter / Width vs. Dry Weight
Entire Dataset, 582Mode – Double Log



Diameter / Width
 $y_0 = 6.594$, $m = -1.813$, $R^2 = 0.077$, $N = 30$

Diameter / Width vs. Dry Weight
Entire Dataset, 582Mode – Double Linear



Diameter / Width
 $y_0 = 103.357$, $m = -11.874$, $R^2 = 0.103$, $N = 30$

Width vs. Fresh Weight

Entire Dataset, 584Mode – Double Log



Width

$y_0 = 1.242, m = 1.939, R^2 = 0.692, N = 31$

Width vs. Fresh Weight

Entire Dataset, 584Mode – Double Linear



Width

$y_0 = -1050.525$, $m = 112.659$, $R^2 = 0.743$, $N = 31$

Height vs. Fresh Weight

Entire Dataset, 584Mode – Double Log



Height

$y_0 = 0.602, m = 1.794, R^2 = 0.776, N = 31$

Height vs. Fresh Weight

Entire Dataset, 584Mode – Double Linear




Height

$y_0 = -910.855$, $m = 57.99$, $R^2 = 0.753$, $N = 31$

Diameter vs. Fresh Weight

Entire Dataset, 584Mode – Double Log



Diameter vs. Fresh Weight

Entire Dataset, 584Mode – Double Linear



Thickness vs. Fresh Weight

Entire Dataset, 584Mode – Double Log



Thickness vs. Fresh Weight

Entire Dataset, 584Mode – Double Linear



Thickness

$y_0 = 503.783$, $m = 25.851$, $R^2 = 0.045$, $N = 31$

Diameter / Width vs. Fresh Weight
Entire Dataset, 584Mode – Double Log



Diameter / Width
 $y_0 = 6.065$, $m = 0.592$, $R^2 = 0.025$, $N = 31$

Diameter / Width vs. Fresh Weight
Entire Dataset, 584Mode – Double Linear



Diameter / Width
 $y_0 = 684.011$, $m = 96.99$, $R^2 = 0.011$, $N = 31$

Width vs. Height

Entire Dataset, 584Mode – Double Log



Width vs. Height

Entire Dataset, 584Mode – Double Linear



Width


$y_0 = 8.688$, $m = 1.367$, $R^2 = 0.489$, $N = 31$

Width vs. Diameter
Entire Dataset, 584Mode – Double Log



Width
 $y_0 = 2.114$, $m = 0.792$, $R^2 = 0.648$, $N = 31$


Width vs. Diameter
Entire Dataset, 584Mode – Double Linear



Width
 $y_0 = 19.706$, $m = 3.468$, $R^2 = 0.659$, $N = 31$

Width vs. Thickness

Entire Dataset, 584Mode – Double Log



Width vs. Thickness

Entire Dataset, 584Mode – Double Linear



Width

$y_0 = 24.592$, $m = -0.035$, $R^2 = 0.001$, $N = 31$

Height vs. Diameter

Entire Dataset, 584Mode – Double Log



Height vs. Diameter

Entire Dataset, 584Mode – Double Linear



Height vs. Thickness

Entire Dataset, 584Mode – Double Log



Height

$y_0 = 3.009$, $m = 0.044$, $R^2 = 0.003$, $N = 31$

Height vs. Thickness

Entire Dataset, 584Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 584Mode – Double Log



Diameter

$y_0 = 2.894$, $m = 0.061$, $R^2 = 0.005$, $N = 31$

Diameter vs. Thickness

Entire Dataset, 584Mode – Double Linear



Diameter


$y_0 = 23.18$, $m = 0.008$, $R^2 = 0.001$, $N = 31$

Diameter / Width vs. Dry Weight
Entire Dataset, 584Mode – Double Log




Diameter / Width
 $y_0 = 3.173$, $m = 0.058$, $R^2 = 0$, $N = 31$

Diameter / Width vs. Dry Weight
Entire Dataset, 584Mode – Double Linear




Diameter / Width
 $y_0 = 11.161$, $m = 3.961$, $R^2 = 0.014$, $N = 31$

Width vs. Fresh Weight
Entire Dataset, 585Mode – Double Log



Width vs. Fresh Weight

Entire Dataset, 585Mode – Double Linear



Width

$y_0 = -693.336$, $m = 80.006$, $R^2 = 0.584$, $N = 30$

Height vs. Fresh Weight

Entire Dataset, 585Mode – Double Log




Height

$y_0 = 0.698, m = 1.702, R^2 = 0.524, N = 30$

Height vs. Fresh Weight

Entire Dataset, 585Mode – Double Linear




Height

$y_0 = -522.63, m = 40.043, R^2 = 0.554, N = 30$

Diameter vs. Fresh Weight

Entire Dataset, 585Mode – Double Log



Diameter vs. Fresh Weight

Entire Dataset, 585Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 585Mode – Double Log



Thickness vs. Fresh Weight

Entire Dataset, 585Mode – Double Linear




$y_0 = -126.508$, $m = 43.265$, $R^2 = 0.422$, $N = 30$

Diameter / Width vs. Fresh Weight
Entire Dataset, 585Mode – Double Log



Diameter / Width
 $y_0 = 5.882$, $m = 0.507$, $R^2 = 0.016$, $N = 30$

Diameter / Width vs. Fresh Weight
Entire Dataset, 585Mode – Double Linear



Diameter / Width
 $y_0 = 435.127$, $m = 81.663$, $R^2 = 0.015$, $N = 30$

Width vs. Height

Entire Dataset, 585Mode – Double Log



Width vs. Height

Entire Dataset, 585Mode – Double Linear



Width

$y_0 = 6.578, m = 1.411, R^2 = 0.526, N = 30$

Width vs. Diameter
Entire Dataset, 585Mode – Double Log



$y_0 = 2.067$, $m = 0.787$, $R^2 = 0.596$, $N = 30$

Width vs. Diameter

Entire Dataset, 585Mode – Double Linear



Width vs. Thickness

Entire Dataset, 585Mode – Double Log



Width vs. Thickness

Entire Dataset, 585Mode – Double Linear



Width

$y_0 = 12.717, m = 0.451, R^2 = 0.082, N = 30$

Height vs. Diameter

Entire Dataset, 585Mode – Double Log




Height

$y_0 = 1.467, m = 0.831, R^2 = 0.889, N = 30$

Height vs. Diameter

Entire Dataset, 585Mode – Double Linear




Height

$y_0 = 12.318$, $m = 2.029$, $R^2 = 0.887$, $N = 30$

Height vs. Thickness

Entire Dataset, 585Mode – Double Log



Height vs. Thickness

Entire Dataset, 585Mode – Double Linear




Height

$y_0 = 16.401$, $m = 0.142$, $R^2 = 0.031$, $N = 30$

Diameter vs. Thickness

Entire Dataset, 585Mode – Double Log




Diameter

$y_0 = 0.994, m = 0.468, R^2 = 0.11, N = 30$

Diameter vs. Thickness


Entire Dataset, 585Mode – Double Linear



Diameter


$y_0 = 11.277, m = 0.124, R^2 = 0.11, N = 30$

Diameter / Width vs. Dry Weight
Entire Dataset, 585Mode – Double Log




Diameter / Width
 $y_0 = 5.4$, $m = -1.431$, $R^2 = 0.068$, $N = 30$

Diameter / Width vs. Dry Weight
Entire Dataset, 585Mode – Double Linear



Diameter / Width
 $y_0 = 65.445$, $m = -8.075$, $R^2 = 0.032$, $N = 30$

Width vs. Fresh Weight
Entire Dataset, 839Mode – Double Log




Width

$y_0 = 0.706, m = 1.928, R^2 = 0.722, N = 29$

Width vs. Fresh Weight

Entire Dataset, 839Mode – Double Linear




Width

$y_0 = -733.916$, $m = 70.47$, $R^2 = 0.688$, $N = 29$

Height vs. Fresh Weight

Entire Dataset, 839Mode – Double Log




Height

$y_0 = 1.247$, $m = 1.57$, $R^2 = 0.437$, $N = 29$

Height vs. Fresh Weight

Entire Dataset, 839Mode – Double Linear




Height

$y_0 = -456.357, m = 40.433, R^2 = 0.449, N = 29$

Diameter vs. Fresh Weight

Entire Dataset, 839Mode – Double Log




Diameter

$y_0 = -4.376, m = 2.476, R^2 = 0.828, N = 29$


Diameter vs. Fresh Weight

Entire Dataset, 839Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 839Mode – Double Log




Thickness vs. Fresh Weight


Entire Dataset, 839Mode – Double Linear



Diameter / Width vs. Fresh Weight
Entire Dataset, 839Mode – Double Log




Diameter / Width vs. Fresh Weight
Entire Dataset, 839Mode – Double Linear



Diameter / Width
 $y_0 = 1674.384$, $m = -184.974$, $R^2 = 0.028$, $N = 29$

Width vs. Height

Entire Dataset, 839Mode – Double Log




Width

$y_0 = 1.498$, $m = 0.646$, $R^2 = 0.457$, $N = 29$

Width vs. Height


Entire Dataset, 839Mode – Double Linear



Width

$y_0 = 12.439$, $m = 0.939$, $R^2 = 0.444$, $N = 29$

Width vs. Diameter
Entire Dataset, 839Mode – Double Log




Width

$y_0 = 2.158, m = 0.745, R^2 = 0.798, N = 29$

Width vs. Diameter


Entire Dataset, 839Mode – Double Linear



Width

$y_0 = 23.514$, $m = 2.873$, $R^2 = 0.764$, $N = 29$


Width vs. Thickness
Entire Dataset, 839Mode – Double Log



Width
 $y_0 = 3.148$, $m = -0.105$, $R^2 = 0.005$, $N = 29$

Width vs. Thickness

Entire Dataset, 839Mode – Double Linear




Width

$y_0 = 21.166$, $m = -0.168$, $R^2 = 0.021$, $N = 29$


Height vs. Diameter

Entire Dataset, 839Mode – Double Log




Height vs. Diameter

Entire Dataset, 839Mode – Double Linear



Height vs. Thickness

Entire Dataset, 839Mode – Double Log




Height

$y_0 = 4.501$, $m = -0.475$, $R^2 = 0.086$, $N = 29$


Height vs. Thickness

Entire Dataset, 839Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 839Mode – Double Log




Diameter


$y_0 = 3.204, m = -0.086, R^2 = 0.002, N = 29$

Diameter vs. Thickness

Entire Dataset, 839Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 839Mode – Double Log




Diameter / Width
 $y_0 = 3.761$, $m = -0.192$, $R^2 = 0.001$, $N = 29$

Diameter / Width vs. Dry Weight
Entire Dataset, 839Mode – Double Linear



Width vs. Fresh Weight

Entire Dataset, 845Mode – Double Log




Width

$y_0 = -0.084$, $m = 2.237$, $R^2 = 0.825$, $N = 28$

Width vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 845Mode – Double Log




Height

$y_0 = -0.157, m = 1.968, R^2 = 0.749, N = 28$

Height vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear



Height

$y_0 = -857.877$, $m = 52.403$, $R^2 = 0.784$, $N = 28$

Diameter vs. Fresh Weight

Entire Dataset, 845Mode – Double Log




Diameter vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 845Mode – Double Log



Thickness vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 845Mode – Double Log



Diameter / Width
 $y_0 = 5.577$, $m = 0.765$, $R^2 = 0.015$, $N = 28$

Diameter / Width vs. Fresh Weight
Entire Dataset, 845Mode – Double Linear



Diameter / Width
 $y_0 = -299.162$, $m = 278.753$, $R^2 = 0.046$, $N = 28$

Width vs. Height

Entire Dataset, 845Mode – Double Log



Width vs. Height

Entire Dataset, 845Mode – Double Linear



Width vs. Diameter
Entire Dataset, 845Mode – Double Log




Width vs. Diameter

Entire Dataset, 845Mode – Double Linear



Width vs. Thickness
Entire Dataset, 845Mode – Double Log



Width
 $y_0 = 2.602$, $m = 0.089$, $R^2 = 0.006$, $N = 28$


Width vs. Thickness

Entire Dataset, 845Mode – Double Linear



Height vs. Diameter

Entire Dataset, 845Mode – Double Log



Height vs. Diameter

Entire Dataset, 845Mode – Double Linear



Height vs. Thickness

Entire Dataset, 845Mode – Double Log



Height

$y_0 = 2.69$, $m = 0.052$, $R^2 = 0.002$, $N = 28$


Height vs. Thickness

Entire Dataset, 845Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 845Mode – Double Log




Diameter

$y_0 = 2.548, m = 0.073, R^2 = 0.004, N = 28$

Diameter vs. Thickness


Entire Dataset, 845Mode – Double Linear



Diameter


$y_0 = 16.372$, $m = 0.018$, $R^2 = 0.006$, $N = 28$

Diameter / Width vs. Dry Weight
Entire Dataset, 845Mode – Double Log



Diameter / Width
 $y_0 = 1.625$, $m = 1.415$, $R^2 = 0.039$, $N = 28$

Diameter / Width vs. Dry Weight
Entire Dataset, 845Mode – Double Linear



Diameter / Width
 $y_0 = -3.59$, $m = 10.945$, $R^2 = 0.016$, $N = 28$

Width vs. Fresh Weight
Entire Dataset, 854Mode – Double Log



Width

$y_0 = 1.341, m = 1.705, R^2 = 0.668, N = 30$

Width vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear




Width

$y_0 = -283.877$, $m = 45.112$, $R^2 = 0.642$, $N = 30$

Height vs. Fresh Weight

Entire Dataset, 854Mode – Double Log




Height

$y_0 = 3.264, m = 0.861, R^2 = 0.222, N = 30$

Height vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear



Diameter vs. Fresh Weight

Entire Dataset, 854Mode – Double Log



Diameter

$y_0 = -0.243$, $m = 1.515$, $R^2 = 0.449$, $N = 30$

Diameter vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear



Diameter

$y_0 = -226.405$, $m = 10.328$, $R^2 = 0.447$, $N = 30$


Thickness vs. Fresh Weight

Entire Dataset, 854Mode – Double Log



Thickness vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear



Thickness

$y_0 = 210.795$, $m = 12.187$, $R^2 = 0.157$, $N = 30$

Diameter / Width vs. Fresh Weight
Entire Dataset, 854Mode – Double Log



Diameter / Width
 $y_0 = 7.407$, $m = -0.98$, $R^2 = 0.093$, $N = 30$

Diameter / Width vs. Fresh Weight
Entire Dataset, 854Mode – Double Linear



Diameter / Width
 $y_0 = 842.767$, $m = -101.979$, $R^2 = 0.089$, $N = 30$

Width vs. Height

Entire Dataset, 854Mode – Double Log




Width

$y_0 = 1.365, m = 0.675, R^2 = 0.349, N = 30$


Width vs. Height

Entire Dataset, 854Mode – Double Linear



$y_0 = 8.564$, $m = 1.062$, $R^2 = 0.346$, $N = 30$

Width vs. Diameter
Entire Dataset, 854Mode – Double Log




Width

$y_0 = 2.179, m = 0.714, R^2 = 0.599, N = 30$

Width vs. Diameter


Entire Dataset, 854Mode – Double Linear



Width

$y_0 = 18.751, m = 2.835, R^2 = 0.606, N = 30$

Width vs. Thickness
Entire Dataset, 854Mode – Double Log



Width vs. Thickness

Entire Dataset, 854Mode – Double Linear



Width

$y_0 = 16.995$, $m = 0.072$, $R^2 = 0.002$, $N = 30$

Height vs. Diameter

Entire Dataset, 854Mode – Double Log




Height vs. Diameter

Entire Dataset, 854Mode – Double Linear



Height vs. Thickness

Entire Dataset, 854Mode – Double Log



Height

$y_0 = 4.603, m = -0.533, R^2 = 0.131, N = 30$

Height vs. Thickness

Entire Dataset, 854Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 854Mode – Double Log



Diameter

$y_0 = 4.53$, $m = -0.397$, $R^2 = 0.047$, $N = 30$

Diameter vs. Thickness


Entire Dataset, 854Mode – Double Linear



Diameter


$y_0 = 24.655$, $m = -0.102$, $R^2 = 0.042$, $N = 30$

Diameter / Width vs. Dry Weight
Entire Dataset, 854Mode – Double Log



Diameter / Width
 $y_0 = 3.559$, $m = 0.019$, $R^2 = 0$, $N = 30$

Diameter / Width vs. Dry Weight
Entire Dataset, 854Mode – Double Linear



Diameter / Width
 $y_0 = 46.797$, $m = -1.681$, $R^2 = 0.001$, $N = 30$