



Width vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Log



Width vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Linear




Width

$y_0 = -442.895$, $m = 73.32$, $R^2 = 0.589$, $N = 392$

Height vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Log




Height

$$y_0 = 1.153, m = 1.563, R^2 = 0.425, N = 392$$

Height vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Linear




Height

$y_0 = -386.561$, $m = 36.525$, $R^2 = 0.372$, $N = 392$

Diameter vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Log




Diameter


$y_0 = -3.569$, $m = 2.311$, $R^2 = 0.707$, $N = 392$

Diameter vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Linear



Thickness vs. Fresh Weight
Entire Dataset, All AccessionsMode – Double Log




Thickness

$y_0 = 2.619$, $m = 1.362$, $R^2 = 0.408$, $N = 392$

Thickness vs. Fresh Weight


Entire Dataset, All AccessionsMode – Double Linear



Thickness


$y_0 = -226.489$, $m = 55.361$, $R^2 = 0.356$, $N = 392$

Diameter / Width vs. Fresh Weight
Entire Dataset, All AccessionsMode – Double Log




$y_0 = 7.255$, $m = -0.357$, $R^2 = 0.024$, $N = 392$

Diameter / Width vs. Fresh Weight
Entire Dataset, All AccessionsMode – Double Linear




Width vs. Height

Entire Dataset, All AccessionsMode – Double Log



Width vs. Height


Entire Dataset, All AccessionsMode – Double Linear




Width

$y_0 = 29.027$, $m = 0.351$, $R^2 = 0.048$, $N = 392$

Width vs. Diameter
Entire Dataset, All AccessionsMode – Double Log




Width vs. Diameter
Entire Dataset, All AccessionsMode – Double Linear



Width vs. Thickness


Entire Dataset, All AccessionsMode – Double Log



Width

$$y_0 = 2.222, m = 0.268, R^2 = 0.079, N = 392$$


Width vs. Thickness
Entire Dataset, All AccessionsMode – Double Linear



Width
 $y_0 = 15.745$, $m = 0.259$, $R^2 = 0.063$, $N = 392$


Height vs. Diameter

Entire Dataset, All AccessionsMode – Double Log




Height vs. Diameter

Entire Dataset, All AccessionsMode – Double Linear



Height vs. Thickness


Entire Dataset, All AccessionsMode – Double Log



Height
 $y_0 = 1.997$, $m = 0.281$, $R^2 = 0.063$, $N = 392$


Height vs. Thickness

Entire Dataset, All AccessionsMode – Double Linear



Diameter vs. Thickness


Entire Dataset, All AccessionsMode – Double Log




Diameter
 $y_0 = 1.052$, $m = 0.438$, $R^2 = 0.115$, $N = 392$

Diameter vs. Thickness

Entire Dataset, All AccessionsMode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, All AccessionsMode – Double Log



Diameter / Width

$y_0 = 3.9$, $m = -0.349$, $R^2 = 0.026$, $N = 392$

Diameter / Width vs. Dry Weight
Entire Dataset, All AccessionsMode – Double Linear




Diameter / Width

$y_0 = 42.837$, $m = -2.178$, $R^2 = 0.02$, $N = 392$


Width vs. Fresh Weight

Entire Dataset, 242Mode – Double Log



Width vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear




Width

$$y_0 = -554.929, m = 84.645, R^2 = 0.764, N = 24$$

Height vs. Fresh Weight

Entire Dataset, 242Mode – Double Log




Height

$y_0 = -2.163, m = 2.281, R^2 = 0.726, N = 24$

Height vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear




Height

$y_0 = -567.511$, $m = 27.829$, $R^2 = 0.686$, $N = 24$


Diameter vs. Fresh Weight

Entire Dataset, 242Mode – Double Log



Diameter vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear




Diameter

$y_0 = -655.695$, $m = 13.58$, $R^2 = 0.754$, $N = 24$


Thickness vs. Fresh Weight

Entire Dataset, 242Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear



$y_0 = -294.499$, $m = 47.297$, $R^2 = 0.405$, $N = 24$


Diameter / Width vs. Fresh Weight
Entire Dataset, 242Mode – Double Log



Diameter / Width
 $y_0 = 6.841$, $m = -0.466$, $R^2 = 0.021$, $N = 24$

Diameter / Width vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear




Diameter / Width

$y_0 = 638.182$, $m = -32.072$, $R^2 = 0.022$, $N = 24$


Width vs. Height

Entire Dataset, 242Mode – Double Log




Width vs. Height

Entire Dataset, 242Mode – Double Linear




Width vs. Diameter
Entire Dataset, 242Mode – Double Log



Width
 $y_0 = 2.925$, $m = 0.59$, $R^2 = 0.471$, $N = 24$

Width vs. Diameter

Entire Dataset, 242Mode – Double Linear




Width

$y_0 = 28.786$, $m = 4.369$, $R^2 = 0.498$, $N = 24$


Width vs. Thickness

Entire Dataset, 242Mode – Double Log



Width vs. Thickness

Entire Dataset, 242Mode – Double Linear




Width

$y_0 = 9.096$, $m = 0.515$, $R^2 = 0.156$, $N = 24$


Height vs. Diameter

Entire Dataset, 242Mode – Double Log




Height vs. Diameter

Entire Dataset, 242Mode – Double Linear



Height vs. Thickness

Entire Dataset, 242Mode – Double Log




Height


$$y_0 = 1.436, m = 0.355, R^2 = 0.118, N = 24$$

Height vs. Thickness

Entire Dataset, 242Mode – Double Linear



Diameter vs. Thickness
Entire Dataset, 242Mode – Double Log




Diameter


$y_0 = 1.095, m = 0.367, R^2 = 0.118, N = 24$

Diameter vs. Thickness

Entire Dataset, 242Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 242Mode – Double Log




Diameter / Width
 $y_0 = 4.114$, $m = -0.466$, $R^2 = 0.021$, $N = 24$

Diameter / Width vs. Dry Weight
Entire Dataset, 242Mode – Double Linear



Diameter / Width
 $y_0 = 41.757$, $m = -2.098$, $R^2 = 0.022$, $N = 24$

Width vs. Fresh Weight
Entire Dataset, 246Mode – Double Log




Width

$y_0 = 1.306, m = 1.764, R^2 = 0.713, N = 27$


Width vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 246Mode – Double Log




Height

$y_0 = 0.326, m = 1.715, R^2 = 0.505, N = 27$

Height vs. Fresh Weight


Entire Dataset, 246Mode – Double Linear



Height

$y_0 = -382.815, m = 29.098, R^2 = 0.507, N = 27$

Diameter vs. Fresh Weight
Entire Dataset, 246Mode – Double Log




Diameter

$y_0 = -3.313, m = 2.21, R^2 = 0.714, N = 27$


Diameter vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 246Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 246Mode – Double Log



Diameter / Width
 $y_0 = 7.13$, $m = -0.648$, $R^2 = 0.052$, $N = 27$

Diameter / Width vs. Fresh Weight
Entire Dataset, 246Mode – Double Linear




Diameter / Width

$y_0 = 823.323$, $m = -72.398$, $R^2 = 0.061$, $N = 27$


Width vs. Height

Entire Dataset, 246Mode – Double Log



Width vs. Height


Entire Dataset, 246Mode – Double Linear



Width

$y_0 = 16.682, m = 0.84, R^2 = 0.266, N = 27$


Width vs. Diameter
Entire Dataset, 246Mode – Double Log



Width
 $y_0 = 2.779$, $m = 0.547$, $R^2 = 0.468$, $N = 27$

Width vs. Diameter

Entire Dataset, 246Mode – Double Linear




Width

$y_0 = 31.656$, $m = 2.609$, $R^2 = 0.503$, $N = 27$


Width vs. Thickness

Entire Dataset, 246Mode – Double Log




Width vs. Thickness

Entire Dataset, 246Mode – Double Linear



Height vs. Diameter

Entire Dataset, 246Mode – Double Log




Height

$y_0 = 1.279, m = 0.885, R^2 = 0.918, N = 27$

Height vs. Diameter

Entire Dataset, 246Mode – Double Linear




Height

$y_0 = 7.889$, $m = 2.165$, $R^2 = 0.916$, $N = 27$

Height vs. Thickness

Entire Dataset, 246Mode – Double Log




Height

$y_0 = 2.997$, $m = -0.085$, $R^2 = 0.005$, $N = 27$

Height vs. Thickness

Entire Dataset, 246Mode – Double Linear




Height

$y_0 = 16.64, m = -0.049, R^2 = 0.007, N = 27$

Diameter vs. Thickness

Entire Dataset, 246Mode – Double Log




Diameter


$y_0 = 2.889$, $m = -0.042$, $R^2 = 0.001$, $N = 27$

Diameter vs. Thickness

Entire Dataset, 246Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 246Mode – Double Log




Diameter / Width
 $y_0 = 4.213$, $m = -0.744$, $R^2 = 0.036$, $N = 27$

Diameter / Width vs. Dry Weight
Entire Dataset, 246Mode – Double Linear



Diameter / Width
 $y_0 = 43.495$, $m = -4.194$, $R^2 = 0.033$, $N = 27$


Width vs. Fresh Weight
Entire Dataset, 319Mode – Double Log



Width


$y_0 = 2.507$, $m = 1.611$, $R^2 = 0.62$, $N = 29$

Width vs. Fresh Weight
Entire Dataset, 319Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 319Mode – Double Log




Height

$y_0 = 5.092$, $m = 0.494$, $R^2 = 0.166$, $N = 29$


Height vs. Fresh Weight

Entire Dataset, 319Mode – Double Linear




Diameter vs. Fresh Weight

Entire Dataset, 319Mode – Double Log




Diameter vs. Fresh Weight

Entire Dataset, 319Mode – Double Linear




Thickness vs. Fresh Weight
Entire Dataset, 319Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 319Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 319Mode – Double Log



Diameter / Width
 $y_0 = 7.006$, $m = -0.022$, $R^2 = 0$, $N = 29$

Diameter / Width vs. Fresh Weight

Entire Dataset, 319Mode – Double Linear




Diameter / Width

$y_0 = 1005.823$, $m = 13.427$, $R^2 = 0.001$, $N = 29$

Width vs. Height

Entire Dataset, 319Mode – Double Log




Width


$y_0 = 1.887$, $m = 0.688$, $R^2 = 0.166$, $N = 29$

Width vs. Height

Entire Dataset, 319Mode – Double Linear




Width vs. Diameter
Entire Dataset, 319Mode – Double Log



Width
 $y_0 = 3.122$, $m = 0.546$, $R^2 = 0.362$, $N = 29$


Width vs. Diameter

Entire Dataset, 319Mode – Double Linear




Width vs. Thickness

Entire Dataset, 319Mode – Double Log



Width vs. Thickness

Entire Dataset, 319Mode – Double Linear




Width

$y_0 = 19.613$, $m = 0.231$, $R^2 = 0.025$, $N = 29$

Height vs. Diameter

Entire Dataset, 319Mode – Double Log




Height

$y_0 = 3.472$, $m = 0.306$, $R^2 = 0.324$, $N = 29$


Height vs. Diameter

Entire Dataset, 319Mode – Double Linear



Height vs. Thickness

Entire Dataset, 319Mode – Double Log




Height

$y_0 = 3.066$, $m = 0.02$, $R^2 = 0.001$, $N = 29$


Height vs. Thickness

Entire Dataset, 319Mode – Double Linear




Diameter vs. Thickness

Entire Dataset, 319Mode – Double Log



Diameter vs. Thickness


Entire Dataset, 319Mode – Double Linear



Diameter


$y_0 = 17.201$, $m = 0.059$, $R^2 = 0.057$, $N = 29$

Diameter / Width vs. Dry Weight
Entire Dataset, 319Mode – Double Log




Diameter / Width
 $y_0 = 2.281, m = 0.541, R^2 = 0.017, N = 29$

Diameter / Width vs. Dry Weight
Entire Dataset, 319Mode – Double Linear



Diameter / Width
 $y_0 = 6.447$, $m = 3.622$, $R^2 = 0.028$, $N = 29$


Width vs. Fresh Weight
Entire Dataset, 325Mode – Double Log



Width
 $y_0 = 1.947$, $m = 1.702$, $R^2 = 0.673$, $N = 27$

Width vs. Fresh Weight

Entire Dataset, 325Mode – Double Linear




Width

$y_0 = -1099.65$, $m = 112.418$, $R^2 = 0.648$, $N = 27$


Height vs. Fresh Weight

Entire Dataset, 325Mode – Double Log



Height vs. Fresh Weight


Entire Dataset, 325Mode – Double Linear



Height

$y_0 = -1149.102, m = 65.9, R^2 = 0.488, N = 27$

Diameter vs. Fresh Weight
Entire Dataset, 325Mode – Double Log




Diameter


$y_0 = -4.042$, $m = 2.458$, $R^2 = 0.788$, $N = 27$

Diameter vs. Fresh Weight

Entire Dataset, 325Mode – Double Linear




Thickness vs. Fresh Weight
Entire Dataset, 325Mode – Double Log



Thickness
 $y_0 = 5.537$, $m = 0.576$, $R^2 = 0.146$, $N = 27$

Thickness vs. Fresh Weight


Entire Dataset, 325Mode – Double Linear



Thickness


$y_0 = 841.676$, $m = 32.518$, $R^2 = 0.126$, $N = 27$

Diameter / Width vs. Fresh Weight
Entire Dataset, 325Mode – Double Log



Diameter / Width
 $y_0 = 8.438$, $m = -0.739$, $R^2 = 0.055$, $N = 27$

Diameter / Width vs. Fresh Weight
Entire Dataset, 325Mode – Double Linear




Diameter / Width

$y_0 = 2747.474$, $m = -260.85$, $R^2 = 0.052$, $N = 27$


Width vs. Height

Entire Dataset, 325Mode – Double Log



Width vs. Height


Entire Dataset, 325Mode – Double Linear



Width

$y_0 = 25.375, m = 0.689, R^2 = 0.216, N = 27$

Width vs. Diameter
Entire Dataset, 325Mode – Double Log




Width

$y_0 = 2.845, m = 0.564, R^2 = 0.566, N = 27$

Width vs. Diameter


Entire Dataset, 325Mode – Double Linear



Width
 $y_0 = 43.715$, $m = 2.481$, $R^2 = 0.579$, $N = 27$

Width vs. Thickness


Entire Dataset, 325Mode – Double Log



Width
 $y_0 = 3.253$, $m = -0.028$, $R^2 = 0$, $N = 27$

Width vs. Thickness

Entire Dataset, 325Mode – Double Linear




Width

$y_0 = 25.187$, $m = -0.049$, $R^2 = 0.001$, $N = 27$


Height vs. Diameter

Entire Dataset, 325Mode – Double Log




Height vs. Diameter

Entire Dataset, 325Mode – Double Linear




Height vs. Thickness

Entire Dataset, 325Mode – Double Log




Height vs. Thickness

Entire Dataset, 325Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 325Mode – Double Log




Diameter


$y_0 = 1.796$, $m = 0.295$, $R^2 = 0.026$, $N = 27$

Diameter vs. Thickness

Entire Dataset, 325Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 325Mode – Double Log




Diameter / Width
 $y_0 = 4.488$, $m = -0.857$, $R^2 = 0.022$, $N = 27$

Diameter / Width vs. Dry Weight
Entire Dataset, 325Mode – Double Linear



Diameter / Width
 $y_0 = 64.095$, $m = -8.21$, $R^2 = 0.035$, $N = 27$

Width vs. Fresh Weight
Entire Dataset, 326Mode – Double Log




Width

$y_0 = -0.324, m = 2.487, R^2 = 0.857, N = 26$

Width vs. Fresh Weight

Entire Dataset, 326Mode – Double Linear




Width

$$y_0 = -1211.841, m = 121.244, R^2 = 0.819, N = 26$$

Height vs. Fresh Weight

Entire Dataset, 326Mode – Double Log




Height

$y_0 = -0.535, m = 2.117, R^2 = 0.734, N = 26$


Height vs. Fresh Weight

Entire Dataset, 326Mode – Double Linear



Diameter vs. Fresh Weight

Entire Dataset, 326Mode – Double Log




Diameter

$y_0 = -3.815, m = 2.435, R^2 = 0.865, N = 26$


Diameter vs. Fresh Weight

Entire Dataset, 326Mode – Double Linear



Thickness vs. Fresh Weight

Entire Dataset, 326Mode – Double Log




Thickness


$y_0 = 3.669$, $m = 0.965$, $R^2 = 0.229$, $N = 26$

Thickness vs. Fresh Weight

Entire Dataset, 326Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 326Mode – Double Log



Diameter / Width

$y_0 = 6.06$, $m = 0.474$, $R^2 = 0.005$, $N = 26$


Diameter / Width vs. Fresh Weight
Entire Dataset, 326Mode – Double Linear



Diameter / Width
 $y_0 = 337.166$, $m = 125.796$, $R^2 = 0.01$, $N = 26$


Width vs. Height

Entire Dataset, 326Mode – Double Log




Width vs. Height

Entire Dataset, 326Mode – Double Linear



Width vs. Diameter
Entire Dataset, 326Mode – Double Log




Width

$y_0 = 1.649$, $m = 0.946$, $R^2 = 0.85$, $N = 26$

Width vs. Diameter

Entire Dataset, 326Mode – Double Linear




Width

$y_0 = 3.865$, $m = 4.236$, $R^2 = 0.841$, $N = 26$


Width vs. Thickness

Entire Dataset, 326Mode – Double Log



Width vs. Thickness

Entire Dataset, 326Mode – Double Linear




Width

$y_0 = 15.215$, $m = 0.566$, $R^2 = 0.078$, $N = 26$


Height vs. Diameter

Entire Dataset, 326Mode – Double Log




Height vs. Diameter

Entire Dataset, 326Mode – Double Linear




Height vs. Thickness

Entire Dataset, 326Mode – Double Log




Height vs. Thickness

Entire Dataset, 326Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 326Mode – Double Log




Diameter


$y_0 = 2.181, m = 0.237, R^2 = 0.033, N = 26$

Diameter vs. Thickness

Entire Dataset, 326Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 326Mode – Double Log



Diameter / Width
 $y_0 = 5.711$, $m = -1.478$, $R^2 = 0.018$, $N = 26$

Diameter / Width vs. Dry Weight
Entire Dataset, 326Mode – Double Linear



Diameter / Width

$y_0 = 117.633$, $m = -18.142$, $R^2 = 0.028$, $N = 26$

Width vs. Fresh Weight

Entire Dataset, 390Mode – Double Log



Width

$y_0 = 0.123, m = 2.191, R^2 = 0.721, N = 30$

Width vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 390Mode – Double Log



Height

$y_0 = -0.423$, $m = 2.175$, $R^2 = 0.666$, $N = 30$

Height vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear



Height

$y_0 = -1298.616, m = 80.77, R^2 = 0.601, N = 30$

Diameter vs. Fresh Weight

Entire Dataset, 390Mode – Double Log



Diameter

$y_0 = -5.144, m = 2.726, R^2 = 0.801, N = 30$

Diameter vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear



Diameter

$y_0 = -1917.337, m = 35.709, R^2 = 0.749, N = 30$

Thickness vs. Fresh Weight

Entire Dataset, 390Mode – Double Log



Thickness

$y_0 = 2.916, m = 1.354, R^2 = 0.546, N = 30$

Thickness vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear



Diameter / Width vs. Fresh Weight
Entire Dataset, 390Mode – Double Log



Diameter / Width
 $y_0 = 8.513$, $m = -1.031$, $R^2 = 0.036$, $N = 30$

Diameter / Width vs. Fresh Weight
Entire Dataset, 390Mode – Double Linear



Diameter / Width
 $y_0 = 2934.213, m = -422.593, R^2 = 0.057, N = 30$

Width vs. Height

Entire Dataset, 390Mode – Double Log



Width

$y_0 = 1.313, m = 0.677, R^2 = 0.489, N = 30$

Width vs. Height

Entire Dataset, 390Mode – Double Linear



Width vs. Diameter

Entire Dataset, 390Mode – Double Log




Width

$y_0 = 2.122$, $m = 0.745$, $R^2 = 0.773$, $N = 30$

Width vs. Diameter

Entire Dataset, 390Mode – Double Linear



Width

$y_0 = 27.345, m = 2.577, R^2 = 0.763, N = 30$

Width vs. Thickness

Entire Dataset, 390Mode – Double Log



Width

$y_0 = 1.252, m = 0.588, R^2 = 0.174, N = 30$

Width vs. Thickness

Entire Dataset, 390Mode – Double Linear



Height vs. Diameter

Entire Dataset, 390Mode – Double Log



Height vs. Diameter

Entire Dataset, 390Mode – Double Linear



Height vs. Thickness

Entire Dataset, 390Mode – Double Log



Height vs. Thickness

Entire Dataset, 390Mode – Double Linear




Height

$y_0 = 10.901, m = 0.384, R^2 = 0.126, N = 30$

Diameter vs. Thickness

Entire Dataset, 390Mode – Double Log



Diameter

$y_0 = -0.126, m = 0.724, R^2 = 0.189, N = 30$

Diameter vs. Thickness

Entire Dataset, 390Mode – Double Linear



Diameter


$y_0 = 9.091, m = 0.157, R^2 = 0.135, N = 30$

Diameter / Width vs. Dry Weight
Entire Dataset, 390Mode – Double Log




Diameter / Width
 $y_0 = 1.978$, $m = 1.151$, $R^2 = 0.029$, $N = 30$

Diameter / Width vs. Dry Weight
Entire Dataset, 390Mode – Double Linear



Diameter / Width
 $y_0 = -22.926, m = 16.004, R^2 = 0.043, N = 30$

Width vs. Fresh Weight
Entire Dataset, 572Mode – Double Log




Width

$y_0 = 1.352, m = 1.822, R^2 = 0.679, N = 28$

Width vs. Fresh Weight

Entire Dataset, 572Mode – Double Linear




Width

$y_0 = -754.821$, $m = 83.969$, $R^2 = 0.66$, $N = 28$

Height vs. Fresh Weight

Entire Dataset, 572Mode – Double Log




Height

$y_0 = 0.65, m = 1.685, R^2 = 0.689, N = 28$

Height vs. Fresh Weight


Entire Dataset, 572Mode – Double Linear



Height

$y_0 = -589.408, m = 39.057, R^2 = 0.67, N = 28$

Diameter vs. Fresh Weight
Entire Dataset, 572Mode – Double Log




Diameter

$y_0 = -2.376, m = 2.037, R^2 = 0.759, N = 28$

Diameter vs. Fresh Weight

Entire Dataset, 572Mode – Double Linear




Diameter

$y_0 = -882.723$, $m = 19.859$, $R^2 = 0.752$, $N = 28$


Thickness vs. Fresh Weight

Entire Dataset, 572Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 572Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 572Mode – Double Log



Diameter / Width
 $y_0 = 6.725$, $m = -0.004$, $R^2 = 0$, $N = 28$


Diameter / Width vs. Fresh Weight
Entire Dataset, 572Mode – Double Linear



Diameter / Width
 $y_0 = 692.927$, $m = 34.588$, $R^2 = 0.002$, $N = 28$


Width vs. Height

Entire Dataset, 572Mode – Double Log




Width vs. Height

Entire Dataset, 572Mode – Double Linear



Width vs. Diameter
Entire Dataset, 572Mode – Double Log




Width

$y_0 = 1.985$, $m = 0.842$, $R^2 = 0.793$, $N = 28$

Width vs. Diameter

Entire Dataset, 572Mode – Double Linear




Width

$y_0 = 11.45$, $m = 3.966$, $R^2 = 0.773$, $N = 28$

Width vs. Thickness

Entire Dataset, 572Mode – Double Log




Width

$y_0 = 2.731$, $m = 0.06$, $R^2 = 0.001$, $N = 28$


Width vs. Thickness

Entire Dataset, 572Mode – Double Linear



Height vs. Diameter

Entire Dataset, 572Mode – Double Log




Height

$y_0 = 1.507, m = 0.821, R^2 = 0.895, N = 28$


Height vs. Diameter

Entire Dataset, 572Mode – Double Linear



Height vs. Thickness

Entire Dataset, 572Mode – Double Log




Height

$y_0 = 2.687$, $m = 0.061$, $R^2 = 0.002$, $N = 28$


Height vs. Thickness

Entire Dataset, 572Mode – Double Linear



Height
 $y_0 = 18.041$, $m = 0.014$, $R^2 = 0$, $N = 28$


Diameter vs. Thickness
Entire Dataset, 572Mode – Double Log



Diameter
 $y_0 = 2.966$, $m = -0.013$, $R^2 = 0$, $N = 28$

Diameter vs. Thickness


Entire Dataset, 572Mode – Double Linear



Diameter


$y_0 = 19.589$, $m = -0.012$, $R^2 = 0.001$, $N = 28$

Diameter / Width vs. Dry Weight
Entire Dataset, 572Mode – Double Log



Diameter / Width
 $y_0 = 1.594$, $m = 1.078$, $R^2 = 0.014$, $N = 28$


Diameter / Width vs. Dry Weight
Entire Dataset, 572Mode – Double Linear



Diameter / Width
 $y_0 = -8.124$, $m = 7.941$, $R^2 = 0.016$, $N = 28$

Width vs. Fresh Weight

Entire Dataset, 580Mode – Double Log




Width

$y_0 = 3.246, m = 1.281, R^2 = 0.413, N = 29$

Width vs. Fresh Weight

Entire Dataset, 580Mode – Double Linear




Width

$y_0 = -222.753$, $m = 70.569$, $R^2 = 0.397$, $N = 29$


Height vs. Fresh Weight

Entire Dataset, 580Mode – Double Log



Height vs. Fresh Weight

Entire Dataset, 580Mode – Double Linear




Height

$y_0 = 66.572$, $m = 19.406$, $R^2 = 0.26$, $N = 29$


Diameter vs. Fresh Weight

Entire Dataset, 580Mode – Double Log




Diameter vs. Fresh Weight

Entire Dataset, 580Mode – Double Linear



Thickness vs. Fresh Weight

Entire Dataset, 580Mode – Double Log




Thickness


$y_0 = 4.757$, $m = 0.644$, $R^2 = 0.23$, $N = 29$

Thickness vs. Fresh Weight

Entire Dataset, 580Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 580Mode – Double Log



Diameter / Width
 $y_0 = 6.949$, $m = -0.125$, $R^2 = 0.005$, $N = 29$


Diameter / Width vs. Fresh Weight
Entire Dataset, 580Mode – Double Linear



Diameter / Width
 $y_0 = 938.7$, $m = -14.976$, $R^2 = 0.004$, $N = 29$


Width vs. Height

Entire Dataset, 580Mode – Double Log



Width vs. Height

Entire Dataset, 580Mode – Double Linear




Width

$y_0 = 30.007$, $m = 0.674$, $R^2 = 0.053$, $N = 29$


Width vs. Diameter

Entire Dataset, 580Mode – Double Log



Width vs. Diameter

Entire Dataset, 580Mode – Double Linear




Width

$y_0 = 60.295$, $m = 2.096$, $R^2 = 0.123$, $N = 29$

Width vs. Thickness

Entire Dataset, 580Mode – Double Log




Width

$y_0 = 2.672$, $m = 0.141$, $R^2 = 0.009$, $N = 29$

Width vs. Thickness

Entire Dataset, 580Mode – Double Linear




Width

$y_0 = 17.718$, $m = 0.244$, $R^2 = 0.013$, $N = 29$

Height vs. Diameter

Entire Dataset, 580Mode – Double Log




Height

$y_0 = 2.168, m = 0.637, R^2 = 0.522, N = 29$


Height vs. Diameter

Entire Dataset, 580Mode – Double Linear



Height vs. Thickness

Entire Dataset, 580Mode – Double Log




Height

$y_0 = 4.301$, $m = -0.338$, $R^2 = 0.066$, $N = 29$

Height vs. Thickness

Entire Dataset, 580Mode – Double Linear




Height

$y_0 = 28.544$, $m = -0.177$, $R^2 = 0.06$, $N = 29$

Diameter vs. Thickness

Entire Dataset, 580Mode – Double Log




Diameter

$y_0 = 3.089$, $m = -0.008$, $R^2 = 0$, $N = 29$

Diameter vs. Thickness


Entire Dataset, 580Mode – Double Linear



Diameter


$y_0 = 21.24, m = 0.002, R^2 = 0, N = 29$

Diameter / Width vs. Dry Weight
Entire Dataset, 580Mode – Double Log



Diameter / Width
 $y_0 = 4.462$, $m = -0.604$, $R^2 = 0.022$, $N = 29$

Diameter / Width vs. Dry Weight
Entire Dataset, 580Mode – Double Linear



Diameter / Width
 $y_0 = 52.956$, $m = -3.376$, $R^2 = 0.019$, $N = 29$

Width vs. Fresh Weight
Entire Dataset, 582Mode – Double Log



Width vs. Fresh Weight

Entire Dataset, 582Mode – Double Linear



Width

$y_0 = -648.412, m = 101.052, R^2 = 0.777, N = 30$

Height vs. Fresh Weight

Entire Dataset, 582Mode – Double Log



Height

$y_0 = -0.325$, $m = 1.913$, $R^2 = 0.498$, $N = 30$

Height vs. Fresh Weight

Entire Dataset, 582Mode – Double Linear



Height

$y_0 = -728.551, m = 39.625, R^2 = 0.438, N = 30$

Diameter vs. Fresh Weight
Entire Dataset, 582Mode – Double Log



Diameter


$y_0 = -2.845, m = 2.118, R^2 = 0.741, N = 30$

Diameter vs. Fresh Weight

Entire Dataset, 582Mode – Double Linear



Thickness vs. Fresh Weight
Entire Dataset, 582Mode – Double Log



Thickness vs. Fresh Weight

Entire Dataset, 582Mode – Double Linear



Diameter / Width vs. Fresh Weight
Entire Dataset, 582Mode – Double Log



Diameter / Width vs. Fresh Weight
Entire Dataset, 582Mode – Double Linear



Diameter / Width
 $y_0 = 1937.443$, $m = -161.404$, $R^2 = 0.137$, $N = 30$

Width vs. Height

Entire Dataset, 582Mode – Double Log



Width vs. Height

Entire Dataset, 582Mode – Double Linear



Width vs. Diameter
Entire Dataset, 582Mode – Double Log



Width vs. Diameter

Entire Dataset, 582Mode – Double Linear



Width vs. Thickness

Entire Dataset, 582Mode – Double Log



Width

$y_0 = 2.051$, $m = 0.375$, $R^2 = 0.167$, $N = 30$

Width vs. Thickness

Entire Dataset, 582Mode – Double Linear



Height vs. Diameter

Entire Dataset, 582Mode – Double Log




Height

$$y_0 = 1.082, m = 0.932, R^2 = 0.716, N = 30$$

Height vs. Diameter

Entire Dataset, 582Mode – Double Linear



Height vs. Thickness

Entire Dataset, 582Mode – Double Log




Height

$y_0 = 1.911$, $m = 0.313$, $R^2 = 0.062$, $N = 30$

Height vs. Thickness

Entire Dataset, 582Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 582Mode – Double Log



Diameter

$y_0 = 1.215, m = 0.409, R^2 = 0.128, N = 30$

Diameter vs. Thickness

Entire Dataset, 582Mode – Double Linear



Diameter

$y_0 = 11.828, m = 0.104, R^2 = 0.137, N = 30$

Diameter / Width vs. Dry Weight
Entire Dataset, 582Mode – Double Log



Diameter / Width
 $y_0 = 6.594$, $m = -1.813$, $R^2 = 0.077$, $N = 30$

Diameter / Width vs. Dry Weight
Entire Dataset, 582Mode – Double Linear



Diameter / Width
 $y_0 = 103.357$, $m = -11.874$, $R^2 = 0.103$, $N = 30$

Width vs. Fresh Weight

Entire Dataset, 584Mode – Double Log



Width

$y_0 = 1.242, m = 1.939, R^2 = 0.692, N = 31$

Width vs. Fresh Weight

Entire Dataset, 584Mode – Double Linear



Width

$y_0 = -1050.525$, $m = 112.659$, $R^2 = 0.743$, $N = 31$

Height vs. Fresh Weight

Entire Dataset, 584Mode – Double Log



Height

$y_0 = 0.602, m = 1.794, R^2 = 0.776, N = 31$

Height vs. Fresh Weight

Entire Dataset, 584Mode – Double Linear



Height

$y_0 = -910.855, m = 57.99, R^2 = 0.753, N = 31$

Diameter vs. Fresh Weight

Entire Dataset, 584Mode – Double Log



Diameter

$y_0 = -2.993, m = 2.236, R^2 = 0.892, N = 31$

Diameter vs. Fresh Weight

Entire Dataset, 584Mode – Double Linear



Thickness vs. Fresh Weight

Entire Dataset, 584Mode – Double Log



Thickness vs. Fresh Weight

Entire Dataset, 584Mode – Double Linear



Thickness

$y_0 = 503.783$, $m = 25.851$, $R^2 = 0.045$, $N = 31$

Diameter / Width vs. Fresh Weight
Entire Dataset, 584Mode – Double Log



Diameter / Width
 $y_0 = 6.065$, $m = 0.592$, $R^2 = 0.025$, $N = 31$

Diameter / Width vs. Fresh Weight
Entire Dataset, 584Mode – Double Linear



Diameter / Width
 $y_0 = 684.011$, $m = 96.99$, $R^2 = 0.011$, $N = 31$

Width vs. Height

Entire Dataset, 584Mode – Double Log



Width vs. Height

Entire Dataset, 584Mode – Double Linear



Width

$y_0 = 8.688, m = 1.367, R^2 = 0.489, N = 31$

Width vs. Diameter

Entire Dataset, 584Mode – Double Log




Width

$y_0 = 2.114$, $m = 0.792$, $R^2 = 0.648$, $N = 31$

Width vs. Diameter

Entire Dataset, 584Mode – Double Linear



Width

$y_0 = 19.706$, $m = 3.468$, $R^2 = 0.659$, $N = 31$

Width vs. Thickness

Entire Dataset, 584Mode – Double Log



Width vs. Thickness

Entire Dataset, 584Mode – Double Linear



Width

$y_0 = 24.592$, $m = -0.035$, $R^2 = 0.001$, $N = 31$

Height vs. Diameter

Entire Dataset, 584Mode – Double Log



Height vs. Diameter

Entire Dataset, 584Mode – Double Linear



Height vs. Thickness

Entire Dataset, 584Mode – Double Log



Height

$y_0 = 3.009$, $m = 0.044$, $R^2 = 0.003$, $N = 31$

Height vs. Thickness

Entire Dataset, 584Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 584Mode – Double Log



Diameter

$y_0 = 2.894, m = 0.061, R^2 = 0.005, N = 31$

Diameter vs. Thickness

Entire Dataset, 584Mode – Double Linear



Diameter


$y_0 = 23.18, m = 0.008, R^2 = 0.001, N = 31$

Diameter / Width vs. Dry Weight
Entire Dataset, 584Mode – Double Log



Diameter / Width
 $y_0 = 3.173$, $m = 0.058$, $R^2 = 0$, $N = 31$


Diameter / Width vs. Dry Weight
Entire Dataset, 584Mode – Double Linear



Diameter / Width
 $y_0 = 11.161, m = 3.961, R^2 = 0.014, N = 31$


Width vs. Fresh Weight

Entire Dataset, 585Mode – Double Log



Width vs. Fresh Weight

Entire Dataset, 585Mode – Double Linear




Width

$y_0 = -693.718, m = 79.666, R^2 = 0.597, N = 29$


Height vs. Fresh Weight

Entire Dataset, 585Mode – Double Log



Height vs. Fresh Weight

Entire Dataset, 585Mode – Double Linear




Height

$y_0 = -586.41, m = 42.138, R^2 = 0.551, N = 29$

Diameter vs. Fresh Weight

Entire Dataset, 585Mode – Double Log




Diameter


$y_0 = -3.387, m = 2.297, R^2 = 0.701, N = 29$

Diameter vs. Fresh Weight

Entire Dataset, 585Mode – Double Linear




Thickness vs. Fresh Weight
Entire Dataset, 585Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 585Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 585Mode – Double Log



Diameter / Width
 $y_0 = 6.177$, $m = 0.297$, $R^2 = 0.005$, $N = 29$


Diameter / Width vs. Fresh Weight
Entire Dataset, 585Mode – Double Linear



Diameter / Width
 $y_0 = 597.736, m = 42.093, R^2 = 0.004, N = 29$


Width vs. Height

Entire Dataset, 585Mode – Double Log




Width vs. Height

Entire Dataset, 585Mode – Double Linear




Width vs. Diameter
Entire Dataset, 585Mode – Double Log




Width vs. Diameter

Entire Dataset, 585Mode – Double Linear




Width vs. Thickness
Entire Dataset, 585Mode – Double Log




Width vs. Thickness

Entire Dataset, 585Mode – Double Linear



Height vs. Diameter

Entire Dataset, 585Mode – Double Log




Height

$y_0 = 1.455, m = 0.835, R^2 = 0.879, N = 29$


Height vs. Diameter

Entire Dataset, 585Mode – Double Linear




Height vs. Thickness

Entire Dataset, 585Mode – Double Log



Height vs. Thickness


Entire Dataset, 585Mode – Double Linear



Height
 $y_0 = 18.51$, $m = 0.073$, $R^2 = 0.008$, $N = 29$


Diameter vs. Thickness

Entire Dataset, 585Mode – Double Log




Diameter vs. Thickness

Entire Dataset, 585Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 585Mode – Double Log




Diameter / Width
 $y_0 = 4.765$, $m = -0.98$, $R^2 = 0.03$, $N = 29$

Diameter / Width vs. Dry Weight
Entire Dataset, 585Mode – Double Linear



Width vs. Fresh Weight
Entire Dataset, 839Mode – Double Log




Width

$y_0 = -0.858$, $m = 2.418$, $R^2 = 0.825$, $N = 26$

Width vs. Fresh Weight

Entire Dataset, 839Mode – Double Linear




Width

$y_0 = -1168.254$, $m = 88.497$, $R^2 = 0.776$, $N = 26$

Height vs. Fresh Weight

Entire Dataset, 839Mode – Double Log




Height

$y_0 = 0.594, m = 1.754, R^2 = 0.457, N = 26$

Height vs. Fresh Weight

Entire Dataset, 839Mode – Double Linear




Height

$y_0 = -601.593, m = 44.663, R^2 = 0.471, N = 26$

Diameter vs. Fresh Weight

Entire Dataset, 839Mode – Double Log




Diameter

$y_0 = -5.216, m = 2.66, R^2 = 0.86, N = 26$


Diameter vs. Fresh Weight

Entire Dataset, 839Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 839Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 839Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 839Mode – Double Log



Diameter / Width
 $y_0 = 7.938$, $m = -0.831$, $R^2 = 0.015$, $N = 26$


Diameter / Width vs. Fresh Weight
Entire Dataset, 839Mode – Double Linear



Diameter / Width
 $y_0 = 1272.709$, $m = -80.228$, $R^2 = 0.003$, $N = 26$


Width vs. Height

Entire Dataset, 839Mode – Double Log




Width vs. Height

Entire Dataset, 839Mode – Double Linear




Width vs. Diameter
Entire Dataset, 839Mode – Double Log



Width
 $y_0 = 1.811$, $m = 0.855$, $R^2 = 0.848$, $N = 26$

Width vs. Diameter

Entire Dataset, 839Mode – Double Linear




Width

$y_0 = 10.664$, $m = 3.411$, $R^2 = 0.839$, $N = 26$


Width vs. Thickness

Entire Dataset, 839Mode – Double Log




Width vs. Thickness

Entire Dataset, 839Mode – Double Linear




Height vs. Diameter

Entire Dataset, 839Mode – Double Log




Height vs. Diameter

Entire Dataset, 839Mode – Double Linear




Height vs. Thickness

Entire Dataset, 839Mode – Double Log




Height vs. Thickness

Entire Dataset, 839Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 839Mode – Double Log




Diameter


$y_0 = 1.719, m = 0.238, R^2 = 0.018, N = 26$

Diameter vs. Thickness

Entire Dataset, 839Mode – Double Linear




Diameter / Width vs. Dry Weight
Entire Dataset, 839Mode – Double Log



Diameter / Width

$y_0 = 5.707$, $m = -1.649$, $R^2 = 0.036$, $N = 26$


Diameter / Width vs. Dry Weight
Entire Dataset, 839Mode – Double Linear



Diameter / Width
 $y_0 = 141.022$, $m = -27.168$, $R^2 = 0.087$, $N = 26$


Width vs. Fresh Weight

Entire Dataset, 845Mode – Double Log




Width vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear




Height vs. Fresh Weight

Entire Dataset, 845Mode – Double Log



Height vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear




Height

$y_0 = -902.854$, $m = 53.794$, $R^2 = 0.805$, $N = 26$


Diameter vs. Fresh Weight

Entire Dataset, 845Mode – Double Log



Diameter vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear




Diameter

$y_0 = -1077.895, m = 23.086, R^2 = 0.887, N = 26$


Thickness vs. Fresh Weight

Entire Dataset, 845Mode – Double Log



Thickness vs. Fresh Weight


Entire Dataset, 845Mode – Double Linear



Thickness


$y_0 = 196.546$, $m = 34.898$, $R^2 = 0.11$, $N = 26$

Diameter / Width vs. Fresh Weight
Entire Dataset, 845Mode – Double Log



Diameter / Width
 $y_0 = 4.44$, $m = 1.566$, $R^2 = 0.041$, $N = 26$


Diameter / Width vs. Fresh Weight
Entire Dataset, 845Mode – Double Linear



Diameter / Width
 $y_0 = -935.06$, $m = 431.945$, $R^2 = 0.072$, $N = 26$


Width vs. Height

Entire Dataset, 845Mode – Double Log




Width vs. Height

Entire Dataset, 845Mode – Double Linear




Width vs. Diameter
Entire Dataset, 845Mode – Double Log




Width vs. Diameter

Entire Dataset, 845Mode – Double Linear



Width vs. Thickness

Entire Dataset, 845Mode – Double Log




Width

$y_0 = 2.291$, $m = 0.196$, $R^2 = 0.029$, $N = 26$


Width vs. Thickness

Entire Dataset, 845Mode – Double Linear



Height vs. Diameter

Entire Dataset, 845Mode – Double Log




Height

$y_0 = 1.229, m = 0.917, R^2 = 0.928, N = 26$

Height vs. Diameter


Entire Dataset, 845Mode – Double Linear



Height
 $y_0 = 6.198$, $m = 2.373$, $R^2 = 0.942$, $N = 26$

Height vs. Thickness

Entire Dataset, 845Mode – Double Log




Height

$y_0 = 2.513, m = 0.105, R^2 = 0.011, N = 26$

Height vs. Thickness

Entire Dataset, 845Mode – Double Linear




Height

$y_0 = 16.208$, $m = 0.056$, $R^2 = 0.01$, $N = 26$

Diameter vs. Thickness

Entire Dataset, 845Mode – Double Log




Diameter

$y_0 = 2.376$, $m = 0.114$, $R^2 = 0.011$, $N = 26$

Diameter vs. Thickness


Entire Dataset, 845Mode – Double Linear



Diameter


$y_0 = 15.882, m = 0.026, R^2 = 0.012, N = 26$

Diameter / Width vs. Dry Weight
Entire Dataset, 845Mode – Double Log



Diameter / Width
 $y_0 = 2.472$, $m = 0.819$, $R^2 = 0.009$, $N = 26$

Diameter / Width vs. Dry Weight
Entire Dataset, 845Mode – Double Linear



Diameter / Width
 $y_0 = 32.942$, $m = 2.144$, $R^2 = 0$, $N = 26$

Width vs. Fresh Weight
Entire Dataset, 854Mode – Double Log



Width

$y_0 = 1.341, m = 1.705, R^2 = 0.668, N = 30$

Width vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear




Width

$y_0 = -283.877$, $m = 45.112$, $R^2 = 0.642$, $N = 30$


Height vs. Fresh Weight

Entire Dataset, 854Mode – Double Log



Height vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear



Height

$y_0 = 80.909, m = 13.805, R^2 = 0.196, N = 30$

Diameter vs. Fresh Weight

Entire Dataset, 854Mode – Double Log




Diameter

$y_0 = -0.243$, $m = 1.515$, $R^2 = 0.449$, $N = 30$

Diameter vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 854Mode – Double Log



Thickness vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear



Thickness

$y_0 = 210.795$, $m = 12.187$, $R^2 = 0.157$, $N = 30$

Diameter / Width vs. Fresh Weight
Entire Dataset, 854Mode – Double Log



Diameter / Width
 $y_0 = 7.407$, $m = -0.98$, $R^2 = 0.093$, $N = 30$

Diameter / Width vs. Fresh Weight
Entire Dataset, 854Mode – Double Linear



Diameter / Width
 $y_0 = 842.767$, $m = -101.979$, $R^2 = 0.089$, $N = 30$

Width vs. Height

Entire Dataset, 854Mode – Double Log




Width

$y_0 = 1.365, m = 0.675, R^2 = 0.349, N = 30$


Width vs. Height

Entire Dataset, 854Mode – Double Linear



Width vs. Diameter

Entire Dataset, 854Mode – Double Log




Width vs. Diameter

Entire Dataset, 854Mode – Double Linear



Width vs. Thickness
Entire Dataset, 854Mode – Double Log



Width vs. Thickness

Entire Dataset, 854Mode – Double Linear



Width

$y_0 = 16.995$, $m = 0.072$, $R^2 = 0.002$, $N = 30$

Height vs. Diameter

Entire Dataset, 854Mode – Double Log




Height vs. Diameter

Entire Dataset, 854Mode – Double Linear



Height vs. Thickness

Entire Dataset, 854Mode – Double Log



Height

$y_0 = 4.603, m = -0.533, R^2 = 0.131, N = 30$

Height vs. Thickness

Entire Dataset, 854Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 854Mode – Double Log



Diameter

$y_0 = 4.53$, $m = -0.397$, $R^2 = 0.047$, $N = 30$

Diameter vs. Thickness


Entire Dataset, 854Mode – Double Linear



Diameter


$y_0 = 24.655$, $m = -0.102$, $R^2 = 0.042$, $N = 30$

Diameter / Width vs. Dry Weight
Entire Dataset, 854Mode – Double Log



Diameter / Width
 $y_0 = 3.559$, $m = 0.019$, $R^2 = 0$, $N = 30$

Diameter / Width vs. Dry Weight
Entire Dataset, 854Mode – Double Linear



Diameter / Width
 $y_0 = 46.797$, $m = -1.681$, $R^2 = 0.001$, $N = 30$