Table 2.2C Tobacco Product Use or Nicotine Vaping in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Detailed Age Category, Standard Errors of Numbers in Thousands, 2020

Age Category	Lifetime	Past Year	Past Month
TOTAL	1,426	1,192	1,128
12-20	356	308	245
21 or Older	2,329	1,365	1,253
12-17	194	168	122
12-13	43	36	24
14-15	125	104	67
16-17	153	128	99
18 or Older	1,363	1,171	1,113
18-25	336	309	279
18-20	264	234	195
21-25	395	316	262
26 or Older	1,283	1,135	1,089
26-49	638	674	623
26-29	450	340	296
30-34	548	384	348
35-39	538	384	327
40-44	480	336	312
45-49	473	328	303
50 or Older	1,097	883	878
50-54	751	524	507
55-59	722	441	411
60-64	793	476	464
65 or Older	729	434	435

<sup>\* =</sup> low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Information about past year use of pipe tobacco was not collected. The estimate for tobacco product use or nicotine vaping in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, Quarters 1 and 4, 2020.

Table 2.2D Tobacco Product Use or Nicotine Vaping in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Detailed Age Category, Standard Errors of Percentages, 2020

Age Category	Lifetime	Past Year	Past Month
TOTAL	0.51	0.43	0.41
12-20	0.82	0.74	0.61
21 or Older	0.55	0.48	0.46
12-17	0.78	0.67	0.49
12-13	0.51	0.43	0.28
14-15	1.33	1.15	0.74
16-17	1.64	1.46	1.17
18 or Older	0.54	0.46	0.44
18-25	1.00	0.92	0.83
18-20	1.58	1.47	1.32
21-25	1.21	1.16	1.04
26 or Older	0.59	0.52	0.50
26-49	0.63	0.66	0.61
26-29	1.46	1.49	1.37
30-34	1.32	1.31	1.25
35-39	1.29	1.36	1.25
40-44	1.49	1.44	1.38
45-49	1.48	1.48	1.40
50 or Older	0.94	0.76	0.75
50-54	2.15	2.20	2.18
55-59	2.27	1.82	1.73
60-64	1.87	1.96	1.94
65 or Older	1.34	0.80	0.80

<sup>\* =</sup> low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Information about past year use of pipe tobacco was not collected. The estimate for tobacco product use or nicotine vaping in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, Quarters 1 and 4, 2020.