Table 6.2C Cigarette Use and Nicotine (Cigarette) Dependence in Past Month: Among People Aged 12 or Older; by Detailed Age Category, Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2019 and 2020

Age Category	Cigarette Use in Past Month		Nicotine Dependence in Past Month		Percentage with Nicotine Dependence among Past Month Cigarette Smokers	
	2019	2020	2019	2020	2019	2020
TOTAL	638	1,038	495	826	0.72	1.24
12-20	91	126	50	76	1.77	3.96
21 or Older	710	1,130	523	863	0.75	1.28
12-17	37	56	21	19	2.96	*
12-13	10	8	4	6	*	*
14-15	20	35	9	16	4.81	*
16-17	29	39	18	9	3.78	*
18 or Older	634	1,031	491	820	0.72	1.25
18-25	136	214	88	139	1.14	2.26
18-20	82	111	45	74	2.12	4.65
21-25	131	213	78	116	1.36	2.55
26 or Older	613	1,017	480	819	0.80	1.37
26-49	372	564	283	441	0.86	1.46
26-29	175	247	119	168	1.94	3.53
30-34	184	292	125	202	1.74	3.00
35-39	192	288	138	221	1.83	3.24
40-44	168	280	122	199	2.02	3.61
45-49	166	255	125	204	2.05	3.40
50 or Older	479	825	384	689	1.47	2.47
50-54	242	455	186	335	2.92	5.78
55-59	277	388	227	327	2.73	4.99
60-64	226	402	179	355	2.93	5.48
65 or Older	270	414	204	350	3.01	4.03

^{* =} low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the 2020 National Survey on Drug Use and Health:

Methodological Summary and Definitions for details.

Table 6.2D Cigarette Use and Nicotine (Cigarette) Dependence in Past Month: Among People Aged 12 or Older; by Detailed Age Category, Standard Errors of Percentages, 2019 and 2020

Age Category	Cigarette Use in Past Month		Nicotine Dependence in Past Month		Percentage with Nicotine Dependence among Past Month Cigarette Smokers	
	2019	2020	2019	2020	2019	2020
TOTAL	0.23	0.38	0.18	0.30	0.72	1.24
12-20	0.22	0.33	0.13	0.20	1.77	3.96
21 or Older	0.26	0.43	0.21	0.34	0.75	1.28
12-17	0.15	0.22	0.08	0.08	2.96	*
12-13	0.13	0.10	0.05	0.07	*	*
14-15	0.23	0.40	0.10	0.18	4.81	*
16-17	0.35	0.48	0.22	0.11	3.78	*
18 or Older	0.25	0.41	0.20	0.33	0.72	1.25
18-25	0.40	0.64	0.26	0.41	1.14	2.26
18-20	0.53	0.84	0.33	0.59	2.12	4.65
21-25	0.53	0.89	0.36	0.53	1.36	2.55
26 or Older	0.28	0.47	0.22	0.37	0.80	1.37
26-49	0.37	0.56	0.28	0.43	0.86	1.46
26-29	0.85	1.23	0.62	0.90	1.94	3.53
30-34	0.73	1.15	0.53	0.85	1.74	3.00
35-39	0.81	1.17	0.61	0.94	1.83	3.24
40-44	0.80	1.29	0.61	0.98	2.02	3.61
45-49	0.76	1.23	0.59	1.02	2.05	3.40
50 or Older	0.42	0.71	0.33	0.59	1.47	2.47
50-54	1.10	2.03	0.86	1.60	2.92	5.78
55-59	1.15	1.66	0.98	1.43	2.73	4.99
60-64	1.00	1.74	0.81	1.58	2.93	5.48
65 or Older	0.51	0.76	0.39	0.64	3.01	4.03

^{* =} low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the 2020 National Survey on Drug Use and Health: Methodological Summary and Definitions for details.