

Table 6.15C (REVISED) Social Context and Location of Most Recent Alcohol Use in Past Month: Among Past Month Alcohol Users Aged 12 to 20; by Age Group and Gender, Standard Errors of Numbers in Thousands, 2019 and 2020

Social Context and Location of Most Recent Alcohol Use	Total (2019)	Total (2020)	Aged 12-14 (2019)	Aged 12-14 (2020)	Aged 15-17 (2019)	Aged 15-17 (2020)	Aged 18-20 (2019)	Aged 18-20 (2020)	Male (2019)	Male (2020)	Female (2019)	Female (2020)
SOCIAL CONTEXT OF MOST RECENT ALCOHOL USE¹												
Drank Alone	47	69	10	*	27	42	36	52	37	52	28	44
Drank with One Other Person	55	114	11	*	25	53	48	95	36	86	41	72
Drank with More than One Person	187	247	23	*	62	122	168	200	105	151	121	174
LOCATION OF MOST RECENT ALCOHOL USE^{1,2}												
Car or Other Vehicle	29	26	11	*	13	18	23	18	20	20	21	16
Home	112	192	20	*	44	96	97	149	73	128	74	119
Someone Else's Home	129	184	15	*	52	91	116	152	80	120	86	131
Park, Beach, or Parking Lot	33	32	*	*	17	28	26	15	23	31	24	8
Restaurant, Bar, or Club	57	68	4	*	12	8	55	68	31	55	41	39
Concert or Sports Game	26	18	2	*	13	*	22	14	17	13	17	12
School	20	25	3	*	10	0	17	25	14	16	12	17
Some Other Place ³	35	59	7	*	14	20	31	56	22	28	26	50
Party, Wedding, or Celebration	23	30	4	*	9	7	21	29	15	6	17	29
Outside (Location not Specified)	7	9	*	*	2	5	5	7	6	5	3	8
Hotel, Motel, or Resort	9	16	*	*	6	0	6	16	4	2	8	16
Camping, Hunting, or Fishing	10	2	0	*	4	2	9	*	4	2	9	*
Cabin, Cottage, Vacation Home, etc.	5	31	*	*	2	3	3	31	4	14	3	28
Dorm Room	5	3	*	*	2	*	4	3	5	1	1	3

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Estimates in this table for 2020 exclude a subset of respondents who did not complete the questionnaire. The analysis weights and estimates were adjusted for the reduced sample size. Therefore, some estimates in this table could differ from corresponding estimates in other tables that did not undergo sample size adjustments. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Respondents with unknown responses were excluded from the respective analyses.

² Respondents could indicate multiple locations for the most recent time they used alcohol; thus, these response categories are not mutually exclusive.

³ Respondents could specify other locations for "Some Other Place." The "other" locations listed are among the most common write-in responses. Invalid write-in responses were excluded from this analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 6.15D (REVISED) Social Context and Location of Most Recent Alcohol Use in Past Month: Among Past Month Alcohol Users Aged 12 to 20; by Age Group and Gender, Standard Errors of Percentages, 2019 and 2020

Social Context and Location of Most Recent Alcohol Use	Total (2019)	Total (2020)	Aged 12-14 (2019)	Aged 12-14 (2020)	Aged 15-17 (2019)	Aged 15-17 (2020)	Aged 18-20 (2019)	Aged 18-20 (2020)	Male (2019)	Male (2020)	Female (2019)	Female (2020)
SOCIAL CONTEXT OF MOST RECENT ALCOHOL USE¹												
Drank Alone	0.68	<i>1.12</i>	3.01	*	1.33	<i>2.38</i>	0.77	<i>1.30</i>	1.11	<i>1.67</i>	0.77	<i>1.47</i>
Drank with One Other Person	0.76	<i>1.68</i>	3.35	*	1.24	<i>2.81</i>	1.00	<i>2.08</i>	1.03	<i>2.50</i>	1.08	<i>2.23</i>
Drank with More than One Person	0.98	<i>1.98</i>	4.05	*	1.63	<i>3.44</i>	1.26	<i>2.36</i>	1.48	<i>2.90</i>	1.25	<i>2.59</i>
LOCATION OF MOST RECENT ALCOHOL USE^{1,2}												
Car or Other Vehicle	0.42	<i>0.43</i>	3.50	*	0.71	<i>1.06</i>	0.50	<i>0.45</i>	0.63	<i>0.70</i>	0.56	<i>0.52</i>
Home	1.14	<i>2.22</i>	4.65	*	1.85	<i>3.77</i>	1.42	<i>2.78</i>	1.62	<i>3.03</i>	1.57	<i>2.98</i>
Someone Else's Home	1.13	<i>2.22</i>	4.26	*	1.88	<i>3.82</i>	1.44	<i>2.73</i>	1.68	<i>3.05</i>	1.57	<i>3.07</i>
Park, Beach, or Parking Lot	0.46	<i>0.55</i>	*	*	0.86	<i>1.56</i>	0.54	<i>0.41</i>	0.70	<i>1.06</i>	0.66	<i>0.28</i>
Restaurant, Bar, or Club	0.75	<i>1.14</i>	1.38	*	0.63	<i>0.48</i>	1.03	<i>1.66</i>	0.93	<i>1.81</i>	1.04	<i>1.27</i>
Concert or Sports Game	0.37	<i>0.31</i>	0.68	*	0.70	*	0.45	<i>0.37</i>	0.52	<i>0.45</i>	0.47	<i>0.42</i>
School	0.29	<i>0.41</i>	0.99	*	0.56	<i>0.03</i>	0.36	<i>0.61</i>	0.43	<i>0.56</i>	0.35	<i>0.57</i>
Some Other Place ³	0.50	<i>1.00</i>	2.58	*	0.77	<i>1.17</i>	0.65	<i>1.40</i>	0.68	<i>0.97</i>	0.72	<i>1.65</i>
Party, Wedding, or Celebration	0.34	<i>0.52</i>	1.51	*	0.47	<i>0.43</i>	0.45	<i>0.75</i>	0.48	<i>0.19</i>	0.49	<i>1.00</i>
Outside (Location not Specified)	0.11	<i>0.16</i>	*	*	0.13	<i>0.32</i>	0.12	<i>0.19</i>	0.19	<i>0.19</i>	0.09	<i>0.26</i>
Hotel, Motel, or Resort	0.13	<i>0.27</i>	*	*	0.32	<i>0.02</i>	0.14	<i>0.40</i>	0.14	<i>0.08</i>	0.22	<i>0.53</i>
Camping, Hunting, or Fishing	0.15	<i>0.03</i>	0.11	*	0.20	<i>0.11</i>	0.20	*	0.12	<i>0.07</i>	0.26	*
Cabin, Cottage, Vacation Home, etc.	0.07	<i>0.54</i>	*	*	0.13	<i>0.16</i>	0.07	<i>0.80</i>	0.12	<i>0.50</i>	0.08	<i>0.94</i>
Dorm Room	0.07	<i>0.05</i>	*	*	0.11	*	0.10	<i>0.08</i>	0.15	<i>0.02</i>	0.03	<i>0.11</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Estimates in this table for 2020 exclude a subset of respondents who did not complete the questionnaire. The analysis weights and estimates were adjusted for the reduced sample size. Therefore, some estimates in this table could differ from corresponding estimates in other tables that did not undergo sample size adjustments. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Respondents with unknown responses were excluded from the respective analyses.

² Respondents could indicate multiple locations for the most recent time they used alcohol; thus, these response categories are not mutually exclusive.

³ Respondents could specify other locations for "Some Other Place." The "other" locations listed are among the most common write-in responses. Invalid write-in responses were excluded from this analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 6.16C (REVISED) Source Where Alcohol Was Obtained for Most Recent Use in Past Month: Among Past Month Alcohol Users Aged 12 to 20; by Age Group and Gender, Standard Errors of Numbers in Thousands, 2019 and 2020

Source of Most Recent Alcohol Use in the Past Month	Total (2019)	Total (2020)	Aged 12-14 (2019)	Aged 12-14 (2020)	Aged 15-17 (2019)	Aged 15-17 (2020)	Aged 18-20 (2019)	Aged 18-20 (2020)	Male (2019)	Male (2020)	Female (2019)	Female (2020)
UNDERAGE DRINKER PAID¹	107	<i>138</i>	5	*	31	<i>59</i>	100	<i>123</i>	63	<i>106</i>	66	<i>85</i>
Purchased It Himself or Herself	55	<i>74</i>	*	*	15	<i>27</i>	53	<i>68</i>	35	<i>60</i>	35	<i>42</i>
From Store, Restaurant, Bar, Club, or Event	48	<i>66</i>	*	*	12	<i>10</i>	47	<i>65</i>	30	<i>55</i>	32	<i>36</i>
Liquor, Convenience, or Grocery Store	37	<i>54</i>	*	*	11	<i>10</i>	35	<i>53</i>	28	<i>51</i>	19	<i>17</i>
Restaurant, Bar, or Club	28	<i>35</i>	*	*	4	*	27	<i>35</i>	11	<i>18</i>	24	<i>31</i>
Concert, Sports, or Other Event	1	<i>7</i>	*	*	1	*	1	<i>7</i>	1	<i>7</i>	1	<i>2</i>
From Another Person	20	<i>33</i>	*	*	9	<i>26</i>	17	<i>21</i>	16	<i>25</i>	12	<i>22</i>
From Person under Age 21	10	<i>25</i>	*	*	3	*	9	<i>13</i>	9	*	3	<i>13</i>
From Person Aged 21 or Older	17	<i>23</i>	*	*	8	<i>15</i>	15	<i>17</i>	12	<i>15</i>	12	<i>17</i>
Purchased by Someone Else	76	<i>107</i>	2	*	27	<i>44</i>	70	<i>98</i>	47	<i>77</i>	48	<i>74</i>
Parent or Guardian	11	<i>23</i>	*	*	4	<i>7</i>	10	<i>22</i>	5	<i>13</i>	10	<i>20</i>
Another Family Member Aged 21 or Older	17	<i>30</i>	*	*	6	<i>10</i>	16	<i>28</i>	11	<i>15</i>	13	<i>26</i>
Someone Not Related Aged 21 or Older	62	<i>83</i>	1	*	21	<i>33</i>	57	<i>76</i>	39	<i>55</i>	38	<i>62</i>
Someone under Age 21	27	<i>48</i>	2	*	15	<i>24</i>	23	<i>41</i>	21	<i>42</i>	17	<i>24</i>
UNDERAGE DRINKER DID NOT PAY¹	150	<i>248</i>	27	*	67	<i>120</i>	129	<i>194</i>	93	<i>153</i>	102	<i>169</i>
Got It from Parent or Guardian	51	<i>111</i>	15	*	24	<i>75</i>	41	<i>82</i>	37	<i>52</i>	33	<i>99</i>
Got It from Another Family Member Aged 21 or Older	44	<i>79</i>	8	*	22	<i>33</i>	37	<i>71</i>	28	<i>64</i>	35	<i>52</i>
Got It from Someone Not Related Aged 21 or Older	74	<i>123</i>	5	*	24	<i>43</i>	70	<i>112</i>	43	<i>88</i>	57	<i>79</i>
Got It from Someone under Age 21	53	<i>71</i>	8	*	30	<i>39</i>	41	<i>57</i>	32	<i>58</i>	40	<i>42</i>
Took It from Own Home	37	<i>63</i>	12	*	22	<i>54</i>	27	<i>29</i>	24	<i>39</i>	26	<i>50</i>
Took It from Someone Else's Home	23	<i>22</i>	5	*	12	<i>8</i>	20	<i>19</i>	14	<i>19</i>	18	<i>12</i>
Got It Some Other Way	35	<i>68</i>	10	*	22	<i>28</i>	27	<i>55</i>	30	<i>43</i>	20	<i>45</i>
From Friend or Acquaintance, Unspecified Age and Method ²	24	<i>54</i>	*	*	15	<i>15</i>	17	<i>44</i>	19	<i>35</i>	14	<i>31</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Estimates in this table for 2020 exclude a subset of respondents who did not complete the questionnaire. The analysis weights and estimates were adjusted for the reduced sample size. Therefore, some estimates in this table could differ from corresponding estimates in other tables that did not undergo sample size adjustments. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Respondents with unknown responses were excluded from the respective analyses.

² Respondents could specify other sources for "Some Other Way." The source listed is the most common write-in response. Invalid write-in responses were excluded from this analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 6.16D (REVISED) Source Where Alcohol Was Obtained for Most Recent Use in Past Month: Among Past Month Alcohol Users Aged 12 to 20; by Age Group and Gender, Standard Errors of Percentages, 2019 and 2020

Source of Most Recent Alcohol Use in the Past Month	Total (2019)	Total (2020)	Aged 12-14 (2019)	Aged 12-14 (2020)	Aged 15-17 (2019)	Aged 15-17 (2020)	Aged 18-20 (2019)	Aged 18-20 (2020)	Male (2019)	Male (2020)	Female (2019)	Female (2020)
UNDERAGE DRINKER PAID¹	1.11	<i>1.96</i>	1.53	*	1.48	<i>2.89</i>	1.43	<i>2.54</i>	1.50	<i>2.95</i>	1.38	<i>2.42</i>
Purchased It Himself or Herself	0.72	<i>1.18</i>	*	*	0.78	<i>1.51</i>	1.01	<i>1.64</i>	1.04	<i>1.89</i>	0.90	<i>1.38</i>
From Store, Restaurant, Bar, Club, or Event	0.64	<i>1.08</i>	*	*	0.62	<i>0.57</i>	0.92	<i>1.56</i>	0.90	<i>1.77</i>	0.83	<i>1.19</i>
Liquor, Convenience, or Grocery Store	0.52	<i>0.90</i>	*	*	0.59	<i>0.57</i>	0.74	<i>1.31</i>	0.86	<i>1.67</i>	0.53	<i>0.59</i>
Restaurant, Bar, or Club	0.40	<i>0.59</i>	*	*	0.21	*	0.56	<i>0.88</i>	0.36	<i>0.61</i>	0.64	<i>1.02</i>
Concert, Sports, or Other Event	0.02	<i>0.12</i>	*	*	0.03	*	0.02	<i>0.18</i>	0.03	<i>0.23</i>	0.02	<i>0.07</i>
From Another Person	0.29	<i>0.56</i>	*	*	0.46	<i>1.44</i>	0.37	<i>0.55</i>	0.49	<i>0.86</i>	0.34	<i>0.73</i>
From Person under Age 21	0.15	<i>0.41</i>	*	*	0.14	*	0.19	<i>0.33</i>	0.30	*	0.07	<i>0.44</i>
From Person Aged 21 or Older	0.25	<i>0.38</i>	*	*	0.44	<i>0.86</i>	0.32	<i>0.44</i>	0.39	<i>0.50</i>	0.33	<i>0.58</i>
Purchased by Someone Else	0.86	<i>1.60</i>	0.84	*	1.36	<i>2.26</i>	1.12	<i>2.16</i>	1.24	<i>2.35</i>	1.07	<i>2.22</i>
Parent or Guardian	0.17	<i>0.39</i>	*	*	0.20	<i>0.44</i>	0.23	<i>0.55</i>	0.16	<i>0.44</i>	0.29	<i>0.64</i>
Another Family Member Aged 21 or Older	0.25	<i>0.52</i>	*	*	0.32	<i>0.57</i>	0.35	<i>0.72</i>	0.35	<i>0.54</i>	0.35	<i>0.88</i>
Someone Not Related Aged 21 or Older	0.74	<i>1.35</i>	0.38	*	1.08	<i>1.84</i>	0.96	<i>1.85</i>	1.07	<i>1.85</i>	0.93	<i>1.94</i>
Someone under Age 21	0.40	<i>0.81</i>	0.73	*	0.79	<i>1.36</i>	0.49	<i>1.05</i>	0.66	<i>1.42</i>	0.47	<i>0.80</i>
UNDERAGE DRINKER DID NOT PAY¹	1.11	<i>1.96</i>	1.53	*	1.48	<i>2.89</i>	1.43	<i>2.54</i>	1.50	<i>2.95</i>	1.38	<i>2.42</i>
Got It from Parent or Guardian	0.74	<i>1.71</i>	4.51	*	1.28	<i>3.74</i>	0.86	<i>2.01</i>	1.14	<i>1.81</i>	0.92	<i>3.03</i>
Got It from Another Family Member Aged 21 or Older	0.66	<i>1.35</i>	2.85	*	1.17	<i>1.97</i>	0.82	<i>1.79</i>	0.90	<i>2.14</i>	0.98	<i>1.76</i>
Got It from Someone Not Related Aged 21 or Older	0.96	<i>1.76</i>	1.81	*	1.23	<i>2.55</i>	1.29	<i>2.32</i>	1.29	<i>2.72</i>	1.37	<i>2.39</i>
Got It from Someone under Age 21	0.74	<i>1.20</i>	2.95	*	1.57	<i>2.34</i>	0.85	<i>1.42</i>	1.00	<i>1.93</i>	1.06	<i>1.44</i>
Took It from Own Home	0.57	<i>1.09</i>	4.00	*	1.21	<i>3.08</i>	0.60	<i>0.78</i>	0.81	<i>1.36</i>	0.77	<i>1.71</i>
Took It from Someone Else's Home	0.36	<i>0.39</i>	1.85	*	0.65	<i>0.50</i>	0.44	<i>0.49</i>	0.47	<i>0.66</i>	0.52	<i>0.42</i>
Got It Some Other Way	0.54	<i>1.17</i>	3.39	*	1.18	<i>1.72</i>	0.60	<i>1.40</i>	0.94	<i>1.50</i>	0.59	<i>1.51</i>
From Friend or Acquaintance, Unspecified Age and Method ²	0.37	<i>0.95</i>	*	*	0.85	<i>0.94</i>	0.38	<i>1.15</i>	0.62	<i>1.23</i>	0.40	<i>1.06</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Estimates in this table for 2020 exclude a subset of respondents who did not complete the questionnaire. The analysis weights and estimates were adjusted for the reduced sample size. Therefore, some estimates in this table could differ from corresponding estimates in other tables that did not undergo sample size adjustments. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Respondents with unknown responses were excluded from the respective analyses.

² Respondents could specify other sources for "Some Other Way." The source listed is the most common write-in response. Invalid write-in responses were excluded from this analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.