Table 6.2A Cigarette Use and Nicotine (Cigarette) Dependence in Past Month: Among People Aged 12 or Older; by Detailed Age Category, Numbers in Thousands and Percentages, 2019 and 2020

Age Category	Cigarette Use in Past Month		Nicotine Dependence in Past Month		Percentage with Nicotine Dependence among Past Month Cigarette Smokers	
	2019	2020	2019	2020	2019	2020
TOTAL	45,885	41,400	25,985	23,615	56.6	57.0
12-20	2,281	1,523	869	556	38.1	36.5
21 or Older	43,604	39,877	25,116	23,058	57.6	57.8
12-17	572	350	200	60	35.0	*
12-13	45	20	7	8	*	*
14-15	150	115	42	25	27.6	*
16-17	377	215	151	26	40.2	*
18 or Older	45,313	41,050	25,785	23,555	56.9	57.4
18-25	5,917	4,661	2,486	1,844	42.0	39.6
18-20	1,709	1,173	669	497	39.1	42.3
21-25	4,207	3,488	1,817	1,347	43.2	38.6
26 or Older	39,396	36,389	23,300	21,711	59.1	59.7
26-49	22,628	20,666	12,522	11,427	55.3	55.3
26-29	4,432	3,574	2,109	1,707	47.6	47.8
30-34	5,174	4,706	2,721	2,421	52.6	51.4
35-39	4,912	4,637	2,808	2,624	57.2	56.6
40-44	4,100	4,154	2,396	2,336	58.4	56.2
45-49	4,011	3,595	2,488	2,339	62.0	65.1
50 or Older	16,768	15,722	10,778	10,284	64.3	65.4
50-54	3,910	4,035	2,398	2,606	61.3	64.6
55-59	4,629	3,663	3,217	2,470	69.5	67.4
60-64	3,775	3,206	2,487	2,121	65.9	66.1
65 or Older	4,453	4,818	2,676	3,087	60.1	64.1

^{* =} low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the 2020 National Survey on Drug Use and Health: Methodological Summary and Definitions for details.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 6.2B Cigarette Use and Nicotine (Cigarette) Dependence in Past Month: Among People Aged 12 or Older; by Detailed Age Category, Percentages, 2019 and 2020

	Cigarette Use in Past Month		Nicotine Dependence in Past Month		Percentage with Nicotine Dependence among Past Month Cigarette Smokers	
Age Category	2019	2020	2019	2020	2019	2020
TOTAL	16.7	15.0	9.4	8.5	56.6	57.0
12-20	6.0	4.1	2.3	1.5	38.1	36.5
21 or Older	18.4	16.7	10.6	9.6	57.6	57.8
12-17	2.3	1.4	0.8	0.2	35.0	*
12-13	0.5	0.2	0.1	0.1	*	*
14-15	1.8	1.3	0.5	0.3	27.6	*
16-17	4.6	2.7	1.8	0.3	40.2	*
18 or Older	18.1	16.3	10.3	9.3	56.9	57.4
18-25	17.5	13.9	7.4	5.5	42.0	39.6
18-20	13.0	9.4	5.1	4.0	39.1	42.3
21-25	20.5	16.6	8.8	6.4	43.2	38.6
26 or Older	18.2	16.7	10.8	9.9	59.1	59.7
26-49	22.3	20.4	12.4	11.3	55.3	55.3
26-29	24.6	20.1	11.7	9.6	47.6	47.8
30-34	23.2	20.7	12.2	10.7	52.6	51.4
35-39	22.9	20.8	13.1	11.8	57.2	56.6
40-44	21.3	21.4	12.4	12.1	58.4	56.2
45-49	19.8	18.6	12.3	12.1	62.0	65.1
50 or Older	14.5	13.4	9.3	8.8	64.3	65.4
50-54	19.0	20.3	11.6	13.1	61.3	64.6
55-59	21.8	17.0	15.1	11.5	69.5	67.4
60-64	18.3	15.3	12.1	10.1	65.9	66.1
65 or Older	8.4	8.8	5.1	5.7	60.1	64.1

^{* =} low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the 2020 National Survey on Drug Use and Health:

Methodological Summary and Definitions for details.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.