Table 8.59C Attempted Suicide in Past Year: Among People Aged 18 or Older; Received Medical Attention for Suicide Attempt or Stayed Overnight or Longer in a Hospital for Suicide Attempt in Past Year: Among People Aged 18 or Older Who Attempted Suicide in Past Year; by Demographic and Socioeconomic Characteristics, Standard Errors of Numbers in Thousands, 2019 and 2020

| | | | Received Medical Attention for Suicide Attempt among Persons Who Attempted | Received Medical Attention for Suicide Attempt among Persons Who Attempted | Stayed Overnight or Longer in a Hospital for Suicide Attempt among Persons Who | Stayed Overnight or Longer in a Hospital for Suicide Attempt among Persons Who |
|-------------------------------|--------|-------------------|--|--|--|--|
| Demographic/Socioeconomic | | Attempted Suicide | Suicide | Suicide | Attempted Suicide | - |
| Characteristic | (2019) | (2020) | (2019) | (2020) | (2019) | (2020) |
| TOTAL | 93 | 131 | 68 | 96 | 61 | 75 |
| AGE GROUP | | | | | | |
| 18-25 | 45 | 77 | 28 | * | 23 | * |
| 26 or Older | 83 | 105 | 63 | * | 57 | * |
| 26-49 | 58 | 89 | 45 | * | 39 | * |
| 50 or Older | 56 | 52 | * | * | * | * |
| GENDER | | | | | | |
| Male | 53 | 78 | 42 | * | 39 | * |
| Female | 74 | 101 | 55 | * | 48 | * |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 81 | 113 | 62 | 86 | 56 | 64 |
| White | 70 | 100 | 56 | * | 51 | * |
| Black or African American | 33 | 31 | * | * | * | * |
| AIAN | 2 | * | * | * | * | * |
| NHOPI | 3 | 6 | * | * | * | * |
| Asian | 17 | 11 | * | * | * | * |
| Two or More Races | 14 | 26 | * | * | * | * |
| Hispanic or Latino | 44 | 66 | * | * | * | * |
| HEALTH INSURANCE ¹ | | | | | | |
| Private | 67 | 88 | 50 | * | 46 | * |
| Medicaid/CHIP | 58 | 67 | 42 | * | 38 | * |
| Other ² | 51 | 67 | * | * | * | * |
| No Coverage | 31 | 49 | * | * | * | * |
| EMPLOYMENT STATUS | | | | | | |
| Full-Time | 43 | 71 | 31 | * | 26 | * |
| Part-Time | 41 | 50 | * | * | * | * |
| Unemployed | 38 | 58 | * | * | * | * |
| Other ³ | 54 | 76 | * | * | * | * |

^{* =} low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents who had no suicide thoughts were categorized as not attempting suicide in the past 12 months. Respondents with unknown suicide information were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the 2020 National Survey on Drug Use and Health: Methodological Summary and Definitions for details.

NOTE: Estimates in this table for 2020 exclude a subset of respondents who did not complete the questionnaire. The analysis weights and estimates were adjusted for the reduced sample size. See the 2020 National Survey on Drug Use and Health: Methodological Summary and Definitions for details.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

³ Other Employment includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Table 8.59D Attempted Suicide in Past Year: Among People Aged 18 or Older; Received Medical Attention for Suicide Attempt or Stayed Overnight or Longer in a Hospital for Suicide Attempt in Past Year: Among People Aged 18 or Older Who Attempted Suicide in Past Year; by Demographic and Socioeconomic Characteristics, Standard Errors of Percentages, 2019 and 2020

| | | | Received Medical | Received Medical | Stayed Overnight | Stayed Overnight |
|-------------------------------|--------|--------------------------|------------------|------------------|-------------------|----------------------|
| | | | Attention for | Attention for | or Longer in a | or Longer in a |
| | | | | | | |
| | | | Suicide Attempt | Suicide Attempt | | Hospital for Suicide |
| | | | among Persons | among Persons | Attempt among | Attempt among |
| | | | Who Attempted | Who Attempted | Persons Who | Persons Who |
| Demographic/Socioeconomic | | Attempted Suicide | Suicide | Suicide | Attempted Suicide | Attempted Suicide |
| Characteristic | (2019) | (2020) | (2019) | (2020) | (2019) | (2020) |
| TOTAL | 0.04 | 0.05 | 3.15 | 5.52 | 3.23 | 5.10 |
| AGE GROUP | | | | | | |
| 18-25 | 0.14 | 0.23 | 3.41 | * | 3.22 | * |
| 26 or Older | 0.04 | 0.05 | 4.84 | * | 5.02 | * |
| 26-49 | 0.06 | 0.09 | 4.44 | * | 4.67 | * |
| 50 or Older | 0.05 | 0.04 | * | * | * | * |
| GENDER | | | | | | |
| Male | 0.04 | 0.06 | 4.78 | * | 5.09 | * |
| Female | 0.06 | 0.08 | 4.41 | * | 4.30 | * |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 0.04 | 0.05 | 3.29 | 6.01 | 3.55 | 5.49 |
| White | 0.04 | 0.06 | 4.03 | * | 4.59 | * |
| Black or African American | 0.11 | 0.10 | * | * | * | * |
| AIAN | 0.17 | * | * | * | * | * |
| NHOPI | 0.31 | 0.62 | * | * | * | * |
| Asian | 0.12 | 0.08 | * | * | * | * |
| Two or More Races | 0.32 | 0.57 | * | * | * | * |
| Hispanic or Latino | 0.11 | 0.16 | * | * | * | * |
| HEALTH INSURANCE ¹ | | | | | | |
| Private | 0.04 | 0.06 | 4.54 | * | 4.82 | * |
| Medicaid/CHIP | 0.16 | 0.17 | 5.90 | * | 5.85 | * |
| Other ² | 0.07 | 0.09 | * | * | * | * |
| No Coverage | 0.12 | 0.18 | * | * | * | * |
| EMPLOYMENT STATUS | | | | | | |
| Full-Time | 0.04 | 0.06 | 4.87 | * | 4.38 | * |
| Part-Time | 0.13 | 0.16 | * | * | * | * |
| Unemployed | 0.39 | 0.44 | * | * | * | * |
| Other ³ | 0.07 | 0.08 | * | * | * | * |

^{* =} low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents who had no suicide thoughts were categorized as not attempting suicide in the past 12 months. Respondents with unknown suicide information were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the 2020 National Survey on Drug Use and Health: Methodological Summary and Definitions for details.

NOTE: Estimates in this table for 2020 exclude a subset of respondents who did not complete the questionnaire. The analysis weights and estimates were adjusted for the reduced sample size. See the 2020 National Survey on Drug Use and Health: Methodological Summary and Definitions for details.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

³ Other Employment includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.