Table 5.33C Classified as Needing Illicit Drug Use Treatment: Among People Aged 12 or Older; Receipt of Illicit Drug Use Treatment at a Specialty Facility in Past Year: Among People Aged 12 or Older and among People Aged 12 or Older Classified as Needing Illicit Drug Use Treatment; by Demographic Characteristics, Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2019 and 2020

Demographic Characteristic	Among the Total Population						Among People Classified as Needing Treatment (Tx)			
	Classified as Needing Tx (2019)	Classified as Needing Tx (2020)	Classified as Needing Tx and Received Tx at a Specialty Facility (2019)	Classified as Needing Tx and Received Tx at a Specialty Facility (2020)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2019)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2020)	% Who Received Tx at a Specialty Facility (2019)	% Who Received Tx at a Specialty Facility (2020)	% Who Did Not Receive Tx at a Specialty Facility (2019)	% Who Did Not Receive Tx at a Specialty Facility (2020)
TOTAL	nc	607	nc	231	nc	564	nc	1.12	nc	1.12
AGE GROUP										
12-17	nc	104	nc	12	nc	104	nc	0.99	nc	0.99
18 or Older	nc	600	nc	232	nc	558	nc	1.20	nc	1.20
18-25	nc	210	nc	42	nc	210	nc	0.85	nc	0.85
26 or Older	nc	547	nc	222	nc	499	nc	1.55	nc	1.55
GENDER										
Male	nc	434	nc	130	nc	421	nc	1.18	nc	1.18
Female	nc	403	nc	186	nc	364	nc	1.98	nc	1.98
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	nc	573	nc	218	nc	533	nc	1.25	nc	1.25
White	nc	485	nc	205	nc	440	nc	1.51	nc	1.51
Black or African American	nc	239	nc	47	nc	232	nc	2.01	nc	2.01
AIAN	nc	66	nc	*	nc	61	nc	*	nc	*
NHOPI	nc	*	nc	*	nc	5	nc	*	nc	*
Asian	nc	126	nc	3	nc	126	nc	*	nc	*
Two or More Races	nc	98	nc	20	nc	97	nc	2.93	nc	2.93
Hispanic or Latino	nc	240	nc	78	nc	230	nc	2.51	nc	2.51

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing illicit drug use treatment if they met the Diagnostic and Statistical Manual of Mental Disorders, 5th edition (DSM-5) criteria for an illicit drug use disorder or received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Questions on virtual substance use treatment were added in Quarter 4 of 2020. Estimates in this table do not include data from these questions. Data on virtual substance use treatment are included at the end of this section. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Illicit drug use disorder (IDUD) estimates in 2020 are based on criteria from the Diagnostic and Statistical Manual of Mental Disorders, 5th edition (DSM-5). IDUD and related estimates are not comparable between 2020 and prior years of NSDUH, because prior years' estimates were based on DSM-IV criteria. The 2020 estimates reflect additional methodological changes for the 2020 NSDUH. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details on these changes.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 5.33D Classified as Needing Illicit Drug Use Treatment: Among People Aged 12 or Older; Receipt of Illicit Drug Use Treatment at a Specialty Facility in Past Year: Among People Aged 12 or Older and among People Aged 12 or Older Classified as Needing Illicit Drug Use Treatment; by Demographic Characteristics, Standard Errors of Percentages, 2019 and 2020

Demographic Characteristic	Among the Total Population						Among People Classified as Needing Treatment (Tx)			
	Classified as Needing Tx (2019)	Classified as Needing Tx (2020)	Classified as Needing Tx and Received Tx at a Specialty Facility (2019)	Classified as Needing Tx and Received Tx at a Specialty Facility (2020)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2019)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2020)	% Who Received Tx at a Specialty Facility (2019)	% Who Received Tx at a Specialty Facility (2020)	% Who Did Not Receive Tx at a Specialty Facility (2019)	% Who Did Not Receive Tx at a Specialty Facility (2020)
TOTAL	nc	0.22	nc	0.08	nc	0.20	nc	1.12	nc	1.12
AGE GROUP										
12-17	nc	0.42	nc	0.05	nc	0.41	nc	0.99	nc	0.99
18 or Older	nc	0.24	nc	0.09	nc	0.22	nc	1.20	nc	1.20
18-25	nc	0.63	nc	0.13	nc	0.63	nc	0.85	nc	0.85
26 or Older	nc	0.25	nc	0.10	nc	0.23	nc	1.55	nc	1.55
GENDER										
Male	nc	0.32	nc	0.10	nc	0.31	nc	1.18	nc	1.18
Female	nc	0.28	nc	0.13	nc	0.26	nc	1.98	nc	1.98
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	nc	0.25	nc	0.10	nc	0.23	nc	1.25	nc	1.25
White	nc	0.28	nc	0.12	nc	0.26	nc	1.51	nc	1.51
Black or African American	nc	0.68	nc	0.14	nc	0.66	nc	2.01	nc	2.01
AIAN	nc	3.76	nc	*	nc	3.46	nc	*	nc	*
NHOPI	nc	*	nc	*	nc	0.58	nc	*	nc	*
Asian	nc	0.77	nc	0.02	nc	0.77	nc	*	nc	*
Two or More Races	nc	1.81	nc	0.38	nc	1.79	nc	2.93	nc	2.93
Hispanic or Latino	nc	0.50	nc	0.16	nc	0.47	nc	2.51	nc	2.51

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing illicit drug use treatment if they met the Diagnostic and Statistical Manual of Mental Disorders, 5th edition (DSM-5) criteria for an illicit drug use disorder or received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Questions on virtual substance use treatment were added in Quarter 4 of 2020. Estimates in this table do not include data from these questions. Data on virtual substance use treatment are included at the end of this section. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Illicit drug use disorder (IDUD) estimates in 2020 are based on criteria from the Diagnostic and Statistical Manual of Mental Disorders, 5th edition (DSM-5). IDUD and related estimates are not comparable between 2020 and prior years of NSDUH, because prior years' estimates were based on DSM-IV criteria. The 2020 estimates reflect additional methodological changes for the 2020 NSDUH. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details on these changes.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 5.36C Classified as Needing Alcohol Use Treatment: Among People Aged 12 or Older; Receipt of Alcohol Use Treatment at a Specialty Facility in Past Year: Among People Aged 12 or Older and among People Aged 12 or Older Classified as Needing Alcohol Use Treatment; by Demographic Characteristics, Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2019 and 2020

Demographic Characteristic	Among the Total Population						Among People Classified as Needing Treatment (Tx)			
	Classified as Needing Tx (2019)	Classified as Needing Tx (2020)	Classified as Needing Tx and Received Tx at a Specialty Facility (2019)	Classified as Needing Tx and Received Tx at a Specialty Facility (2020)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2019)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2020)	% Who Received Tx at a Specialty Facility (2019)	% Who Received Tx at a Specialty Facility (2020)	% Who Did Not Receive Tx at a Specialty Facility (2019)	% Who Did Not Receive Tx at a Specialty Facility (2020)
TOTAL	nc	796	nc	145	nc	781	nc	0.50	nc	0.50
AGE GROUP										
12-17	nc	86	nc	17	nc	84	nc	*	nc	*
18 or Older	nc	799	nc	144	nc	782	nc	0.50	nc	0.50
18-25	nc	241	nc	58	nc	236	nc	1.09	nc	1.09
26 or Older	nc	748	nc	133	nc	738	nc	0.58	nc	0.58
GENDER										
Male	nc	603	nc	115	nc	594	nc	0.71	nc	0.71
Female	nc	499	nc	86	nc	490	nc	0.66	nc	0.66
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	nc	714	nc	135	nc	702	nc	0.55	nc	0.55
White	nc	597	nc	111	nc	590	nc	0.59	nc	0.59
Black or African American	nc	318	nc	44	nc	310	nc	1.27	nc	1.27
AIAN	nc	60	nc	20	nc	57	nc	*	nc	*
NHOPI	nc	18	nc	*	nc	18	nc	*	nc	*
Asian	nc	180	nc	3	nc	179	nc	0.23	nc	0.23
Two or More Races	nc	151	nc	60	nc	138	nc	*	nc	*
Hispanic or Latino	nc	367	nc	52	nc	364	nc	1.14	nc	1.14

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing alcohol use treatment if they met the Diagnostic and Statistical Manual of Mental Disorders, 5th edition (DSM-5) criteria for an alcohol use disorder or received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Questions on virtual substance use treatment were added in Quarter 4 of 2020. Estimates in this table do not include data from these questions. Data on virtual substance use treatment are included at the end of this section. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Alcohol use disorder (AUD) estimates in 2020 are based on criteria from the Diagnostic and Statistical Manual of Mental Disorders, 5th edition (DSM-5). AUD and related estimates are not comparable between 2020 and prior years of NSDUH, because prior years' estimates were based on DSM-IV criteria. The 2020 estimates reflect additional methodological changes for the 2020 NSDUH. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details on these changes.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 5.36D Classified as Needing Alcohol Use Treatment: Among People Aged 12 or Older; Receipt of Alcohol Use Treatment at a Specialty Facility in Past Year: Among People Aged 12 or Older and among People Aged 12 or Older Classified as Needing Alcohol Use Treatment; by Demographic Characteristics, Standard Errors of Percentages, 2019 and 2020

Demographic Characteristic	Among the Total Population						Among People Classified as Needing Treatment (Tx)			
	Classified as Needing Tx (2019)	Classified as Needing Tx (2020)	Classified as Needing Tx and Received Tx at a Specialty Facility (2019)	Classified as Needing Tx and Received Tx at a Specialty Facility (2020)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2019)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2020)	% Who Received Tx at a Specialty Facility (2019)	% Who Received Tx at a Specialty Facility (2020)	% Who Did Not Receive Tx at a Specialty Facility (2019)	% Who Did Not Receive Tx at a Specialty Facility (2020)
TOTAL	nc	0.29	nc	0.05	nc	0.28	nc	0.50	nc	0.50
AGE GROUP										
12-17	nc	0.34	nc	0.07	nc	0.34	nc	*	nc	*
18 or Older	nc	0.32	nc	0.06	nc	0.31	nc	0.50	nc	0.50
18-25	nc	0.72	nc	0.17	nc	0.71	nc	1.09	nc	1.09
26 or Older	nc	0.34	nc	0.06	nc	0.34	nc	0.58	nc	0.58
GENDER										
Male	nc	0.45	nc	0.09	nc	0.44	nc	0.71	nc	0.71
Female	nc	0.35	nc	0.06	nc	0.34	nc	0.66	nc	0.66
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	nc	0.31	nc	0.06	nc	0.31	nc	0.55	nc	0.55
White	nc	0.35	nc	0.06	nc	0.35	nc	0.59	nc	0.59
Black or African American	nc	0.90	nc	0.13	nc	0.87	nc	1.27	nc	1.27
AIAN	nc	3.24	nc	1.22	nc	3.07	nc	*	nc	*
NHOPI	nc	2.00	nc	*	nc	2.00	nc	*	nc	*
Asian	nc	1.09	nc	0.02	nc	1.09	nc	0.23	nc	0.23
Two or More Races	nc	2.52	nc	1.12	nc	2.36	nc	*	nc	*
Hispanic or Latino	nc	0.76	nc	0.11	nc	0.75	nc	1.14	nc	1.14

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing alcohol use treatment if they met the Diagnostic and Statistical Manual of Mental Disorders, 5th edition (DSM-5) criteria for an alcohol use disorder or received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Questions on virtual substance use treatment were added in Quarter 4 of 2020. Estimates in this table do not include data from these questions. Data on virtual substance use treatment are included at the end of this section. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Alcohol use disorder (AUD) estimates in 2020 are based on criteria from the Diagnostic and Statistical Manual of Mental Disorders, 5th edition (DSM-5). AUD and related estimates are not comparable between 2020 and prior years of NSDUH, because prior years' estimates were based on DSM-IV criteria. The 2020 estimates reflect additional methodological changes for the 2020 NSDUH. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details on these changes.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 5.38C Classified as Needing Substance Use Treatment: Among People Aged 12 or Older; Receipt of Substance Use Treatment at a Specialty Facility in Past Year: Among People Aged 12 or Older and among People Aged 12 or Older Classified as Needing Substance Use Treatment; by Demographic Characteristics, Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2019 and 2020

Demographic Characteristic	Among the Total Population						Among People Classified as Needing Treatment (Tx)			
	Classified as Needing Tx (2019)	Classified as Needing Tx (2020)	Classified as Needing Tx and Received Tx at a Specialty Facility (2019)	Classified as Needing Tx and Received Tx at a Specialty Facility (2020)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2019)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2020)	% Who Received Tx at a Specialty Facility (2019)	% Who Received Tx at a Specialty Facility (2020)	% Who Did Not Receive Tx at a Specialty Facility (2019)	% Who Did Not Receive Tx at a Specialty Facility (2020)
TOTAL	nc	926	nc	259	nc	876	nc	0.60	nc	0.60
AGE GROUP										
12-17	nc	123	nc	21	nc	121	nc	1.28	nc	1.28
18 or Older	nc	924	nc	258	nc	875	nc	0.62	nc	0.62
18-25	nc	280	nc	67	nc	277	nc	0.81	nc	0.81
26 or Older	nc	859	nc	245	nc	815	nc	0.74	nc	0.74
GENDER										
Male	nc	673	nc	162	nc	656	nc	0.70	nc	0.70
Female	nc	594	nc	196	nc	563	nc	1.01	nc	1.01
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	nc	859	nc	245	nc	813	nc	0.67	nc	0.67
White	nc	716	nc	227	nc	680	nc	0.81	nc	0.81
Black or African American	nc	385	nc	54	nc	377	nc	1.10	nc	1.10
AIAN	nc	77	nc	33	nc	69	nc	*	nc	*
NHOPI	nc	*	nc	*	nc	19	nc	*	nc	*
Asian	nc	209	nc	3	nc	209	nc	0.18	nc	0.18
Two or More Races	nc	175	nc	63	nc	164	nc	*	nc	*
Hispanic or Latino	nc	402	nc	82	nc	402	nc	1.31	nc	1.31

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing substance use treatment if they met the Diagnostic and Statistical Manual of Mental Disorders, 5th edition (DSM-5) criteria for an illicit drug or alcohol use disorder or received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Questions on virtual substance use treatment were added in Quarter 4 of 2020. Estimates in this table do not include data from these questions. Data on virtual substance use treatment are included at the end of this section. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Substance use disorder (SUD) estimates in 2020 are based on criteria from the Diagnostic and Statistical Manual of Mental Disorders, 5th edition (DSM-5). SUD and related estimates are not comparable between 2020 and prior years of NSDUH, because prior years' estimates were based on DSM-IV criteria. The 2020 estimates reflect additional methodological changes for the 2020 NSDUH. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details on these changes.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 5.38D Classified as Needing Substance Use Treatment: Among People Aged 12 or Older; Receipt of Substance Use Treatment at a Specialty Facility in Past Year: Among People Aged 12 or Older and among People Aged 12 or Older Classified as Needing Substance Use Treatment; by Demographic Characteristics, Standard Errors of Percentages, 2019 and 2020

Demographic Characteristic	Among the Total Population						Among People Classified as Needing Treatment (Tx)			
	Classified as Needing Tx (2019)	Classified as Needing Tx (2020)	Classified as Needing Tx and Received Tx at a Specialty Facility (2019)	Classified as Needing Tx and Received Tx at a Specialty Facility (2020)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2019)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2020)	% Who Received Tx at a Specialty Facility (2019)	% Who Received Tx at a Specialty Facility (2020)	% Who Did Not Receive Tx at a Specialty Facility (2019)	% Who Did Not Receive Tx at a Specialty Facility (2020)
TOTAL	nc	0.33	nc	0.09	nc	0.32	nc	0.60	nc	0.60
AGE GROUP										
12-17	nc	0.49	nc	0.08	nc	0.48	nc	1.28	nc	1.28
18 or Older	nc	0.37	nc	0.10	nc	0.35	nc	0.62	nc	0.62
18-25	nc	0.83	nc	0.20	nc	0.83	nc	0.81	nc	0.81
26 or Older	nc	0.39	nc	0.11	nc	0.37	nc	0.74	nc	0.74
GENDER										
Male	nc	0.50	nc	0.12	nc	0.49	nc	0.70	nc	0.70
Female	nc	0.42	nc	0.14	nc	0.40	nc	1.01	nc	1.01
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	nc	0.38	nc	0.11	nc	0.36	nc	0.67	nc	0.67
White	nc	0.42	nc	0.13	nc	0.40	nc	0.81	nc	0.81
Black or African American	nc	1.05	nc	0.16	nc	1.02	nc	1.10	nc	1.10
AIAN	nc	3.93	nc	1.99	nc	3.56	nc	*	nc	*
NHOPI	nc	*	nc	*	nc	2.13	nc	*	nc	*
Asian	nc	1.25	nc	0.02	nc	1.25	nc	0.18	nc	0.18
Two or More Races	nc	2.79	nc	1.17	nc	2.68	nc	*	nc	*
Hispanic or Latino	nc	0.83	nc	0.17	nc	0.83	nc	1.31	nc	1.31

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing substance use treatment if they met the Diagnostic and Statistical Manual of Mental Disorders, 5th edition (DSM-5) criteria for an illicit drug or alcohol use disorder or received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Questions on virtual substance use treatment were added in Quarter 4 of 2020. Estimates in this table do not include data from these questions. Data on virtual substance use treatment are included at the end of this section. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Substance use disorder (SUD) estimates in 2020 are based on criteria from the Diagnostic and Statistical Manual of Mental Disorders, 5th edition (DSM-5). SUD and related estimates are not comparable between 2020 and prior years of NSDUH, because prior years' estimates were based on DSM-IV criteria. The 2020 estimates reflect additional methodological changes for the 2020 NSDUH. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details on these changes.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.