Table 1.69A Marijuana Use in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Numbers in Thousands, 2019 and 2020

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
TOTAL	48,242	49,634	3,284	2,531	44,958	47,103	11,952	11,566	33,007	35,537
GEOGRAPHIC REGION										
Northeast	8,724	9,181	563	453	8,162	8,728	2,217	1,944	5,945	6,784
Midwest	9,678	10,493	670	552	9,008	9,941	2,634	2,738	6,374	7,203
South	15,583	15,135	1,101	828	14,482	14,307	3,913	3,794	10,569	10,514
West	14,257	14,825	950	698	13,307	14,127	3,188	3,091	10,119	11,036
COUNTY TYPE										
Large Metro	28,739	27,927	1,791	1,396	26,948	26,531	7,084	6,230	19,864	20,301
Small Metro	14,087	15,640	1,093	739	12,994	14,900	3,551	3,895	9,443	11,005
Nonmetro	5,416	6,068	400	396	5,017	5,672	1,317	1,441	3,700	4,231
Urbanized	2,612	2,833	197	154	2,415	2,679	682	697	1,732	1,982
Less Urbanized	2,280	2,851	165	217	2,116	2,634	519	671	1,596	1,963
Completely Rural	524	384	38	*	486	359	115	73	371	286
POVERTY LEVEL[1]										
Less Than 100%	8,006	9,084	678	450	7,328	8,635	2,767	2,891	4,561	5,743
100-199%	9,818	9,042	740	471	9,077	8,571	2,642	2,713	6,435	5,857
200% or More	30,047	31,298	1,865	1,610	28,182	29,688	6,171	5,752	22,011	23,936
HEALTH INSURANCE[2]										
Private	28,599	29,215	1,757	1,560	26,842	27,655	7,468	7,062	19,373	20,593
Medicaid/CHIP	10,686	11,352	1,350	830	9,336	10,521	2,461	2,537	6,874	7,985
Other[3]	6,961	8,328	153	117	6,809	8,212	873	880	5,936	7,332
No Coverage	6,612	6,306	185	135	6,427	6,172	1,583	1,596	4,844	4,576

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

[1] Respondents aged 18 to 22 who were living in a college dormitory were excluded.

[2] Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

[3] Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 1.69B   Marijuana Use in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Percentages, 2019 and 2020

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
TOTAL	17.5	*17.9*	13.2	*10.1*	18.0	*18.7*	35.4	*34.5*	15.2	*16.3*
GEOGRAPHIC REGION										
Northeast	18.3	*19.3*	14.2	*11.5*	18.6	*19.9*	38.5	*34.3*	15.6	*17.8*
Midwest	16.9	*18.3*	12.7	*10.5*	17.3	*19.1*	36.8	*38.6*	14.2	*16.0*
South	14.9	*14.3*	11.4	*8.5*	15.3	*14.9*	30.8	*29.8*	12.9	*12.6*
West	21.7	*22.4*	15.8	*11.6*	22.3	*23.5*	39.4	*38.5*	19.7	*21.2*
COUNTY TYPE										
Large Metro	18.7	*18.5*	13.2	*9.9*	19.2	*19.4*	37.7	*35.2*	16.4	*17.0*
Small Metro	16.9	*18.5*	14.1	*9.6*	17.2	*19.4*	33.5	*35.4*	14.5	*16.7*
Nonmetro	14.2	*14.7*	11.1	*12.3*	14.6	*14.9*	30.4	*30.2*	12.3	*12.7*
Urbanized	16.4	*17.2*	12.8	*11.7*	16.8	*17.6*	33.7	*31.6*	14.1	*15.3*
Less Urbanized	12.8	*14.5*	9.9	*13.4*	13.1	*14.6*	26.9	*30.3*	11.2	*12.4*
Completely Rural	12.1	*7.6*	9.4	*	12.3	*7.5*	30.7	*20.8*	10.4	*6.4*
POVERTY LEVEL[1]										
Less Than 100%	21.4	*21.7*	13.3	*9.8*	22.7	*23.1*	35.0	*35.5*	18.7	*19.7*
100-199%	18.5	*17.9*	13.9	*10.4*	19.1	*18.7*	34.2	*35.2*	16.1	*15.3*
200% or More	16.4	*17.0*	12.9	*10.1*	16.7	*17.6*	36.4	*33.3*	14.5	*15.8*
HEALTH INSURANCE[2]										
Private	15.9	*16.8*	12.3	*10.4*	16.2	*17.4*	36.6	*36.1*	13.3	*14.8*
Medicaid/CHIP	23.7	*23.3*	14.4	*9.9*	26.1	*26.1*	34.0	*32.6*	24.1	*24.5*
Other[3]	9.9	*10.9*	12.4	*7.0*	9.9	*11.0*	34.4	*36.2*	8.9	*10.1*
No Coverage	24.5	*22.2*	15.9	*9.2*	24.8	*22.9*	32.8	*30.3*	23.0	*21.1*

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

[1] Respondents aged 18 to 22 who were living in a college dormitory were excluded.

[2] Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

[3] Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 1.70A   Marijuana Use in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Numbers in Thousands, 2019 and 2020

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
TOTAL	31,606	*32,784*	1,837	*1,472*	29,769	*31,312*	7,749	*7,727*	22,020	*23,585*
GEOGRAPHIC REGION										
Northeast	5,803	*6,209*	341	*307*	5,461	*5,902*	1,502	*1,415*	3,960	*4,486*
Midwest	6,188	*6,909*	359	*294*	5,829	*6,616*	1,701	*1,797*	4,127	*4,818*
South	10,021	*9,818*	584	*405*	9,437	*9,412*	2,398	*2,383*	7,039	*7,030*
West	9,595	*9,848*	553	*465*	9,042	*9,383*	2,149	*2,131*	6,893	*7,252*
COUNTY TYPE										
Large Metro	18,846	*17,913*	1,030	*774*	17,816	*17,139*	4,623	*4,290*	13,193	*12,848*
Small Metro	9,166	*10,573*	594	*470*	8,572	*10,103*	2,282	*2,551*	6,290	*7,552*
Nonmetro	3,595	*4,298*	213	*228*	3,381	*4,070*	845	*886*	2,536	*3,185*
Urbanized	1,837	*2,036*	103	*84*	1,734	*1,952*	489	*440*	1,245	*1,513*
Less Urbanized	1,425	*1,978*	87	*137*	1,338	*1,841*	296	*392*	1,042	*1,449*
Completely Rural	333	*284*	24	***	309	*277*	60	*54*	250	*222*
POVERTY LEVEL[1]										
Less Than 100%	5,527	*6,729*	418	*257*	5,109	*6,471*	1,845	*1,997*	3,265	*4,474*
100-199%	6,684	*6,388*	422	*305*	6,262	*6,082*	1,740	*1,779*	4,522	*4,303*
200% or More	19,168	*19,557*	998	*909*	18,170	*18,648*	3,937	*3,839*	14,233	*14,808*
HEALTH INSURANCE[2]										
Private	17,794	*17,947*	956	*873*	16,838	*17,075*	4,661	*4,579*	12,177	*12,496*
Medicaid/CHIP	7,314	*8,319*	767	*538*	6,546	*7,781*	1,700	*1,767*	4,846	*6,014*
Other[3]	4,762	*5,785*	86	*51*	4,676	*5,734*	559	*570*	4,117	*5,164*
No Coverage	4,770	*4,745*	108	*73*	4,662	*4,672*	1,105	*1,147*	3,557	*3,525*

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

[1] Respondents aged 18 to 22 who were living in a college dormitory were excluded.

[2] Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

[3] Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 1.70B   Marijuana Use in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Percentages, 2019 and 2020

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
TOTAL	11.5	*11.8*	7.4	*5.9*	11.9	*12.4*	23.0	*23.1*	10.2	*10.8*
GEOGRAPHIC REGION										
Northeast	12.1	*13.0*	8.6	*7.8*	12.5	*13.5*	26.0	*25.0*	10.4	*11.8*
Midwest	10.8	*12.0*	6.8	*5.6*	11.2	*12.7*	23.7	*25.3*	9.2	*10.7*
South	9.6	*9.3*	6.0	*4.2*	9.9	*9.8*	18.9	*18.7*	8.6	*8.4*
West	14.6	*14.9*	9.2	*7.7*	15.2	*15.6*	26.6	*26.6*	13.4	*13.9*
COUNTY TYPE										
Large Metro	12.3	*11.9*	7.6	*5.5*	12.7	*12.5*	24.6	*24.2*	10.9	*10.8*
Small Metro	11.0	*12.5*	7.7	*6.1*	11.3	*13.1*	21.5	*23.2*	9.7	*11.4*
Nonmetro	9.4	*10.4*	5.9	*7.1*	9.8	*10.7*	19.5	*18.6*	8.4	*9.6*
Urbanized	11.6	*12.3*	6.7	*6.3*	12.1	*12.9*	24.1	*20.0*	10.1	*11.7*
Less Urbanized	8.0	*10.0*	5.2	*8.4*	8.3	*10.2*	15.3	*17.7*	7.3	*9.1*
Completely Rural	7.7	*5.6*	5.8	*	7.9	*5.7*	15.9	*15.3*	7.0	*5.0*
POVERTY LEVEL[1]										
Less Than 100%	14.8	*16.1*	8.2	*5.6*	15.8	*17.3*	23.4	*24.5*	13.4	*15.3*
100-199%	12.6	*12.7*	7.9	*6.8*	13.2	*13.2*	22.5	*23.1*	11.3	*11.3*
200% or More	10.4	*10.6*	6.9	*5.7*	10.7	*11.1*	23.2	*22.2*	9.3	*9.8*
HEALTH INSURANCE[2]										
Private	9.9	*10.3*	6.7	*5.8*	10.2	*10.7*	22.8	*23.4*	8.4	*9.0*
Medicaid/CHIP	16.2	*17.1*	8.2	*6.4*	18.3	*19.3*	23.4	*22.7*	17.0	*18.5*
Other[3]	6.8	*7.6*	7.0	*3.1*	6.8	*7.7*	22.0	*23.5*	6.2	*7.1*
No Coverage	17.6	*16.7*	9.3	*5.0*	18.0	*17.3*	22.9	*21.8*	16.9	*16.2*

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

[1] Respondents aged 18 to 22 who were living in a college dormitory were excluded.

[2] Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

[3] Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.