

Table 8.23A (REVISED) Locations of Outpatient Mental Health Services: Among People Aged 18 or Older Who Received Outpatient Mental Health Services in Past Year; by Past Year Level of Mental Illness, Numbers in Thousands, 2019 and 2020

Location of Mental Health Services¹	Any Mental Illness (2019)	Any Mental Illness (2020)	Serious Mental Illness (2019)	Serious Mental Illness (2020)	Any Mental Illness Excluding Serious Mental Illness (2019)	Any Mental Illness Excluding Serious Mental Illness (2020)	No Mental Illness² (2019)	No Mental Illness² (2020)
Outpatient Mental Health Clinic or Center	3,990	4,659	2,033	2,358	1,958	2,301	1,172	1,369
Office of a Private Therapist, Psychologist, Psychiatrist, Social Worker, or Counselor - Not Part of a Clinic	8,240	9,253	3,398	3,789	4,843	5,465	4,188	4,535
Doctor's Office - Not Part of a Clinic	2,162	1,988	830	866	1,332	1,123	974	842
Outpatient Medical Clinic	857	1,188	422	630	434	558	324	423
Partial Day Hospital or Day Treatment Program	321	243	183	209	138	34	25	123
School or University Setting/Clinic/Center ³	103	82	35	20	68	63	48	10
Some Other Place ⁴	312	269	180	200	132	69	223	213

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Estimates in this table for 2020 exclude a subset of respondents who did not complete the questionnaire. The analysis weights and estimates were adjusted for the reduced sample size. Therefore, some estimates in this table could differ from corresponding estimates in other tables that did not undergo sample size adjustments. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Respondents with unknown mental health services information were excluded. Questions on virtual services were added in Quarter 4 of 2020. Estimates in this table do not include data from these questions. Data on virtual services are included at the end of this section. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Mental Illness aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. Estimates of serious mental illness (SMI) are a subset of estimates of any mental illness (AMI) because SMI is limited to people with AMI that resulted in serious functional impairment. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

¹ Respondents could indicate multiple locations for receiving outpatient mental health services; thus, these response categories are not mutually exclusive. Questions on virtual services were added in Quarter 4 of 2020. Estimates in this table do not include data from these questions. Data on virtual services are included at the end of this section. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

² Respondents with no mental illness may still have received mental health treatment for a past disorder that is in partial or full remission or treatment for a disorder that was not included in the definition of mental illness or for other reasons.

³ Respondents were permitted to specify other locations for receiving outpatient mental health services. This location was the most commonly reported other location for receiving outpatient mental health services.

⁴ Respondents with unknown or invalid responses to the other-specify question on Some Other Place Received Outpatient Mental Health Services were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 8.23B (REVISED) Locations of Outpatient Mental Health Services: Among People Aged 18 or Older Who Received Outpatient Mental Health Services in Past Year; by Past Year Level of Mental Illness, Percentages, 2019 and 2020

Location of Mental Health Services ¹	Any Mental Illness (2019)	Any Mental Illness (2020)	Serious Mental Illness (2019)	Serious Mental Illness (2020)	Any Mental Illness Excluding Serious Mental Illness (2019)	Any Mental Illness Excluding Serious Mental Illness (2020)	No Mental Illness ² (2019)	No Mental Illness ² (2020)
Outpatient Mental Health Clinic or Center	29.0	<i>31.4</i>	35.3	<i>37.6</i>	24.4	<i>26.8</i>	17.6	<i>18.8</i>
Office of a Private Therapist, Psychologist, Psychiatrist, Social Worker, or Counselor - Not Part of a Clinic	59.8	<i>62.3</i>	59.1	<i>60.4</i>	60.4	<i>63.7</i>	62.8	<i>62.3</i>
Doctor's Office - Not Part of a Clinic	15.7	<i>13.4</i>	14.4	<i>13.8</i>	16.6	<i>13.1</i>	14.6	<i>11.6</i>
Outpatient Medical Clinic	6.2	<i>8.0</i>	7.3	<i>10.0</i>	5.4	<i>6.5</i>	4.9	<i>5.8</i>
Partial Day Hospital or Day Treatment Program	2.3	<i>1.6</i>	3.2	<i>3.3</i>	1.7	<i>0.4</i>	0.4	<i>1.7</i>
School or University Setting/Clinic/Center ³	0.8	<i>0.6</i>	0.6	<i>0.3</i>	0.9	<i>0.7</i>	0.7	<i>0.1</i>
Some Other Place ⁴	2.3	<i>1.8</i>	3.2	<i>3.2</i>	1.7	<i>0.8</i>	3.4	<i>3.0</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Estimates in this table for 2020 exclude a subset of respondents who did not complete the questionnaire. The analysis weights and estimates were adjusted for the reduced sample size. Therefore, some estimates in this table could differ from corresponding estimates in other tables that did not undergo sample size adjustments. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Respondents with unknown mental health services information were excluded. Questions on virtual services were added in Quarter 4 of 2020. Estimates in this table do not include data from these questions. Data on virtual services are included at the end of this section. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Mental Illness aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. Estimates of serious mental illness (SMI) are a subset of estimates of any mental illness (AMI) because SMI is limited to people with AMI that resulted in serious functional impairment. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

¹ Respondents could indicate multiple locations for receiving outpatient mental health services; thus, these response categories are not mutually exclusive. Questions on virtual services were added in Quarter 4 of 2020. Estimates in this table do not include data from these questions. Data on virtual services are included at the end of this section. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

² Respondents with no mental illness may still have received mental health treatment for a past disorder that is in partial or full remission or treatment for a disorder that was not included in the definition of mental illness or for other reasons.

³ Respondents were permitted to specify other locations for receiving outpatient mental health services. This location was the most commonly reported other location for receiving outpatient mental health services.

⁴ Respondents with unknown or invalid responses to the other-specify question on Some Other Place Received Outpatient Mental Health Services were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 8.25A Locations of Outpatient Mental Health Services: Among People Aged 18 or Older Who Received Outpatient Mental Health Services in Past Year; by Age Group, Numbers in Thousands, 2019 and 2020

Location of Mental Health Services¹	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)	Aged 26-49 (2019)	Aged 26-49 (2020)	Aged 50+ (2019)	Aged 50+ (2020)
Outpatient Mental Health Clinic or Center	5,162	5,791	911	977	4,251	4,814	2,395	2,770	1,856	2,043
Office of a Private Therapist, Psychologist, Psychiatrist, Social Worker, or Counselor - Not Part of a Clinic	12,429	13,380	2,243	2,732	10,185	10,649	6,238	6,559	3,947	4,090
Doctor's Office - Not Part of a Clinic	3,136	2,721	404	373	2,733	2,348	1,490	1,429	1,243	919
Outpatient Medical Clinic	1,181	1,488	212	252	969	1,235	583	572	385	664
Partial Day Hospital or Day Treatment Program	346	361	80	82	266	279	159	151	107	128
School or University Setting/Clinic/Center ²	151	89	114	68	37	21	37	21	*	*
Some Other Place ³	534	464	55	24	480	440	154	165	326	275

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Respondents with unknown mental health services information were excluded. Questions on virtual services were added in Quarter 4 of 2020. Estimates in this table do not include data from these questions. Data on virtual services are included at the end of this section. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Respondents could indicate multiple locations for receiving outpatient mental health services; thus, these response categories are not mutually exclusive. Questions on virtual services were added in Quarter 4 of 2020. Estimates in this table do not include data from these questions. Data on virtual services are included at the end of this section. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

² Respondents were permitted to specify other locations for receiving outpatient mental health services. This location was the most commonly reported other location for receiving outpatient mental health services.

³ Respondents with unknown or invalid responses to the other-specify question on Some Other Place Received Outpatient Mental Health Services were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 8.25B Locations of Outpatient Mental Health Services: Among People Aged 18 or Older Who Received Outpatient Mental Health Services in Past Year; by Age Group, Percentages, 2019 and 2020

Location of Mental Health Services ¹	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)	Aged 26-49 (2019)	Aged 26-49 (2020)	Aged 50+ (2019)	Aged 50+ (2020)
Outpatient Mental Health Clinic or Center	25.3	27.1	26.6	25.4	25.0	27.4	24.3	26.9	25.9	28.2
Office of a Private Therapist, Psychologist, Psychiatrist, Social Worker, or Counselor - Not Part of a Clinic	60.8	62.5	65.5	71.1	59.9	60.6	63.4	63.7	55.0	56.3
Doctor's Office - Not Part of a Clinic	15.3	12.7	11.8	9.7	16.1	13.4	15.1	13.9	17.3	12.7
Outpatient Medical Clinic	5.8	7.0	6.2	6.6	5.7	7.0	5.9	5.6	5.4	9.1
Partial Day Hospital or Day Treatment Program	1.7	1.7	2.3	2.1	1.6	1.6	1.6	1.5	1.5	1.8
School or University Setting/Clinic/Center ²	0.7	0.4	3.4	1.8	0.2	0.1	0.4	0.2	*	*
Some Other Place ³	2.6	2.2	1.6	0.6	2.8	2.5	1.6	1.6	4.6	3.8

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Respondents with unknown mental health services information were excluded. Questions on virtual services were added in Quarter 4 of 2020. Estimates in this table do not include data from these questions. Data on virtual services are included at the end of this section. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Respondents could indicate multiple locations for receiving outpatient mental health services; thus, these response categories are not mutually exclusive. Questions on virtual services were added in Quarter 4 of 2020. Estimates in this table do not include data from these questions. Data on virtual services are included at the end of this section. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

² Respondents were permitted to specify other locations for receiving outpatient mental health services. This location was the most commonly reported other location for receiving outpatient mental health services.

³ Respondents with unknown or invalid responses to the other-specify question on Some Other Place Received Outpatient Mental Health Services were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.