

Table 7.25C Daily or Almost Daily Use of Specific Substances in Past Year: Among All People Aged 21 or Older and among Past Year Users of Specific Substances Aged 21 or Older; Standard Errors of Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																			
Marijuana	137	133	156	156	135	161	178	165	214	212	215	251	215	204	224	250	250	284	505
Cocaine	35	20	35	46	56	39	25	15	29	17	33	50	21	31	21	36	42	33	22
Crack	16	10	32	35	14	29	10	14	19	14	13	28	20	24	11	33	20	11	22
Heroin	28	12	22	6	58	14	23	18	17	28	44	27	28	26	38	33	36	35	112
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	8	14	13	31	19
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	18	*	*	15	13	54
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	29	33	38	40	54	116
Alcohol	441	378	429	424	452	422	457	473	418	456	437	415	376	385	390	386	379	386	663
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																			
Marijuana	137	133	156	156	135	161	178	165	214	212	215	251	215	204	224	250	250	284	505
Cocaine	35	20	35	46	56	39	25	15	29	17	33	50	21	31	21	36	42	33	22
Crack	16	10	32	35	14	29	10	14	*	*	*	*	20	24	11	*	20	11	*
Heroin	*	*	*	6	*	*	*	*	17	*	*	27	28	26	38	33	36	35	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	8	14	13	31	19
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	1	7	*	13	*
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	29	33	38	40	54	116
Alcohol	441	378	429	424	452	422	457	473	418	456	437	415	376	385	390	386	379	386	663

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.  
NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the 2020 National Survey on Drug Use and Health: Methodological Summary and Definitions for details.

NOTE: Some 2002 to 2019 standard errors of numbers in thousands may differ from previously published estimates because of a change to the standard error estimation method. See the Introduction to these tables for more details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the 2020 National Survey on Drug Use and Health: Methodological Summary and Definitions).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.25D Daily or Almost Daily Use of Specific Substances in Past Year: Among All People Aged 21 or Older and among Past Year Users of Specific Substances Aged 21 or Older; Standard Errors of Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																			
Marijuana	0.07	0.07	0.08	0.08	0.06	0.08	0.08	0.08	0.10	0.10	0.10	0.11	0.09	0.09	0.10	0.10	0.10	0.12	0.20
Cocaine	0.02	0.01	0.02	0.02	0.03	0.02	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.02	0.02	0.01	0.01
Crack	0.01	0.00	0.02	0.02	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.00	0.01
Heroin	0.01	0.01	0.01	0.00	0.03	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.02	0.01	0.02	0.01	0.05
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.00	0.01	0.01	0.01	0.01
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	*	*	0.01	0.01	0.02
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.01	0.02	0.02	0.02	0.05
Alcohol	0.21	0.18	0.21	0.20	0.21	0.19	0.21	0.21	0.19	0.20	0.19	0.18	0.16	0.16	0.16	0.16	0.16	0.15	0.27
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																			
Marijuana	0.70	0.73	0.81	0.81	0.70	0.82	0.85	0.73	0.86	0.86	0.80	0.90	0.66	0.65	0.67	0.65	0.63	0.60	1.01
Cocaine	0.75	0.44	0.79	1.04	1.17	0.83	0.59	0.39	0.76	0.57	0.83	1.35	0.54	0.75	0.47	0.68	0.84	0.66	0.46
Crack	1.16	0.81	2.61	2.79	1.13	2.17	1.01	1.53	*	*	*	*	2.67	2.90	1.36	*	2.59	1.55	*
Heroin	*	*	*	2.38	*	*	*	*	3.34	*	*	4.07	3.14	3.29	3.79	3.52	3.69	4.52	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.41	0.24	0.39	0.30	0.65	0.32
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.12	0.70	*	1.07	*
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.79	2.41	2.42	2.19	2.58	4.19
Alcohol	0.30	0.26	0.30	0.28	0.29	0.27	0.29	0.29	0.26	0.28	0.26	0.25	0.22	0.22	0.23	0.22	0.22	0.22	0.38

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.  
NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the 2020 National Survey on Drug Use and Health: Methodological Summary and Definitions for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the 2020 National Survey on Drug Use and Health: Methodological Summary and Definitions).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.