

Table 7.1A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime: Among People Aged 12 or Older; Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	130,610	130,628	134,704	134,791	138,027	<i>138,543</i>
Marijuana	94,946	96,611	96,772	97,545	97,792	100,737	102,857	104,950	106,613	107,842	111,239	114,712	117,213	117,865	118,524	122,943	123,935	127,139	<i>126,504</i>
Cocaine	33,910	34,891	34,153	33,673	35,303	35,947	36,916	36,742	37,361	36,921	37,688	37,634	39,200	38,744	38,880	40,550	40,194	41,445	<i>39,261</i>
Crack	8,402	7,949	7,840	7,928	8,559	8,615	8,454	8,390	9,208	8,214	9,015	8,870	9,424	9,035	8,776	9,599	9,177	9,375	<i>9,356</i>
Heroin	3,668	3,744	3,145	3,534	3,788	3,806	3,795	3,680	4,144	4,162	4,565	4,812	4,813	5,099	4,981	5,295	5,108	5,696	<i>6,252</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	40,915	41,490	42,072	43,255	44,087	<i>43,949</i>
LSD	24,516	24,424	23,398	22,433	23,365	22,720	23,604	23,714	23,375	23,000	23,735	24,770	25,035	25,324	25,861	26,069	27,339	27,528	<i>28,123</i>
PCP	7,418	7,107	6,762	6,603	6,633	6,179	6,657	6,271	6,255	6,103	6,552	6,462	6,388	6,323	6,450	6,098	6,085	5,516	<i>6,141</i>
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	18,328	18,459	19,173	19,949	20,097	<i>20,478</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	25,765	24,404	25,187	24,783	25,090	<i>26,749</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	14,511	14,533	14,722	14,892	16,013	<i>15,397</i>
Misuse of Prescription Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	<i>--</i>
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
TOBACCO PRODUCTS	171,838	172,843	171,827	172,217	173,904	172,420	174,000	174,105	174,409	173,890	173,654	175,260	175,416	171,120	169,428	170,496	168,310	167,786	<i>160,117</i>
Cigarettes	162,553	163,240	161,842	161,863	162,951	161,831	162,637	162,608	162,940	161,799	161,057	162,138	161,789	156,495	154,688	155,446	152,480	151,235	<i>145,499</i>
Daily Cigarettes	95,221	94,759	93,409	93,470	94,518	94,539	94,322	92,092	93,210	90,835	93,371	92,426	91,773	89,238	88,015	85,559	83,853	84,016	<i>83,976</i>
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	43,547	43,282	43,886	42,599	42,585	<i>37,436</i>
Cigars	88,053	88,096	87,409	88,260	88,660	88,522	89,765	90,460	88,760	88,505	88,596	89,117	89,267	87,732	85,338	86,365	86,513	85,919	<i>81,826</i>
Pipe Tobacco	40,003	40,064	39,499	38,462	38,350	35,527	36,622	35,221	34,380	34,532	34,604	34,173	33,695	33,493	33,094	33,064	32,777	31,471	<i>27,235</i>
ALCOHOL	195,452	197,533	198,220	201,667	203,409	203,952	205,420	208,534	209,264	211,747	214,013	213,794	217,765	216,839	216,152	220,063	221,220	220,958	<i>220,231</i>
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	<i>--</i>
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	<i>--</i>
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	228,992	228,228	232,204	232,943	233,013	<i>231,538</i>
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	222,244	221,659	225,762	226,669	226,914	<i>225,990</i>
Tobacco Products or Alcohol	205,986	207,427	208,679	211,566	213,706	213,624	215,478	217,517	219,047	220,702	222,886	224,245	226,637	225,726	225,081	228,872	229,612	229,306	<i>227,681</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.1B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime: Among People Aged 12 or Older; Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	48.8	48.5	49.5	49.2	50.2	<i>50.0</i>
Marijuana	40.4	40.6	40.2	40.1	39.7	40.6	41.2	41.7	42.0	41.9	42.8	43.7	44.2	44.0	44.0	45.2	45.3	46.2	<i>45.7</i>
Cocaine	14.4	14.7	14.2	13.8	14.3	14.5	14.8	14.6	14.7	14.3	14.5	14.3	14.8	14.5	14.4	14.9	14.7	15.1	<i>14.2</i>
Crack	3.6	3.3	3.3	3.3	3.5	3.5	3.4	3.3	3.6	3.2	3.5	3.4	3.6	3.4	3.3	3.5	3.4	3.4	<i>3.4</i>
Heroin	1.6	1.6	1.3	1.5	1.5	1.5	1.5	1.5	1.6	1.6	1.8	1.8	1.8	1.9	1.8	1.9	1.9	2.1	<i>2.3</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	15.3	15.4	15.5	15.8	16.0	<i>15.9</i>
LSD	10.4	10.3	9.7	9.2	9.5	9.2	9.4	9.4	9.2	8.9	9.1	9.4	9.4	9.5	9.6	9.6	10.0	10.0	<i>10.2</i>
PCP	3.2	3.0	2.8	2.7	2.7	2.5	2.7	2.5	2.5	2.4	2.5	2.5	2.4	2.4	2.4	2.2	2.2	2.0	<i>2.2</i>
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6.8	6.9	7.0	7.3	7.3	<i>7.4</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	9.6	9.1	9.3	9.1	9.1	<i>9.7</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5.4	5.4	5.4	5.4	5.8	<i>5.6</i>
Misuse of Prescription Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
TOBACCO PRODUCTS	73.1	72.7	71.4	70.8	70.7	69.6	69.7	69.1	68.8	67.5	66.8	66.8	66.2	63.9	62.9	62.7	61.5	61.0	<i>57.8</i>
Cigarettes	69.1	68.7	67.3	66.6	66.2	65.3	65.1	64.6	64.2	62.8	61.9	61.8	61.0	58.5	57.4	57.1	55.7	55.0	<i>52.5</i>
Daily Cigarettes	40.5	39.9	38.8	38.4	38.4	38.1	37.8	36.6	36.8	35.3	35.9	35.2	34.6	33.3	32.7	31.4	30.6	30.5	<i>30.3</i>
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	16.3	16.1	16.1	15.6	15.5	<i>13.5</i>
Cigars	37.4	37.1	36.3	36.3	36.0	35.7	35.9	35.9	35.0	34.4	34.1	34.0	33.7	32.8	31.7	31.7	31.6	31.2	<i>29.5</i>
Pipe Tobacco	17.0	16.9	16.4	15.8	15.6	14.3	14.7	14.0	13.6	13.4	13.3	13.0	12.7	12.5	12.3	12.2	12.0	11.4	<i>9.8</i>
ALCOHOL	83.1	83.1	82.4	82.9	82.7	82.3	82.2	82.8	82.5	82.2	82.3	81.5	82.1	81.0	80.2	80.9	80.8	80.3	<i>79.5</i>
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	85.5	84.7	85.3	85.1	84.7	<i>83.6</i>
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	83.0	82.3	83.0	82.8	82.4	<i>81.6</i>
Tobacco Products or Alcohol	87.6	87.3	86.8	87.0	86.9	86.2	86.3	86.4	86.4	85.7	85.7	85.5	85.5	84.3	83.5	84.1	83.9	83.3	<i>82.2</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.2A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year: Among People Aged 12 or Older; Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	47,730	48,501	51,795	53,182	57,203	<i>59,277</i>
Marijuana	25,755	25,231	25,451	25,375	25,432	25,136	25,891	28,688	29,301	29,739	31,513	32,952	35,124	36,043	37,570	40,935	43,486	48,242	<i>49,634</i>
Cocaine	5,902	5,908	5,658	5,523	6,075	5,748	5,283	4,806	4,533	3,857	4,671	4,182	4,553	4,828	5,071	5,943	5,529	5,468	<i>5,172</i>
Crack	1,554	1,406	1,304	1,381	1,478	1,452	1,113	1,008	885	625	921	632	773	833	882	930	757	778	<i>657</i>
Heroin	404	314	398	379	560	373	455	582	621	620	669	681	914	828	948	886	808	745	<i>902</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4,692	4,903	5,125	5,595	6,010	<i>7,133</i>
LSD	999	558	592	563	667	621	808	790	881	880	1,057	1,111	1,290	1,535	1,896	2,243	2,319	2,470	<i>2,637</i>
PCP	235	219	210	164	187	139	99	125	96	119	172	90	90	120	103	96	71	73	<i>95</i>
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,560	2,485	2,487	2,516	2,539	<i>2,622</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,759	1,660	1,759	2,003	2,142	<i>2,390</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,713	1,391	1,633	1,867	1,999	<i>2,550</i>
Misuse of Prescription Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	18,942	18,671	18,077	16,882	16,304	<i>16,073</i>
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	12,462	11,517	11,077	9,948	9,724	<i>9,254</i>
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5,251	5,647	5,839	5,109	4,929	<i>5,092</i>
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6,967	7,021	6,743	6,435	5,895	<i>6,205</i>
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6,050	6,060	5,944	5,742	5,220	<i>5,460</i>
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,511	1,531	1,351	1,084	1,098	<i>1,240</i>
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5,536	5,700	5,674	5,438	4,841	<i>4,779</i>
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	12,693	11,824	11,401	10,250	10,065	<i>9,490</i>
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	9,825	10,037	10,882	10,058	10,136	<i>10,306</i>
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	24,539	23,984	24,402	23,323	23,588	<i>23,962</i>
TOBACCO PRODUCTS³	84,731	83,415	83,066	84,958	86,034	85,017	84,550	83,514	83,384	81,859	82,829	80,846	81,141	78,299	76,751	74,736	73,167	71,977	<i>64,415</i>
Cigarettes	71,310	69,853	69,909	70,832	71,694	70,718	70,130	69,261	68,599	67,126	67,802	66,256	65,858	61,848	61,252	58,408	57,443	55,551	<i>50,961</i>
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	12,527	11,824	11,705	10,936	11,478	<i>9,206</i>
Cigars	25,928	25,386	25,974	26,908	26,857	26,649	26,282	26,592	26,061	24,980	25,647	24,933	23,734	24,382	22,772	23,443	22,950	22,225	<i>19,626</i>
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	155,476	154,540	156,686	161,626	162,448	162,975	164,966	168,135	168,381	170,422	173,573	173,966	176,556	175,847	174,625	178,736	179,278	179,144	<i>177,718</i>
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	194,056	192,668	196,623	197,337	197,541	<i>194,674</i>
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	182,263	180,924	185,553	185,914	187,022	<i>185,922</i>
Tobacco Products or Alcohol ³	170,546	169,981	171,067	177,074	177,691	177,857	179,943	182,025	183,323	184,839	187,830	188,393	191,273	190,488	189,189	192,849	193,672	193,278	<i>189,929</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Information about past year use of pipe tobacco was not collected. The estimate for tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.2B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year: Among People Aged 12 or Older; Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	17.8	18.0	19.0	19.4	20.8	<i>21.4</i>
Marijuana	11.0	10.6	10.6	10.4	10.3	10.1	10.4	11.4	11.6	11.5	12.1	12.6	13.2	13.5	13.9	15.0	15.9	17.5	<i>17.9</i>
Cocaine	2.5	2.5	2.4	2.3	2.5	2.3	2.1	1.9	1.8	1.5	1.8	1.6	1.7	1.8	1.9	2.2	2.0	2.0	<i>1.9</i>
Crack	0.7	0.6	0.5	0.6	0.6	0.6	0.4	0.4	0.3	0.2	0.4	0.2	0.3	0.3	0.3	0.3	0.3	0.3	<i>0.2</i>
Heroin	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.4	0.3	0.3	0.3	<i>0.3</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.8	1.8	1.9	2.0	2.2	<i>2.6</i>
LSD	0.4	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.5	0.6	0.7	0.8	0.8	0.9	<i>1.0</i>
PCP	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	<i>0.0</i>
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.0	0.9	0.9	0.9	0.9	<i>0.9</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7	0.6	0.6	0.7	0.8	<i>0.9</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6	0.5	0.6	0.7	0.7	<i>0.9</i>
Misuse of Prescription Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7.1	6.9	6.6	6.2	5.9	<i>5.8</i>
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.7	4.3	4.1	3.6	3.5	<i>3.3</i>
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.0	2.1	2.1	1.9	1.8	<i>1.8</i>
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.6	2.6	2.5	2.4	2.1	<i>2.2</i>
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.3	2.2	2.2	2.1	1.9	<i>2.0</i>
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6	0.6	0.5	0.4	0.4	<i>0.4</i>
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.1	2.1	2.1	2.0	1.8	<i>1.7</i>
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.7	4.4	4.2	3.7	3.7	<i>3.4</i>
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3.7	3.7	4.0	3.7	3.7	<i>3.7</i>
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	9.2	8.9	9.0	8.5	8.6	<i>8.7</i>
TOBACCO PRODUCTS³	36.0	35.1	34.5	34.9	35.0	34.3	33.8	33.2	32.9	31.8	31.9	30.8	30.6	29.2	28.5	27.5	26.7	26.2	<i>23.3</i>
Cigarettes	30.3	29.4	29.1	29.1	29.1	28.5	28.1	27.5	27.0	26.1	26.1	25.3	24.8	23.1	22.7	21.5	21.0	20.2	<i>18.4</i>
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.7	4.4	4.3	4.0	4.2	<i>3.3</i>
Cigars	11.0	10.7	10.8	11.1	10.9	10.8	10.5	10.6	10.3	9.7	9.9	9.5	9.0	9.1	8.5	8.6	8.4	8.1	<i>7.1</i>
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	66.1	65.0	65.1	66.5	66.0	65.8	66.0	66.8	66.4	66.2	66.7	66.3	66.6	65.7	64.8	65.7	65.5	65.1	<i>64.2</i>
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	72.5	71.5	72.3	72.1	71.8	<i>70.3</i>
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	68.1	67.2	68.2	67.9	68.0	<i>67.1</i>
Tobacco Products or Alcohol ³	72.5	71.5	71.1	72.8	72.2	71.8	72.0	72.3	72.3	71.8	72.2	71.8	72.1	71.2	70.2	70.9	70.7	70.2	<i>68.6</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Information about past year use of pipe tobacco was not collected. The estimate for tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.3A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month: Among People Aged 12 or Older; Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	27,080	28,564	30,476	31,918	35,803	<i>37,309</i>
Marijuana	14,584	14,638	14,576	14,626	14,849	14,470	15,269	16,826	17,409	18,071	18,855	19,810	22,188	22,226	23,981	25,997	27,667	31,606	<i>32,784</i>
Cocaine	2,020	2,281	2,021	2,397	2,426	2,077	1,865	1,642	1,472	1,369	1,650	1,549	1,530	1,876	1,874	2,167	1,949	1,998	<i>1,831</i>
Crack	567	604	467	682	704	611	363	497	378	228	443	377	354	394	432	473	436	378	<i>335</i>
Heroin	166	119	166	136	339	161	213	193	239	281	335	289	435	329	475	494	354	431	<i>513</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,240	1,390	1,438	1,630	1,915	<i>1,761</i>
LSD	112	133	141	104	130	144	157	159	155	152	184	229	287	352	374	512	458	580	<i>649</i>
PCP	58	56	49	48	31	43	25	54	36	26	32	33	*	25	21	37	34	*	<i>24</i>
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	557	619	587	689	663	<i>681</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	527	600	556	612	807	<i>904</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	897	667	774	1,001	1,173	<i>1,722</i>
Misuse of Prescription Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6,365	6,207	5,956	5,424	5,337	<i>5,278</i>
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3,775	3,350	3,239	2,852	2,819	<i>2,536</i>
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,653	1,735	1,841	1,670	1,566	<i>1,493</i>
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,185	2,325	1,955	1,799	1,958	<i>2,196</i>
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,874	1,953	1,727	1,634	1,781	<i>1,891</i>
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	446	497	352	243	304	<i>481</i>
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3,963	3,649	3,549	3,042	3,101	<i>2,885</i>
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3,934	3,865	4,294	4,110	4,264	<i>4,483</i>
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	9,273	9,118	9,159	8,855	9,333	<i>9,305</i>
TOBACCO PRODUCTS	71,499	70,757	70,257	71,519	72,878	71,073	70,955	69,825	69,663	68,225	69,497	66,879	66,899	63,959	63,429	61,072	58,775	58,074	<i>51,694</i>
Cigarettes	61,136	60,434	59,896	60,532	61,568	60,183	59,833	58,723	58,336	56,819	57,525	55,778	55,241	51,952	51,333	48,692	46,956	45,885	<i>41,400</i>
Daily Cigarettes	38,738	37,989	37,343	38,131	38,331	36,901	36,788	35,834	34,718	34,488	34,936	33,247	32,471	30,190	29,701	27,787	27,328	26,796	<i>24,874</i>
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	8,991	8,769	8,575	7,972	8,516	<i>7,021</i>
Cigars	12,751	12,837	13,727	13,640	13,701	13,300	13,225	13,345	13,273	12,865	13,417	12,438	11,964	12,508	12,261	12,532	12,211	11,697	<i>10,591</i>
Pipe Tobacco	1,816	1,619	1,835	2,190	2,315	2,044	1,885	2,104	2,155	2,137	2,530	2,271	2,247	2,267	2,264	2,333	2,083	1,910	<i>1,824</i>
ALCOHOL	119,820	118,965	120,934	126,028	125,360	126,865	128,884	130,642	131,374	133,385	135,502	136,868	139,677	138,322	136,735	140,588	139,835	139,727	<i>138,522</i>
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	66,690	65,327	66,636	67,059	65,845	<i>61,569</i>
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	17,326	16,288	16,717	16,569	16,044	<i>17,732</i>
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	163,115	162,136	165,240	164,826	165,344	<i>162,517</i>
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	144,798	143,774	147,809	147,492	149,061	<i>148,467</i>
Tobacco Products or Alcohol	143,405	142,735	143,284	148,620	149,363	149,838	151,353	152,665	154,385	155,319	158,533	159,092	161,787	160,163	158,699	161,747	160,996	160,450	<i>157,681</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.3B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month: Among People Aged 12 or Older; Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	10.1	10.6	11.2	11.7	13.0	<i>13.5</i>
Marijuana	6.2	6.2	6.1	6.0	6.0	5.8	6.1	6.7	6.9	7.0	7.3	7.5	8.4	8.3	8.9	9.6	10.1	11.5	<i>11.8</i>
Cocaine	0.9	1.0	0.8	1.0	1.0	0.8	0.7	0.7	0.6	0.5	0.6	0.6	0.6	0.7	0.7	0.8	0.7	0.7	<i>0.7</i>
Crack	0.2	0.3	0.2	0.3	0.3	0.2	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.2	0.2	0.2	0.1	<i>0.1</i>
Heroin	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.1	0.2	<i>0.2</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5	0.5	0.5	0.6	0.7	<i>0.6</i>
LSD	0.0	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	<i>0.2</i>
PCP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	0.0	0.0	0.0	0.0	*	<i>0.0</i>
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2	0.2	0.2	0.3	0.2	<i>0.2</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2	0.2	0.2	0.2	0.3	<i>0.3</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3	0.2	0.3	0.4	0.4	<i>0.6</i>
Misuse of Prescription Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.4	2.3	2.2	2.0	1.9	<i>1.9</i>
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.4	1.2	1.2	1.0	1.0	<i>0.9</i>
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6	0.6	0.7	0.6	0.6	<i>0.5</i>
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8	0.9	0.7	0.7	0.7	<i>0.8</i>
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7	0.7	0.6	0.6	0.6	<i>0.7</i>
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2	0.2	0.1	0.1	0.1	<i>0.2</i>
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.5	1.4	1.3	1.1	1.1	<i>1.0</i>
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.5	1.4	1.6	1.5	1.5	<i>1.6</i>
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3.5	3.4	3.4	3.2	3.4	<i>3.4</i>
TOBACCO PRODUCTS	30.4	29.8	29.2	29.4	29.6	28.7	28.4	27.7	27.5	26.5	26.7	25.5	25.2	23.9	23.5	22.4	21.5	21.1	<i>18.7</i>
Cigarettes	26.0	25.4	24.9	24.9	25.0	24.3	24.0	23.3	23.0	22.1	22.1	21.3	20.8	19.4	19.1	17.9	17.2	16.7	<i>15.0</i>
Daily Cigarettes	16.5	16.0	15.5	15.7	15.6	14.9	14.7	14.2	13.7	13.4	13.4	12.7	12.2	11.3	11.0	10.2	10.0	9.7	<i>9.0</i>
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3.4	3.3	3.2	2.9	3.1	<i>2.5</i>
Cigars	5.4	5.4	5.7	5.6	5.6	5.4	5.3	5.3	5.2	5.0	5.2	4.7	4.5	4.7	4.6	4.6	4.5	4.3	<i>3.8</i>
Pipe Tobacco	0.8	0.7	0.8	0.9	0.9	0.8	0.8	0.8	0.8	0.8	1.0	0.9	0.8	0.8	0.8	0.9	0.8	0.7	<i>0.7</i>
ALCOHOL	51.0	50.1	50.3	51.8	51.0	51.2	51.6	51.9	51.8	51.8	52.1	52.2	52.7	51.7	50.7	51.7	51.1	50.8	<i>50.0</i>
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	24.9	24.2	24.5	24.5	23.9	<i>22.2</i>
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6.5	6.0	6.1	6.1	5.8	<i>6.4</i>
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	60.9	60.2	60.7	60.2	60.1	<i>58.7</i>
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	54.1	53.4	54.3	53.9	54.2	<i>53.6</i>
Tobacco Products or Alcohol	61.0	60.1	59.6	61.1	60.7	60.5	60.6	60.6	60.9	60.3	61.0	60.6	61.0	59.8	58.9	59.4	58.8	58.3	<i>56.9</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.4A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime: Among People Aged 12 to 17; Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6,297	5,737	5,963	5,952	6,090	5,229
Marijuana	5,104	4,888	4,788	4,402	4,400	4,096	4,138	4,204	4,157	4,378	4,232	4,093	4,091	3,912	3,676	3,806	3,823	3,947	3,103
Cocaine	670	648	611	582	571	544	473	405	363	337	265	215	222	208	212	169	173	154	105
Crack	163	157	125	108	129	107	80	58	60	68	34	23	35	12	17	31	15	20	3
Heroin	94	80	78	60	60	55	67	56	46	70	59	38	36	35	32	32	16	21	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	760	674	700	565	615	563
LSD	670	397	313	288	219	202	271	249	231	229	249	221	291	329	288	364	326	392	317
PCP	233	204	175	182	128	105	102	99	76	76	96	46	60	60	38	46	30	41	7
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	357	288	257	209	225	183
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,271	2,065	2,144	2,125	2,202	2,327
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	71	69	86	70	75	48
Misuse of Prescription Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	nr
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	nr
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	nr
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	nr
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	nr
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	nr
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	nr
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	nr
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	nr
TOBACCO PRODUCTS	9,113	8,631	8,249	7,795	7,565	7,027	6,821	6,668	6,112	5,782	5,354	4,922	4,591	4,299	3,817	3,711	3,328	3,177	2,312
Cigarettes	8,242	7,752	7,363	6,781	6,565	5,987	5,750	5,498	4,986	4,773	4,338	3,903	3,523	3,293	2,888	2,682	2,397	2,253	1,809
Daily Cigarettes	2,038	1,850	1,707	1,470	1,457	1,349	1,131	1,172	1,052	957	802	679	634	490	374	345	319	269	132
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,382	1,162	1,239	1,086	1,003	587
Cigars	4,033	3,776	3,743	3,573	3,479	3,290	3,119	3,088	2,693	2,675	2,389	2,070	1,985	1,782	1,530	1,598	1,325	1,261	957
Pipe Tobacco	687	640	700	634	643	577	573	642	540	574	619	518	554	420	456	418	343	360	251
ALCOHOL	10,747	10,713	10,596	10,306	10,270	9,976	9,614	9,450	8,622	8,610	8,067	7,669	7,375	7,075	6,715	6,765	6,551	6,641	5,702
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	9,732	9,243	9,355	9,221	9,284	8,054
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	9,191	8,676	8,897	8,777	8,891	7,715
Tobacco Products or Alcohol	12,665	12,431	12,182	11,836	11,667	11,322	10,919	10,722	9,924	9,819	9,138	8,775	8,428	8,065	7,653	7,599	7,385	7,375	6,274

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.4B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime: Among People Aged 12 to 17; Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	25.3	23.0	23.9	23.9	24.5	<i>20.9</i>
Marijuana	20.6	19.6	19.0	17.4	17.3	16.2	16.6	17.1	17.1	17.5	17.0	16.4	16.4	15.7	14.8	15.3	15.4	15.8	<i>12.4</i>
Cocaine	2.7	2.6	2.4	2.3	2.2	2.2	1.9	1.6	1.5	1.3	1.1	0.9	0.9	0.8	0.9	0.7	0.7	0.6	<i>0.4</i>
Crack	0.7	0.6	0.5	0.4	0.5	0.4	0.3	0.2	0.2	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	<i>0.0</i>
Heroin	0.4	0.3	0.3	0.2	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	<i>*</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3.1	2.7	2.8	2.3	2.5	<i>2.3</i>
LSD	2.7	1.6	1.2	1.1	0.9	0.8	1.1	1.0	0.9	0.9	1.0	0.9	1.2	1.3	1.2	1.5	1.3	1.6	<i>1.3</i>
PCP	0.9	0.8	0.7	0.7	0.5	0.4	0.4	0.4	0.3	0.3	0.4	0.2	0.2	0.2	0.2	0.2	0.1	0.2	<i>0.0</i>
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.4	1.2	1.0	0.8	0.9	<i>0.7</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	9.1	8.3	8.6	8.5	8.8	<i>9.3</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3	0.3	0.3	0.3	0.3	<i>0.2</i>
Misuse of Prescription Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	<i>--</i>
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
TOBACCO PRODUCTS	36.8	34.5	32.7	30.7	29.8	27.8	27.4	27.1	25.1	23.2	21.5	19.8	18.5	17.3	15.3	14.9	13.4	12.8	<i>9.3</i>
Cigarettes	33.3	31.0	29.2	26.7	25.9	23.7	23.1	22.3	20.5	19.1	17.4	15.7	14.2	13.2	11.6	10.8	9.6	9.0	<i>7.2</i>
Daily Cigarettes	8.2	7.4	6.8	5.8	5.7	5.3	4.5	4.8	4.3	3.8	3.2	2.7	2.6	2.0	1.5	1.4	1.3	1.1	<i>0.5</i>
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5.5	4.7	5.0	4.4	4.0	<i>2.4</i>
Cigars	16.3	15.1	14.8	14.1	13.7	13.0	12.5	12.5	11.1	10.7	9.6	8.3	8.0	7.2	6.1	6.4	5.3	5.1	<i>3.8</i>
Pipe Tobacco	2.8	2.6	2.8	2.5	2.5	2.3	2.3	2.6	2.2	2.3	2.5	2.1	2.2	1.7	1.8	1.7	1.4	1.4	<i>1.0</i>
ALCOHOL	43.4	42.9	42.0	40.6	40.4	39.5	38.6	38.4	35.4	34.5	32.4	30.8	29.6	28.4	27.0	27.1	26.3	26.7	<i>22.8</i>
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	<i>--</i>
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	<i>--</i>
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	39.1	37.1	37.5	37.0	37.3	<i>32.2</i>
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	36.9	34.8	35.7	35.3	35.7	<i>30.9</i>
Tobacco Products or Alcohol	51.2	49.7	48.3	46.7	45.9	44.9	43.9	43.6	40.8	39.3	36.6	35.3	33.9	32.4	30.7	30.5	29.7	29.6	<i>25.1</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.5A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year: Among People Aged 12 to 17; Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4,346	3,941	4,069	4,151	4,279	3,436
Marijuana	3,905	3,745	3,656	3,383	3,355	3,158	3,258	3,363	3,414	3,553	3,363	3,346	3,262	3,137	2,982	3,094	3,110	3,284	2,531
Cocaine	508	438	411	423	411	385	306	242	239	229	180	131	168	153	136	127	112	97	84
Crack	100	95	63	54	74	65	34	29	18	29	19	11	20	5	11	16	4	11	2
Heroin	51	36	48	37	37	24	41	34	28	54	31	31	28	21	13	14	10	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	523	456	512	376	440	370
LSD	314	149	157	150	106	126	185	143	136	159	152	150	214	251	204	259	204	279	219
PCP	110	89	72	85	59	56	61	48	35	39	48	29	33	34	18	23	15	21	*
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	201	177	174	130	144	86
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	684	554	574	662	743	683
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	40	32	48	43	41	21
Misuse of Prescription Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,464	1,317	1,232	1,196	1,062	688
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	969	881	767	695	567	396
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	491	427	452	369	430	288
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	448	482	492	460	436	226
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	394	434	458	423	392	196
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	102	100	74	63	82	35
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	369	417	441	399	381	157
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	980	891	769	699	567	396
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	605	519	540	470	499	346
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,263	1,965	1,945	1,901	1,862	1,507
TOBACCO PRODUCTS ³	5,839	5,634	5,562	5,365	5,295	5,010	4,747	4,799	4,419	4,203	3,801	3,461	3,161	2,877	2,607	2,430	2,072	2,072	1,406
Cigarettes	5,037	4,737	4,645	4,387	4,325	3,973	3,762	3,724	3,460	3,287	2,948	2,561	2,210	2,021	1,785	1,567	1,365	1,333	968
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	879	752	749	625	620	339
Cigars	2,511	2,487	2,568	2,485	2,382	2,373	2,127	2,218	1,882	1,939	1,684	1,424	1,426	1,271	1,101	1,136	928	896	593
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	8,564	8,563	8,537	8,454	8,375	8,042	7,727	7,516	6,982	6,940	6,555	6,133	5,979	5,652	5,385	5,466	5,191	5,274	4,633
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7,446	7,140	7,239	7,020	7,119	5,908
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7,054	6,681	6,884	6,691	6,826	5,726
Tobacco Products or Alcohol ³	9,883	9,805	9,729	9,608	9,486	9,127	8,735	8,609	8,062	7,937	7,399	7,026	6,765	6,353	6,111	6,086	5,777	5,832	4,935

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Information about past year use of pipe tobacco was not collected. The estimate for tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.5B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year: Among People Aged 12 to 17; Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	17.5	15.8	16.3	16.7	17.2	<i>13.8</i>
Marijuana	15.8	15.0	14.5	13.3	13.2	12.5	13.1	13.7	14.0	14.2	13.5	13.4	13.1	12.6	12.0	12.4	12.5	13.2	<i>10.1</i>
Cocaine	2.1	1.8	1.6	1.7	1.6	1.5	1.2	1.0	1.0	0.9	0.7	0.5	0.7	0.6	0.5	0.5	0.4	0.4	<i>0.3</i>
Crack	0.4	0.4	0.3	0.2	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.0	<i>0.0</i>
Heroin	0.2	0.1	0.2	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.1	1.8	2.1	1.5	1.8	<i>1.5</i>
LSD	1.3	0.6	0.6	0.6	0.4	0.5	0.7	0.6	0.6	0.6	0.6	0.6	0.9	1.0	0.8	1.0	0.8	1.1	<i>0.9</i>
PCP	0.4	0.4	0.3	0.3	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8	0.7	0.7	0.5	0.6	<i>0.3</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.7	2.2	2.3	2.7	3.0	<i>2.7</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2	0.1	0.2	0.2	0.2	<i>0.1</i>
Misuse of Prescription Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5.9	5.3	4.9	4.8	4.3	<i>2.8</i>
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3.9	3.5	3.1	2.8	2.3	<i>1.6</i>
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.0	1.7	1.8	1.5	1.7	<i>1.2</i>
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.8	1.9	2.0	1.8	1.8	<i>0.9</i>
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.6	1.7	1.8	1.7	1.6	<i>0.8</i>
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4	0.4	0.3	0.3	0.3	<i>0.1</i>
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.5	1.7	1.8	1.6	1.5	<i>0.6</i>
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3.9	3.6	3.1	2.8	2.3	<i>1.6</i>
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.4	2.1	2.2	1.9	2.0	<i>1.4</i>
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	9.1	7.9	7.8	7.6	7.5	<i>6.0</i>
TOBACCO PRODUCTS ³	23.6	22.5	22.1	21.2	20.9	19.8	19.1	19.5	18.1	16.8	15.2	13.9	12.7	11.6	10.5	9.7	8.3	8.3	<i>5.6</i>
Cigarettes	20.3	19.0	18.4	17.3	17.0	15.7	15.1	15.1	14.2	13.2	11.8	10.3	8.9	8.1	7.2	6.3	5.5	5.4	<i>3.9</i>
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3.5	3.0	3.0	2.5	2.5	<i>1.4</i>
Cigars	10.1	10.0	10.2	9.8	9.4	9.4	8.5	9.0	7.7	7.8	6.8	5.7	5.7	5.1	4.4	4.6	3.7	3.6	<i>2.4</i>
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	34.6	34.3	33.9	33.3	33.0	31.9	31.0	30.5	28.7	27.8	26.3	24.6	24.0	22.7	21.6	21.9	20.8	21.2	<i>18.5</i>
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	29.9	28.7	29.0	28.2	28.6	<i>23.6</i>
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	28.3	26.8	27.6	26.9	27.4	<i>22.9</i>
Tobacco Products or Alcohol ³	39.9	39.2	38.6	37.9	37.4	36.2	35.1	35.0	33.1	31.8	29.7	28.2	27.2	25.5	24.5	24.4	23.2	23.4	<i>19.8</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Information about past year use of pipe tobacco was not collected. The estimate for tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.6A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month: Among People Aged 12 to 17; Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,193	1,959	1,966	2,000	2,167	<i>1,679</i>
Marijuana	2,023	1,971	1,909	1,730	1,695	1,693	1,668	1,813	1,802	1,967	1,800	1,762	1,830	1,752	1,609	1,613	1,658	1,837	<i>1,472</i>
Cocaine	146	153	126	142	110	104	98	70	60	67	30	43	39	53	28	26	12	34	<i>11</i>
Crack	26	32	16	25	12	16	7	8	4	3	*	3	8	1	3	*	*	5	<i>2</i>
Heroin	11	18	15	15	16	3	14	13	8	15	*	13	16	5	3	2	8	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	121	114	143	139	152	<i>80</i>
LSD	61	51	38	32	31	30	52	35	46	34	26	51	65	53	42	53	55	68	<i>27</i>
PCP	23	20	11	17	12	9	15	12	6	4	5	7	3	9	5	5	4	*	*
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	33	29	41	53	40	<i>23</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	175	149	153	184	216	<i>106</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	9	16	17	11	<i>7</i>
Misuse of Prescription Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	492	389	364	312	329	<i>169</i>
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	276	239	214	161	165	<i>96</i>
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	117	92	123	120	123	<i>72</i>
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	175	138	140	88	121	<i>26</i>
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	162	121	128	81	112	<i>25</i>
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	21	23	19	9	29	<i>1</i>
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	277	241	215	169	165	<i>96</i>
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	172	114	157	141	160	<i>87</i>
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	750	601	610	584	598	<i>305</i>
TOBACCO PRODUCTS	3,767	3,610	3,635	3,324	3,282	3,141	2,870	2,894	2,612	2,490	2,152	1,951	1,742	1,492	1,324	1,216	1,052	947	<i>598</i>
Cigarettes	3,209	3,044	2,998	2,733	2,642	2,495	2,282	2,216	2,040	1,939	1,634	1,397	1,213	1,039	855	787	672	572	<i>350</i>
Daily Cigarettes	1,021	904	828	704	701	659	510	511	459	440	360	271	292	208	129	96	99	75	<i>25</i>
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	367	352	335	278	248	<i>146</i>
Cigars	1,117	1,115	1,201	1,064	1,049	1,073	951	990	788	858	645	576	521	517	448	479	411	353	<i>205</i>
Pipe Tobacco	137	160	178	158	168	181	178	231	155	182	165	160	179	84	123	112	72	83	<i>73</i>
ALCOHOL	4,365	4,425	4,436	4,191	4,228	4,040	3,671	3,649	3,319	3,326	3,217	2,877	2,872	2,392	2,289	2,465	2,233	2,346	<i>2,061</i>
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,441	1,214	1,310	1,168	1,212	<i>1,033</i>
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	221	191	174	131	208	<i>140</i>
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3,891	3,662	3,762	3,542	3,739	<i>3,053</i>
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3,534	3,282	3,442	3,285	3,502	<i>2,874</i>
Tobacco Products or Alcohol	5,950	5,903	5,894	5,589	5,540	5,324	4,892	4,842	4,436	4,363	4,102	3,756	3,642	3,083	2,942	3,003	2,739	2,794	<i>2,351</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.6B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month: Among People Aged 12 to 17; Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	8.8	7.9	7.9	8.0	8.7	6.7
Marijuana	8.2	7.9	7.6	6.8	6.7	6.7	6.7	7.4	7.4	7.9	7.2	7.1	7.4	7.0	6.5	6.5	6.7	7.4	5.9
Cocaine	0.6	0.6	0.5	0.6	0.4	0.4	0.4	0.3	0.2	0.3	0.1	0.2	0.2	0.2	0.1	0.1	0.0	0.1	0.0
Crack	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	*	0.0	0.0	0.0	0.0	*	*	0.0	0.0
Heroin	0.0	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.1	*	0.1	0.1	0.0	0.0	0.0	0.0	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5	0.5	0.6	0.6	0.6	0.3
LSD	0.2	0.2	0.2	0.1	0.1	0.1	0.2	0.1	0.2	0.1	0.1	0.2	0.3	0.2	0.2	0.2	0.2	0.3	0.1
PCP	0.1	0.1	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	*
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1	0.1	0.2	0.2	0.2	0.1
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7	0.6	0.6	0.7	0.9	0.4
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1	0.0	0.1	0.1	0.0	0.0
Misuse of Prescription Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.0	1.6	1.5	1.3	1.3	0.7
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.1	1.0	0.9	0.6	0.7	0.4
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5	0.4	0.5	0.5	0.5	0.3
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7	0.6	0.6	0.4	0.5	0.1
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7	0.5	0.5	0.3	0.5	0.1
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1	0.1	0.1	0.0	0.1	0.0
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.1	1.0	0.9	0.7	0.7	0.4
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7	0.5	0.6	0.6	0.6	0.3
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3.0	2.4	2.4	2.3	2.4	1.2
TOBACCO PRODUCTS	15.2	14.4	14.4	13.1	12.9	12.4	11.5	11.8	10.7	10.0	8.6	7.8	7.0	6.0	5.3	4.9	4.2	3.8	2.4
Cigarettes	13.0	12.2	11.9	10.8	10.4	9.9	9.2	9.0	8.4	7.8	6.6	5.6	4.9	4.2	3.4	3.2	2.7	2.3	1.4
Daily Cigarettes	4.1	3.6	3.3	2.8	2.8	2.6	2.0	2.1	1.9	1.8	1.4	1.1	1.2	0.8	0.5	0.4	0.4	0.3	0.1
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.5	1.4	1.3	1.1	1.0	0.6
Cigars	4.5	4.5	4.8	4.2	4.1	4.3	3.8	4.0	3.2	3.4	2.6	2.3	2.1	2.1	1.8	1.9	1.7	1.4	0.8
Pipe Tobacco	0.6	0.6	0.7	0.6	0.7	0.7	0.7	0.9	0.6	0.7	0.7	0.6	0.7	0.3	0.5	0.4	0.3	0.3	0.3
ALCOHOL	17.6	17.7	17.6	16.5	16.7	16.0	14.7	14.8	13.6	13.3	12.9	11.6	11.5	9.6	9.2	9.9	9.0	9.4	8.2
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5.8	4.9	5.3	4.7	4.9	4.1
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9	0.8	0.7	0.5	0.8	0.6
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	15.6	14.7	15.1	14.2	15.0	12.2
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	14.2	13.2	13.8	13.2	14.1	11.5
Tobacco Products or Alcohol	24.0	23.6	23.4	22.0	21.8	21.1	19.7	19.7	18.2	17.5	16.5	15.1	14.6	12.4	11.8	12.0	11.0	11.2	9.4

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.7A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime: Among People Aged 18 or Older; Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	124,313	124,891	128,741	128,840	131,937	<i>133,314</i>
Marijuana	89,842	91,723	91,984	93,143	93,393	96,641	98,720	100,747	102,456	103,464	107,007	110,619	113,121	113,952	114,847	119,137	120,112	123,192	<i>123,401</i>
Cocaine	33,239	34,243	33,542	33,090	34,732	35,402	36,443	36,337	36,998	36,584	37,423	37,419	38,978	38,535	38,668	40,381	40,021	41,291	<i>39,155</i>
Crack	8,239	7,792	7,715	7,820	8,430	8,509	8,374	8,332	9,148	8,146	8,981	8,847	9,389	9,022	8,759	9,569	9,163	9,355	<i>9,354</i>
Heroin	3,574	3,664	3,067	3,475	3,728	3,751	3,729	3,623	4,097	4,093	4,505	4,774	4,777	5,064	4,950	5,262	5,093	5,675	<i>6,251</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	40,155	40,816	41,372	42,690	43,472	<i>43,386</i>
LSD	23,845	24,027	23,085	22,145	23,146	22,518	23,333	23,464	23,143	22,771	23,487	24,549	24,744	24,994	25,573	25,705	27,013	27,137	<i>27,806</i>
PCP	7,185	6,903	6,587	6,421	6,505	6,073	6,554	6,173	6,179	6,027	6,456	6,416	6,328	6,262	6,412	6,053	6,055	5,475	<i>6,134</i>
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	17,971	18,171	18,915	19,740	19,872	<i>20,295</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	23,494	22,339	23,043	22,658	22,889	<i>24,422</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	14,440	14,464	14,636	14,822	15,939	<i>15,349</i>
Misuse of Prescription Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
TOBACCO PRODUCTS	162,725	164,212	163,579	164,422	166,339	165,393	167,179	167,437	168,297	168,108	168,300	170,337	170,825	166,821	165,611	166,784	164,981	164,609	<i>157,805</i>
Cigarettes	154,311	155,488	154,479	155,082	156,386	155,844	156,887	157,110	157,953	157,025	156,718	158,236	158,266	153,202	151,800	152,764	150,083	148,982	<i>143,690</i>
Daily Cigarettes	93,183	92,908	91,702	92,001	93,061	93,191	93,191	90,919	92,158	89,878	92,569	91,747	91,139	88,748	87,641	85,214	83,533	83,747	<i>83,843</i>
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	42,166	42,119	42,647	41,513	41,582	<i>36,849</i>
Cigars	84,020	84,320	83,666	84,687	85,181	85,231	86,645	87,372	86,067	85,830	86,206	87,047	87,282	85,950	83,809	84,766	85,187	84,657	<i>80,869</i>
Pipe Tobacco	39,316	39,424	38,799	37,829	37,706	34,950	36,049	34,578	33,840	33,958	33,984	33,655	33,141	33,073	32,637	32,646	32,434	31,110	<i>26,984</i>
ALCOHOL	184,705	186,820	187,624	191,361	193,139	193,976	195,805	199,084	200,642	203,137	205,946	206,125	210,390	209,764	209,437	213,297	214,668	214,317	<i>214,528</i>
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	219,260	218,984	222,849	223,722	223,729	<i>223,484</i>
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	213,053	212,983	216,865	217,893	218,022	<i>218,274</i>
Tobacco Products or Alcohol	193,321	194,996	196,497	199,731	202,039	202,302	204,559	206,795	209,122	210,883	213,749	215,469	218,208	217,661	217,428	221,274	222,228	221,931	<i>221,407</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.7B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime: Among People Aged 18 or Older; Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	51.2	51.1	52.1	51.8	52.7	<i>52.9</i>
Marijuana	42.7	43.1	42.7	42.8	42.3	43.4	43.9	44.3	44.7	44.5	45.5	46.6	47.1	46.9	47.0	48.2	48.3	49.2	<i>49.0</i>
Cocaine	15.8	16.1	15.6	15.2	15.7	15.9	16.2	16.0	16.1	15.7	15.9	15.8	16.2	15.9	15.8	16.3	16.1	16.5	<i>15.5</i>
Crack	3.9	3.7	3.6	3.6	3.8	3.8	3.7	3.7	4.0	3.5	3.8	3.7	3.9	3.7	3.6	3.9	3.7	3.7	<i>3.7</i>
Heroin	1.7	1.7	1.4	1.6	1.7	1.7	1.7	1.6	1.8	1.8	1.9	2.0	2.0	2.1	2.0	2.1	2.0	2.3	<i>2.5</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	16.5	16.7	16.7	17.2	17.4	<i>17.2</i>
LSD	11.3	11.3	10.7	10.2	10.5	10.1	10.4	10.3	10.1	9.8	10.0	10.3	10.3	10.3	10.5	10.4	10.9	10.8	<i>11.0</i>
PCP	3.4	3.2	3.1	2.9	2.9	2.7	2.9	2.7	2.7	2.6	2.7	2.7	2.6	2.6	2.6	2.4	2.4	2.2	<i>2.4</i>
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7.4	7.4	7.7	7.9	7.9	<i>8.1</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	9.7	9.1	9.3	9.1	9.1	<i>9.7</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5.9	5.9	5.9	6.0	6.4	<i>6.1</i>
Misuse of Prescription Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
TOBACCO PRODUCTS	77.3	77.2	76.0	75.5	75.4	74.3	74.3	73.7	73.4	72.3	71.6	71.7	71.1	68.7	67.7	67.5	66.3	65.8	<i>62.6</i>
Cigarettes	73.3	73.1	71.8	71.2	70.9	70.0	69.8	69.1	68.9	67.5	66.7	66.6	65.9	63.1	62.1	61.8	60.3	59.5	<i>57.0</i>
Daily Cigarettes	44.3	43.7	42.6	42.2	42.2	41.9	41.4	40.0	40.2	38.6	39.4	38.6	37.9	36.6	35.8	34.5	33.6	33.5	<i>33.3</i>
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	17.4	17.2	17.3	16.7	16.6	<i>14.6</i>
Cigars	39.9	39.6	38.9	38.9	38.6	38.3	38.5	38.5	37.5	36.9	36.7	36.7	36.3	35.4	34.3	34.3	34.2	33.8	<i>32.1</i>
Pipe Tobacco	18.7	18.5	18.0	17.4	17.1	15.7	16.0	15.2	14.8	14.6	14.5	14.2	13.8	13.6	13.3	13.2	13.0	12.4	<i>10.7</i>
ALCOHOL	87.8	87.8	87.1	87.8	87.5	87.1	87.1	87.6	87.5	87.3	87.6	86.8	87.6	86.4	85.6	86.3	86.3	85.6	<i>85.2</i>
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	90.3	89.6	90.2	89.9	89.4	<i>88.7</i>
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	87.7	87.1	87.7	87.6	87.1	<i>86.6</i>
Tobacco Products or Alcohol	91.9	91.7	91.3	91.7	91.6	90.9	90.9	91.0	91.2	90.7	90.9	90.7	90.8	89.6	88.9	89.5	89.3	88.7	<i>87.9</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.8A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year: Among People Aged 18 or Older; Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	43,384	44,559	47,726	49,031	52,924	<i>55,841</i>
Marijuana	21,850	21,486	21,796	21,991	22,077	21,978	22,633	25,325	25,887	26,186	28,150	29,606	31,862	32,906	34,588	37,841	40,377	44,958	<i>47,103</i>
Cocaine	5,394	5,470	5,247	5,099	5,663	5,362	4,977	4,564	4,294	3,628	4,491	4,051	4,385	4,675	4,936	5,816	5,418	5,371	<i>5,088</i>
Crack	1,454	1,310	1,241	1,327	1,404	1,387	1,079	979	866	597	902	621	754	828	871	913	753	766	<i>655</i>
Heroin	353	278	350	343	524	349	415	547	593	566	638	650	885	807	934	872	798	745	<i>902</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4,169	4,447	4,613	5,219	5,571	<i>6,763</i>
LSD	684	409	434	413	561	495	623	647	746	721	905	962	1,075	1,284	1,692	1,984	2,115	2,191	<i>2,418</i>
PCP	126	130	138	79	129	83	37	77	61	80	124	61	57	86	85	73	56	52	<i>95</i>
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,359	2,308	2,313	2,386	2,395	<i>2,537</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,076	1,106	1,185	1,341	1,399	<i>1,707</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,673	1,360	1,585	1,824	1,958	<i>2,528</i>
Misuse of Prescription Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	17,478	17,354	16,844	15,686	15,242	<i>15,385</i>
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	11,492	10,635	10,310	9,253	9,158	<i>8,858</i>
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4,760	5,220	5,386	4,739	4,499	<i>4,804</i>
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6,519	6,539	6,251	5,975	5,459	<i>5,979</i>
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5,656	5,626	5,485	5,319	4,829	<i>5,264</i>
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,409	1,431	1,278	1,021	1,016	<i>1,205</i>
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5,167	5,283	5,233	5,039	4,460	<i>4,622</i>
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	11,712	10,933	10,632	9,551	9,499	<i>9,094</i>
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	9,220	9,518	10,342	9,589	9,638	<i>9,960</i>
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	22,276	22,019	22,458	21,422	21,727	<i>22,455</i>
TOBACCO PRODUCTS³	78,892	77,781	77,504	79,593	80,739	80,008	79,803	78,716	78,965	77,656	79,029	77,385	77,979	75,422	74,145	72,306	71,095	69,905	<i>63,009</i>
Cigarettes	66,273	65,116	65,264	66,446	67,368	66,745	66,368	65,537	65,139	63,839	64,854	63,695	63,648	59,827	59,466	56,841	56,078	54,218	<i>49,993</i>
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	11,648	11,071	10,956	10,310	10,857	<i>8,867</i>
Cigars	23,417	22,898	23,405	24,423	24,475	24,276	24,155	24,374	24,179	23,040	23,964	23,509	22,309	23,111	21,671	22,307	22,023	21,329	<i>19,033</i>
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	146,912	145,978	148,149	153,172	154,073	154,933	157,239	160,620	161,399	163,482	167,018	167,833	170,577	170,195	169,240	173,270	174,087	173,870	<i>173,084</i>
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	186,610	185,528	189,384	190,317	190,422	<i>188,766</i>
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	175,209	174,243	178,669	179,223	180,196	<i>180,196</i>
Tobacco Products or Alcohol ³	160,664	160,175	161,339	167,466	168,206	168,730	171,208	173,417	175,261	176,903	180,430	181,367	184,508	184,135	183,079	186,763	187,895	187,446	<i>184,994</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Information about past year use of pipe tobacco was not collected. The estimate for tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.8B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year: Among People Aged 18 or Older; Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	17.9	18.2	19.3	19.7	21.1	22.2
Marijuana	10.4	10.1	10.1	10.1	10.0	9.9	10.1	11.1	11.3	11.3	12.0	12.5	13.3	13.6	14.1	15.3	16.2	18.0	<i>18.7</i>
Cocaine	2.6	2.6	2.4	2.3	2.6	2.4	2.2	2.0	1.9	1.6	1.9	1.7	1.8	1.9	2.0	2.4	2.2	2.1	<i>2.0</i>
Crack	0.7	0.6	0.6	0.6	0.6	0.6	0.5	0.4	0.4	0.3	0.4	0.3	0.3	0.3	0.4	0.4	0.3	0.3	<i>0.3</i>
Heroin	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.3	0.3	0.4	0.3	0.4	0.4	0.3	0.3	<i>0.4</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.7	1.8	1.9	2.1	2.2	<i>2.7</i>
LSD	0.3	0.2	0.2	0.2	0.3	0.2	0.3	0.3	0.3	0.3	0.4	0.4	0.4	0.5	0.7	0.8	0.9	0.9	<i>1.0</i>
PCP	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	<i>0.0</i>
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.0	0.9	0.9	1.0	1.0	<i>1.0</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4	0.5	0.5	0.5	0.6	<i>0.7</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7	0.6	0.6	0.7	0.8	<i>1.0</i>
Misuse of Prescription Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7.2	7.1	6.8	6.3	6.1	<i>6.1</i>
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.7	4.3	4.2	3.7	3.7	<i>3.5</i>
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.0	2.1	2.2	1.9	1.8	<i>1.9</i>
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.7	2.7	2.5	2.4	2.2	<i>2.4</i>
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.3	2.3	2.2	2.1	1.9	<i>2.1</i>
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6	0.6	0.5	0.4	0.4	<i>0.5</i>
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.1	2.2	2.1	2.0	1.8	<i>1.8</i>
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.8	4.5	4.3	3.8	3.8	<i>3.6</i>
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3.8	3.9	4.2	3.9	3.9	<i>4.0</i>
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	9.2	9.0	9.1	8.6	8.7	<i>8.9</i>
TOBACCO PRODUCTS ³	37.5	36.6	36.0	36.5	36.6	35.9	35.5	34.6	34.4	33.4	33.6	32.6	32.5	31.1	30.3	29.3	28.6	27.9	<i>25.0</i>
Cigarettes	31.5	30.6	30.3	30.5	30.5	30.0	29.5	28.8	28.4	27.4	27.6	26.8	26.5	24.6	24.3	23.0	22.5	21.7	<i>19.8</i>
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.8	4.5	4.4	4.1	4.3	<i>3.5</i>
Cigars	11.1	10.8	10.9	11.2	11.1	10.9	10.7	10.7	10.5	9.9	10.2	9.9	9.3	9.5	8.9	9.0	8.8	8.5	<i>7.6</i>
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	69.8	68.6	68.8	70.3	69.8	69.6	69.9	70.7	70.4	70.3	71.0	70.7	71.0	70.1	69.2	70.1	70.0	69.5	<i>68.7</i>
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	76.9	75.9	76.6	76.5	76.1	<i>74.9</i>
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	72.2	71.3	72.3	72.0	72.0	<i>71.5</i>
Tobacco Products or Alcohol ³	76.4	75.3	74.9	76.9	76.2	75.8	76.1	76.3	76.4	76.0	76.7	76.4	76.8	75.8	74.9	75.6	75.5	74.9	<i>73.4</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Information about past year use of pipe tobacco was not collected. The estimate for tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.9A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month: Among People Aged 18 or Older; Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	24,887	26,605	28,510	29,917	33,636	<i>35,630</i>
Marijuana	12,561	12,667	12,667	12,896	13,154	12,777	13,601	15,013	15,607	16,103	17,055	18,048	20,357	20,474	22,373	24,383	26,009	29,769	<i>31,312</i>
Cocaine	1,874	2,128	1,895	2,255	2,316	1,972	1,767	1,572	1,412	1,302	1,620	1,505	1,491	1,822	1,847	2,141	1,938	1,965	<i>1,821</i>
Crack	541	572	451	657	691	595	356	489	375	225	443	375	347	393	429	472	436	372	<i>333</i>
Heroin	155	101	151	121	323	157	200	180	231	267	335	277	419	325	471	492	347	431	<i>513</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,118	1,276	1,295	1,491	1,763	<i>1,681</i>
LSD	51	82	103	72	99	114	105	124	109	118	158	177	222	299	332	459	403	512	<i>622</i>
PCP	35	35	37	31	19	34	*	42	30	22	27	26	*	17	17	32	30	*	<i>24</i>
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	524	590	547	636	623	<i>659</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	352	451	403	428	591	<i>797</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	885	658	758	984	1,161	<i>1,715</i>
Misuse of Prescription Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5,873	5,818	5,592	5,112	5,008	<i>5,108</i>
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3,499	3,111	3,024	2,691	2,654	<i>2,440</i>
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,536	1,643	1,718	1,550	1,443	<i>1,421</i>
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,010	2,187	1,815	1,711	1,837	<i>2,170</i>
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,712	1,832	1,599	1,553	1,669	<i>1,866</i>
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	425	474	333	234	275	<i>480</i>
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3,686	3,408	3,333	2,874	2,936	<i>2,789</i>
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3,762	3,751	4,137	3,970	4,103	<i>4,396</i>
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	8,523	8,517	8,550	8,271	8,735	<i>9,000</i>
TOBACCO PRODUCTS	67,732	67,147	66,622	68,195	69,596	67,932	68,085	66,932	67,051	65,735	67,345	64,928	65,157	62,467	62,105	59,856	57,723	57,127	<i>51,096</i>
Cigarettes	57,928	57,391	56,897	57,799	58,926	57,688	57,551	56,507	56,295	54,880	55,890	54,381	54,028	50,912	50,478	47,905	46,284	45,313	<i>41,050</i>
Daily Cigarettes	37,717	37,085	36,516	37,428	37,631	36,242	36,278	35,323	34,259	34,049	34,577	32,976	32,179	29,982	29,573	27,691	27,229	26,721	<i>24,849</i>
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	8,625	8,416	8,239	7,694	8,268	<i>6,875</i>
Cigars	11,634	11,722	12,526	12,576	12,652	12,227	12,274	12,355	12,485	12,007	12,772	11,862	11,443	11,991	11,813	12,053	11,800	11,344	<i>10,386</i>
Pipe Tobacco	1,679	1,458	1,657	2,032	2,147	1,863	1,707	1,873	2,000	1,955	2,365	2,111	2,067	2,183	2,141	2,221	2,012	1,827	<i>1,751</i>
ALCOHOL	115,455	114,539	116,498	121,837	121,133	122,825	125,213	126,994	128,055	130,059	132,285	133,991	136,804	135,929	134,446	138,123	137,602	137,381	<i>136,461</i>
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	65,249	64,113	65,326	65,891	64,633	<i>60,536</i>
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	17,105	16,098	16,543	16,437	15,835	<i>17,592</i>
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	159,224	158,474	161,478	161,284	161,605	<i>159,464</i>
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	141,264	140,492	144,367	144,208	145,559	<i>145,593</i>
Tobacco Products or Alcohol	137,456	136,833	137,390	143,031	143,823	144,514	146,460	147,823	149,948	150,956	154,431	155,336	158,145	157,080	155,758	158,743	158,257	157,655	<i>155,330</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.9B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month: Among People Aged 18 or Older; Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	10.2	10.9	11.5	12.0	13.4	<i>14.1</i>
Marijuana	6.0	6.0	5.9	5.9	6.0	5.7	6.0	6.6	6.8	6.9	7.3	7.6	8.5	8.4	9.1	9.9	10.5	11.9	<i>12.4</i>
Cocaine	0.9	1.0	0.9	1.0	1.0	0.9	0.8	0.7	0.6	0.6	0.7	0.6	0.6	0.8	0.8	0.9	0.8	0.8	<i>0.7</i>
Crack	0.3	0.3	0.2	0.3	0.3	0.3	0.2	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.1	<i>0.1</i>
Heroin	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.1	0.2	<i>0.2</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5	0.5	0.5	0.6	0.7	<i>0.7</i>
LSD	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	<i>0.2</i>
PCP	0.0	0.0	0.0	0.0	0.0	0.0	*	0.0	0.0	0.0	0.0	0.0	*	0.0	0.0	0.0	0.0	*	<i>0.0</i>
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2	0.2	0.2	0.3	0.2	<i>0.3</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1	0.2	0.2	0.2	0.2	<i>0.3</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4	0.3	0.3	0.4	0.5	<i>0.7</i>
Misuse of Prescription Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.4	2.4	2.3	2.1	2.0	<i>2.0</i>
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.4	1.3	1.2	1.1	1.1	<i>1.0</i>
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6	0.7	0.7	0.6	0.6	<i>0.6</i>
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8	0.9	0.7	0.7	0.7	<i>0.9</i>
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7	0.7	0.6	0.6	0.7	<i>0.7</i>
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2	0.2	0.1	0.1	0.1	<i>0.2</i>
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.5	1.4	1.3	1.2	1.2	<i>1.1</i>
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.5	1.5	1.7	1.6	1.6	<i>1.7</i>
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3.5	3.5	3.5	3.3	3.5	<i>3.6</i>
TOBACCO PRODUCTS	32.2	31.6	30.9	31.3	31.5	30.5	30.3	29.5	29.2	28.3	28.6	27.3	27.1	25.7	25.4	24.2	23.2	22.8	<i>20.3</i>
Cigarettes	27.5	27.0	26.4	26.5	26.7	25.9	25.6	24.9	24.6	23.6	23.8	22.9	22.5	21.0	20.6	19.4	18.6	18.1	<i>16.3</i>
Daily Cigarettes	17.9	17.4	17.0	17.2	17.1	16.3	16.1	15.5	14.9	14.6	14.7	13.9	13.4	12.3	12.1	11.2	10.9	10.7	<i>9.9</i>
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3.6	3.4	3.3	3.1	3.3	<i>2.7</i>
Cigars	5.5	5.5	5.8	5.8	5.7	5.5	5.5	5.4	5.4	5.2	5.4	5.0	4.8	4.9	4.8	4.9	4.7	4.5	<i>4.1</i>
Pipe Tobacco	0.8	0.7	0.8	0.9	1.0	0.8	0.8	0.8	0.9	0.8	1.0	0.9	0.9	0.9	0.9	0.9	0.8	0.7	<i>0.7</i>
ALCOHOL	54.9	53.9	54.1	55.9	54.9	55.2	55.7	55.9	55.9	55.9	56.3	56.4	56.9	56.0	55.0	55.9	55.3	54.9	<i>54.2</i>
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	26.9	26.2	26.4	26.5	25.8	<i>24.0</i>
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7.0	6.6	6.7	6.6	6.3	<i>7.0</i>
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	65.6	64.8	65.3	64.8	64.6	<i>63.3</i>
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	58.2	57.5	58.4	57.9	58.2	<i>57.8</i>
Tobacco Products or Alcohol	65.3	64.3	63.8	65.7	65.2	64.9	65.1	65.1	65.4	64.9	65.7	65.4	65.8	64.7	63.7	64.2	63.6	63.0	<i>61.7</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.10A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime: Among People Aged 18 to 25; Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	20,083	19,469	19,549	18,922	18,832	<i>17,879</i>
Marijuana	16,680	17,103	16,983	17,032	17,180	16,652	16,718	17,677	17,529	17,796	18,052	18,051	18,390	18,392	17,897	18,087	17,512	17,450	<i>16,604</i>
Cocaine	4,786	4,755	4,893	4,905	5,139	4,925	4,772	4,997	4,568	4,253	4,267	4,041	3,881	4,074	3,901	4,125	3,872	3,809	<i>3,065</i>
Crack	1,182	1,193	1,135	1,145	1,176	985	916	965	886	714	654	563	546	531	387	436	340	339	<i>247</i>
Heroin	487	516	529	496	514	498	467	587	614	594	664	619	683	616	539	602	459	389	<i>226</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6,486	5,940	5,859	5,597	5,597	<i>5,269</i>
LSD	4,928	4,450	3,900	3,417	2,933	2,381	2,167	2,326	2,194	2,054	2,056	2,246	2,451	2,691	2,884	3,125	3,338	3,368	<i>3,284</i>
PCP	834	948	737	716	641	540	523	480	447	351	345	326	305	267	235	261	215	249	<i>167</i>
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4,561	4,018	4,105	3,586	3,500	<i>2,946</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3,463	3,387	3,242	3,053	3,099	<i>2,929</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,135	836	1,024	867	904	<i>538</i>
Misuse of Prescription Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	<i>--</i>
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
TOBACCO PRODUCTS	23,426	23,723	23,658	23,496	23,525	23,016	23,151	23,383	23,437	23,304	22,926	22,650	22,290	21,524	20,490	19,866	18,704	17,776	<i>15,413</i>
Cigarettes	22,099	22,267	22,118	21,879	21,808	21,206	21,201	21,420	21,224	20,929	20,593	20,141	19,608	18,596	17,467	16,988	15,609	14,686	<i>12,862</i>
Daily Cigarettes	11,508	11,423	11,213	11,069	10,717	10,198	9,944	9,920	9,532	9,324	9,037	8,669	8,332	7,893	6,860	6,268	5,610	5,455	<i>4,274</i>
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6,842	6,284	6,160	5,688	5,618	<i>4,478</i>
Cigars	14,148	14,327	14,213	14,036	14,132	13,887	13,792	14,132	13,988	13,540	13,490	13,379	13,170	12,659	12,081	11,466	11,104	10,446	<i>8,599</i>
Pipe Tobacco	2,495	2,441	2,661	2,693	2,613	2,587	2,801	2,911	3,277	3,331	3,421	3,597	3,475	3,437	3,199	3,044	2,818	2,604	<i>2,127</i>
ALCOHOL	26,889	27,622	27,752	27,836	28,309	27,885	28,191	28,804	29,189	28,901	29,195	29,148	29,126	28,753	28,111	27,805	27,110	26,622	<i>25,246</i>
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	<i>--</i>
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	<i>--</i>
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	30,560	29,777	29,482	28,826	28,259	<i>26,936</i>
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	29,702	29,005	28,692	28,095	27,563	<i>26,348</i>
Tobacco Products or Alcohol	27,936	28,676	28,877	28,986	29,326	28,946	29,385	29,833	30,237	30,115	30,359	30,251	30,250	29,990	29,305	28,963	28,244	27,626	<i>26,164</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.10B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime: Among People Aged 18 to 25; Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	57.5	56.3	57.0	55.6	55.8	53.4
Marijuana	53.8	53.9	52.8	52.4	52.5	50.9	50.8	52.6	51.4	51.9	52.2	51.9	52.6	52.7	51.8	52.7	51.5	51.7	49.6
Cocaine	15.4	15.0	15.2	15.1	15.7	15.0	14.5	14.9	13.4	12.4	12.3	11.6	11.1	11.7	11.3	12.0	11.4	11.3	9.1
Crack	3.8	3.8	3.5	3.5	3.6	3.0	2.8	2.9	2.6	2.1	1.9	1.6	1.6	1.5	1.1	1.3	1.0	1.0	0.7
Heroin	1.6	1.6	1.6	1.5	1.6	1.5	1.4	1.7	1.8	1.7	1.9	1.8	2.0	1.8	1.6	1.8	1.3	1.2	0.7
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	18.6	17.2	17.1	16.4	16.6	15.7
LSD	15.9	14.0	12.1	10.5	9.0	7.3	6.6	6.9	6.4	6.0	5.9	6.5	7.0	7.7	8.3	9.1	9.8	10.0	9.8
PCP	2.7	3.0	2.3	2.2	2.0	1.6	1.6	1.4	1.3	1.0	1.0	0.9	0.9	0.8	0.7	0.8	0.6	0.7	0.5
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13.1	11.6	12.0	10.5	10.4	8.8
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	9.9	9.8	9.5	9.0	9.2	8.7
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3.3	2.4	3.0	2.5	2.7	1.6
Misuse of Prescription Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	nr
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	nr
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	nr
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	nr
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	nr
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	nr
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	nr
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	nr
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	nr
TOBACCO PRODUCTS	75.5	74.8	73.5	72.3	71.9	70.3	70.3	69.6	68.8	67.9	66.3	65.1	63.8	61.7	59.3	57.9	55.0	52.7	46.0
Cigarettes	71.2	70.2	68.7	67.3	66.6	64.8	64.4	63.8	62.3	61.0	59.5	57.9	56.1	53.3	50.5	49.5	45.9	43.5	38.4
Daily Cigarettes	37.1	36.0	34.8	34.1	32.7	31.2	30.2	29.5	28.0	27.2	26.1	24.9	23.8	22.6	19.8	18.3	16.5	16.2	12.8
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	19.6	18.2	18.0	16.7	16.7	13.4
Cigars	45.6	45.2	44.1	43.2	43.2	42.4	41.9	42.1	41.1	39.5	39.0	38.5	37.7	36.3	34.9	33.4	32.6	31.0	25.7
Pipe Tobacco	8.0	7.7	8.3	8.3	8.0	7.9	8.5	8.7	9.6	9.7	9.9	10.3	9.9	9.8	9.3	8.9	8.3	7.7	6.4
ALCOHOL	86.7	87.1	86.2	85.7	86.5	85.2	85.6	85.8	85.7	84.3	84.4	83.8	83.4	82.4	81.3	81.1	79.7	78.9	75.4
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	87.5	86.1	85.9	84.7	83.8	80.4
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	85.1	83.9	83.6	82.5	81.7	78.7
Tobacco Products or Alcohol	90.0	90.4	89.7	89.2	89.6	88.4	89.2	88.8	88.7	87.8	87.8	87.0	86.6	85.9	84.8	84.4	83.0	81.9	78.1

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.11A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year: Among People Aged 18 to 25; Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13,102	13,034	13,522	13,168	13,193	<i>12,398</i>
Marijuana	9,238	9,044	8,963	9,111	9,188	9,008	9,154	10,343	10,215	10,554	10,887	11,000	11,154	11,246	11,401	11,956	11,829	11,952	<i>11,566</i>
Cocaine	2,087	2,098	2,134	2,247	2,263	2,087	1,844	1,790	1,593	1,563	1,600	1,543	1,604	1,876	1,919	2,128	1,967	1,789	<i>1,441</i>
Crack	266	275	263	328	293	249	217	172	180	107	140	95	127	109	90	108	87	61	<i>49</i>
Heroin	122	96	118	159	147	142	149	183	211	230	272	244	268	217	227	214	157	87	<i>62</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,453	2,388	2,406	2,332	2,425	<i>2,446</i>
LSD	553	336	317	322	380	375	507	523	549	586	622	708	800	979	1,161	1,310	1,187	1,202	<i>1,254</i>
PCP	95	117	100	57	76	57	30	35	37	63	57	26	36	32	15	27	10	30	<i>63</i>
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,422	1,223	1,209	1,063	1,089	<i>845</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	487	485	562	495	577	<i>507</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	329	265	375	273	275	<i>171</i>
Misuse of Prescription Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5,330	5,026	4,956	4,202	3,868	<i>3,193</i>
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,979	2,454	2,460	1,858	1,754	<i>1,361</i>
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,537	2,578	2,545	2,216	1,951	<i>1,616</i>
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,988	1,987	1,949	1,658	1,409	<i>1,237</i>
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,874	1,844	1,880	1,566	1,313	<i>1,108</i>
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	265	256	199	194	175	<i>251</i>
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,799	1,794	1,830	1,526	1,266	<i>1,097</i>
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3,029	2,516	2,494	1,895	1,776	<i>1,376</i>
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3,789	3,854	3,890	3,487	3,205	<i>2,567</i>
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7,036	6,649	6,657	6,006	5,791	<i>5,169</i>
TOBACCO PRODUCTS³	17,028	17,073	17,481	17,637	17,695	17,156	17,248	17,601	17,484	17,159	16,891	16,597	16,083	15,301	14,014	13,661	12,488	11,874	<i>9,638</i>
Cigarettes	15,214	15,113	15,290	15,348	15,403	14,787	14,865	15,212	14,733	14,516	14,195	13,750	13,157	12,215	10,956	10,645	9,501	8,720	<i>7,241</i>
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3,156	2,772	2,653	2,402	2,586	<i>2,023</i>
Cigars	7,034	7,196	7,724	7,856	7,931	7,756	7,601	7,904	7,735	7,568	7,521	7,214	6,975	6,798	6,217	6,140	5,818	5,495	<i>4,136</i>
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	24,153	24,778	25,127	25,303	25,815	25,497	25,691	26,437	26,783	26,429	26,778	26,707	26,713	26,355	25,720	25,382	24,866	24,279	<i>23,286</i>
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	28,438	27,609	27,403	26,721	26,287	<i>24,790</i>
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	27,280	26,630	26,428	25,889	25,368	<i>24,203</i>
Tobacco Products or Alcohol ³	25,571	26,254	26,657	26,824	27,232	26,975	27,261	27,850	28,306	28,118	28,307	28,266	28,229	27,926	27,181	26,839	26,107	25,614	<i>24,195</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Information about past year use of pipe tobacco was not collected. The estimate for tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.11B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year: Among People Aged 18 to 25; Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	37.5	37.7	39.4	38.7	39.1	37.0
Marijuana	29.8	28.5	27.8	28.0	28.1	27.5	27.8	30.8	30.0	30.8	31.5	31.6	31.9	32.2	33.0	34.9	34.8	35.4	34.5
Cocaine	6.7	6.6	6.6	6.9	6.9	6.4	5.6	5.3	4.7	4.6	4.6	4.4	4.6	5.4	5.6	6.2	5.8	5.3	4.3
Crack	0.9	0.9	0.8	1.0	0.9	0.8	0.7	0.5	0.5	0.3	0.4	0.3	0.4	0.3	0.3	0.3	0.3	0.2	0.1
Heroin	0.4	0.3	0.4	0.5	0.4	0.4	0.5	0.5	0.6	0.7	0.8	0.7	0.8	0.6	0.7	0.6	0.5	0.3	0.2
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7.0	6.9	7.0	6.9	7.2	7.3
LSD	1.8	1.1	1.0	1.0	1.2	1.1	1.5	1.6	1.6	1.7	1.8	2.0	2.3	2.8	3.4	3.8	3.5	3.6	3.7
PCP	0.3	0.4	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.0	0.1	0.0	0.1	0.2
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.1	3.5	3.5	3.1	3.2	2.5
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.4	1.4	1.6	1.5	1.7	1.5
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9	0.8	1.1	0.8	0.8	0.5
Misuse of Prescription Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	15.3	14.5	14.4	12.3	11.5	9.5
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	8.5	7.1	7.2	5.5	5.2	4.1
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7.3	7.5	7.4	6.5	5.8	4.8
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5.7	5.7	5.7	4.9	4.2	3.7
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5.4	5.3	5.5	4.6	3.9	3.3
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8	0.7	0.6	0.6	0.5	0.7
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5.2	5.2	5.3	4.5	3.8	3.3
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	8.7	7.3	7.3	5.6	5.3	4.1
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	10.9	11.1	11.3	10.2	9.5	7.7
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	20.2	19.2	19.4	17.6	17.2	15.4
TOBACCO PRODUCTS ³	54.9	53.8	54.3	54.3	54.0	52.4	52.4	52.4	51.3	50.0	48.8	47.7	46.0	43.8	40.5	39.8	36.7	35.2	28.8
Cigarettes	49.0	47.6	47.5	47.2	47.0	45.2	45.1	45.3	43.2	42.3	41.0	39.5	37.7	35.0	31.7	31.0	27.9	25.8	21.6
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	9.0	8.0	7.7	7.1	7.7	6.0
Cigars	22.7	22.7	24.0	24.2	24.2	23.7	23.1	23.5	22.7	22.1	21.7	20.7	20.0	19.5	18.0	17.9	17.1	16.3	12.3
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	77.9	78.1	78.0	77.9	78.8	77.9	78.0	78.7	78.6	77.0	77.4	76.8	76.5	75.5	74.4	74.0	73.1	72.0	69.5
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	81.5	79.9	79.9	78.5	77.9	74.0
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	78.2	77.0	77.0	76.1	75.2	72.3
Tobacco Products or Alcohol ³	82.4	82.7	82.8	82.6	83.2	82.4	82.8	82.9	83.1	82.0	81.8	81.3	80.8	80.0	78.6	78.2	76.7	75.9	72.2

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Information about past year use of pipe tobacco was not collected. The estimate for tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.12A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month: Among People Aged 18 to 25; Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7,797	8,012	8,302	8,130	8,406	<i>8,016</i>
Marijuana	5,376	5,400	5,196	5,388	5,337	5,392	5,459	6,128	6,313	6,526	6,485	6,636	6,836	6,921	7,184	7,591	7,528	7,749	<i>7,727</i>
Cocaine	631	696	692	832	730	572	515	466	503	464	398	398	473	580	552	665	524	540	<i>424</i>
Crack	52	55	80	104	72	56	54	40	72	20	38	36	29	39	15	24	28	18	<i>35</i>
Heroin	39	25	43	59	55	49	76	67	90	107	138	92	82	88	88	102	61	38	<i>26</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	636	668	594	580	625	<i>645</i>
LSD	36	67	83	60	58	69	98	97	105	92	118	105	118	219	209	283	237	260	<i>273</i>
PCP	15	30	17	11	14	15	4	5	6	12	12	4	5	2	*	*	*	8	*
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	307	303	245	245	214	<i>187</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	126	121	168	128	157	<i>160</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	128	65	151	90	110	<i>74</i>
Misuse of Prescription Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,766	1,600	1,554	1,261	1,145	<i>764</i>
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	829	631	634	475	420	<i>288</i>
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	757	767	715	587	587	<i>267</i>
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	621	571	575	422	365	<i>371</i>
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	582	536	552	395	337	<i>357</i>
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	86	50	52	43	44	<i>78</i>
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	880	688	695	508	439	<i>296</i>
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,290	1,241	1,349	1,056	1,127	<i>682</i>
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,645	2,440	2,432	2,053	2,059	<i>1,600</i>
TOBACCO PRODUCTS	14,049	14,201	14,359	14,382	14,396	13,700	13,638	13,986	13,934	13,532	13,167	12,882	12,244	11,516	10,359	9,972	8,792	8,203	<i>6,434</i>
Cigarettes	12,650	12,764	12,731	12,667	12,595	11,845	11,774	12,038	11,702	11,488	11,008	10,657	9,905	9,330	8,120	7,653	6,514	5,917	<i>4,661</i>
Daily Cigarettes	6,549	6,726	6,574	6,349	6,149	5,829	5,623	5,458	5,358	5,207	4,967	4,591	4,263	3,923	3,237	2,939	2,438	2,097	<i>1,542</i>
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,893	1,807	1,631	1,494	1,660	<i>1,313</i>
Cigars	3,417	3,623	4,103	3,895	3,972	3,887	3,770	3,871	3,858	3,724	3,716	3,472	3,392	3,106	3,048	3,137	2,920	2,610	<i>1,973</i>
Pipe Tobacco	332	292	396	471	430	395	461	592	619	635	625	758	666	612	573	563	597	418	<i>393</i>
ALCOHOL	18,759	19,466	19,474	19,783	20,298	20,049	20,125	20,752	20,917	20,814	20,828	20,738	20,815	20,367	19,754	19,330	18,757	18,323	<i>17,260</i>
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13,626	13,258	12,652	11,876	11,559	<i>10,504</i>
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3,803	3,500	3,307	3,074	2,844	<i>2,874</i>
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	23,690	23,080	22,578	21,933	21,593	<i>20,003</i>
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	21,612	21,271	20,885	20,401	20,169	<i>19,047</i>
Tobacco Products or Alcohol	21,801	22,444	22,596	22,771	23,256	22,881	22,945	23,635	23,902	23,870	23,852	23,602	23,629	23,158	22,331	21,868	21,041	20,505	<i>18,958</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.12B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month: Among People Aged 18 to 25; Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	22.3	23.2	24.2	23.9	24.9	<i>23.9</i>
Marijuana	17.3	17.0	16.1	16.6	16.3	16.5	16.6	18.2	18.5	19.0	18.7	19.1	19.6	19.8	20.8	22.1	22.1	23.0	<i>23.1</i>
Cocaine	2.0	2.2	2.1	2.6	2.2	1.7	1.6	1.4	1.5	1.4	1.1	1.1	1.4	1.7	1.6	1.9	1.5	1.6	<i>1.3</i>
Crack	0.2	0.2	0.3	0.3	0.2	0.2	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.1	<i>0.1</i>
Heroin	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.2	0.3	0.3	0.4	0.3	0.2	0.3	0.3	0.3	0.2	0.1	<i>0.1</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.8	1.9	1.7	1.7	1.9	<i>1.9</i>
LSD	0.1	0.2	0.3	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.6	0.6	0.8	0.7	0.8	<i>0.8</i>
PCP	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	0.0	*
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9	0.9	0.7	0.7	0.6	<i>0.6</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4	0.4	0.5	0.4	0.5	<i>0.5</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4	0.2	0.4	0.3	0.3	<i>0.2</i>
Misuse of Prescription Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5.1	4.6	4.5	3.7	3.4	<i>2.3</i>
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.4	1.8	1.8	1.4	1.2	<i>0.9</i>
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.2	2.2	2.1	1.7	1.7	<i>0.8</i>
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.8	1.7	1.7	1.2	1.1	<i>1.1</i>
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.7	1.5	1.6	1.2	1.0	<i>1.1</i>
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2	0.1	0.2	0.1	0.1	<i>0.2</i>
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.5	2.0	2.0	1.5	1.3	<i>0.9</i>
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3.7	3.6	3.9	3.1	3.3	<i>2.0</i>
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7.6	7.1	7.1	6.0	6.1	<i>4.8</i>
TOBACCO PRODUCTS	45.3	44.8	44.6	44.3	44.0	41.9	41.4	41.6	40.9	39.5	38.1	37.0	35.0	33.0	30.0	29.1	25.8	24.3	<i>19.2</i>
Cigarettes	40.8	40.2	39.5	39.0	38.5	36.2	35.7	35.8	34.3	33.5	31.8	30.6	28.4	26.7	23.5	22.3	19.1	17.5	<i>13.9</i>
Daily Cigarettes	21.1	21.2	20.4	19.5	18.8	17.8	17.1	16.3	15.7	15.2	14.4	13.2	12.2	11.2	9.4	8.6	7.2	6.2	<i>4.6</i>
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5.4	5.2	4.8	4.4	4.9	<i>3.9</i>
Cigars	11.0	11.4	12.7	12.0	12.1	11.9	11.4	11.5	11.3	10.9	10.7	10.0	9.7	8.9	8.8	9.1	8.6	7.7	<i>5.9</i>
Pipe Tobacco	1.1	0.9	1.2	1.5	1.3	1.2	1.4	1.8	1.8	1.9	1.8	2.2	1.9	1.8	1.7	1.6	1.8	1.2	<i>1.2</i>
ALCOHOL	60.5	61.4	60.5	60.9	62.0	61.3	61.1	61.8	61.4	60.7	60.2	59.6	59.6	58.3	57.1	56.3	55.1	54.3	<i>51.5</i>
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	39.0	38.4	36.9	34.9	34.3	<i>31.4</i>
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	10.9	10.1	9.6	9.0	8.4	<i>8.6</i>
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	67.9	66.8	65.8	64.4	64.0	<i>59.7</i>
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	61.9	61.5	60.9	59.9	59.8	<i>56.9</i>
Tobacco Products or Alcohol	70.3	70.7	70.2	70.1	71.0	69.9	69.7	70.4	70.2	69.6	69.0	67.9	67.6	66.3	64.6	63.7	61.8	60.8	<i>56.6</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.13A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime: Among People Aged 26 or Older; Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	104,230	105,422	109,192	109,917	113,104	<i>115,435</i>
Marijuana	73,162	74,620	75,001	76,111	76,213	79,988	82,001	83,070	84,927	85,668	88,955	92,568	94,732	95,561	96,950	101,050	102,600	105,742	<i>106,797</i>
Cocaine	28,453	29,488	28,649	28,185	29,593	30,477	31,671	31,339	32,430	32,332	33,156	33,378	35,097	34,462	34,767	36,256	36,150	37,483	<i>36,091</i>
Crack	7,057	6,599	6,580	6,675	7,254	7,524	7,458	7,368	8,262	7,433	8,327	8,284	8,843	8,491	8,372	9,133	8,823	9,016	<i>9,107</i>
Heroin	3,087	3,148	2,538	2,979	3,214	3,253	3,262	3,036	3,483	3,499	3,841	4,155	4,095	4,448	4,411	4,661	4,633	5,287	<i>6,024</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	33,669	34,876	35,513	37,093	37,876	<i>38,117</i>
LSD	18,917	19,577	19,185	18,728	20,213	20,137	21,166	21,138	20,950	20,716	21,430	22,303	22,293	22,304	22,689	22,581	23,675	23,769	<i>24,521</i>
PCP	6,352	5,955	5,851	5,705	5,865	5,533	6,032	5,692	5,731	5,676	6,112	6,090	6,023	5,995	6,178	5,792	5,839	5,226	<i>5,967</i>
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13,411	14,154	14,811	16,155	16,372	<i>17,348</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	20,031	18,952	19,801	19,605	19,790	<i>21,493</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13,305	13,628	13,612	13,954	15,034	<i>14,811</i>
Misuse of Prescription Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	<i>nr</i>
TOBACCO PRODUCTS	139,299	140,489	139,921	140,926	142,814	142,377	144,028	144,054	144,860	144,804	145,374	147,688	148,534	145,297	145,121	146,918	146,277	146,833	<i>142,392</i>
Cigarettes	132,212	133,221	132,360	133,203	134,578	134,638	135,686	135,690	136,729	136,096	136,125	138,095	138,658	134,606	134,333	135,776	134,473	134,296	<i>130,829</i>
Daily Cigarettes	81,675	81,485	80,489	80,931	82,343	82,993	83,247	80,999	82,625	80,554	83,532	83,078	82,807	80,855	80,781	78,946	77,923	78,292	<i>79,569</i>
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	35,324	35,835	36,487	35,825	35,964	<i>32,370</i>
Cigars	69,872	69,992	69,453	70,652	71,049	71,345	72,853	73,240	72,079	72,290	72,716	73,668	74,112	73,291	71,728	73,301	74,084	74,212	<i>72,270</i>
Pipe Tobacco	36,821	36,983	36,138	35,135	35,094	32,363	33,248	31,668	30,563	30,627	30,563	30,058	29,666	29,636	29,439	29,602	29,616	28,506	<i>24,856</i>
ALCOHOL	157,816	159,198	159,872	163,525	164,830	166,091	167,615	170,280	171,453	174,236	176,751	176,977	181,265	181,011	181,326	185,492	187,558	187,695	<i>189,283</i>
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	188,700	189,208	193,368	194,896	195,470	<i>196,548</i>
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	183,351	183,978	188,173	189,798	190,459	<i>191,926</i>
Tobacco Products or Alcohol	165,385	166,320	167,620	170,745	172,713	173,356	175,174	176,962	178,885	180,768	183,390	185,218	187,958	187,670	188,123	192,310	193,984	194,306	<i>195,242</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.13B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime: Among People Aged 26 or Older; Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	50.1	50.2	51.3	51.2	52.2	52.8
Marijuana	40.8	41.2	41.0	41.1	40.6	42.1	42.7	42.9	43.5	43.2	44.4	45.7	46.1	46.0	46.2	47.5	47.8	48.8	48.9
Cocaine	15.9	16.3	15.6	15.2	15.7	16.1	16.5	16.2	16.6	16.3	16.5	16.5	17.1	16.6	16.6	17.0	16.8	17.3	16.5
Crack	3.9	3.6	3.6	3.6	3.9	4.0	3.9	3.8	4.2	3.7	4.2	4.1	4.3	4.1	4.0	4.3	4.1	4.2	4.2
Heroin	1.7	1.7	1.4	1.6	1.7	1.7	1.7	1.6	1.8	1.8	1.9	2.0	2.0	2.1	2.1	2.2	2.2	2.4	2.8
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	16.2	16.6	16.7	17.3	17.5	17.5
LSD	10.5	10.8	10.5	10.1	10.8	10.6	11.0	10.9	10.7	10.4	10.7	11.0	10.9	10.7	10.8	10.6	11.0	11.0	11.2
PCP	3.5	3.3	3.2	3.1	3.1	2.9	3.1	2.9	2.9	2.9	3.0	3.0	2.9	2.9	2.9	2.7	2.7	2.4	2.7
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6.5	6.7	7.0	7.5	7.6	7.9
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	9.6	9.0	9.3	9.1	9.1	9.8
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6.4	6.5	6.4	6.5	6.9	6.8
Misuse of Prescription Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	nr
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	nr
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	nr
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	nr
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	nr
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	nr
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	nr
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	nr
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr	nr
TOBACCO PRODUCTS	77.7	77.6	76.4	76.0	76.0	75.0	75.0	74.4	74.2	73.0	72.5	72.9	72.3	69.9	69.1	69.0	68.1	67.8	65.2
Cigarettes	73.7	73.6	72.3	71.9	71.6	70.9	70.7	70.1	70.0	68.6	67.9	68.1	67.5	64.7	64.0	63.8	62.6	62.0	59.9
Daily Cigarettes	45.5	45.0	44.0	43.7	43.8	43.7	43.4	41.8	42.3	40.6	41.7	41.0	40.3	38.9	38.5	37.1	36.3	36.1	36.4
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	17.0	17.1	17.1	16.7	16.6	14.8
Cigars	39.0	38.7	37.9	38.1	37.8	37.6	37.9	37.8	36.9	36.5	36.3	36.3	36.1	35.3	34.2	34.4	34.5	34.3	33.1
Pipe Tobacco	20.5	20.4	19.7	19.0	18.7	17.0	17.3	16.4	15.7	15.4	15.2	14.8	14.4	14.3	14.0	13.9	13.8	13.2	11.4
ALCOHOL	88.0	88.0	87.3	88.2	87.7	87.5	87.3	87.9	87.8	87.9	88.1	87.3	88.3	87.1	86.4	87.1	87.3	86.7	86.7
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	90.8	90.1	90.8	90.7	90.3	90.0
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	88.2	87.6	88.4	88.4	87.9	87.9
Tobacco Products or Alcohol	92.2	91.9	91.5	92.1	91.9	91.3	91.2	91.4	91.6	91.1	91.5	91.4	91.5	90.3	89.6	90.3	90.3	89.7	89.4

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.14A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year: Among People Aged 26 or Older; Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	30,281	31,525	34,203	35,863	39,731	<i>43,443</i>
Marijuana	12,612	12,441	12,833	12,880	12,889	12,970	13,479	14,983	15,672	15,632	17,263	18,606	20,707	21,660	23,187	25,885	28,548	33,007	<i>35,537</i>
Cocaine	3,307	3,372	3,114	2,852	3,400	3,275	3,133	2,773	2,700	2,065	2,890	2,508	2,782	2,799	3,017	3,688	3,451	3,582	<i>3,646</i>
Crack	1,188	1,036	978	1,000	1,111	1,138	862	807	686	490	762	526	627	718	781	806	666	706	<i>606</i>
Heroin	231	182	232	184	376	207	265	364	382	336	366	406	618	591	708	658	641	658	<i>840</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,716	2,059	2,207	2,887	3,146	<i>4,317</i>
LSD	131	73	117	91	181	120	115	124	197	135	283	253	275	305	531	674	928	989	<i>1,164</i>
PCP	31	13	38	22	52	26	*	42	24	17	67	35	21	54	69	46	45	22	<i>31</i>
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	937	1,084	1,103	1,324	1,306	<i>1,692</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	588	620	623	846	822	<i>1,200</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,344	1,095	1,210	1,551	1,682	<i>2,358</i>
Misuse of Prescription Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	12,148	12,327	11,888	11,484	11,374	<i>12,192</i>
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	8,513	8,181	7,850	7,395	7,404	<i>7,498</i>
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,223	2,643	2,841	2,524	2,548	<i>3,188</i>
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4,530	4,552	4,302	4,317	4,050	<i>4,742</i>
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3,782	3,781	3,605	3,753	3,516	<i>4,156</i>
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,143	1,176	1,079	827	841	<i>954</i>
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3,368	3,489	3,403	3,513	3,194	<i>3,526</i>
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	8,683	8,417	8,138	7,656	7,723	<i>7,717</i>
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5,431	5,664	6,452	6,102	6,433	<i>7,393</i>
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	15,240	15,370	15,800	15,416	15,936	<i>17,286</i>
TOBACCO PRODUCTS³	61,864	60,708	60,023	61,957	63,044	62,852	62,555	61,115	61,482	60,497	62,138	60,788	61,896	60,121	60,131	58,645	58,606	58,032	<i>53,371</i>
Cigarettes	51,060	50,004	49,974	51,098	51,965	51,958	51,502	50,325	50,406	49,323	50,659	49,945	50,491	47,612	48,510	46,196	46,577	45,498	<i>42,752</i>
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	8,492	8,299	8,303	7,909	8,271	<i>6,844</i>
Cigars	16,382	15,702	15,681	16,567	16,544	16,519	16,554	16,470	16,444	15,472	16,443	16,296	15,333	16,313	15,454	16,167	16,205	15,834	<i>14,898</i>
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	122,759	121,200	123,022	127,869	128,257	129,435	131,548	134,183	134,616	137,053	140,240	141,126	143,864	143,840	143,520	147,887	149,221	149,591	<i>149,799</i>
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	158,172	157,919	161,981	163,596	164,135	<i>163,976</i>
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	147,928	147,613	152,242	153,334	154,828	<i>155,993</i>
Tobacco Products or Alcohol ³	135,093	133,922	134,681	140,642	140,973	141,755	143,947	145,567	146,955	148,785	152,124	153,101	156,279	156,209	155,897	159,924	161,788	161,832	<i>160,799</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Information about past year use of pipe tobacco was not collected. The estimate for tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.14B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year: Among People Aged 26 or Older; Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	14.6	15.0	16.1	16.7	18.3	19.9
Marijuana	7.0	6.9	7.0	6.9	6.9	6.8	7.0	7.7	8.0	7.9	8.6	9.2	10.1	10.4	11.0	12.2	13.3	15.2	16.3
Cocaine	1.8	1.9	1.7	1.5	1.8	1.7	1.6	1.4	1.4	1.0	1.4	1.2	1.4	1.3	1.4	1.7	1.6	1.7	1.7
Crack	0.7	0.6	0.5	0.5	0.6	0.6	0.4	0.4	0.4	0.2	0.4	0.3	0.3	0.3	0.4	0.4	0.3	0.3	0.3
Heroin	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.4
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8	1.0	1.0	1.3	1.5	2.0
LSD	0.1	0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.3	0.4	0.5	0.5
PCP	0.0	0.0	0.0	0.0	0.0	0.0	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5	0.5	0.5	0.6	0.6	0.8
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3	0.3	0.3	0.4	0.4	0.5
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6	0.5	0.6	0.7	0.8	1.1
Misuse of Prescription Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5.8	5.9	5.6	5.3	5.3	5.6
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.1	3.9	3.7	3.4	3.4	3.4
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.1	1.3	1.3	1.2	1.2	1.5
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.2	2.2	2.0	2.0	1.9	2.2
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.8	1.8	1.7	1.7	1.6	1.9
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5	0.6	0.5	0.4	0.4	0.4
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.6	1.7	1.6	1.6	1.5	1.6
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.2	4.0	3.8	3.6	3.6	3.5
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.6	2.7	3.0	2.8	3.0	3.4
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7.3	7.3	7.4	7.2	7.4	7.9
TOBACCO PRODUCTS ³	34.5	33.5	32.8	33.4	33.6	33.1	32.6	31.6	31.5	30.5	31.0	30.0	30.1	28.9	28.6	27.6	27.3	26.8	24.4
Cigarettes	28.5	27.6	27.3	27.6	27.7	27.4	26.8	26.0	25.8	24.9	25.3	24.6	24.6	22.9	23.1	21.7	21.7	21.0	19.6
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.1	4.0	3.9	3.7	3.8	3.1
Cigars	9.1	8.7	8.6	8.9	8.8	8.7	8.6	8.5	8.4	7.8	8.2	8.0	7.5	7.8	7.4	7.6	7.5	7.3	6.8
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	68.4	67.0	67.2	69.0	68.3	68.2	68.5	69.3	69.0	69.1	69.9	69.6	70.1	69.2	68.4	69.5	69.5	69.1	68.6
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	76.1	75.2	76.1	76.2	75.8	75.1
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	71.2	70.3	71.5	71.4	71.5	71.4
Tobacco Products or Alcohol ³	75.3	74.0	73.6	75.9	75.0	74.7	75.0	75.2	75.3	75.0	75.9	75.5	76.1	75.1	74.2	75.1	75.3	74.7	73.6

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Information about past year use of pipe tobacco was not collected. The estimate for tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.15A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month: Among People Aged 26 or Older; Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	17,090	18,593	20,208	21,788	25,231	<i>27,614</i>
Marijuana	7,185	7,267	7,471	7,508	7,818	7,385	8,142	8,885	9,294	9,578	10,571	11,412	13,521	13,552	15,188	16,792	18,481	22,020	<i>23,585</i>
Cocaine	1,243	1,431	1,204	1,423	1,586	1,400	1,252	1,106	909	838	1,222	1,108	1,018	1,243	1,295	1,476	1,414	1,425	<i>1,396</i>
Crack	488	517	370	553	619	538	302	448	303	205	405	338	317	354	414	448	408	355	<i>298</i>
Heroin	116	76	108	62	268	109	124	112	141	159	197	185	337	236	383	390	285	392	<i>488</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	482	608	701	911	1,138	<i>1,036</i>
LSD	15	15	20	12	41	45	*	27	*	26	39	72	104	80	123	176	166	252	<i>349</i>
PCP	20	*	21	20	*	19	*	36	24	*	16	22	*	15	15	31	30	*	<i>24</i>
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	217	286	301	391	409	<i>472</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	226	329	235	300	434	<i>637</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	757	594	607	894	1,051	<i>1,641</i>
Misuse of Prescription Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4,107	4,218	4,038	3,851	3,863	<i>4,344</i>
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,670	2,480	2,391	2,216	2,234	<i>2,152</i>
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	779	876	1,002	963	856	<i>1,154</i>
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,389	1,616	1,240	1,289	1,472	<i>1,799</i>
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,130	1,296	1,047	1,159	1,332	<i>1,509</i>
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	340	425	281	191	231	<i>402</i>
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,806	2,720	2,638	2,366	2,497	<i>2,493</i>
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,472	2,510	2,787	2,913	2,976	<i>3,714</i>
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5,878	6,077	6,117	6,217	6,676	<i>7,400</i>
TOBACCO PRODUCTS	53,683	52,946	52,263	53,813	55,200	54,232	54,446	52,946	53,117	52,203	54,178	52,046	52,913	50,952	51,746	49,885	48,931	48,924	<i>44,662</i>
Cigarettes	45,278	44,626	44,166	45,133	46,331	45,843	45,777	44,469	44,593	43,392	44,882	43,724	44,123	41,582	42,358	40,252	39,770	39,396	<i>36,389</i>
Daily Cigarettes	31,168	30,359	29,942	31,079	31,481	30,414	30,655	29,865	28,901	28,841	29,610	28,385	27,916	26,059	26,336	24,751	24,792	24,624	<i>23,307</i>
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6,731	6,609	6,608	6,200	6,608	<i>5,562</i>
Cigars	8,217	8,099	8,423	8,681	8,680	8,340	8,504	8,484	8,627	8,283	9,055	8,389	8,051	8,885	8,764	8,916	8,879	8,734	<i>8,412</i>
Pipe Tobacco	1,347	1,166	1,261	1,561	1,717	1,467	1,246	1,280	1,381	1,320	1,740	1,353	1,402	1,571	1,568	1,658	1,415	1,409	<i>1,358</i>
ALCOHOL	96,696	95,073	97,023	102,054	100,835	102,777	105,089	106,242	107,138	109,245	111,457	113,253	115,990	115,563	114,692	118,794	118,844	119,058	<i>119,201</i>
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	51,623	50,855	52,674	54,015	53,073	<i>50,032</i>
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13,302	12,598	13,236	13,363	12,991	<i>14,718</i>
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	135,534	135,394	138,899	139,351	140,012	<i>139,461</i>
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	119,652	119,220	123,482	123,807	125,391	<i>126,546</i>
Tobacco Products or Alcohol	115,654	114,389	114,794	120,260	120,567	121,633	123,515	124,188	126,046	127,086	130,579	131,734	134,516	133,922	133,426	136,875	137,215	137,151	<i>136,372</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.15B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month: Among People Aged 26 or Older; Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	8.2	8.9	9.5	10.1	11.6	<i>12.6</i>
Marijuana	4.0	4.0	4.1	4.1	4.2	3.9	4.2	4.6	4.8	4.8	5.3	5.6	6.6	6.5	7.2	7.9	8.6	10.2	<i>10.8</i>
Cocaine	0.7	0.8	0.7	0.8	0.8	0.7	0.7	0.6	0.5	0.4	0.6	0.5	0.5	0.6	0.6	0.7	0.7	0.7	<i>0.6</i>
Crack	0.3	0.3	0.2	0.3	0.3	0.3	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	<i>0.1</i>
Heroin	0.1	0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.1	0.2	<i>0.2</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2	0.3	0.3	0.4	0.5	<i>0.5</i>
LSD	0.0	0.0	0.0	0.0	0.0	0.0	*	0.0	*	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.1	<i>0.2</i>
PCP	0.0	*	0.0	0.0	*	0.0	*	0.0	0.0	*	0.0	0.0	*	0.0	0.0	0.0	0.0	*	<i>0.0</i>
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1	0.1	0.1	0.2	0.2	<i>0.2</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1	0.2	0.1	0.1	0.2	<i>0.3</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4	0.3	0.3	0.4	0.5	<i>0.8</i>
Misuse of Prescription Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.0	2.0	1.9	1.8	1.8	<i>2.0</i>
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.3	1.2	1.1	1.0	1.0	<i>1.0</i>
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4	0.4	0.5	0.4	0.4	<i>0.5</i>
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7	0.8	0.6	0.6	0.7	<i>0.8</i>
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5	0.6	0.5	0.5	0.6	<i>0.7</i>
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2	0.2	0.1	0.1	0.1	<i>0.2</i>
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.3	1.3	1.2	1.1	1.2	<i>1.1</i>
Central Nervous System Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.2	1.2	1.3	1.4	1.4	<i>1.7</i>
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.8	2.9	2.9	2.9	3.1	<i>3.4</i>
TOBACCO PRODUCTS	29.9	29.3	28.5	29.0	29.4	28.6	28.4	27.3	27.2	26.3	27.0	25.7	25.8	24.5	24.6	23.4	22.8	22.6	<i>20.4</i>
Cigarettes	25.2	24.7	24.1	24.3	24.7	24.1	23.8	23.0	22.8	21.9	22.4	21.6	21.5	20.0	20.2	18.9	18.5	18.2	<i>16.7</i>
Daily Cigarettes	17.4	16.8	16.4	16.8	16.8	16.0	16.0	15.4	14.8	14.5	14.8	14.0	13.6	12.5	12.5	11.6	11.5	11.4	<i>10.7</i>
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3.2	3.1	3.1	2.9	3.1	<i>2.5</i>
Cigars	4.6	4.5	4.6	4.7	4.6	4.4	4.4	4.4	4.4	4.2	4.5	4.1	3.9	4.3	4.2	4.2	4.1	4.0	<i>3.9</i>
Pipe Tobacco	0.8	0.6	0.7	0.8	0.9	0.8	0.6	0.7	0.7	0.7	0.9	0.7	0.7	0.8	0.7	0.8	0.7	0.7	<i>0.6</i>
ALCOHOL	53.9	52.5	53.0	55.1	53.7	54.1	54.7	54.9	54.9	55.1	55.6	55.9	56.5	55.6	54.6	55.8	55.3	55.0	<i>54.6</i>
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	24.8	24.2	24.7	25.1	24.5	<i>22.9</i>
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6.4	6.0	6.2	6.2	6.0	<i>6.7</i>
GENERAL SUBSTANCES																			
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	65.2	64.5	65.3	64.9	64.6	<i>63.8</i>
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	57.6	56.8	58.0	57.6	57.9	<i>57.9</i>
Tobacco Products or Alcohol	64.5	63.2	62.7	64.9	64.2	64.1	64.3	64.1	64.6	64.1	65.1	65.0	65.5	64.4	63.5	64.3	63.9	63.3	<i>62.4</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.