Substance Use Disorder Status in Past Year: Among People Aged 12 to 17; by Past Year Major Depressive Episode (MDE) and MDE with Severe Table 9.9A Impairment Status and Demographic Characteristics, Numbers in Thousands, 2019 and 2020

Major Depressive Episode Status/ Demographic Characteristic	SUBSTANCE USE DISORDER STATUS													
	Substance Use Disorder													
	No Substance Use Disorder		Illicit Drugs		Marijuana		Opioids		Alcohol		Both Illicit Drugs and Alcohol		Illicit Drugs or Alcohol	
	(2019)	(2020)	(2019)	(2020)	(2019)	(2020)	(2019)	(2020)	(2019)	(2020)	(2019)	(2020)	(2019)	(2020)
TOTAL <sup>1</sup>	nc	23,398	nc	1,213	nc	1,016	nc	80	nc	712	nc	340	nc	1,584
MDE	nc	3,488	nc	487	nc	375	nc	44	nc	328	nc	171	nc	644
Age Group														
12-13	nc	852	nc	45	nc	7	nc	7	nc	8	nc	2	nc	50
14-15	nc	1,254	nc	230	nc	197	nc	11	nc	146	nc	97	nc	279
16-17	nc	1,382	nc	212	nc	171	nc	27	nc	174	nc	71	nc	314
Gender														
Male	nc	1,025	nc	84	nc	76	nc	*	nc	51	nc	25	nc	110
Female	nc	2,463	nc	403	nc	298	nc	34	nc	276	nc	146	nc	533
MDE with Severe Impairment	nc	2,473	nc	315	nc	267	nc	34	nc	260	nc	129	nc	447
Age Group														
12-13	nc	603	nc	32	nc	6	nc	5	nc	8	nc	2	nc	38
14-15	nc	876	nc	169	nc	164	nc	7	nc	140	nc	91	nc	218
16-17	nc	993	nc	114	nc	98	nc	22	nc	113	nc	36	nc	191
Gender														
Male	nc	662	nc	54	nc	53	nc	*	nc	38	nc	22	nc	70
Female	nc	1,811	nc	261	nc	213	nc	25	nc	222	nc	107	nc	377
NO MDE	nc	19,234	nc	687	nc	622	nc	35	nc	376	nc	163	nc	900
Age Group														
12-13	nc	7,115	nc	28	nc	10	nc	2	nc	*	nc	1	nc	71
14-15	nc	6,603	nc	204	nc	185	nc	14	nc	127	nc	39	nc	291
16-17	nc	5,516	nc	455	nc	427	nc	19	nc	205	nc	122	nc	538
Gender														
Male	nc	10,687	nc	472	nc	415	nc	34	nc	232	nc	130	nc	575
Female	nc	8,547	nc	215	nc	206	nc	1	nc	143	nc	32	nc	326

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

<sup>\* =</sup> low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Substance use disorder (SUD) estimates in 2020 are based on criteria from the Diagnostic and Statistical Manual of Mental Disorders, 5th edition (DSM-5). SUD and related estimates are not comparable between 2020 and prior years of NSDUH, because prior years' estimates were based on DSM-IV criteria. The 2020 estimates reflect additional methodological changes for the 2020 NSDUH. Due to these changes, significance testing between 2020 and prior years was not performed. See the 2020 National Survey on Drug Use and Health: Methodological Summary and Definitions for details on these changes.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

NOTE: Respondents with unknown impairment data were excluded.

<sup>&</sup>lt;sup>1</sup> The Total row includes respondents with unknown past year MDE information.

Substance Use Disorder Status in Past Year: Among People Aged 12 to 17; by Past Year Major Depressive Episode (MDE) and MDE with Severe Table 9.9B Impairment Status and Demographic Characteristics, Percentages, 2019 and 2020

Major Depressive Episode Status/ Demographic Characteristic		SUBSTANCE USE DISORDER STATUS													
	Substance Use Disorder														
	No Substance Use Disorder		Illicit Drugs		Marijuana		Opioids		Alcohol		Both Illicit Drugs and Alcohol		Illicit Drugs or Alcohol		
	(2019)	(2020)	(2019)	(2020)	(2019)	(2020)	(2019)	(2020)	(2019)	(2020)	(2019)	(2020)	(2019)	(2020)	
TOTAL <sup>1</sup>	nc	93.7	nc	4.9	nc	4.1	nc	0.3	nc	2.8	nc	1.4	nc	6.3	
MDE	nc	84.4	nc	11.8	nc	9.1	nc	1.1	nc	7.9	nc	4.1	nc	15.6	
Age Group															
12-13	nc	94.4	nc	5.0	nc	0.7	nc	0.7	nc	0.8	nc	0.3	nc	5.6	
14-15	nc	81.8	nc	15.0	nc	12.9	nc	0.7	nc	9.5	nc	6.4	nc	18.2	
16-17	nc	81.5	nc	12.5	nc	10.1	nc	1.6	nc	10.3	nc	4.2	nc	18.5	
Gender															
Male	nc	90.3	nc	7.4	nc	6.7	nc	*	nc	4.5	nc	2.2	nc	9.7	
Female	nc	82.2	nc	13.5	nc	10.0	nc	1.1	nc	9.2	nc	4.9	nc	17.8	
MDE with Severe Impairment	nc	84.7	nc	10.8	nc	9.1	nc	1.2	nc	8.9	nc	4.4	nc	15.3	
Age Group															
12-13	nc	94.1	nc	5.0	nc	0.9	nc	0.8	nc	1.2	nc	0.4	nc	5.9	
14-15	nc	80.1	nc	15.5	nc	14.9	nc	0.6	nc	12.8	nc	8.3	nc	19.9	
16-17	nc	83.9	nc	9.6	nc	8.2	nc	1.9	nc	9.5	nc	3.0	nc	16.1	
Gender															
Male	nc	90.4	nc	7.4	nc	7.3	nc	*	nc	5.3	nc	3.1	nc	9.6	
Female	nc	82.8	nc	11.9	nc	9.8	nc	1.1	nc	10.1	nc	4.9	nc	17.2	
NO MDE	nc	95.5	nc	3.4	nc	3.1	nc	0.2	nc	1.9	nc	0.8	nc	4.5	
Age Group															
12-13	nc	99.0	nc	0.4	nc	0.1	nc	0.0	nc	*	nc	0.0	nc	1.0	
14-15	nc	95.8	nc	3.0	nc	2.7	nc	0.2	nc	1.8	nc	0.6	nc	4.2	
16-17	nc	91.1	nc	7.5	nc	7.0	nc	0.3	nc	3.4	nc	2.0	nc	8.9	
Gender															
Male	nc	94.9	nc	4.2	nc	3.7	nc	0.3	nc	2.1	nc	1.2	nc	5.1	
Female	nc	96.3	nc	2.4	nc	2.3	nc	0.0	nc	1.6	nc	0.4	nc	3.7	

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

<sup>\* =</sup> low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Substance use disorder (SUD) estimates in 2020 are based on criteria from the Diagnostic and Statistical Manual of Mental Disorders, 5th edition (DSM-5). SUD and related estimates are not comparable between 2020 and prior years of NSDUH, because prior years' estimates were based on DSM-IV criteria. The 2020 estimates reflect additional methodological changes for the 2020 NSDUH. Due to these changes, significance testing between 2020 and prior years was not performed. See the 2020 National Survey on Drug Use and Health: Methodological Summary and Definitions for details on these changes.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

NOTE: Respondents with unknown impairment data were excluded.

<sup>&</sup>lt;sup>1</sup> The Total row includes respondents with unknown past year MDE information.